

Rynex-3 Dry Cleaning Solvent

Version 2.3



Page 1 of 7

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Update 11 August 2011

1.1	Product Identifier	
	Trade Name/Designation	Rynex-3 Dry Cleaning Solvent
	Substance Name	Dipropylene Glycol t-Butyl Ether
	EC No	422-300-4
	REACH Registration No	No registration number is given yet for this phase-in substance since the transition period for its registration according to Article 23 of REACH has not yet expired.
	CAS No	132739-31-2
	Chemical Family	Glycol Ether
1.2	Recommended Use and Restr	ictions on Use
1.2.1	Uses	Dry Cleaning Solvent
1.2.2	Uses advised against	N/A
1.3	Supplier Details	
1.3.1	Manufacturer/Supplier Name and Address	Rynex Technologies LLC Equinox Chemicals, LLC 1909 West Oakridge Dr Albany, GA. 31707 USA www.rynex.com info@rynex.com
1.3.2	Customer Service Phone	+1 229-317-7850
1.4	Emergency Phone Number	
	24 hours per day/7 days per week (English only)	CHEMTEL (800) 255-3924
SECTIC	N 2 HAZARDS IDENTIFICATION	J
2.1	Classification	
2.1.1	Classification According to R	egulation (EC) No 1272/2008 (CLP/GHS)
		Serious Eye Damage/Irritation Category 2A
2.1.2	Classification According to D	irective 67/548/EEC
		Xi; R36
2.1.3	Additional Information	Full text of text of R-phrases: see Section 16
2.1.3.1	OSHA Classification	This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1919.1200)
2.2	Label Elements	
221		

- GHS Symbols: 2.2.1
- 2.2.2 Signal Word
- 2.2.3 Hazard Statement H319: Causes serious eye irritant

Warning



Rynex-3 Dry Cleaning Solvent

Update Version 11 August 2011 2.3



2.2.4 Precautionary Phrases		
	Protection:	P264: Wash thoroughly after handling
		P280: Wear eye protection
	Response:	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P337+P313: If eye irritation persists: Get medical advice/attention.
2.2.4.1	Supplemental Hazard Information (EU)	Not applicable
2.2.5	NFPA Ratings	
	Health Hazard:	1
	Fire:	1

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Reactivity

0

Product identifier type in accordance with Article 18(2) of Regulation (EC) No 1272/2008	Identifier Number (CAS No)	Weight % content (or range)	EC Number
Dipropylene Glycol t-Butyl Ether	132739-31-2	90-95	422-300-4
Non Classified Impurity	Not applicable	5-8	Not applicable
Dipropylene Glycol	25265-71-8	<3	246-770-3

SECTION 4 FIRST AID MEASURES

4.1	1.1 Description of First Aid Measures:	
	Following Inhalation:	Move to fresh air.
	Following Skin Contact:	Wash off immediately with soap and plenty of water.
	Following Eye Contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Following Ingestion:	Rinse mouth. Do not induce vomiting. If you feel unwell, consult your local Poison Control Center or physician.
4.2	1.2 Most Important Symptoms and Effects, Acute and Delayed	
	Following Inhalation:	Over exposure to vapors or mists may cause coughing and irritation to the respiratory tract
	Following Skin Contact:	Prolonged or repeated skin contact may cause irritation.
	Following Eye Contact:	Causes severe eye irritation. Symptoms included redness and tearing of eyes.
	Following Ingestion:	May cause irritation to mucous membranes and gastrointestinal upset.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Suitable Extiliguisting Meula Ose powder, alconor toan	i, carbon dioxide, of water spray.
Unsuitable Extinguishing Do not use a solid water s	tream as it may scatter and spread fire.

Update

11 August 2011



Rynex-3 Dry Cleaning Solvent



5.2	Special Hazards Arising from the Substance:	In case of fire, carbon monoxide, carbon dioxide, and hydrocarbons can be formed.
5.3	Advice for Firefighters	In the event of fire, wear self-contained breathing apparatus and full protective gear.
		gear. Broduct will burn in a fire. Keen container tightly closed when not in use. Ster

Version

2.3

5.4 Additional Information: Product will burn in a fire. Keep container tightly closed when not in use. Store away from heat, sparks or other sources of ignition.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions, Protective Equipment, and Emergency Procedures:	Wear eye protection. Remove sources of ignition. Dike large spills with absorbent material. Spill material may cause surfaces to become slippery. Use caution to prevent falls. Clean up spills immediately. Do not walk through spilled material.
6.2	Environmental Precautions:	As with all industrial chemicals, use of good chemical hygiene and environmental stewardship practices is recommended.
6.3	Methods and Material for Containment and Cleaning Up:	Absorb spilled material and place in appropriate container for disposal.
6.4	References to other Sections:	Refer to Section 8, Exposure Control/Personal Protection.

SECTION 7 HANDLING AND STORAGE

7.1 **Precautions for Safe Handling:**

7.1.1	Protective Measures to Prevent Fire:	Product will burn in a fire. Keep container tightly closed when not in use. Store away from heat, sparks, and other sources of ignition.
7.1.2	Advice on General Occupational Hygiene:	Use with adequate ventilation. Avoid contact with eyes. Wear eye protection. Avoid prolonged or repeated contact with skin. Use of proper chemical hygiene practices in the workplace is recommended. Keep away from food and foodstuffs. Instantly remove soiled garments. Wash clothing before reuse. Wash hands during breaks and at the end of work.
7.2	Conditions for Safe Storage, Including Incompatibilities:	Keep container tightly closed. Store away from sources of ignition. Store out of direct sunlight.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1	Control Parameters		
8.1.1	Substance:	Dipropylene Glycol t-Butyl Ether	CAS: 132739-31-2
	Australia	None Allocated	
	Canada	None Allocated	
	European Union	None Allocated	
	United States (OSHA)	Not Established	
	United States (ACGIH)	Not Established	
8.1.2	Substance:	Dipropylene Glycol	CAS: 25265-71-8
	Australia	None Allocated	
	Canada	None Allocated	

Update

11 August 2011



Rynex-3 Dry Cleaning Solvent



Page 4 of 7

	Germany (AGS)	Limit Value (Eight Hours): 67 mg/m3 inhalable aerosol	Limit Value (15 minutes average value): 536 mg/m3 (inhalable aerosol
	Germany (DFG)	Limit Value (Eight Hours): 200 mg/m3 inhalable aerosol	Limit Value (15 minutes average value): 400 mg/m3 (inhalable aerosol
	Switzerland	Limit Value (Eight Hours): 200 mg/m3 inhalable aerosol	Limit Value (15 minutes average value): 400 mg/m3 (inhalable aerosol)
	United States (OSHA)	Not Established	
	United States (ACGIH)	Not Established	
8.2	Exposure Controls		
8.2.1	Appropriate Engineering Controls	Good general ventilation should be sufficient to control airborne levels. A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).	
8.2.2	.2.2 Individual Protection Measures		
	Eye/Face Protection:	Where splashing is possible, wear appropriat safety goggles as described by European Stan Standards Institute Z87.1	e protective eyeglasses or chemical ndard EN166 or American National
	Skin Protection	Wear appropriate protective clothing such as long sleeves and gloves to minimize contact with skin.	
	Respiratory Protection	Use breathing protection with high concentrations. A respiratory program that meets requirements of EN 149 or OSHA 1910.134 must be followed whenever workplace conditions warrant a respirator's use.	

Version

2.3

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 **Information on Basic Physical and Chemical Properties** Clear liquid (a) Appearance (b) Odor Slight ether-like (c) **Odor Threshold** Not determined (d) pH: Neutral **Melting Point** <-25°C (<-13°F) (e) **Initial Boiling Point** 215°C (419 °F) (f) >93.3°C (PMCC) (> 200°F) Flash Point (g) 1.5 (ButAC = 100) (h) **Evaporation Rate** (i) Flammability Substance is not flammable Upper/Lower Explosion Limits UEL: 6.7 / LEL: 1.7 (j) (k) 5.3 Pa @ 20°C Vapor Pressure (I) Vapor Density 0.04 (mm Hg @ 20°C) (m) **Relative Density** Specific Gravity = 0.90977 (n) Water Solubility 111.0 g/L @ 20°C (o) Partition Coefficient: nlog P_{ow} = 1.68 @ 20°C octanol/water >269°C (>516°F) Auto-Ignition Temperature (p) (q) **Decomposition Temperature** Not Determined

Update 11 August 2011



Rynex-3 Dry Cleaning Solvent



Page 5 of 7

(r)	Viscosity	4.9 (centistokes) @ 25 deg C
(s)	Explosive Properties	no visible or audible reaction was recorded in the mechanical sensitivity (shock) test; friction test not applicable, as notified chemical is a liquid
(t)	Oxidizing Properties	None

Version 2.3

SECTION 10 STABILITY AND REACTIVITY

10.1	Reactivity	
	Reactions with air and water:	Not expected to occur
10.2	Chemical Stability	This material is stable when properly handled and stored.
10.3	Possibility of Hazardous Reactions	Not expected to occur
10.4	Conditions to Avoid	Extended contact with air, oxygen, heat, sparks, open flame, other ignition sources, and oxidizing conditions.
10.5	Incompatible Materials	Avoid contact with strong acids and strong oxidizing agents. Avoid prolonged contact with air or oxygen. Keep container tightly closed.
10.6	Hazardous Decomposition Products	Carbon monoxide and other toxic vapors.

SECTION 11 TOXICOLOGICAL PROPERTIES

11.1	Information on Toxicological Effects			
(a)	Acute Toxicity	ORAL LD ₅₀	DERMAL LD ₅₀	Inhalation LC_{50}
		2600 mg/kg (rat)	>2000 mg/kg (rabbit)	
(b)	Skin Corrosion/Irritation	Slight irritant (rabbit)		
(c)	Serious Eye Damage/Irritation	Mild to moderate irritant (rab	bit)	
(d)	Respiratory or Skin Sensitization	There is limited evidence to so may cause skin sensitization.	uggest that primary compos	ition component
(e)	Germ Cell Mutagenicity	Negative (Salmonella typhimu	<i>rium</i> TA 1535, TA 1537, TA	98, TA 100)
(f)	Carcinogenicity	No data available		
(g)	STOT – single exposure	No data available		
(h)	STOT – repeated exposure	Subacute toxicity (90-day oral relevant to humans.	administration): no substar	ntive findings
(i)	Aspiration Hazard	Substance poses a possible as	piration hazard.	

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

96 hour NOEC > 100 mg/L



Rynex-3 Dry Cleaning Solvent



	5	Update 11 August 2011	Version 2.3	S EQUINOX CHEMICAL
	mykiss:)		96 hour LC50 > 100 mg/L	
	Acute immobilisation (202] Water Flea (Daph	static) [OECD TG nia magna) :	48 hour NOEC > 100 mg/L 48 hour EC50 > 100 mg/L	
	Growth inhibition (b = =growth) [OECD TG 20 (Scenedesmus subspice	biomass; m 1] Algae atus):	NOEC (m) > 100 mg/L 72 hour EbC50 > 100 mg/l 72 hour EmC50 > 100 mg/	L /L
	Respiration inhibition Aerobic Waste Water I	OECD TG 209] Bacteria :	3 hour EC50 > 100 mg/L	
12.2	Persistence and Degra	dability		
	BoD Test Result		This product is inherently l	biodegradable
12.3	Bioaccumulative Poter	ntial		
	Partition Coefficient: n	-octanol/water	log P _{ow} = 1.68 @ 20°C	
SECTIO	ON 13 DISPOSAL CONSIDE	RATIONS		
13.1	Waste Treatment Met	hods:	Consult regulations of com requirements	petent authority for disposal
SECTIO	ON 14 TRANSPORTAION	INFORMATION		
14.1	Land transport:	ADR: RID:	ADR: Not classified as dangerous in the meaning of transport regulations. RID: Not classified as dangerous in the meaning of transport regulations.	
14.2	Sea transport:	IMDG regul	IMDG-CODE: Not classified as dangerous in the meaning of transport regulations.	
14.3	Air transport:	IATA IATA	IATA_C: Not classified as dangerous in the meaning of transport regulations. IATA_P: Not classified as dangerous in the meaning of transport regulations.	

SECTION 15 REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance			
	Chemical Inventory Status	The product is classified and labeled in accordance with EC Directives or respective national laws. Australia (AICS): Listed Canada (DSL): Listed		
		China: Listed	Korea (KECL): Listed	
		New Zealand (NZloC): Listed	United States (TSCA): Listed	
	United States SARA 302/304	No chemicals in this material with kr the reporting requirements of CERCI	al with known CAS numbers are subject to of CERCLA.	
	United States SARA 311/312	Acute Health; Fire		
	United States SARA 313	313This material does not contain any chemical components with known CAS numbers that exceed the De Minimis reporting levels established b SARA Title III, Section 313 and 40 CFR 372.		
15.2	Chemical Safety Assessment	No Chemical Safety Assessment has	been carried out.	





Page 7 of 7

Update 11 August 2011

2.3

Version



SECTION 16 OTHER INFORMATION

Revision Summary	Supersedes SDS 10 October 2010				
Hazardous components which must be listed on the label:	Dipropylene Glycol t-Butyl Ether				
Classification According to Regulation (EC) No 1272/2008 (CLP/GHS)					
Serious Eye Damage/Irritation Category 2A					
Pictogram: Exclamation Mark					
Signal Word: Warning					
Classification According to Directive 67/548/EEC					
Symbol(s):	Xi Irritant				
R-phrase(s):	R36 Irritating to eyes.				
S-phrase(s):	S25 Avoid contact with the eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.				
Other information:	Handle in accordance with good industrial hygiene and safety practice.				
Responsible for SDS:	Environmental Protection Contact person: Dep. CEQ Tel.: +1 229-420-3886 x405				

DISCLAIMER OF RESPONSIBILITY

This document is generated for the purpose of distributing health, safety, and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information on the MSDS was obtained from sources which we believe are reliable. This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this MSDS information may not be applicable. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.