

**City of New York  
DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Amended Copy

**Citywide Job Vacancy Notice**

<b>Civil Service Title:</b> Senior Stationary Engineer/Electric	<b>Level:</b> D+
<b>Title Code No:</b> 91639	<b>Salary:</b> \$248.32p/d / \$248.32p/d - \$64,812
<b>Office Title:</b>	<b>Work Location:</b> 2405 Amsterdam Ave., Manhattan
<b>Division/Work Unit:</b> Bureau of Water & Sewer Operations/Distribution Operations/Pumping	<b>Number of Positions:</b> 1

**Hours/Shift:** 40 Hours/Day

**Job Description**

The selected candidate is responsible for the operation, inspection, maintenance, repair, testing and adjustment of equipment, including generators, pumps, electric motors, bearings, switchboards, controllers, transformers, circuit breakers, compressors, meters, gauges, valves, fittings and heating apparatus of seven potable water facilities in the Bronx and Manhattan, such as potable water booster pumping stations, etc. Will supervise, coordinate and oversee the work of Stationary Engineers (*Electric*), Oilers and other plant employees. Keep records, make inspections and prepare reports. Prepare purchase requisitions for materials, services and repairs that may be required.

**Qualification Requirements**

1. Six years of full-time satisfactory experience within the last 10 years in responsible charge of the operation of plants or facilities utilizing high tension electrical equipment (600 volts or more) , including troubleshooting and repairing such equipment, in one or more of the following: electrical generating stations, electrical switching stations, water treatment plants, wastewater treatment plants, water pumping stations or high volume ventilation systems, one year of which must have been in a supervisory capacity; *or*
2. Three years of full-time satisfactory experience as described in "1" above, one year of which must have been in a supervisory capacity, and a baccalaureate degree in electrical, civil or mechanical engineering from an accredited college; *or*
3. Five years of full-time satisfactory experience as described in "1" above, one year of which must have been in a supervisory capacity, and an associate degree in Science or Applied Science from an accredited college with a major in Water Quality Monitoring, Wastewater Treatment Plant Operations, Environmental Health, Environmental Control, Electrical Technology or Mechanical Technology; *or*
4. Three years of full-time satisfactory experience as described in "1" above, and four years of full-time satisfactory experience as an electrician; one year of this experience must have been in a supervisory capacity; *or*
5. Six years of full-time satisfactory experience within the last 10 years as an electrician, including three years of full-time satisfactory experience troubleshooting and repairing high tension electrical equipment (600 volts or more), as described in "1" above; one year of this experience must have been in a supervisory capacity; *or*
6. A satisfactory combination of education and/or experience which is equivalent to "1", "2", "3", "4", or "5" above. Education may be substituted for experience on the basis that one year of experience is equivalent to 60 semester credits from an accredited college leading to a baccalaureate or associate degree in one of the disciplines described in "2" or "3" above. However, all candidates must have at least three years of satisfactory experience as described in "1" above, except for candidates who qualify under "5" above, and at least one year of supervisory experience.

**License Requirement-** Must possess a Motor Vehicle Drivers License valid in the State of New York. This license must be maintained for the duration of employment.

**Certificate Requirement-** Candidates appointed to this position must obtain certification as a Grade D Distribution System Water Operator, by the New York State Department of Health, within one year of appointment.

**Essential Skills**

**Only permanent Senior Stationary Engineer / Electric C+s may apply for this vacancy.**

**To Apply:**

Please submit 2 copies of your resume placing the JVN# on the upper right corner of your resume.

The JVN# is located at the lower right CORNER of this page.

NYC Department of Environmental Protection

Recruitment Office: 59-17 Junction Boulevard -18<sup>th</sup> Floor - Flushing - NY 11373-5108

*OR*

Via E-mail, please submit your resume in Adobe PDF or Microsoft Word

placing the JVN# on the upper right corner of your resume as well as in the subject line to:

[Recruit@dep.nyc.gov](mailto:Recruit@dep.nyc.gov)

For more information about DEP, visit us at: [www.nyc.gov/dep](http://www.nyc.gov/dep)

NYC Residency is required within 90 days of appointment

Appointments are subject to OMB approval

**Post Date:** 08/31/2009

**Post Until:** Filled

**JVN:** 826-10-6071-WSO

**The City of New York is an Equal Opportunity Employer**