Annual HIV Surveillance Statistics 2023

New York City Department of Health and Mental Hygiene (NYC Health Department)



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4New HIV and AIDS Diagnoses and Deaths from January 1, 2023, to December 31, 2023; and People
Diagnosed with HIV, Reported in NYC and Presumed to be Living as of December 31, 2023

| Table 1.1 | New York City (All) | Table 1.7.2 | Northeast Bronx |
|--------------|--|----------------------------|--|
| | | Table 1.7.3 | Fordham – Bronx Park |
| | By Gender | Table 1.7.4 | Pelham – Throgs Neck |
| Table 1.2.1 | Men | Table 1.7.5 | Crotona – Tremont |
| Table 1.2.2 | Women | Table 1.7.6 | High Bridge – Morrisania |
| | By Baca or Ethnicity | Table 1.7.7 | Hunts Point – Mott Haven |
| Table 1.3.1 | By Race or Ethnicity Black Men | | By LIHE Noighborhood in Brooklyn |
| Table 1.3.1 | Black Women | Table 1.8.1 | By UHF Neighborhood in Brooklyn Greenpoint |
| Table 1.3.2 | Latino Men | Table 1.8.1 Table 1.8.2 | Downtown – Heights – Park Slope |
| Table 1.3.3 | Latina Women | Table 1.8.2 Table 1.8.3 | |
| Table 1.3.4 | | | Bedford Stuyvesant – Crown Heights East New York |
| | White Men White Women | Table 1.8.4 | |
| Table 1.3.6 | | Table 1.8.5 | Sunset Park |
| Table 1.3.7 | Asian or Pacific Islander Men | Table 1.8.6 | Borough Park |
| Table 1.3.8 | Asian or Pacific Islander Women | Table 1.8.7 | East Flatbush – Flatbush |
| Table 1.3.9 | Native American Men | Table 1.8.8 | Canarsie – Flatlands |
| Table 1.3.10 | Native American Women | Table 1.8.9 | Bensonhurst – Bay Ridge |
| Table 1.3.11 | Multiracial Men | Table 1.8.10 | Coney Island – Sheepshead Bay |
| Table 1.3.12 | Multiracial Women | Table 1.8.11 | Williamsburg – Bushwick |
| | By Age | | By UHF Neighborhood in Manhattan |
| Table 1.4.1 | Boys Ages 0 to 12 years | Table 1.9.1 | Washington Heights – Inwood |
| Table 1.4.2 | Girls Ages 0 to 12 years | Table 1.9.2 | Central Harlem – Morningside Heights |
| Table 1.4.3 | Men Ages 13 Years and Older | Table 1.9.3 | East Harlem |
| Table 1.4.4 | Women Ages 13 Years and Older | Table 1.9.4 | Upper West Side |
| | | Table 1.9.5 | Upper East Side |
| | By Borough | Table 1.9.6 | Chelsea – Clinton |
| Table 1.5.1 | Bronx, Men | Table 1.9.7 | Gramercy Park – Murray Hill |
| Table 1.5.2 | Bronx, Women | Table 1.9.8 | Greenwich Village – Soho |
| Table 1.5.3 | Brooklyn, Men | Table 1.9.9 | Union Square – Lower East Side |
| Table 1.5.4 | Brooklyn, Women | Table 1.9.10 | Lower Manhattan |
| Table 1.5.5 | Manhattan, Men | | |
| Table 1.5.6 | Manhattan, Women | | By UHF Neighborhood in Queens |
| Table 1.5.7 | Queens, Men | Table 1.10.1 | Long Island City – Astoria |
| Table 1.5.8 | Queens, Women | Table 1.10.2 | West Queens |
| Table 1.5.9 | Staten Island, Men | Table 1.10.3 | Flushing – Clearview |
| Table 1.5.10 | Staten Island, Women | Table 1.10.4 | Bayside – Little Neck |
| | | Table 1.10.5 | Ridgewood – Forest Hills |
| | By Transmission Category | Table 1.10.6 | Fresh Meadows |
| Table 1.6.1 | Men Who Have Sex With Men (MSM) | Table 1.10.7 | Southwest Queens |
| Table 1.6.2 | Injection Drug Use History (IDU), Men | Table 1.10.8 | Jamaica |
| Table 1.6.3 | Injection Drug Use History (IDU), Women | Table 1.10.9 | Southeast Queens |
| Table 1.6.4 | MSM-IDU | Table 1.10.10 | Rockaway |
| Table 1.6.5 | Heterosexual Contact, Men | | · · · / |
| Table 1.6.6 | Heterosexual Contact, Women | | By UHF Neighborhood in Staten Island |
| Table 1.6.7 | Transgender People With Sexual Contact | Table 1.11.1 | Port Richmond |
| | | Table 1.11.2 | Stapleton – St. George |
| | By UHF Neighborhood in the Bronx | Table 1.11.3 | Willowbrook |
| Table 1.7.1 | Kingsbridge – Riverdale | Table 1.11.3 | South Beach – Tottenville |
| | Milespinage - Milenage | 10016 1.11.4 | |
| les 2.1-2.2 | Rate of New HIV Diagnoses, Prevalence | of Decision with | LIV and Age Adjusted Death Date A |

| Table 2.1 Overall a race or e | nd by gender, age, and hnicity | Table 2.2 | Overall and by borough and UHF neighborhood of residence |
|-------------------------------|-----------------------------------|-----------|---|
|-------------------------------|-----------------------------------|-----------|---|

For a glossary of terms, see nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page

Suggested citation: HIV Epidemiology Program. Annual HIV Surveillance Statistics, 2023. New York City Department of Health and Mental Hygiene: New York, NY. December 2024. Accessed [access date] at nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page.

Table 1.1. New York City (All)

| | | New H | V Diagr | noses, | 2023 | | New Al Diagnoses | | People Wit as of 12/31 | | Deaths, | 2023 |
|--|------------|------------|------------|-----------|-----------|-----------|---------------------|------------|---------------------------|--------------|------------|------------------------|
| | | otal HIV | | | Concurre | | | | | | | |
| | | ignoses | | | AIDS Diag | | | 0/ | NI | 0/ | N | 0 |
| Total | N 1,686 | % 100.0 | N 1,358 | % 80.5 | N 328 | % 19.5 | N 1,149 | % 100.0 | | % 100.0 | N 1,538 | % 100.0 |
| Total | 1,000 | 100.0 | 1,300 | 60.5 | 320 | 19.5 | 1,149 | 100.0 | 134,445 | 100.0 | 1,550 | 100.0 |
| Gender | _ | _ | _ | _ | _ | _ | | | | | | |
| Men | 1,327 | 78.7 | 1,076 | 79.2 | 251 | 76.5 | 820 | 71.4 | 98,285 | 73.1 | 1,095 | 71.3 |
| Women | 299 | 17.7 | 229 | 16.9 | 70 | 21.3 | 291 | 25.3 | 33,270 | 24.7 | 413 | 26.9 |
| Transgender women | 58 | 3.4 | 51 | 3.8 | 7 | 2.1 | 37 | 3.2 | 2,826 | 2.1 | 29 | 1.9 |
| Transgender men | 2 | 0.1 | 2 | 0.1 | 0 | 0.0 | 1 | 0.1 | 64 | 0.0 | 1 | 0. |
| Deer on otherisity | | | | | | | | | | | | |
| Race or ethnicity Black | 697 | 41.3 | 560 | 41.2 | 137 | 41.8 | 507 | 44.1 | 56.731 | 42.2 | 826 | 53. |
| Latino | 713 | 41.3 | 570 | 41.2 | 143 | 41.0 | | 44.1 | / - | 42.2 34.3 | 626 496 | 32.2 |
| White | 183 | 42.3 | 157 | 42.0 | 26 | 43.0 | 122 | 10.6 | - , | 19.8 | 184 | 12.0 |
| Asian or Pacific Islander | 81 | 4.8 | 66 | 4.9 | 15 | 4.6 | | 2.6 | | 2.8 | 18 | 1.2 |
| Native American | 3 | 0.2 | 1 | 0.1 | 2 | 0.6 | | 0.2 | | 0.2 | 5 | 0.3 |
| Multiracial | 9 | 0.5 | 4 | 0.3 | 5 | 1.5 | 10 | 0.9 | 679 | 0.5 | 9 | 0.6 |
| Unknown | Ő | 0.0 | 0 | 0.0 | Ő | 0.0 | 0 | 0.0 | | 0.2 | 0 | 0.0 |
| | - | | - | | - | | - | | | • | - | |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.1 | 35 | 0.0 | 0 | 0.0 |
| 13-19 | 41 | 2.4 | 41 | 3.0 | 0 | 0.0 | | 0.3 | | 0.2 | 1 | 0. |
| 20-29 | 566 | 33.6 | 493 | 36.3 | 73 | 22.3 | 175 | 15.2 | | 4.8 | 26 | 1. |
| 30-39 | 570 | 33.8 | 459 | 33.8 | 111 | 33.8 | 356 | 31.0 | , | 16.9 | 114 | 7.4 |
| 40-49 | 269 | 16.0 | 201 | 14.8 | 68 | 20.7 | 236 | 20.5 | 23,286 | 17.3 | 137 | 8.9 |
| 50-59 | 147 | 8.7 | 104 | 7.7 | 43 | 13.1 | 184 | 16.0 | | 25.3 | 371 | 24. |
| 60+ | 93 | 5.5 | 60 | 4.4 | 33 | 10.1 | 193 | 16.8 | 47,681 | 35.5 | 889 | 57.8 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 372 | 22.1 | 302 | 22.2 | 70 | 21.3 | 315 | 27.4 | 31,732 | 23.6 | 570 | 37.1 |
| Brooklyn | 468 | 27.8 | 380 | 28.0 | 88 | 26.8 | 282 | 24.5 | 31,731 | 23.6 | 368 | 23.9 |
| Manhattan | 299 | 17.7 | 242 | 17.8 | 57 | 17.4 | 206 | 17.9 | 33,104 | 24.6 | 328 | 21.3 |
| Queens | 351 | 20.8 | 274 | 20.2 | 77 | 23.5 | | 17.2 | 20,416 | 15.2 | 141 | 9.2 |
| Staten Island | 45 | 2.7 | 36 | 2.7 | 9 | 2.7 | 22 | 1.9 | 2,577 | 1.9 | 39 | 2. |
| Outside NYC | 126 | 7.5 | 99 | 7.3 | 27 | 8.2 | | 10.2 | , - | 10.8 | 56 | 3.6 |
| Unknown | 25 | 1.5 | 25 | 1.8 | 0 | 0.0 | 9 | 0.8 | 393 | 0.3 | 36 | 2.3 |
| Noighborhood poverty level | | | | | | | | | | | | |
| Neighborhood poverty level Low poverty (<10% below FPL) | 172 | 10.2 | 143 | 10.5 | 29 | 8.8 | 92 | 8.0 | 14,451 | 10.7 | 118 | 7.7 |
| Medium poverty (10 to <20% below FPL) | 702 | 41.6 | 556 | 40.9 | 146 | 44.5 | | 37.9 | , - | 37.7 | 478 | 31.1 |
| High poverty (20 to <30% below FPL) | 368 | 21.8 | 292 | 21.5 | 76 | 23.2 | | 22.2 | , | 20.9 | 382 | 24.8 |
| | | | | | | | | | | | | |
| Very high poverty (≥30% below FPL) | 292 | 17.3 | 242 | 17.8 | 50 | 15.2 | | 20.7 | , | 18.7 | 466 | 30.3 |
| Area-based poverty level not available | 152 | 9.0 | 125 | 9.2 | 27 | 8.2 | 129 | 11.2 | 16,099 | 12.0 | 94 | 6.1 |
| Transmission category | | | | | | | | | | | | |
| Transmission category Men who have sex with men (MSM) | 825 | 48.9 | 689 | 50.7 | 136 | 41.5 | 450 | 39.2 | 62,210 | 46.3 | 403 | 26.2 |
| Injection drug use history (IDU) | 20 | 1.2 | 15 | 1.1 | 5 | 1.5 | | 5.5 | | 10.1 | 373 | 20. |
| MSM-IDU | 20 | 1.3 | 19 | 1.4 | 3 | 0.9 | 25 | 2.2 | 3,464 | 2.6 | 77 | 2 4 . 5. |
| Heterosexual contact | 278 | 16.5 | 206 | 15.2 | 72 | 22.0 | 252 | 21.9 | 27,365 | 20.4 | 346 | 22. |
| Transgender people with sexual contact | 54 | 3.2 | 49 | 3.6 | 5 | 1.5 | 31 | 21.0 | 2,567 | 1.9 | 20 | 1. |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 21 | 1.8 | , | 1.9 | 23 | 1. |
| Other | 0 0 | 0.0 | 0 | 0.0 | Õ | 0.0 | | 0.1 | 186 | 0.1 | 2 | 0. |
| Unknown | 487 | 28.9 | 380 | 28.0 | 107 | 32.6 | | 26.6 | 22,537 | 16.8 | 294 | 19. |

Table 1.2.1. Men (Includes Transgender Men)

| | | | Diagnos | | | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths, | 2023 |
|--|----------|--------------|----------------------|-------------|----------------|-------------|-------------------|-------|-------------------------|-------|---------|-------|
| | | otal HIV | 14/3/1 | | Concurre | | | | | | | |
| | Dia N | agnoses % | <i>vvitnout</i> N | AIDS A % | AIDS Diag N | gnoses % | | % | N | % | N | % |
| Total | 1,329 | 100.0 | 1,078 | 81.1 | 251 | 18.9 | | 100.0 | | 100.0 | 1,096 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 516 | 38.8 | 419 | 38.9 | 97 | 38.6 | 324 | 39.5 | 36,215 | 36.8 | 536 | 48.9 |
| Latino | 574 | 43.2 | 460 | 42.7 | 114 | 45.4 | 351 | 42.8 | 34,002 | 34.6 | 366 | 33.4 |
| White | 157 | 11.8 | 137 | 12.7 | 20 | 8.0 | | 12.9 | 24,010 | 24.4 | 164 | 15.0 |
| Asian or Pacific Islander | 72 | 5.4 | 58 | 5.4 | 14 | 5.6 | | 3.5 | 3,124 | 3.2 | 17 | 1.6 |
| Native American | 3 | 0.2 | 1 | 0.1 | 2 | 0.8 | | 0.2 | | 0.2 | 4 | 0.4 |
| Multiracial | 7 | 0.5 | 3 | 0.3 | 4 | 1.6 | | 1.1 | | 0.5 | 9 | 0.8 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 232 | 0.2 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 34 | 2.6 | 34 | 3.2 | 0 | 0.0 | | 0.1 | | 0.2 | 1 | 0.1 |
| 20-29 | 485 | 36.5 | 426 | 39.5 | 59 | 23.5 | | 15.5 | | 5.0 | 15 | 1.4 |
| 30-39 | 460 | 34.6 | 367 | 34.0 | 93 | 37.1 | | 34.1 | - / | 18.6 | 89 | 8.1 |
| 40-49 | 193 | 14.5 | 139 | 12.9 | 54 | 21.5 | | 20.1 | 7 | 17.3 | 101 | 9.2 |
| 50-59 | 96 | 7.2 | 69 | 6.4 | 27 | 10.8 | | 14.9 | , | 24.5 | 254 | 23.2 |
| 60+ | 61 | 4.6 | 43 | 4.0 | 18 | 7.2 | 2 126 | 15.3 | 33,860 | 34.4 | 636 | 58.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 272 | 20.5 | 223 | 20.7 | 49 | 19.5 | | 26.3 | | 20.4 | 394 | 35.9 |
| Brooklyn | 359 | 27.0 | 297 | 27.6 | 62 | 24.7 | | 22.9 | , | 21.9 | 247 | 22.5 |
| Manhattan | 255 | 19.2 | 207 | 19.2 | 48 | 19.1 | | 20.1 | ' | 28.5 | 251 | 22.9 |
| Queens | 288 | 21.7 | 225 | 20.9 | 63 | 25.1 | | 17.8 | | 15.4 | 105 | 9.6 |
| Staten Island | 33 | 2.5 | 25 | 2.3 | 8 | 3.2 | | 2.2 | / | 1.7 | 29 | 2.6 |
| Outside NYC | 101 | 7.6 | 80 | 7.4 | 21 | 8.4 | | 9.9 | | 11.8 | 42 | 3.8 |
| Unknown | 21 | 1.6 | 21 | 1.9 | 0 | 0.0 |) 7 | 0.9 | 312 | 0.3 | 28 | 2.6 |
| Neighborhood poverty level | | | | | | | | | | | 400 | |
| Low poverty (<10% below FPL) | 142 | 10.7 | 119 | 11.0 | 23 | 9.2 | | 8.4 | | 12.1 | 100 | 9.1 |
| Medium poverty (10 to <20% below FPL) | 564 | 42.4 | 453 | 42.0 | 111 | 44.2 | | 39.5 | | 38.8 | 352 | 32.1 |
| High poverty (20 to <30% below FPL) | 289 | 21.7 | 226 | 21.0 | 63 | 25.1 | 177 | 21.6 | 19,347 | 19.7 | 259 | 23.6 |
| Very high poverty (≥30% below FPL) | 211 | 15.9 | 178 | 16.5 | 33 | 13.1 | 161 | 19.6 | 16,136 | 16.4 | 314 | 28.6 |
| Area-based poverty level not available | 123 | 9.3 | 102 | 9.5 | 21 | 8.4 | 90 | 11.0 | 12,821 | 13.0 | 71 | 6.5 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 825 | 62.1 | 689 | 63.9 | 136 | 54.2 | 450 | 54.8 | 62,210 | 63.3 | 403 | 36.8 |
| Injection drug use history (IDU) | 10 | 0.8 | 6 | 0.6 | 4 | 1.6 | 6 43 | 5.2 | 8,684 | 8.8 | 255 | 23.3 |
| MŚM-IDU | 22 | 1.7 | 19 | 1.8 | 3 | 1.2 | 25 | 3.0 | 3,464 | 3.5 | 77 | 7.0 |
| Heterosexual contact | 49 | 3.7 | 32 | 3.0 | 17 | 6.8 | 60 | 7.3 | 6,963 | 7.1 | 121 | 11.0 |
| Transgender people with sexual contact | 1 | 0.1 | 1 | 0.1 | 0 | 0.0 |) 0 | 0.0 | 38 | 0.0 | 1 | 0.1 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 9 | 1.1 | 1,204 | 1.2 | 14 | 1.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 1 | 0.1 | 105 | 0.1 | 2 | 0.2 |
| Unknown | 422 | 31.8 | 331 | 30.7 | 91 | 36.3 | 233 | 28.4 | 15,681 | 15.9 | 223 | 20.3 |

Table 1.2.2. Women (Includes Transgender Women)

| | | HIV C | - | oses, 2 | | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths | , 2023 |
|--|-----------|--------------------------|----------|--------------|-----------------------------|--------------|-------------------|--------------|-------------------------|-------------|---------|------------|
| | | otal HIV agnoses % | и N | | Concurrer AIDS Diag N | | | % | N | % | N | % |
| Total | 357 | 100.0 | 280 | 78.4 | 77 | 21.6 | | 100.0 | | 100.0 | | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 181 | 50.7 | 141 | 50.4 | 40 | 51.9 | 183 | 55.8 | 20.516 | 56.8 | 290 | 65.6 |
| Latina | 139 | 38.9 | 110 | 39.3 | 29 | 37.7 | | 38.7 | | 33.5 | | 29.4 |
| White | 26 | 7.3 | 20 | 7.1 | 6 | 7.8 | 16 | 4.9 | | 7.3 | | 4.5 |
| Asian or Pacific Islander | 9 | 2.5 | 8 | 2.9 | 1 | 1.3 | 1 | 0.3 | | 1.6 | | 0.2 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | | 0.2 | | 0.2 |
| Multiracial | 2 | 0.6 0.0 | 1 0 | 0.4 0.0 | 1 0 | 1.3 0.0 | 1 0 | 0.3 0.0 | | 0.4 0.2 | | 0.0 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 60 | 0.2 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.3 | | 0.1 | | 0.0 |
| 13-19 | 7 | 2.0 | 7 | 2.5 | 0 | 0.0 | | 0.9 | | 0.2 | | 0.0 2.5 |
| 20-29 30-39 | 81 110 | 22.7 30.8 | 67 92 | 23.9 32.9 | 14 18 | 18.2 23.4 | | 14.6 23.2 | | 4.3 12.2 | | 2.5 5.7 |
| 40-49 | 76 | 21.3 | 62 | 22.1 | 14 | 18.2 | | 23.2 | | 17.3 | | 8.1 |
| 50-59 | 51 | 14.3 | 35 | 12.5 | 16 | 20.8 | | 18.9 | | 27.7 | | 26.5 |
| 60+ | 32 | 9.0 | 17 | 6.1 | 15 | 19.5 | - | 20.4 | , | 38.3 | | 57.2 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 100 | 28.0 | 79 | 28.2 | 21 | 27.3 | 99 | 30.2 | 11,693 | 32.4 | 176 | 39.8 |
| Brooklyn | 109 | 30.5 | 83 | 29.6 | 26 | 33.8 | 94 | 28.7 | | 28.1 | 121 | 27.4 |
| Manhattan | 44 | 12.3 | 35 | 12.5 | 9 | 11.7 | 41 | 12.5 | , | 14.0 | | 17.4 |
| Queens | 63 | 17.6 | 49 | 17.5 | 14 | 18.2 | - | 15.9 | | 14.6 | | 8.1 |
| Staten Island | 12 25 | 3.4 | 11 | 3.9 | 1 | 1.3 | 4 | 1.2 | | 2.5 | | 2.3 |
| Outside NYC Unknown | 25 | 7.0 1.1 | 19 4 | 6.8 1.4 | 6 0 | 7.8 0.0 | 36 2 | 11.0 0.6 | , | 8.1 0.2 | 14 8 | 3.2 1.8 |
| UTKIOWIT | 4 | 1.1 | 4 | 1.4 | 0 | 0.0 | 2 | 0.0 | 01 | 0.2 | 0 | 1.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 30 | 8.4 | 24 | 8.6 | 6 | 7.8 | | 7.0 | | 7.0 | | 4.1 |
| Medium poverty (10 to <20% below FPL) | 138 | 38.7 | 103 | 36.8 | 35 | 45.5 | | 33.8 | | 34.9 | - | 28.5 |
| High poverty (20 to <30% below FPL) | 79 | 22.1 | 66 | 23.6 | 13 | 16.9 | 78 | 23.8 | - / - | 24.1 | 123 | 27.8 |
| Very high poverty (≥30% below FPL) | 81 | 22.7 | 64 | 22.9 | 17 | 22.1 | 77 | 23.5 | , | 24.9 | | 34.4 |
| Area-based poverty level not available | 29 | 8.1 | 23 | 8.2 | 6 | 7.8 | 39 | 11.9 | 3,278 | 9.1 | 23 | 5.2 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 10 | 2.8 | 9 | 3.2 | 1 | 1.3 | - | 6.1 | | 13.7 | | 26.7 |
| Heterosexual contact | 229 | 64.1 | 174 | 62.1 | 55 | 71.4 | - | 58.5 | | 56.5 | | 50.9 |
| Transgender people with sexual contact | 53 | 14.8 | 48 | 17.1 | 5 | 6.5 | | 9.5 | | 7.0 | | 4.3 |
| Perinatal Other | 0 | 0.0 0.0 | 0 | 0.0 | 0 | 0.0 0.0 | 12 0 | 3.7 0.0 | | 3.6 0.2 | | 2.0 0.0 |
| Unknown | 65 | 18.2 | 49 | 17.5 | 16 | 20.8 | - | 22.3 | | 0.2 19.0 | - | 16.1 |
| | 00 | 10.2 | 49 | 17.5 | 10 | 20.0 | 13 | 22.3 | 0,000 | 19.0 | 11 | 10.1 |

Table 1.3.1. Black Men (Includes Transgender Men)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People Wi as of 12/31 | | Deaths | , 2023 |
|--|-----|---------------------|----------|---------|------------------------|------|--------------------|-------|--------------------------|-------|--------|------------|
| | | otal HIV ignoses | И | | Concurren AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | N | % | | % | N | % |
| Total | 516 | 100.0 | 419 | 81.2 | 97 | 18.8 | 324 | 100.0 | 36,215 | 100.0 | 536 | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.0 | 0 | 0.0 |
| 13-19 | 17 | 3.3 | 17 | 4.1 | 0 | 0.0 | 1 | 0.3 | 76 | 0.2 | 1 | 0.2 |
| 20-29 | 199 | 38.6 | 179 | 42.7 | 20 | 20.6 | 47 | 14.5 | 2,126 | 5.9 | 8 | 1.5 |
| 30-39 | 167 | 32.4 | 125 | 29.8 | 42 | 43.3 | 121 | 37.3 | 7,514 | 20.7 | 45 | 8.4 |
| 40-49 | 64 | 12.4 | 47 | 11.2 | 17 | 17.5 | 46 | 14.2 | 5,917 | 16.3 | | 8.2 |
| 50-59 | 45 | 8.7 | 31 | 7.4 | 14 | 14.4 | 61 | 18.8 | 8,129 | 22.4 | | 22.8 |
| 60+ | 24 | 4.7 | 20 | 4.8 | 4 | 4.1 | 48 | 14.8 | 12,441 | 34.4 | | 59.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 121 | 23.4 | 97 | 23.2 | 24 | 24.7 | 95 | 29.3 | 8,936 | 24.7 | 188 | 35.1 |
| Brooklyn | 180 | 34.9 | 146 | 34.8 | 34 | 35.1 | 98 | 30.2 | 11,474 | 31.7 | | 28.2 |
| Manhattan | 83 | 16.1 | 70 | 16.7 | 13 | 13.4 | 55 | 17.0 | 7,362 | 20.3 | | 17.9 |
| Queens | 72 | 14.0 | 60 | 14.3 | 12 | 12.4 | 37 | 11.4 | 4,427 | 12.2 | | 11.2 |
| Staten Island | 6 | 14.0 | 4 | 14.5 | 2 | 2.1 | 5 | 1.5 | 578 | 1.6 | | 2.2 |
| Outside NYC | 44 | 8.5 | 32 | 7.6 | 12 | 12.4 | | 10.5 | 3,352 | 9.3 | | 3.4 |
| | 10 | 0.5 1.9 | 32 10 | 2.4 | 0 | 0.0 | | 0.0 | | 9.3 | | 3.4 2.1 |
| Unknown | 10 | 1.9 | 10 | 2.4 | 0 | 0.0 | 0 | 0.0 | 80 | 0.2 | 11 | 2.1 |
| Neighborhood poverty level | | | | | _ | | 10 | | | | | |
| Low poverty (<10% below FPL) | 45 | 8.7 | 38 | 9.1 | 7 | 7.2 | | 4.9 | | 6.7 | | 5.4 |
| Medium poverty (10 to <20% below FPL) | 191 | 37.0 | 161 | 38.4 | 30 | 30.9 | | 35.8 | 13,506 | 37.3 | | 32.5 |
| High poverty (20 to <30% below FPL) | 126 | 24.4 | 94 | 22.4 | 32 | 33.0 | | 25.9 | 8,821 | 24.4 | | 26.5 |
| Very high poverty (≥30% below FPL) | 100 | 19.4 | 84 | 20.0 | 16 | 16.5 | 73 | 22.5 | 7,665 | 21.2 | | 30.0 |
| Area-based poverty level not available | 54 | 10.5 | 42 | 10.0 | 12 | 12.4 | 35 | 10.8 | 3,782 | 10.4 | 30 | 5.6 |
| Transmission category | | _ | | | _ | | | | | | | |
| Men who have sex with men (MSM) | 279 | 54.1 | 240 | 57.3 | 39 | 40.2 | 142 | 43.8 | 19,187 | 53.0 | 176 | 32.8 |
| Injection drug use history (IDU) | 1 | 0.2 | 0 | 0.0 | 1 | 1.0 | 12 | 3.7 | 3,400 | 9.4 | 126 | 23.5 |
| MŚM-IDU | 7 | 1.4 | 6 | 1.4 | 1 | 1.0 | 12 | 3.7 | 1,200 | 3.3 | 36 | 6.7 |
| Heterosexual contact | 16 | 3.1 | 13 | 3.1 | 3 | 3.1 | 27 | 8.3 | 3,734 | 10.3 | 66 | 12.3 |
| Transgender people with sexual contact | 1 | 0.2 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 22 | 0.1 | 1 | 0.2 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | Õ | 0.0 | 7 | 2.2 | | 1.9 | | 1.3 |
| Other | 0 | 0.0 | Õ | 0.0 | Õ | 0.0 | 1 | 0.3 | 33 | 0.1 | 1 | 0.2 |
| Unknown | 212 | 41.1 | 159 | 37.9 | 53 | 54.6 | 123 | 38.0 | 7,966 | 22.0 | 123 | 22.9 |

Table 1.3.2. Black Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People Wiras of 12/31 | | Deaths | , 2023 |
|--|--------------------------------------|--|--------------------------------------|---|-----------------------------------|---|--------------------------------------|--|--|---|---------------------------|--|
| | Dia | otal HIV agnoses | И | AIDS | Concurrer AIDS Diag | gnoses | | | | | | |
| | N | % | N | % | N | % | N | % | N | % | | % |
| Total | 181 | 100.0 | 141 | 77.9 | 40 | 22.1 | 183 | 100.0 | 20,516 | 100.0 | 290 | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 50-59 60+ | 0 3 29 59 38 32 20 | 0.0 1.7 16.0 32.6 21.0 17.7 11.0 | 0 3 26 46 33 23 10 | 0.0 2.1 18.4 32.6 23.4 16.3 7.1 | 0 0 3 13 5 9 10 | 0.0 0.0 7.5 32.5 12.5 22.5 25.0 | 0 20 41 37 41 44 | 0.0 0.0 10.9 22.4 20.2 22.4 24.0 | 39 811 2,454 3,736 5,823 | 0.0 0.2 4.0 12.0 18.2 28.4 37.3 | 0 7 14 25 78 | 0.0 0.0 2.4 4.8 8.6 26.9 57.2 |
| Borough of residence | | | | | | | | | | | | |
| Bronx Bronklyn Manhattan Queens Staten Island Outside NYC Unknown | 51 70 16 23 6 14 1 | 28.2 38.7 8.8 12.7 3.3 7.7 0.6 | 38 52 13 20 6 11 1 | 27.0 36.9 9.2 14.2 4.3 7.8 0.7 | 13 18 3 0 3 0 | 32.5 45.0 7.5 7.5 0.0 7.5 0.0 | 53 61 24 23 3 17 2 | 29.0 33.3 13.1 12.6 1.6 9.3 1.1 | 6,069 6,931 2,651 2,831 439 1,557 38 | 29.6 33.8 12.9 13.8 2.1 7.6 0.2 | 92 47 23 6 11 | 35.9 31.7 16.2 7.9 2.1 3.8 2.4 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 13 64 41 | 7.2 35.4 22.7 | 11 48 33 | 7.8 34.0 23.4 | 2 16 8 | 5.0 40.0 20.0 | 13 59 45 | 7.1 32.2 24.6 | 1,343 7,403 5,018 | 6.5 36.1 24.5 | 83 | 2.8 28.6 27.9 |
| Very high poverty (≥30% below FPL) Area-based poverty level not available | 48 15 | 26.5 8.3 | 37 12 | 26.2 8.5 | 11 3 | 27.5 7.5 | 46 20 | 25.1 10.9 | 5,007 1,745 | 24.4 8.5 | 100 18 | 34.5 6.2 |
| Transmission category Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal | 5 120 20 0 | 2.8 66.3 11.0 0.0 | 4 91 19 0 | 2.8 64.5 13.5 0.0 | 1 29 1 0 | 2.5 72.5 2.5 0.0 | 12 111 10 8 | 6.6 60.7 5.5 4.4 | 2,341 11,935 1,179 739 | 11.4 58.2 5.7 3.6 | 153 15 | 23.1 52.8 5.2 2.1 |
| Other Unknown | 0 36 | 0.0 19.9 | 0 27 | 0.0 19.1 | 0 9 | 0.0 22.5 | 0 42 | 0.0 23.0 | | 0.2 20.9 | 0 | 0.0 16.9 |

Table 1.3.3. Latino Men (Includes Transgender Men)

| | | Total HIV Diagnoses N % | | oses, 2 | 2023 | | AIDS Diagi 2023 | , | People Wi as of 12/31 | | Deaths | , 2023 |
|--|-----|-------------------------------|-----|---------|------------------------|------|--------------------|-------------|--------------------------|-------|---------|-------------|
| | - | agnoses | И | AIDS | Concurrer AIDS Diag | | | | | | | |
| | | | N | % | N | % | | % | | % | | % |
| Total | 574 | 100.0 | 460 | 80.1 | 114 | 19.9 | 351 | 100.0 | 34,002 | 100.0 | 366 | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.0 | 0 | 0.0 |
| 13-19 | 16 | 2.8 | 16 | 3.5 | 0 | 0.0 | | 0.0 | | 0.2 | | 0.0 |
| 20-29 | 221 | 38.5 | 188 | 40.9 | 33 | 28.9 | 65 | 18.5 | | 6.0 | 3 | 0.8 |
| 30-39 | 205 | 35.7 | 165 | 35.9 | 40 | 35.1 | 127 | 36.2 | | 20.5 | 34 | 9.3 |
| 40-49 | 78 | 13.6 | 53 | 11.5 | 25 | 21.9 | 81 | 23.1 | 6,343 | 18.7 | 40 | 10.9 |
| 50-59 | 36 | 6.3 | 26 | 5.7 | 10 | 8.8 | 40 | 11.4 | | 24.5 | 93 | 25.4 |
| 60+ | 18 | 3.1 | 12 | 2.6 | 6 | 5.3 | 38 | 10.8 | | 30.2 | 196 | 53.6 |
| 00+ | 10 | 5.1 | 12 | 2.0 | 0 | 0.0 | 50 | 10.0 | 10,204 | 50.2 | 130 | 55.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 139 | 24.2 | 119 | 25.9 | 20 | 17.5 | | 29.9 | | 28.4 | | 50.3 |
| Brooklyn | 120 | 20.9 | 99 | 21.5 | 21 | 18.4 | | 17.4 | | 16.8 | | 19.1 |
| Manhattan | 96 | 16.7 | 78 | 17.0 | 18 | 15.8 | 61 | 17.4 | | 24.3 | | 18.9 |
| Queens | 165 | 28.7 | 123 | 26.7 | 42 | 36.8 | 86 | 24.5 | 6,942 | 20.4 | 22 | 6.0 |
| Staten Island | 14 | 2.4 | 9 | 2.0 | 5 | 4.4 | 7 | 2.0 | 509 | 1.5 | 7 | 1.9 |
| Outside NYC | 30 | 5.2 | 22 | 4.8 | 8 | 7.0 | 29 | 8.3 | 2,797 | 8.2 | 9 | 2.5 |
| Unknown | 10 | 1.7 | 10 | 2.2 | 0 | 0.0 | 2 | 0.6 | 155 | 0.5 | 5 | 1.4 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 41 | 7.1 | 34 | 7.4 | 7 | 6.1 | 26 | 7.4 | 3,085 | 9.1 | 14 | 3.8 |
| Medium poverty (10 to <20% below FPL) | 276 | 48.1 | 217 | 47.2 | 59 | 51.8 | 146 | 41.6 | 13,469 | 39.6 | 105 | 28.7 |
| High poverty (20 to <30% below FPL) | 119 | 20.7 | 94 | 20.4 | 25 | 21.9 | 70 | 19.9 | | 21.1 | 99 | 27.0 |
| Very high poverty (≥30% below FPL) | 97 | 16.9 | 82 | 17.8 | 15 | 13.2 | 78 | 22.2 | 7,015 | 20.6 | 134 | 36.6 |
| Area-based poverty level not available | 41 | 7.1 | 33 | 7.2 | 8 | 7.0 | 31 | 8.8 | 3,273 | 9.6 | 14 | 3.8 |
| Transmission category | _ | | | | | | | | | | | |
| Men who have sex with men (MSM) | 401 | 69.9 | 325 | 70.7 | 76 | 66.7 | 223 | 63.5 | 20.789 | 61.1 | 105 | 28.7 |
| Injection drug use history (IDU) | 3 | 0.5 | 2 | 0.4 | 1 | 0.9 | 20 | 5.7 | | 12.3 | 108 | 29.5 |
| MSM-IDU | 10 | 1.7 | 8 | 1.7 | 2 | 1.8 | 7 | 2.0 | 1,290 | 3.8 | | 8.7 |
| Heterosexual contact | 30 | 5.2 | 16 | 3.5 | 14 | 12.3 | | 8.3 | | 7.0 | | 12.6 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 23 | 0.0 | | 0.0 | 40 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | | 1.3 | 6 | 1.6 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 429 | 0.1 | 1 | 0.3 |
| Unknown | 130 | 22.6 | 109 | 23.7 | 21 | 18.4 | - | 0.0 19.9 | | 14.4 | 68 | 0.3 18.6 |
| UTIKITOWIT | 130 | 22.0 | 109 | 23.7 | 21 | 18.4 | 70 | 19.9 | 4,890 | 14.4 | 60 | 10.0 |

Table 1.3.4. Latina Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 Total HIV Without Concurrent With Diagnoses AIDS AIDS Diagnoses | | | | | | agnoses, 123 | People Wi as of 12/3 | | Deaths | i, 2023 |
|--|---|------------|-----|------------|---------------|-------|-----------------|-------------------------|------------|--------|-------------|
| | Dia | gnoses | | AIDS | AIDS Diagnose | s | - | | | | |
| | N | % | N | % | | 6 N | | | % | | % |
| Total | 139 | 100.0 | 110 | 79.1 | 29 20. | 9 127 | 100.0 | 12,084 | 100.0 | 130 | 100.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 1 | 0.8 | 8 | 0.1 | 0 | 0.0 |
| 13-19 | 4 | 2.9 | 4 | 3.6 | 0 0. | 0 3 | 3 2.4 | 34 | 0.3 | 0 | 0.0 |
| 20-29 | 41 | 29.5 | 33 | 30.0 | 8 27. | 6 23 | 8 18.1 | 600 | 5.0 | 3 | 2.3 |
| 30-39 | 39 | 28.1 | 35 | 31.8 | 4 13. | 8 33 | 3 26.0 | 1,513 | 12.5 | 9 | 6.9 |
| 40-49 | 31 | 22.3 | 23 | 20.9 | 8 27. | 6 29 | 22.8 | 1,919 | 15.9 | 9 | 6.9 |
| 50-59 | 15 | 10.8 | 10 | 9.1 | 5 17. | 2 19 | | | 27.0 | 32 | 24.6 |
| 60+ | 9 | 6.5 | 5 | 4.5 | 4 13. | 8 19 |) 15.0 | 4,751 | 39.3 | 77 | 59.2 |
| | | | | | | | | | | | |
| Borough of residence | 45 | 00.4 | 07 | 00.0 | 0 07 | 0 45 | | E 40E | 40.7 | 07 | FA F |
| Bronx | 45 | 32.4 | 37 | 33.6 | 8 27. | - | | | 42.7 | | 51.5 |
| Brooklyn | 26 | 18.7 | 20 | 18.2 | 6 20. | | | | 19.7 | | 20.0 |
| Manhattan | 24 | 17.3 | 19 | 17.3 | 5 17. | | | | 14.7 | | 17.7 |
| Queens | 33 | 23.7 | 24 | 21.8 | 9 31. | - | | , | 14.0 | | 7.7 |
| Staten Island | 5 | 3.6 | 4 | 3.6 | 1 3. | | | - | 2.2 | | 1.5 |
| Outside NYC | 4 2 | 2.9 1.4 | 4 | 3.6 1.8 | 0 0. | | | | 6.3 0.2 | | 0.8 |
| Unknown | 2 | 1.4 | 2 | 1.8 | 0 0. | 0 (| 0.0 | 30 | 0.2 | I | 0.8 |
| Neighborhood poverty level | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 14 | 10.1 | 11 | 10.0 | 3 10. | 3 8 | 6.3 | 613 | 5.1 | 8 | 6.2 |
| Medium poverty (10 to <20% below FPL) | 55 | 39.6 | 40 | 36.4 | 15 51. | 7 43 | 33.9 | 3,835 | 31.7 | 35 | 26.9 |
| High poverty (20 to <30% below FPL) | 34 | 24.5 | 29 | 26.4 | 5 17. | 2 31 | 24.4 | 3,156 | 26.1 | 38 | 29.2 |
| Very high poverty (≥30% below FPL) | 30 | 21.6 | 24 | 21.8 | 6 20. | 7 30 | 23.6 | 3,629 | 30.0 | 46 | 35.4 |
| Area-based poverty level not available | 6 | 4.3 | 6 | 5.5 | 0 0. | | | - / | 7.0 | | 2.3 |
| | Ŭ | 1.0 | Ŭ | 0.0 | 0 0. | | / 11.0 | | 1.0 | Ũ | 2.0 |
| Transmission category | | | | | | | | | | | |
| Injection drug use history (IDU) | 2 | 1.4 | 2 | 1.8 | 0 0. | | | | 16.2 | | 34.6 |
| Heterosexual contact | 91 | 65.5 | 67 | 60.9 | 24 82. | | | | 54.9 | | 46.9 |
| Transgender people with sexual contact | 28 | 20.1 | 25 | 22.7 | 3 10. | - | | | 9.1 | 2 | 1.5 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | | | | 3.8 | | 2.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | | | | 0.2 | | 0.0 |
| Unknown | 18 | 12.9 | 16 | 14.5 | 2 6. | 9 24 | 18.9 | 1,897 | 15.7 | 19 | 14.6 |

Table 1.3.5. White Men (Includes Transgender Men)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People Wi as of 12/31 | | Deaths | , 2023 |
|--|-----|---------------------|-------|---------|--------------------------|------|--------------------|-------|--------------------------|-------|--------|--------|
| | - | otal HIV ignoses | И | | Concurrent AIDS Diagn | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 157 | 100.0 | 137 | 87.3 | 20 | 12.7 | 106 | 100.0 | 24,010 | 100.0 | 164 | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.0 | 0 | 0.0 |
| 20-29 | 42 | 26.8 | 38 | 27.7 | 4 | 20.0 | 10 | 9.4 | 470 | 2.0 | 3 | 1.8 |
| 30-39 | 62 | 39.5 | 56 | 40.9 | 6 | 30.0 | 21 | 19.8 | 2,771 | 11.5 | 4 | 2.4 |
| 40-49 | 26 | 16.6 | 22 | 16.1 | 4 | 20.0 | 25 | 23.6 | 3,881 | 16.2 | 13 | 7.9 |
| 50-59 | 12 | 7.6 | 10 | 7.3 | 2 | 10.0 | 16 | 15.1 | 6.644 | 27.7 | | 21.3 |
| 60+ | 15 | 9.6 | 11 | 8.0 | | 20.0 | | 32.1 | 10,240 | 42.6 | | 66.5 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 8 | 5.1 | 6 | 4.4 | 2 | 10.0 | 12 | 11.3 | 1,133 | 4.7 | 19 | 11.6 |
| Brooklyn | 42 | 26.8 | 38 | 27.7 | | 20.0 | | 17.9 | | 15.2 | | 13.4 |
| Manhattan | 57 | 36.3 | 47 | 34.3 | | 50.0 | | 37.7 | | 46.6 | | 47.0 |
| Queens | 17 | 10.8 | 15 | 10.9 | | 10.0 | | 11.3 | | 10.5 | | 10.4 |
| Staten Island | 10 | 6.4 | 9 | 6.6 | 1 | 5.0 | | 4.7 | | 2.1 | 9 | 5.5 |
| Outside NYC | 22 | 14.0 | 21 | 15.3 | 1 | 5.0 | | 13.2 | | 20.6 | | 6.1 |
| Unknown | 1 | 0.6 | 21 | 0.7 | 0 | 0.0 | | 3.8 | | 20.6 | | 6.1 |
| UTRIOWI | I | 0.6 | 1 | 0.7 | 0 | 0.0 | 4 | 3.0 | 52 | 0.2 | 10 | 0.1 |
| Neighborhood poverty level | 44 | 00.4 | 0.4 | 04.0 | 7 | 0F 0 | 0.4 | 00.0 | 5 700 | 04.4 | 50 | 00 F |
| Low poverty (<10% below FPL) | 41 | 26.1 | 34 | 24.8 | | 35.0 | | 22.6 | | 24.1 | | 30.5 |
| Medium poverty (10 to <20% below FPL) | 55 | 35.0 | 45 | 32.8 | | 50.0 | | 39.6 | | 38.1 | 65 | 39.6 |
| High poverty (20 to <30% below FPL) | 29 | 18.5 | 27 | 19.7 | | 10.0 | | 13.2 | , | 11.2 | | 7.3 |
| Very high poverty (≥30% below FPL) | 9 | 5.7 | 9 | 6.6 | 0 | 0.0 | | 7.5 | , | 4.8 | | 10.4 |
| Area-based poverty level not available | 23 | 14.6 | 22 | 16.1 | 1 | 5.0 | 18 | 17.0 | 5,220 | 21.7 | 20 | 12.2 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 96 | 61.1 | 85 | 62.0 | | 55.0 | | 59.4 | | 81.0 | | 64.0 |
| Injection drug use history (IDU) | 6 | 3.8 | 4 | 2.9 | 2 | 10.0 | 11 | 10.4 | 1,012 | 4.2 | 18 | 11.0 |
| MSM-IDU | 4 | 2.5 | 4 | 2.9 | 0 | 0.0 | 6 | 5.7 | 881 | 3.7 | | 5.5 |
| Heterosexual contact | 1 | 0.6 | 1 | 0.7 | 0 | 0.0 | 2 | 1.9 | 569 | 2.4 | 7 | 4.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 77 | 0.3 | 1 | 0.6 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 41 | 0.2 | | 0.0 |
| Unknown | 50 | 31.8 | 43 | 31.4 | 7 | 35.0 | 24 | 22.6 | 1,989 | 8.3 | | 14.6 |

Table 1.3.6. White Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagnoses 2023 | , People W as of 12/3 | | Deaths | , 2023 |
|--|-----|---------------------|-------|---------|---------------------------|------|------------------------|--------------------------|-------|--------|--------|
| | Dia | otal HIV ignoses | | AIDS | Concurrent AIDS Diagno | oses | | | | | |
| | N | % | N | % | N | % | | | % | | % |
| Total | 26 | 100.0 | 20 | 76.9 | 6 | 23.1 | 16 100. | 0 2,631 | 100.0 | 20 | 100.0 |
| Age group (years) | | | | | | | | _ | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 3 | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 6 | 0.2 | 0 | 0.0 |
| 20-29 | 7 | 26.9 | 6 | 30.0 | 1 | 16.7 | 3 18. | 8 91 | 3.5 | 1 | 5.0 |
| 30-39 | 8 | 30.8 | 7 | 35.0 | 1 | 16.7 | 2 12. | 5 295 | 11.2 | 2 | 10.0 |
| 40-49 | 4 | 15.4 | 3 | 15.0 | 1 | 16.7 | 5 31. | 3 378 | 14.4 | 2 | 10.0 |
| 50-59 | 4 | 15.4 | 2 | 10.0 | 2 | 33.3 | 2 12. | 5 687 | 26.1 | 6 | 30.0 |
| 60+ | 3 | 11.5 | 2 | 10.0 | 1 | 16.7 | 4 25. | 0 1,171 | 44.5 | 9 | 45.0 |
| | | | | | | | | | | | |
| Borough of residence | | | | | | | | | | _ | |
| Bronx | 4 | 15.4 | 4 | 20.0 | 0 | 0.0 | | | 13.1 | | 25.0 |
| Brooklyn | 11 | 42.3 | 9 | 45.0 | | 33.3 | | | 23.6 | | 10.0 |
| Manhattan | 1 | 3.8 | 1 | 5.0 | 0 | 0.0 | | | 19.3 | | 30.0 |
| Queens | 2 | 7.7 | 1 | 5.0 | | 16.7 | | | 16.2 | | 15.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | | 7.2 | | 10.0 |
| Outside NYC | 7 | 26.9 | 4 | 20.0 | | 50.0 | | | 20.3 | | 10.0 |
| Unknown | 1 | 3.8 | 1 | 5.0 | 0 | 0.0 | 0 0. | 0 9 | 0.3 | 0 | 0.0 |
| Neighborhood poverty level | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 1 | 3.8 | 1 | 5.0 | 0 | 0.0 | 1 6. | 3 481 | 18.3 | 2 | 10.0 |
| Medium poverty (10 to <20% below FPL) | 12 | 46.2 | 9 | 45.0 | 3 | 50.0 | 8 50. | 0 974 | 37.0 | | 40.0 |
| High poverty (20 to <30% below FPL) | 2 | 7.7 | 2 | 10.0 | 0 | 0.0 | 2 12. | | 13.6 | | 15.0 |
| Very high poverty (≥30% below FPL) | 3 | 11.5 | 3 | 15.0 | 0 | 0.0 | 1 6. | 3 251 | 9.5 | 5 | 25.0 |
| Area-based poverty level not available | 8 | 30.8 | 5 | 25.0 | | 50.0 | - | - | 21.6 | | 10.0 |
| | 0 | 30.0 | 5 | 25.0 | 3 | 50.0 | 4 25. | 0 567 | 21.0 | 2 | 10.0 |
| Transmission category | | _ | | _ | | | | _ | _ | | |
| Injection drug use history (IDU) | 3 | 11.5 | 3 | 15.0 | 0 | 0.0 | 2 12. | 5 585 | 22.2 | 6 | 30.0 |
| Heterosexual contact | 12 | 46.2 | 10 | 50.0 | 2 | 33.3 | | 0 1,330 | 50.6 | 9 | 45.0 |
| Transgender people with sexual contact | 1 | 3.8 | 1 | 5.0 | 0 | 0.0 | 0 0. | | 5.6 | | 10.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 75 | 2.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 17 | 0.6 | 0 | 0.0 |
| Unknown | 10 | 38.5 | 6 | 30.0 | 4 | 66.7 | 6 37. | 5 477 | 18.1 | 3 | 15.0 |

Table 1.3.7. Asian or Pacific Islander Men (Includes Transgender Men)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|---------------------|-------|---------|-----------------------|--------|--------------------|-------|---------------------|-------|--------|--------|
| | Di | otal HIV agnoses | | AIDS | Concurre AIDS Diag | gnoses | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 72 | 100.0 | 58 | 80.6 | 14 | 19.4 | 29 | 100.0 | 3,124 | 100.0 | 17 | 100.0 |
| Age group (years) | | _ | | | _ | | | | _ | _ | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 1.4 | 1 | 1.7 | 0 | 0.0 | 0 | 0.0 | 7 | 0.2 | 0 | 0.0 |
| 20-29 | 22 | 30.6 | 21 | 36.2 | 1 | 7.1 | 3 | 10.3 | 212 | 6.8 | 0 | 0.0 |
| 30-39 | 22 | 30.6 | 19 | 32.8 | 3 | 21.4 | 7 | 24.1 | 780 | 25.0 | 1 | 5.9 |
| 40-49 | 21 | 29.2 | 15 | 25.9 | 6 | 42.9 | 11 | 37.9 | 747 | 23.9 | 3 | 17.6 |
| 50-59 | 3 | 4.2 | 2 | 3.4 | 1 | 7.1 | 3 | 10.3 | 744 | 23.8 | | 11.8 |
| 60+ | 3 | 4.2 | 0 | 0.0 | 3 | 21.4 | 5 | 17.2 | 634 | 20.3 | | 64.7 |
| | 0 | 7.2 | Ŭ | 0.0 | Ŭ | 21.4 | 0 | 17.2 | 004 | 20.0 | | 04.7 |
| Borough of residence | | | | | | | | | | | - | |
| Bronx | 3 | 4.2 | 1 | 1.7 | 2 | 14.3 | 3 | 10.3 | | 5.9 | | 0.0 |
| Brooklyn | 15 | 20.8 | 12 | 20.7 | 3 | 21.4 | | 24.1 | 555 | 17.8 | | 5.9 |
| Manhattan | 13 | 18.1 | 10 | 17.2 | 3 | 21.4 | 5 | 17.2 | 891 | 28.5 | | 35.3 |
| Queens | 33 | 45.8 | 27 | 46.6 | 6 | 42.9 | 9 | 31.0 | 1,129 | 36.1 | 6 | 35.3 |
| Staten Island | 3 | 4.2 | 3 | 5.2 | 0 | 0.0 | 1 | 3.4 | 43 | 1.4 | 1 | 5.9 |
| Outside NYC | 5 | 6.9 | 5 | 8.6 | 0 | 0.0 | 3 | 10.3 | 314 | 10.1 | 3 | 17.6 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.4 | 9 | 0.3 | 0 | 0.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 12 | 16.7 | 11 | 19.0 | 1 | 7.1 | 2 | 6.9 | 478 | 15.3 | 6 | 35.3 |
| Medium poverty (10 to <20% below FPL) | 40 | 55.6 | 30 | 51.7 | 10 | 71.4 | 15 | 51.7 | 1,635 | 52.3 | 4 | 23.5 |
| High poverty (20 to <30% below FPL) | 12 | 16.7 | 9 | 15.5 | 3 | 21.4 | 7 | 24.1 | 507 | 16.2 | | 23.5 |
| Very high poverty (≥30% below FPL) | 3 | 4.2 | 3 | 5.2 | 0 | 0.0 | 0 | 0.0 | 167 | 5.3 | 0 | 0.0 |
| Area-based poverty level not available | 5 | 6.9 | 5 | 8.6 | 0 | 0.0 | 5 | 17.2 | | 10.8 | | 17.6 |
| | Ŭ | 0.0 | Ŭ | 0.0 | Ŭ | 0.0 | 0 | | | | Ũ | |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 44 | 61.1 | 36 | 62.1 | 8 | 57.1 | 18 | 62.1 | 2,171 | 69.5 | | 64.7 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 1.8 | 0 | 0.0 |
| MSM-IDU | 1 | 1.4 | 1 | 1.7 | 0 | 0.0 | 0 | 0.0 | 53 | 1.7 | 0 | 0.0 |
| Heterosexual contact | 2 | 2.8 | 2 | 3.4 | 0 | 0.0 | 1 | 3.4 | 232 | 7.4 | 1 | 5.9 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| Unknown | 25 | 34.7 | 19 | 32.8 | 6 | 42.9 | 10 | 34.5 | 594 | 19.0 | 5 | 29.4 |

Table 1.3.8. Asian or Pacific Islander Women (Includes Transgender Women)New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; andPeople Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 202 3 |
|--|---|--------------------------|--------|---------|---------------------------|-------|-------------------|-------|---------------------|-------|--------|----------------|
| | | otal HIV agnoses % | и N | | Concurre AIDS Dia N | | | % | | % | N | % |
| Total | 9 | 100.0 | 8 | | 1 | 11.1 | 1 | 100.0 | | 100.0 | | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.3 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 20-29 | 2 | 22.2 | 1 | 12.5 | 1 | 100.0 | | 100.0 | | 3.1 | 0 | 0.0 |
| 30-39 | 4 | 44.4 | 4 | 50.0 | 0 | 0.0 | | 0.0 | | 13.7 | 0 | 0.0 |
| 40-49 | 3 | 33.3 | 3 | 37.5 | 0 | 0.0 | | 0.0 | | 25.9 | | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 27.8 | | 100.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 168 | 29.2 | 0 | 0.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 8.0 | | 0.0 |
| Brooklyn | 2 | 22.2 | 2 | 25.0 | 0 | 0.0 | | 0.0 | | 23.4 | | 100.0 |
| Manhattan | 2 | 22.2 | 2 | 25.0 | 0 | 0.0 | - | 0.0 | | 14.1 | 0 | 0.0 |
| Queens | 5 | 55.6 | 4 | 50.0 | 1 | 100.0 | | 100.0 | | 43.4 | | 0.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 1.4 | 0 | 0.0 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 9.5 | | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 2 | 22.2 | 1 | 12.5 | 1 | 100.0 | | 100.0 | | 11.8 | | 0.0 |
| Medium poverty (10 to <20% below FPL) | 5 | 55.6 | 5 | 62.5 | 0 | 0.0 | | 0.0 | | 51.6 | | 0.0 |
| High poverty (20 to <30% below FPL) | 2 | 22.2 | 2 | 25.0 | 0 | 0.0 | 0 | 0.0 | 107 | 18.6 | 1 | 100.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 43 | 7.5 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 61 | 10.6 | 0 | 0.0 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 19 | 3.3 | 0 | 0.0 |
| Heterosexual contact | 6 | 66.7 | 6 | 75.0 | Ō | 0.0 | | 0.0 | | 64.9 | | 100.0 |
| Transgender people with sexual contact | 2 | 22.2 | 2 | 25.0 | 0 | 0.0 | 0 | 0.0 | | 8.9 | | 0.0 |
| Perinatal | Ō | 0.0 | 0 | 0.0 | Ō | 0.0 | | 0.0 | | 1.0 | 0 | 0.0 |
| Other | 0 | 0.0 | Ō | 0.0 | 0 | 0.0 | | 0.0 | | 0.2 | | 0.0 |
| Unknown | 1 | 11.1 | Õ | 0.0 | 1 | 100.0 | | 100.0 | | 21.7 | | 0.0 |

Table 1.3.9. Native American Men (Includes Transgender Men)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV | Diagn | oses, 2 | 023 | | AIDS Diag 202 | | People w as of 12/3 | | Deaths | , 2023 |
|--|---|---------------------|-------|---------|----------------------|-------|------------------|-------|---------------------|-------|--------|--------|
| | - | otal HIV agnoses | Witho | | Concurre AIDS Dia | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 3 | 100.0 | 1 | 33.3 | 2 | 66.7 | 2 | 100.0 | 237 | 100.0 | 4 | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 4.2 | 0 | 0.0 |
| 30-39 | 1 | 33.3 | 1 | 100.0 | 0 | 0.0 | | 0.0 | | 19.8 | 1 | 25.0 |
| 40-49 | 2 | 66.7 | 0 | 0.0 | 2 | 100.0 | | 100.0 | | 20.7 | | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 25.7 | 2 | 50.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 70 | 29.5 | 1 | 25.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 17.3 | | 50.0 |
| Brooklyn | 1 | 33.3 | 1 | 100.0 | 0 | 0.0 | | 0.0 | | 25.3 | | 0.0 |
| Manhattan | 2 | 66.7 | 0 | 0.0 | 2 | 100.0 | | 100.0 | | 22.4 | 1 | 25.0 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 20.3 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 35 | 14.8 | 1 | 25.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 2 | 66.7 | 1 | 100.0 | 1 | 50.0 | | 50.0 | | 8.9 | | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 43.5 | | 25.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 53 | 22.4 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 1 | 33.3 | 0 | 0.0 | 1 | 50.0 | 1 | 50.0 | 28 | 11.8 | 2 | 50.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 32 | 13.5 | 1 | 25.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 2 | 66.7 | 1 | 100.0 | 1 | 50.0 | 1 | 50.0 | 150 | 63.3 | 1 | 25.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 5.9 | 1 | 25.0 |
| MSM-IDU | 0 | 0.0 | Ō | 0.0 | Ō | 0.0 | | 0.0 | | 4.6 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | Ō | 0.0 | Ō | 0.0 | | 0.0 | | 9.7 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | Ō | 0.0 | Ō | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | Ō | 0.0 | Ō | 0.0 | | 0.0 | - | 0.0 | 0 | 0.0 |
| Other | 0 | 0.0 | Ō | 0.0 | Ō | 0.0 | | 0.0 | | 0.8 | 0 | 0.0 |
| Unknown | 1 | 33.3 | Ō | 0.0 | 1 | 50.0 | | 50.0 | | 15.6 | | 50.0 |

As reported to the NYC Health Department by March 31, 2024. In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

Table 1.3.10. Native American Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | ses, | 2023 | | AIDS Diagnoses 2023 | People w as of 12/3 | | Deaths | s, 2023 |
|--|---|-------------------|-------|------|------------------------------|-----|------------------------|---------------------|-------|--------|---------|
| | | tal HIV gnoses | | AIDS | Concurrent W AIDS Diagnos | | | | | | |
| | N | % | N | % | N | % | N % | | % | | % |
| Total | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 |) 71 | 100.0 | 1 | 100.0 |
| | | | | | | | | | | | |
| Age group (years) | 0 | 0.0 | 0 | 0.0 | 0 | 2 0 | 0 0 | | 0.0 | 0 | 0.0 |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 0.0 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 1.4 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 4.2 | | 0.0 |
| 30-39 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 15.5 | | 0.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 21.1 | | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 33.8 | | 0.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 |) 17 | 23.9 | 1 | 100.0 |
| Borough of residence | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 35.2 | | 0.0 |
| Brooklyn | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 35.2 | | 0.0 |
| Manhattan | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 8.5 | | 100.0 |
| Queens | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 15.5 | | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 |) 4 | 5.6 | 0 | 0.0 |
| Neighborhood poverty level | _ | | | | | | | | | | |
| Low poverty (<10% below FPL) | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 2.8 | | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 38.0 | | 0.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 |) 22 | 31.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 |) 18 | 25.4 | 1 | 100.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 | 2 | 2.8 | 0 | 0.0 |
| Transmission category | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0.0 |) 3 | 4.2 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 62.0 | 1 | 100.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 12.7 | | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 5.6 | | 0.0 |
| Other | Ő | 0.0 | Õ | 0.0 | | 0.0 | 0 0.0 | | 0.0 | | 0.0 |
| Unknown | Ő | 0.0 | Õ | 0.0 | | 0.0 | 0 0.0 | | 15.5 | | 0.0 |

As reported to the NYC Health Department by March 31, 2024. In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

Table 1.3.11. Multiracial Men (Includes Transgender Men)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

| | | HIV Di | iagno | oses, 2 | 2023 | | AIDS Diagn 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|--------|--------------------|-------|---------|-----------------------|------|--------------------|-------|---------------------|------------|--------|--------|
| | | otal HIV gnoses | И | | Concurre AIDS Diag | | | | | | | |
| | N | % | Ν | % | N | % | | % | N | % | Ν | % |
| Total | 7 | 100.0 | 3 | 42.9 | 4 | 57.1 | | 100.0 | | 100.0 | | 100.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | Õ | 0.0 | Õ | 0.0 | | 0.0 | | 0.2 | | 0.0 |
| 20-29 | 1 | 14.3 | Õ | 0.0 | 1 | 25.0 | | 22.2 | | 10.6 | | 11.1 |
| 30-39 | 3 | 42.9 | 1 | 33.3 | 2 | 50.0 | | 44.4 | | 40.3 | | 44.4 |
| 40-49 | 2 | 28.6 | 2 | 66.7 | 0 | 0.0 | | 0.0 | | 20.6 | | 11.1 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | | 22.2 | 86 | 16.3 | | 0.0 |
| 60+ | 1 | 14.3 | Ő | 0.0 | 1 | 25.0 | | 11.1 | 64 | 12.1 | 3 | 33.3 |
| | ' | 14.5 | 0 | 0.0 | ' | 20.0 | | | 04 | 12.1 | 5 | 00.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 1 | 14.3 | 0 | 0.0 | 1 | 25.0 | | 11.1 | 76 | 14.4 | | 11.1 |
| Brooklyn | 1 | 14.3 | 1 | 33.3 | 0 | 0.0 | | 33.3 | | 22.5 | | 33.3 |
| Manhattan | 4 | 57.1 | 2 | 66.7 | 2 | 50.0 | | 22.2 | 166 | 31.4 | 2 | 22.2 |
| Queens | 1 | 14.3 | 0 | 0.0 | 1 | 25.0 | | 22.2 | | 11.9 | | 0.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 1.7 | 0 | 0.0 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 11.1 | 90 | 17.0 | 1 | 11.1 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 1.1 | 2 | 22.2 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 1 | 14.3 | 1 | 33.3 | 0 | 0.0 | 0 | 0.0 | 50 | 9.5 | 1 | 11.1 |
| Medium poverty (10 to <20% below FPL) | 2 | 28.6 | 0 | 0.0 | 2 | 50.0 | 5 | 55.6 | 192 | 36.3 | 3 | 33.3 |
| High poverty (20 to <30% below FPL) | 3 | 42.9 | 2 | 66.7 | 1 | 25.0 | 2 | 22.2 | 101 | 19.1 | 2 | 22.2 |
| Very high poverty (≥30% below FPL) | 1 | 14.3 | 0 | 0.0 | 1 | 25.0 | 1 | 11.1 | 88 | 16.6 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 11.1 | 98 | 18.5 | 3 | 33.3 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 3 | 42.9 | 2 | 66.7 | 1 | 25.0 | 3 | 33.3 | 403 | 76.2 | 5 | 55.6 |
| Injection drug use history (IDU) | 0 | 42.9 | 0 | 0.0 | 0 | 20.0 | | 0.0 | | 2.3 | | 22.2 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 28 | 2.3 5.3 | | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 11.1 | 15 | 2.8 | | 11.1 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 2 | 2.0 0.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 2 5 | 0.4 | 0 | 0.0 |
| | - | | | 0.0 | | | | 0.0 | | 0.9 | 0 | 0.0 |
| Other | 0 4 | 0.0 | 0 | | 0 3 | 0.0 | | | 0 64 | | 0 | |
| Unknown | 4 | 57.1 | T | 33.3 | 3 | 75.0 | 5 | 55.6 | 64 | 12.1 | 1 | 11.1 |

Table 1.3.12. Multiracial Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | | Diagno | oses, 20 | | | AIDS Diagr 2023 | ioses, | People W as of 12/3 | | Death 2023 | · · · |
|--|---------------------------------|--|----------------------------|---|---------------------------------|--|-----------------------|--|---------------------------|--|---------------------------------|---|
| | Dia | | | | Concurre AIDS Dia | agnoses | | 0/ | | | | |
| Total | N 2 | % 100.0 | N 1 | % 50.0 | N 1 | % 50.0 | N 1 | % 100.0 | | % 100.0 | N 0 | % 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 50-59 60+ | 0 0 2 0 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 0.0 | 0 0 1 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 0.0 | 0 0 1 0 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 0 1 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 2 15 53 29 22 | 0.0 1.3 10.0 35.3 19.3 14.7 19.3 | 0 0 0 0 0 0 | 0.0 0.0 0.0 0.0 0.0 0.0 0.0 |
| Borough of residence | | | _ | | | | | | | | | |
| Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown | 0 0 1 0 1 0 0 | 0.0 0.0 50.0 50.0 50.0 0.0 0.0 | 0 0 0 1 0 0 | 0.0 0.0 0.0 100.0 0.0 0.0 | 0 0 1 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 43 24 27 6 19 | 20.0 28.7 16.0 18.0 4.0 12.7 0.7 | 0 0 0 0 0 0 0 | 0.0 0.0 0.0 0.0 0.0 0.0 0.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) | 0 2 0 0 | 0.0 100.0 0.0 0.0 | 0 1 0 0 | 0.0 100.0 0.0 0.0 | 0 1 0 0 | 0.0 100.0 0.0 0.0 | | 0.0 100.0 0.0 0.0 | 62 30 | 10.0 41.3 20.0 15.3 | 0 0 0 | 0.0 0.0 0.0 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 13.3 | 0 | 0.0 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown | 0 0 2 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 0 0 1 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 0 0 1 0 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 0 1 0 0 | 0.0 0.0 100.0 0.0 0.0 0.0 | 69 38 9 9 | 11.3 46.0 25.3 6.0 0.7 10.7 | 0 0 0 0 0 | 0.0 0.0 0.0 0.0 0.0 0.0 |

Table 1.4.1. Boys Ages 0 to 12 Years

| | | H | IV Dia | agno | ses, 2 | 2023 | | AIDS Diagno 2023 | ses, | People W as of 12/3 | | Death 202 | |
|--|---|-----------------|----------|--------|----------|------------------------|----------|---------------------|----------|---------------------|------------|--------------|----------|
| | Ľ | Total Diagno | oses | / | AIDS | Concurrer AIDS Diag | gnoses | | | | | | |
| Total | 1 | N D | % 0.0 | N 0 | % 0.0 | N 0 | % 0.0 | N 0 | % 0.0 | | % 100.0 | N 0 | % 0.0 |
| | | | •• | • | | | | | | | | | 0.0 |
| Race or ethnicity | | | | | | | | | | | | | |
| Black | |) | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 75.0 | 0 | 0.0 |
| Latino | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 25.0 | 0 | 0.0 |
| White | |) | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | 0 | 0.0 |
| Asian or Pacific Islander | |) | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | 0 | 0.0 |
| Native American | |) | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| Multiracial | | C | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Borough of residence | | | | | | | | | | | | | |
| Bronx | |) | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 43.8 | 0 | 0.0 |
| Brooklyn | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 25.0 | 0 | 0.0 |
| Manhattan | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 6.3 | 0 | 0.0 |
| Queens | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 6.3 | 0 | 0.0 |
| Staten Island | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| Outside NYC | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 12.5 | 0 | 0.0 |
| Unknown | (| 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 1 | 6.3 | 0 | 0.0 |
| Neighborhood poverty level | | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 6.3 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 18.8 | 0 | 0.0 |
| High poverty (20 to <30% below FPL) | (| C | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 4 | 25.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | (| C | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 5 | 31.3 | 0 | 0.0 |
| Area-based poverty level not available | (| 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 3 | 18.8 | 0 | 0.0 |
| Transmission category | _ | | | | | | | | | | | | |
| Men who have sex with men (MSM) | (|) | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 |
| Injection drug use history (IDU) | | 5 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| MSM-IDU | | 5 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 |
| Heterosexual contact | | 5 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 |
| Transgender people with sexual contact | | 5 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 |
| Perinatal | (| C | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 14 | 87.5 | 0 | 0.0 |
| Other | (| C | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 2 | 12.5 | 0 | 0.0 |
| Unknown | (| 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 |

Table 1.4.2. Girls Ages 0 to 12 Years

| | | HIV D | iagno | ses, | 2023 | | AIDS Diag 2023 | | People W as of 12/3 | | Death 202 | |
|--|---|--------------------------|-------|------|----------------------------|-----|-------------------|-------|---------------------|-------|--------------|-----|
| | - | otal HIV agnoses % | | | Concurre AIDS Diag N | | ; | % | N | % | N | % |
| Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 100.0 | | 100.0 | 0 | 0.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 31.6 | 0 | 0.0 |
| Latina | 0 | 0.0 | Õ | 0.0 | Õ | 0.0 | | 100.0 | | 42.1 | Õ | 0.0 |
| White | 0 | 0.0 | Õ | 0.0 | Õ | 0.0 | | 0.0 | - | 15.8 | Õ | 0.0 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 10.5 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Borough of residence | - | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 15.8 | 0 | 0.0 |
| Brooklyn | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 15.8 | 0 | 0.0 |
| Manhattan | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 21.1 | 0 | 0.0 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 31.6 | 0 | 0.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 100.0 | | 15.8 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 5.3 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | - | 47.4 | 0 | 0.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | | 15.8 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 15.8 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 100.0 | 3 | 15.8 | 0 | 0.0 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 100.0 | | 100.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | - | 0.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

Table 1.4.3. Men Ages 13 Years and Older (Includes Transgender Men)New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; andPeople Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV I | Diagnos | es, 20 | 23 | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths, | 2023 |
|--|------------|---------------------|------------|-----------|-----------------------|-----------|-------------------|------------|-------------------------|------------|------------|------------|
| | Dia | otal HIV Ignoses | | AIDSA | Concurre AIDS Diag | gnoses | | | | | | |
| Total | N 1,329 | % 100.0 | N 1,078 | % 81.1 | N 251 | % 18.9 | | % 100.0 | | % 100.0 | N 1,096 | % 100.0 |
| Total | 1,525 | 100.0 | 1,070 | 01.1 | 231 | 10.5 | 021 | 100.0 | 30,333 | 100.0 | 1,030 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 516 | 38.8 | 419 | 38.9 | 97 | 38.6 | 324 | 39.5 | 36,203 | 36.8 | 536 | 48.9 |
| Latino | 574 | 43.2 | 460 | 42.7 | 114 | 45.4 | 351 | 42.8 | 33,998 | 34.6 | 366 | 33.4 |
| White | 157 | 11.8 | 137 | 12.7 | 20 | 8.0 | 106 | 12.9 | 24,010 | 24.4 | 164 | 15.0 |
| Asian or Pacific Islander | 72 | 5.4 | 58 | 5.4 | 14 | 5.6 | 29 | 3.5 | 3,124 | 3.2 | 17 | 1.6 |
| Native American | 3 | 0.2 | 1 | 0.1 | 2 | 0.8 | 2 | 0.2 | | 0.2 | 4 | 0.4 |
| Multiracial | 7 | 0.5 | 3 | 0.3 | 4 | 1.6 | 9 | 1.1 | 529 | 0.5 | 9 | 0.8 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 232 | 0.2 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 13-19 | 34 | 2.6 | 34 | 3.2 | 0 | 0.0 | | 0.1 | | 0.2 | 1 | 0.1 |
| 20-29 | 485 | 36.5 | 426 | 39.5 | 59 | 23.5 | | 15.5 | , | 5.0 | 15 | 1.4 |
| 30-39 | 460 | 34.6 | 367 | 34.0 | 93 | 37.1 | | 34.1 | -, | 18.6 | 89 | 8.1 |
| 40-49 | 193 | 14.5 | 139 | 12.9 | 54 | 21.5 | | 20.1 | | 17.3 | 101 | 9.2 |
| 50-59 | 96 | 7.2 | 69 | 6.4 | 27 | 10.8 | | 14.9 | | 24.5 | 254 | 23.2 |
| 60+ | 61 | 4.6 | 43 | 4.0 | 18 | 7.2 | 126 | 15.3 | 33,860 | 34.4 | 636 | 58.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 272 | 20.5 | 223 | 20.7 | 49 | 19.5 | | 26.3 | | 20.4 | 394 | 35.9 |
| Brooklyn | 359 | 27.0 | 297 | 27.6 | 62 | 24.7 | | 22.9 | , | 21.9 | 247 | 22.5 |
| Manhattan | 255 | 19.2 | 207 | 19.2 | 48 | 19.1 | 165 | 20.1 | 28,039 | 28.5 | 251 | 22.9 |
| Queens | 288 | 21.7 | 225 | 20.9 | 63 | 25.1 | 146 | 17.8 | , | 15.4 | 105 | 9.6 |
| Staten Island | 33 | 2.5 | 25 | 2.3 | 8 | 3.2 | | 2.2 | | 1.7 | 29 | 2.6 |
| Outside NYC | 101 | 7.6 | 80 | 7.4 | 21 | 8.4 | | 9.9 | | 11.8 | 42 | 3.8 |
| Unknown | 21 | 1.6 | 21 | 1.9 | 0 | 0.0 | 7 | 0.9 | 311 | 0.3 | 28 | 2.6 |
| Neighborhood poverty level | 1.10 | 40 - | | | | | | | | | 100 | |
| Low poverty (<10% below FPL) | 142 | 10.7 | 119 | 11.0 | 23 | 9.2 | | 8.4 | | 12.1 | 100 | 9.1 |
| Medium poverty (10 to <20% below FPL) | 564 | 42.4 | 453 | 42.0 | 111 | 44.2 | | 39.5 | , | 38.8 | 352 | 32.1 |
| High poverty (20 to <30% below FPL) | 289 | 21.7 | 226 | 21.0 | 63 | 25.1 | 177 | 21.6 | 19,343 | 19.7 | 259 | 23.6 |
| Very high poverty (≥30% below FPL) | 211 | 15.9 | 178 | 16.5 | 33 | 13.1 | 161 | 19.6 | 16,131 | 16.4 | 314 | 28.6 |
| Area-based poverty level not available | 123 | 9.3 | 102 | 9.5 | 21 | 8.4 | 90 | 11.0 | 12,818 | 13.0 | 71 | 6.5 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 825 | 62.1 | 689 | 63.9 | 136 | 54.2 | 450 | 54.8 | 62,210 | 63.3 | 403 | 36.8 |
| Injection drug use history (IDU) | 10 | 0.8 | 6 | 0.6 | 4 | 1.6 | 43 | 5.2 | 8,684 | 8.8 | 255 | 23.3 |
| MSM-IDU | 22 | 1.7 | 19 | 1.8 | 3 | 1.2 | 25 | 3.0 | 3,464 | 3.5 | 77 | 7.0 |
| Heterosexual contact | 49 | 3.7 | 32 | 3.0 | 17 | 6.8 | | 7.3 | 6,963 | 7.1 | 121 | 11.0 |
| Transgender people with sexual contact | 1 | 0.1 | 1 | 0.1 | 0 | 0.0 | 0 | 0.0 | 38 | 0.0 | 1 | 0.1 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 1.1 | 1,190 | 1.2 | 14 | 1.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | | 0.1 | 2 | 0.2 |
| Unknown | 422 | 31.8 | 331 | 30.7 | 91 | 36.3 | 233 | 28.4 | 15,681 | 15.9 | 223 | 20.3 |

Table 1.4.4. Women Ages 13 Years and Older (Includes Transgender Women)New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; andPeople Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | | - | oses, 2 | | | AIDS Diagi 2023 | | People Wi as of 12/31 | | Deaths | , 2023 |
|--|-----|--------------------------|--------|------------|----------------------------|------|--------------------|------------|--------------------------|-----------------------|--------|------------|
| | | otal HIV Ignoses % | и N | | Concurre AIDS Diag N | | | % | N | % | N | % |
| Total | 357 | 100.0 | 280 | 78.4 | 77 | 21.6 | 327 | 100.0 | | ^ر 100.0 | | 100.0 |
| | | | | | | | •=- | | | | | |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 181 | 50.7 | 141 | 50.4 | 40 | 51.9 | 183 | 56.0 | | 56.9 | | 65.6 |
| Latina | 139 | 38.9 | 110 | 39.3 | 29 | 37.7 | | 38.5 | | 33.5 | | 29.4 |
| White | 26 | 7.3 | 20 | 7.1 | 6 | 7.8 | 16 | 4.9 | 2,628 | 7.3 | | 4.5 |
| Asian or Pacific Islander | 9 | 2.5 | 8 | 2.9 | 1 | 1.3 | 1 | 0.3 | 574 | 1.6 | | 0.2 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 71 | 0.2 | | 0.2 |
| Multiracial | 2 | 0.6 0.0 | 1 0 | 0.4 0.0 | 1 0 | 1.3 | 1 | 0.3 0.0 | | 0.4 0.2 | | 0.0 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 68 | 0.2 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 13-19 | 7 | 2.0 | 7 | 2.5 | 0 | 0.0 | 3 | 0.9 | | 0.2 | | 0.0 |
| 20-29 | 81 | 22.7 | 67 | 23.9 | 14 | 18.2 | 48 | 14.7 | | 4.3 | | 2.5 |
| 30-39 | 110 | 30.8 | 92 | 32.9 | 18 | 23.4 | 76 | 23.2 | | 12.2 | | 5.7 |
| 40-49 | 76 | 21.3 | 62 | 22.1 | 14 | 18.2 | 71 | 21.7 | 6,232 | 17.3 | | 8.1 |
| 50-59 | 51 | 14.3 | 35 | 12.5 | 16 | 20.8 | 62 | 19.0 | 9,997 | 27.7 | | 26.5 |
| 60+ | 32 | 9.0 | 17 | 6.1 | 15 | 19.5 | 67 | 20.5 | 13,821 | 38.3 | 253 | 57.2 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 100 | 28.0 | 79 | 28.2 | 21 | 27.3 | 99 | 30.3 | 11,690 | 32.4 | 176 | 39.8 |
| Brooklyn | 109 | 30.5 | 83 | 29.6 | 26 | 33.8 | 94 | 28.7 | | 28.1 | 121 | 27.4 |
| Manhattan | 44 | 12.3 | 35 | 12.5 | 9 | 11.7 | 41 | 12.5 | 5,060 | 14.0 | | 17.4 |
| Queens | 63 | 17.6 | 49 | 17.5 | 14 | 18.2 | 52 | 15.9 | 5,249 | 14.5 | 36 | 8.1 |
| Staten Island | 12 | 3.4 | 11 | 3.9 | 1 | 1.3 | 4 | 1.2 | 915 | 2.5 | | 2.3 |
| Outside NYC | 25 | 7.0 | 19 | 6.8 | 6 | 7.8 | 35 | 10.7 | 7 - | 8.1 | 14 | 3.2 |
| Unknown | 4 | 1.1 | 4 | 1.4 | 0 | 0.0 | 2 | 0.6 | 81 | 0.2 | 8 | 1.8 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 30 | 8.4 | 24 | 8.6 | 6 | 7.8 | 23 | 7.0 | 2,524 | 7.0 | 18 | 4.1 |
| Medium poverty (10 to <20% below FPL) | 138 | 38.7 | 103 | 36.8 | 35 | 45.5 | 111 | 33.9 | 12,604 | 34.9 | 126 | 28.5 |
| High poverty (20 to <30% below FPL) | 79 | 22.1 | 66 | 23.6 | 13 | 16.9 | 78 | 23.9 | 8,701 | 24.1 | 123 | 27.8 |
| Very high poverty (≥30% below FPL) | 81 | 22.7 | 64 | 22.9 | 17 | 22.1 | 77 | 23.5 | 8,973 | 24.9 | 152 | 34.4 |
| Area-based poverty level not available | 29 | 8.1 | 23 | 8.2 | 6 | 7.8 | 38 | 11.6 | 3,275 | 9.1 | 23 | 5.2 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 10 | 2.8 | 9 | 3.2 | 1 | 1.3 | 20 | 6.1 | 4,930 | 13.7 | 118 | 26.7 |
| Heterosexual contact | 229 | 64.1 | 174 | 62.1 | 55 | 71.4 | 192 | 58.7 | | 56.6 | | 50.9 |
| Transgender people with sexual contact | 53 | 14.8 | 48 | 17.1 | 5 | 6.5 | 31 | 9.5 | ' | 7.0 | | 4.3 |
| Perinatal | 0 | 0.0 | -0 | 0.0 | 0 | 0.0 | 11 | 3.4 | ' | 3.5 | | 2.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 81 | 0.2 | | 0.0 |
| Unknown | 65 | 18.2 | 49 | 17.5 | 16 | 20.8 | 73 | 22.3 | 6,856 | 19.0 | | 16.1 |

Table 1.5.1. Bronx, Men (Includes Transgender Men)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagi 2023 | | People Wi as of 12/3 | | Deaths | , 2023 |
|--|--|---|---------------------------------------|---|-----------------------------------|--|---------------------------|--|-----------------------------------|---|--------------------------------------|--|
| | | otal HIV gnoses | И | AIDS | Concurrer AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 272 | 100.0 | 223 | 82.0 | 49 | 18.0 | 216 | 100.0 | 20,039 | 100.0 | 394 | 100.0 |
| Race or ethnicity | | _ | | | _ | | | | | | | |
| Black Latino White Asian or Pacific Islander Native American Multiracial Unknown | 121 139 8 3 0 1 0 | 44.5 51.1 2.9 1.1 0.0 0.4 0.0 | 97 119 6 1 0 0 | 43.5 53.4 2.7 0.4 0.0 0.0 0.0 | 24 20 2 2 0 1 | 49.0 40.8 4.1 4.1 0.0 2.0 0.0 | 105 12 3 0 | 44.0 48.6 5.6 1.4 0.0 0.5 0.0 | 9,648 1,133 183 41 76 | 44.6 48.1 5.7 0.9 0.2 0.4 0.1 | 188 184 19 0 2 1 0 | 47.7 46.7 4.8 0.0 0.5 0.3 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 50-59 60+ | 0 16 110 88 22 20 16 | 0.0 5.9 40.4 32.4 8.1 7.4 5.9 | 0 16 98 69 16 14 10 | 0.0 7.2 43.9 30.9 7.2 6.3 4.5 | 0 0 12 19 6 6 6 | 0.0 0.0 24.5 38.8 12.2 12.2 12.2 | 1 27 77 36 36 | 0.0 0.5 12.5 35.6 16.7 16.7 18.1 | 41 1,200 4,156 3,367 | 0.0 0.2 6.0 20.7 16.8 23.3 32.9 | 0 6 39 37 | 0.0 0.0 1.5 9.9 9.4 25.6 53.6 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 1 52 82 | 0.4 19.1 30.1 | 1 44 63 | 0.4 19.7 28.3 51.6 | 0 8 19 22 | 0.0 16.3 38.8 | 44 58 | 0.0 20.4 26.9 | 3,628 5,340 | 0.6 18.1 26.6 | 59 | 0.8 15.0 24.9 |
| Very high poverty (≥30% below FPL) Area-based poverty level not available | 137 0 | 50.4 0.0 | 115 0 | 0.0 | 0 | 44.9 0.0 | 114 0 | 52.8 0.0 | - / - | 54.1 0.5 | 234 0 | 59.4 0.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other | 160 2 8 0 0 | 58.8 0.7 0.7 2.9 0.0 0.0 0.0 | 134 1 2 7 0 0 0 | 60.1 0.4 0.9 3.1 0.0 0.0 0.0 | 26 1 0 1 0 0 0 | 53.1 2.0 0.0 2.0 0.0 0.0 0.0 | 18 7 | 47.7 8.3 3.2 8.8 0.0 0.9 0.0 | 2,765 914 2,025 13 | 49.2 13.8 4.6 10.1 0.1 2.0 0.1 | 116 112 30 44 1 9 | 29.4 28.4 7.6 11.2 0.3 2.3 0.3 |
| Unknown | 100 | 36.8 | 79 | 35.4 | 21 | 42.9 | 67 | 31.0 | | 20.2 | 81 | 20.6 |

Table 1.5.2. Bronx, Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

| People Diagnosed With HIV | , Reported in NYC and | Presumed To | Be Living as of D | December 31, 2023 |
|---------------------------|-----------------------|-------------|-------------------|-------------------|

| | HIV Diagnoses, 2023 | | | | | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths | s, 2023 |
|--|---------------------|---------------------|----------|--------------|-----------------------|--------------|-------------------|--------------|-------------------------|--------------|----------|--------------|
| | | otal HIV agnoses | И | AIDS | Concurre AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 100 | 100.0 | 79 | 79.0 | 21 | 21.0 | 99 | 100.0 | 11,693 | 100.0 | 176 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 51 45 | 51.0 45.0 | 38 37 | 48.1 46.8 | 13 8 | 61.9 38.1 | 53 45 | 53.5 45.5 | | 51.9 44.2 | | 59.1 38.1 |
| White | 4 | 4.0 | 4 | 5.1 | 0 0 | 0.0 | | 1.0 | - / | 2.9 | | 2.8 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | Ō | 0.0 | | 0.0 | | 0.4 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.2 | | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.3 | | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 3 | 3.0 | 3 | 3.8 | 0 | 0.0 | | 1.0 | | 0.2 | | 0.0 |
| 20-29 | 19 | 19.0 | 16 | 20.3 | 3 | 14.3 | | 7.1 | 479 | 4.1 | 4 | 2.3 |
| 30-39 | 35 | 35.0 | 29 | 36.7 | 6 | 28.6 | | 25.3 | | 12.5 | | 5.7 |
| 40-49 | 22 | 22.0 | 19 | 24.1 | 3 3 | 14.3 | | 25.3 | , | 18.1 | | 11.4 |
| 50-59 60+ | 14 | 14.0 7.0 | 11 1 | 13.9 1.3 | 3 6 | 14.3 28.6 | | 18.2 23.2 | | 29.0 36.0 | | 29.0 51.7 |
| 00+ | 1 | 7.0 | 1 | 1.5 | 0 | 20.0 | 23 | 23.2 | 4,214 | 30.0 | 91 | 51.7 |
| Neighborhood poverty level | | | _ | | | | â | | | | | |
| Low poverty (<10% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.5 | | 1.1 |
| Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 14 29 | 14.0 29.0 | 8 25 | 10.1 31.6 | 6 4 | 28.6 19.0 | | 19.2 22.2 | | 19.1 25.1 | 27 42 | 15.3 23.9 |
| | | | | | | | | | , | | | |
| Very high poverty (≥30% below FPL) | 57 | 57.0 | 46 | 58.2 | 11 | 52.4 | | 58.6 | -, - | 55.0 | | 59.1 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 35 | 0.3 | 1 | 0.6 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 4 | 4.0 | 3 | 3.8 | 1 | 4.8 | | 8.1 | | 14.9 | | 30.1 |
| Heterosexual contact | 68 | 68.0 | 51 | 64.6 | 17 | 81.0 | | 57.6 | - / | 56.4 | 86 | 48.9 |
| Transgender people with sexual contact | 16 | 16.0 | 15 | 19.0 | 1 | 4.8 | | 11.1 | 849 | 7.3 | | 6.8 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 3.0 | | 3.5 | | 2.8 |
| Other | 0 12 | 0.0 | 0 | 0.0 | 0 | 0.0 9.5 | | 0.0 | | 0.1 | 0 20 | 0.0 |
| Unknown | 12 | 12.0 | 10 | 12.7 | 2 | 9.5 | 20 | 20.2 | 2,070 | 17.7 | 20 | 11.4 |

Table 1.5.3. Brooklyn, Men (Includes Transgender Men)

| | | HIV C | iagno | oses, 2 | 2023 | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths | s, 2023 |
|--|-----|---------------------|-------|---------|-----------------------|------------|-------------------|-------|-------------------------|-------|--------|--------------|
| | | otal HIV agnoses | И | | Concurre AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 359 | 100.0 | 297 | 82.7 | 62 | 17.3 | 188 | 100.0 | 21,573 | 100.0 | 247 | 100.0 |
| Race or ethnicity | | _ | | | _ | _ | | | | | | |
| Black | 180 | 50.1 | 146 | 49.2 | 34 | 54.8 | | 52.1 | 11,474 | 53.2 | | 61.1 |
| Latino | 120 | 33.4 | 99 | 33.3 | 21 | 33.9 | | 32.4 | 5,696 | 26.4 | | 28.3 |
| White | 42 | 11.7 | 38 | 12.8 | 4 | 6.5 | 19 | 10.1 | 3,649 | 16.9 | 22 | 8.9 |
| Asian or Pacific Islander | 15 | 4.2 | 12 | 4.0 | 3 | 4.8 | 7 | 3.7 | 555 | 2.6 | 1 | 0.4 |
| Native American | 1 | 0.3 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 60 | 0.3 | 0 | 0.0 |
| Multiracial | 1 | 0.3 | 1 | 0.3 | 0 | 0.0 | 3 | 1.6 | 119 | 0.6 | 3 | 1.2 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 20 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.0 | 0 | 0.0 |
| 13-19 | 9 | 2.5 | 9 | 3.0 | 0 0 | 0.0 | | 0.0 | 37 | 0.2 | | 0.0 |
| 20-29 | 138 | 38.4 | 126 | 42.4 | 12 | 19.4 | 29 | 15.4 | | 6.5 | | 0.8 |
| 30-39 | 119 | 33.1 | 97 | 32.7 | 22 | 35.5 | | 34.6 | 4,788 | 22.2 | | 6.1 |
| 40-49 | 60 | 16.7 | 41 | 13.8 | 19 | 30.6 | | 23.4 | | 17.9 | | 8.5 |
| 50-59 | 22 | 6.1 | 16 | 5.4 | 6 | 9.7 | | 15.4 | 4,874 | 22.6 | | 25.1 |
| 60+ | 11 | 3.1 | 8 | 2.7 | 3 | 9.7 4.8 | 29 | 15.4 | | 30.7 | | 25.1 59.1 |
| 00+ | | 5.1 | 0 | 2.1 | 3 | 4.0 | 21 | 11.2 | 0,014 | 30.7 | 140 | 59.1 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 19 | 5.3 | 17 | 5.7 | 2 | 3.2 | | 1.1 | 913 | 4.2 | | 3.6 |
| Medium poverty (10 to <20% below FPL) | 163 | 45.4 | 140 | 47.1 | 23 | 37.1 | - | 43.1 | 9,679 | 44.9 | | 39.7 |
| High poverty (20 to <30% below FPL) | 143 | 39.8 | 109 | 36.7 | 34 | 54.8 | 84 | 44.7 | 8,357 | 38.7 | | 40.1 |
| Very high poverty (≥30% below FPL) | 34 | 9.5 | 31 | 10.4 | 3 | 4.8 | 20 | 10.6 | , - | 11.5 | | 16.2 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.5 | 145 | 0.7 | 1 | 0.4 |
| Transmission category | | _ | | | _ | | | | | _ | | |
| Men who have sex with men (MSM) | 229 | 63.8 | 201 | 67.7 | 28 | 45.2 | 93 | 49.5 | 12,799 | 59.3 | 78 | 31.6 |
| Injection drug use history (IDU) | 1 | 0.3 | 0 | 0.0 | 1 | 1.6 | 8 | 4.3 | 1,901 | 8.8 | 60 | 24.3 |
| MSM-IDU | 4 | 1.1 | 3 | 1.0 | 1 | 1.6 | 4 | 2.1 | 703 | 3.3 | 17 | 6.9 |
| Heterosexual contact | 9 | 2.5 | 5 | 1.7 | 4 | 6.5 | 9 | 4.8 | 1,726 | 8.0 | 36 | 14.6 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | <u></u> 11 | 0.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 1.1 | 306 | 1.4 | | 0.8 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 21 | 0.1 | 0 | 0.0 |
| Unknown | 116 | 32.3 | 88 | 29.6 | 28 | 45.2 | 72 | 38.3 | | 19.0 | 54 | 21.9 |

Table 1.5.4. Brooklyn, Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | | | | | | AIDS Diagi 2023 | | People Wi as of 12/31 | | Deaths | s, 202 3 |
|--|-----|---------------------|----|------|------------------------|------|--------------------|-------|--------------------------|-------|--------|-----------------|
| | | otal HIV Ignoses | И | AIDS | Concurrer AIDS Diag | | | | | | | |
| | N | % | Ν | % | Ν | % | | % | N | % | | % |
| Total | 109 | 100.0 | 83 | 76.1 | 26 | 23.9 | 94 | 100.0 | 10,158 | 100.0 | 121 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 70 | 64.2 | 52 | 62.7 | 18 | 69.2 | 61 | 64.9 | 6,931 | 68.2 | 92 | 76.0 |
| Latina | 26 | 23.9 | 20 | 24.1 | 6 | 23.1 | 26 | 27.7 | 2,381 | 23.4 | 26 | 21.5 |
| White | 11 | 10.1 | 9 | 10.8 | 2 | 7.7 | 7 | 7.4 | 622 | 6.1 | 2 | 1.7 |
| Asian or Pacific Islander | 2 | 1.8 | 2 | 2.4 | 0 | 0.0 | 0 | 0.0 | 135 | 1.3 | 1 | 0.8 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 25 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 43 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 21 | 0.2 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| 13-19 | 3 | 2.8 | 3 | 3.6 | 0 | 0.0 | 0 | 0.0 | 27 | 0.3 | 0 | 0.0 |
| 20-29 | 21 | 19.3 | 18 | 21.7 | 3 | 11.5 | 13 | 13.8 | 445 | 4.4 | 3 | 2.5 |
| 30-39 | 37 | 33.9 | 31 | 37.3 | 6 | 23.1 | 21 | 22.3 | 1,234 | 12.1 | 3 | 2.5 |
| 40-49 | 16 | 14.7 | 12 | 14.5 | 4 | 15.4 | 18 | 19.1 | 1,776 | 17.5 | 8 | 6.6 |
| 50-59 | 19 | 17.4 | 11 | 13.3 | 8 | 30.8 | 20 | 21.3 | 2,705 | 26.6 | 29 | 24.0 |
| 60+ | 13 | 11.9 | 8 | 9.6 | 5 | 19.2 | | 23.4 | 3,968 | 39.1 | 78 | 64.5 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 6 | 5.5 | 5 | 6.0 | 1 | 3.8 | 3 | 3.2 | 420 | 4.1 | 4 | 3.3 |
| Medium poverty (10 to <20% below FPL) | 49 | 45.0 | 34 | 41.0 | 15 | 57.7 | 40 | 42.6 | 4,137 | 40.7 | 47 | 38.8 |
| High poverty (20 to <30% below FPL) | 41 | 37.6 | 33 | 39.8 | 8 | 30.8 | 42 | 44.7 | 4,105 | 40.4 | 48 | 39.7 |
| Very high poverty (≥30% below FPL) | 13 | 11.9 | 11 | 13.3 | 2 | 7.7 | 9 | 9.6 | 1,438 | 14.2 | 22 | 18.2 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | , | 0.6 | | 0.0 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 3 | 2.8 | 3 | 3.6 | 0 | 0.0 | 5 | 5.3 | 1.238 | 12.2 | 26 | 21.5 |
| Heterosexual contact | 79 | 72.5 | 59 | 71.1 | 20 | 76.9 | | 69.1 | 5,833 | 57.4 | 66 | 54.5 |
| Transgender people with sexual contact | 7 | 6.4 | 7 | 8.4 | 0 | 0.0 | | 2.1 | 587 | 5.8 | | 1.7 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | | 3.2 | 361 | 3.6 | | 1.7 |
| Other | Õ | 0.0 | ŏ | 0.0 | 0 0 | 0.0 | | 0.0 | | 0.2 | | 0.0 |
| Unknown | 20 | 18.3 | 14 | 16.9 | 6 | 23.1 | 19 | 20.2 | 2,115 | 20.8 | | 20.7 |

Table 1.5.5. Manhattan, Men (Includes Transgender Men)

| | | HIV C | liagno | oses, 2 | 2023 | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths | s, 2023 |
|--|--------------------------------|---|--------------------------------|---|-------------------------------|---|-------------------|---|--|---|-------------------------|---|
| | Dia | otal HIV agnoses | | AIDS | Concurrer AIDS Diag | gnoses | | | | | | |
| | N | % | N | % | N | % | | % | N | % | | % |
| Total | 255 | 100.0 | 207 | 81.2 | 48 | 18.8 | 165 | 100.0 | 28,040 | 100.0 | 251 | 100.0 |
| Race or ethnicity | | _ | | | _ | | | | | | | |
| Black Latino White Asian or Pacific Islander Native American Multiracial | 83 96 57 13 2 4 | 32.5 37.6 22.4 5.1 0.8 1.6 | 70 78 47 10 0 2 | 33.8 37.7 22.7 4.8 0.0 1.0 | 13 18 10 3 2 2 | 27.1 37.5 20.8 6.3 4.2 4.2 | 40 5 2 2 | 33.3 37.0 24.2 3.0 1.2 1.2 | 8,255 11,179 891 53 166 | 26.3 29.4 39.9 3.2 0.2 0.6 | 69 77 6 1 2 | 38.2 27.5 30.7 2.4 0.4 0.8 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 134 | 0.5 | 0 | 0.0 |
| Age group (years) 0-12 13-19 | 03 | 0.0 1.2 | 0 3 | 0.0 1.4 | 0 0 | 0.0 0.0 | 0 | 0.0 0.0 | 29 | 0.0 0.1 | 0 | 0.0 |
| 20-29 30-39 40-49 50-59 60+ | 89 87 43 19 14 | 34.9 34.1 16.9 7.5 5.5 | 75 74 31 14 10 | 36.2 35.7 15.0 6.8 4.8 | 14 13 12 5 4 | 29.2 27.1 25.0 10.4 8.3 | 47 36 28 | 13.9 28.5 21.8 17.0 18.8 | 917 4,334 4,815 7,227 10,717 | 3.3 15.5 17.2 25.8 38.2 | 14 21 50 | 2.0 5.6 8.4 19.9 64.1 |
| Neighborhood poverty level | | 0.0 | 10 | 4.0 | - | 0.0 | 51 | 10.0 | 10,717 | 50.2 | 101 | 04.1 |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 55 104 55 | 21.6 40.8 21.6 | 48 80 46 | 23.2 38.6 22.2 | 7 24 9 | 14.6 50.0 18.8 | 35 69 33 | 21.2 41.8 20.0 | 7,698 11,737 5,226 | 27.5 41.9 18.6 | 91 | 24.7 36.3 23.1 |
| Very high poverty (≥30% below FPL) Area-based poverty level not available | 40 1 | 15.7 0.4 | 32 1 | 15.5 0.5 | 8 0 | 16.7 0.0 | 27 1 | 16.4 0.6 | , | 10.0 2.0 | | 15.9 0.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU | 159 3 9 7 | 62.4 1.2 3.5 | 136 2 8 | 65.7 1.0 3.9 | 23 1 1 | 47.9 2.1 2.1 | 95 9 7 | 57.6 5.5 4.2 | 20,591 1,848 1,018 | 73.4 6.6 3.6 | 37 15 | 53.4 14.7 6.0 |
| Heterosexual contact Transgender people with sexual contact Perinatal Other | 7 1 0 0 | 2.7 0.4 0.0 0.0 | 3 1 0 0 | 1.4 0.5 0.0 0.0 | 4 0 0 0 | 8.3 0.0 0.0 0.0 | 12 0 1 0 | 7.3 0.0 0.6 0.0 | 1,005 7 177 13 | 3.6 0.0 0.6 0.0 | 0 2 | 8.8 0.0 0.8 0.0 |
| Unknown | 76 | 29.8 | 57 | 27.5 | 19 | 39.6 | 41 | 24.8 | 3,381 | 12.1 | 41 | 16.3 |

Table 1.5.6. Manhattan, Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagnos 2023 | ses, | People Wi as of 12/3 | | Deaths | , 2023 |
|---|------------------------------------|---|-----------------------------------|---|---------------------------------|--|-----------------------------------|---|----------------------------------|---|------------------------|---|
| | | otal HIV Ignoses % | и N | | Concurrent AIDS Diagr N | | N | % | N | % | N | % |
| Total | 44 | 100.0 | 35 | 79.5 | 9 | 20.5 | | 00.0 | | 100.0 | | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black Latina White Asian or Pacific Islander Native American Multiracial Unknown | 16 24 1 2 0 1 0 | 36.4 54.5 2.3 4.5 0.0 2.3 0.0 | 13 19 1 2 0 0 0 | 37.1 54.3 2.9 5.7 0.0 0.0 0.0 | 3 5 0 0 1 0 | 33.3 55.6 0.0 0.0 0.0 11.1 0.0 | 24 13 3 0 0 1 0 | 58.5 31.7 7.3 0.0 0.0 2.4 0.0 | 1,778 508 81 6 24 | 52.3 35.1 10.0 1.6 0.1 0.5 0.3 | 23 6 0 1 0 | 61.0 29.9 7.8 0.0 1.3 0.0 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 50-59 60+ | 0 0 11 13 10 6 4 | 0.0 0.0 25.0 29.5 22.7 13.6 9.1 | 0 0 11 8 5 3 | 0.0 0.0 22.9 31.4 22.9 14.3 8.6 | 0 0 3 2 2 1 1 | 0.0 0.0 33.3 22.2 22.2 11.1 11.1 | 0 0 13 4 9 6 9 | 0.0 0.0 31.7 9.8 22.0 14.6 22.0 | 10 195 593 754 1,330 | 0.1 0.2 3.9 11.7 14.9 26.3 43.0 | 0 2 6 18 | 0.0 0.0 2.6 7.8 7.8 23.4 58.4 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 9 17 7 | 20.5 38.6 15.9 | 8 14 6 | 22.9 40.0 17.1 | 1 3 1 | 11.1 33.3 11.1 | 12 12 | 17.1 29.3 29.3 | 1,739 1,478 | 12.4 34.3 29.2 | 14 32 | 6.5 18.2 41.6 |
| Very high poverty (≥30% below FPL) Area-based poverty level not available | 11 0 | 25.0 0.0 | 7 0 | 20.0 0.0 | 4 0 | 44.4 0.0 | 10 0 | 24.4 0.0 | , | 22.0 2.1 | 26 0 | 33.8 0.0 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown | 3 25 11 0 0 5 | 6.8 56.8 25.0 0.0 0.0 11.4 | 3 19 8 0 0 5 | 8.6 54.3 22.9 0.0 0.0 14.3 | 0 6 3 0 0 | 0.0 66.7 33.3 0.0 0.0 0.0 | 5 23 8 2 0 3 | 12.2 56.1 19.5 4.9 0.0 7.3 | 2,467 475 166 13 | 17.6 48.7 9.4 3.3 0.3 20.7 | 34 5 0 | 29.9 44.2 6.5 0.0 0.0 19.5 |

Table 1.5.7. Queens, Men (Includes Transgender Men)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diag 2023 | | People Wi as of 12/3 | | Deaths | , 2023 |
|--|--------------------------------------|--|--------------------------------------|--|------------------------------------|--|------------------------------------|--|--------------------------------------|---|--------------------|--|
| | - | otal HIV agnoses | И | | Concurrer AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 288 | 100.0 | 225 | 78.1 | 63 | 21.9 | 146 | 100.0 | 15,161 | 100.0 | 105 | 100.0 |
| Race or ethnicity | _ | _ | | | _ | | | | | | | |
| Black Latino White Asian or Pacific Islander Native American Multiracial Unknown | 72 165 17 33 0 1 0 | 25.0 57.3 5.9 11.5 0.0 0.3 0.0 | 60 123 15 27 0 0 0 | 26.7 54.7 6.7 12.0 0.0 0.0 0.0 | 12 42 6 0 1 | 19.0 66.7 9.5 0.0 1.6 0.0 | 37 86 12 9 0 2 0 | 25.3 58.9 8.2 6.2 0.0 1.4 0.0 | 6,942 2,528 1,129 48 63 | 29.2 45.8 16.7 7.4 0.3 0.4 0.2 | 22 17 6 0 | 57.1 21.0 16.2 5.7 0.0 0.0 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 50-59 60+ | 0 4 94 111 47 23 9 | 0.0 1.4 32.6 38.5 16.3 8.0 3.1 | 0 4 77 85 36 17 6 | 0.0 1.8 34.2 37.8 16.0 7.6 2.7 | 0 0 17 26 11 6 3 | 0.0 0.0 27.0 41.3 17.5 9.5 4.8 | 0 32 56 26 17 15 | 0.0 0.0 21.9 38.4 17.8 11.6 10.3 | 27 845 3,106 2,848 3,702 | 0.0 0.2 5.6 20.5 18.8 24.4 30.6 | 0 0 11 12 | 0.0 0.0 10.5 11.4 21.0 57.1 |
| Neighborhood poverty level | _ | | | | | | | | | | | |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 50 229 9 | 17.4 79.5 3.1 | 38 179 8 | 16.9 79.6 3.6 | 12 50 1 | 19.0 79.4 1.6 | 26 118 2 | 17.8 80.8 1.4 | 12,024 | 17.1 79.3 2.8 | 18 83 4 | 17.1 79.0 3.8 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 126 | 0.8 | 0 | 0.0 |
| Transmission category | _ | | | | | | | | | | | |
| Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact | 183 3 5 22 | 63.5 1.0 1.7 7.6 | 142 2 4 15 | 63.1 0.9 1.8 6.7 | 41 1 1 7 | 65.1 1.6 1.6 11.1 | 94 4 2 14 | 64.4 2.7 1.4 9.6 | 1,188 400 | 63.1 7.8 2.6 8.4 | 8 | 37.1 13.3 7.6 13.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | | 1.1 | 0 | 0.0 |
| Other Unknown | 0 75 | 0.0 26.0 | 0 62 | 0.0 27.6 | 0 13 | 0.0 20.6 | 1 30 | 0.7 20.5 | | 0.1 16.8 | 1 29 | 1.0 27.6 |
| UTIKITUWIT | 75 | 20.0 | 02 | 27.0 | 13 | 20.0 | 30 | 20.5 | 2,042 | 10.0 | 29 | 21.0 |

Table 1.5.8. Queens, Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | 4 | AIDS Diagnoses 2023 | , People W as of 12/3 | | Deaths | , 2023 |
|---|----------|---------------------|-------|--------------|------------------------------|------------|------------------------|--------------------------|--------------|---------|--------------|
| | - | otal HIV agnoses | | AIDS | Concurrent W AIDS Diagnos | ses | | | | | |
| | N | % | N | % | N | % | | 6 N | % | | % |
| Total | 63 | 100.0 | 49 | 77.8 | 14 2 | 2.2 | 52 100. | 0 5,255 | 100.0 | 36 | 100.0 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 23 | 36.5 | 20 | 40.8 | 3 2 | 1.4 | 23 44. | 2 2,831 | 53.9 | 23 | 63.9 |
| Latina | 33 | 52.4 | 24 | 49.0 | | 4.3 | 27 51. | | 32.3 | | 27.8 |
| White | 2 | 3.2 | 1 | 2.0 | 1 | 7.1 | 1 1. | 9 426 | 8.1 | 3 | 8.3 |
| Asian or Pacific Islander | 5 | 7.9 | 4 | 8.2 | 1 | 7.1 | 1 1. | | 4.8 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 0. | | 0.2 | | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0. | 0 27 | 0.5 | | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 13 | 0.2 | 0 | 0.0 |
| | | | | | | | | | | | |
| Age group (years) | 0 | 0.0 | _ | 0.0 | 0 | 0 0 | 0 0 | 0 | 0.4 | 0 | 0.0 |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0. | | 0.1 | | 0.0 |
| 13-19 | 1 | 1.6 | 1 | 2.0 | | 0.0 | 1 1. | - | 0.2 | | 0.0 |
| 20-29 30-39 | 19 12 | 30.2 | 15 | 30.6 20.4 | | 8.6 | 8 15. 17 32. | | 4.6 | | 2.8 |
| 30-39 40-49 | | 19.0 | 10 | | | 4.3 | | | 12.6 | - | 8.3 |
| ·• ·• | 17 | 27.0 | 15 | 30.6 | | 4.3 | 8 15. | | 17.5 | | 0.0 |
| 50-59 60+ | 8 | 12.7 9.5 | 5 | 10.2 6.1 | | 1.4 1.4 | 7 13. 11 21. | | 27.4 37.7 | 8 24 | 22.2 66.7 |
| 00+ | 0 | 9.5 | 3 | 0.1 | 3 2 | 1.4 | 11 21. | 2 1,980 | 37.7 | 24 | 66.7 |
| Neighborhood poverty level | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 8 | 12.7 | 5 | 10.2 | 3 2 | 1.4 | 10 19. | 2 1,117 | 21.3 | 5 | 13.9 |
| Medium poverty (10 to <20% below FPL) | 53 | 84.1 | 42 | 85.7 | 11 78 | 8.6 | 39 75. | 0 3,887 | 74.0 | 30 | 83.3 |
| High poverty (20 to <30% below FPL) | 2 | 3.2 | 2 | 4.1 | 0 | 0.0 | 2 3. | 8 185 | 3.5 | 1 | 2.8 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 1. | 9 66 | 1.3 | 0 | 0.0 |
| - | | | | | | | | | | | |
| Transmission category Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 3. | 8 569 | 10.8 | 7 | 19.4 |
| Heterosexual contact | 40 | 0.0 63.5 | 31 | 63.3 | | 0.0 4.3 | 2 3. 28 53. | | 60.2 | | 63.9 |
| Transgender people with sexual contact | 40 9 | 63.5 14.3 | 31 | 16.3 | | 4.3 7.1 | 28 53. 6 11. | | 60.2 7.7 | 23 | 63.9 0.0 |
| Perinatal | 9 | 0.0 | 0 | 0.0 | | 0.0 | 0 0. | | 3.5 | - | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0. | | 0.3 | | 0.0 |
| Unknown | 14 | 22.2 | 10 | 20.4 | | 0.0 8.6 | 16 30. | - | 17.5 | | 0.0 16.7 |
| | 14 | 22.2 | 10 | 20.4 | 4 20 | 0.0 | 10 30. | 0 910 | 17.5 | 0 | 10.7 |

Table 1.5.9. Staten Island, Men (Includes Transgender Men)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagno 2023 | | People wi as of 12/3 | | Deaths | , 2023 |
|--|--------|---------------------|-------|---------|------------------------|------|---------------------|-------|-------------------------|-------|--------|--------|
| | - | otal HIV agnoses | И | AIDS | Concurrer AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | N | % | | % | | % |
| Total | 33 | 100.0 | 25 | 75.8 | 8 | 24.2 | 18 | 100.0 | 1,662 | 100.0 | 29 | 100.0 |
| Race or ethnicity | | _ | | | _ | | | | | | | |
| Black | 6 | 18.2 | 4 | 16.0 | 2 | 25.0 | 5 | 27.8 | 578 | 34.8 | 12 | 41.4 |
| Latino | 14 | 42.4 | 9 | 36.0 | 5 | 62.5 | 7 | 38.9 | 509 | 30.6 | 7 | 24.1 |
| White | 10 | 30.3 | 9 | 36.0 | 1 | 12.5 | 5 | 27.8 | 515 | 31.0 | 9 | 31.0 |
| Asian or Pacific Islander | 3 | 9.1 | 3 | 12.0 | 0 | 0.0 | 1 | 5.6 | 43 | 2.6 | 1 | 3.4 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 1.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 3.0 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.2 | | 0.0 |
| 20-29 | 9 | 27.3 | 9 | 36.0 | 0 | 0.0 | 1 | 5.6 | 87 | 5.2 | | 0.0 |
| 30-39 | 10 | 30.3 | 6 | 24.0 | 4 | 50.0 | 8 | 44.4 | 271 | 16.3 | 1 | 3.4 |
| 40-49 | 7 | 21.2 | 4 | 16.0 | 3 | 37.5 | 4 | 22.2 | 242 | 14.6 | | 10.3 |
| 50-59 | 4 | 12.1 | 3 | 12.0 | 1 | 12.5 | 1 | 5.6 | 404 | 24.3 | 7 | 24.1 |
| 60+ | 2 | 6.1 | 2 | 8.0 | 0 | 0.0 | 4 | 22.2 | 654 | 39.4 | 18 | 62.1 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 17 | 51.5 | 15 | 60.0 | 2 | 25.0 | | 33.3 | | 36.1 | | 27.6 |
| Medium poverty (10 to <20% below FPL) | 16 | 48.5 | 10 | 40.0 | 6 | 75.0 | 12 | 66.7 | 1,051 | 63.2 | 21 | 72.4 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.7 | 0 | 0.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 19 | 57.6 | 14 | 56.0 | 5 | 62.5 | 8 | 44.4 | 840 | 50.5 | 5 | 17.2 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 2 | 11.1 | 248 | 14.9 | | 44.8 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 | 68 | 4.1 | 3 | 10.3 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | 1 | 5.6 | | 9.3 | | 6.9 |
| Transgender people with sexual contact | 0 | 0.0 | Õ | 0.0 | Ō | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | Ō | 0.0 | 1 | 5.6 | | 1.9 | 0 | 0.0 |
| Other | 0 0 | 0.0 | Õ | 0.0 | Ũ | 0.0 | 0 0 | 0.0 | 0 | 0.0 | | 0.0 |
| Unknown | 14 | 42.4 | 11 | 44.0 | 3 | 37.5 | 6 | 33.3 | 319 | 19.2 | | 20.7 |

As reported to the NYC Health Department by March 31, 2024. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.5.10. Staten Island, Women (Includes Transgender Women)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 | | | | | | | | People w as of 12/3 | | Deaths | , 2023 |
|--|---------------------|---------------------|----|------|-----------------------|----------|---|-------|---------------------|------------|--------|--------|
| | | otal HIV agnoses | И | | Concurre AIDS Diag | | | | | | | |
| | N | % | Ν | % | N | <u>%</u> | N | % | N | % | N | % |
| Total | 12 | 100.0 | 11 | 91.7 | 1 | 8.3 | 4 | 100.0 | 915 | 100.0 | 10 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 6 | 50.0 | 6 | 54.5 | 0 | 0.0 | 3 | 75.0 | 439 | 48.0 | 6 | 60.0 |
| Latina | 5 | 41.7 | 4 | 36.4 | 1 | 100.0 | | 25.0 | | 29.5 | | 20.0 |
| White | Ő | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 20.7 | 2 | 20.0 |
| Asian or Pacific Islander | 0 | 0.0 | Ő | 0.0 | 0 | 0.0 | | 0.0 | | 0.9 | 0 | 0.0 |
| Other or unknown | 1 | 8.3 | 1 | 9.1 | 0 | 0.0 | | 0.0 | | 1.0 | 0 | 0.0 |
| | 1 | 0.3 | 1 | 9.1 | 0 | 0.0 | 0 | 0.0 | 9 | 1.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | - | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.3 | 0 | 0.0 |
| 20-29 | 3 | 25.0 | 3 | 27.3 | 0 | 0.0 | 1 | 25.0 | 38 | 4.2 | 0 | 0.0 |
| 30-39 | 4 | 33.3 | 4 | 36.4 | 0 | 0.0 | 0 | 0.0 | 114 | 12.5 | 0 | 0.0 |
| 40-49 | 3 | 25.0 | 2 | 18.2 | 1 | 100.0 | 3 | 75.0 | 162 | 17.7 | 1 | 10.0 |
| 50-59 | 1 | 8.3 | 1 | 9.1 | 0 | 0.0 | | 0.0 | - | 28.9 | 4 | 40.0 |
| 60+ | 1 | 8.3 | 1 | 9.1 | 0 0 | 0.0 | | 0.0 | - | 36.5 | 5 | 50.0 |
| | | | | | | | | | | | | |
| Neighborhood poverty level | 7 | 58.3 | 6 | EAE | 4 | 100.0 | 2 | 75.0 | 200 | 20.0 | 2 | 20.0 |
| Low poverty (<10% below FPL) | / | | 6 | 54.5 | 1 | 100.0 | | | | 32.3 | | 20.0 |
| Medium poverty (10 to <20% below FPL) | 5 | 41.7 | 5 | 45.5 | 0 | 0.0 | | 25.0 | | 67.4 | 8 | 80.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 123 | 13.4 | 1 | 10.0 |
| Heterosexual contact | 7 | 58.3 | 6 | 54.5 | 1 | 100.0 | | 50.0 | | 60.3 | 7 | 70.0 |
| Transgender people with sexual contact | 5 | 41.7 | 5 | 45.5 | 0 | 0.0 | | 0.0 | | 6.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 25.0 | | 4.0 | 0 | 0.0 |
| Other | | 0.0 | | 0.0 | 0 | 0.0 | | 25.0 | | 4.0 0.4 | 0 | 0.0 |
| | 0 | | 0 | | - | | | | | | v | |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 25.0 | 139 | 15.2 | 2 | 20.0 |

As reported to the NYC Health Department by March 31, 2024. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.6.1. Men Who Have Sex With Men (MSM)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People Wi as of 12/3 | | Deaths | i, 2023 |
|--|-----------------------------|------------------------------------|-----------------------------|-----------------------------------|--------------------------|------------------------------------|--------------------|------------------------------------|--------------------------------------|-----------------------------------|--------------|-----------------------------------|
| | Dia | otal HIV agnoses | И | AIDS | Concurren AIDS Diagi | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 825 | 100.0 | 689 | 83.5 | 136 | 16.5 | 450 | 100.0 | 62,210 | 100.0 | 403 | 100.0 |
| Race or ethnicity | | _ | | | _ | | | | | | | |
| Black Latino White | 279 401 96 | 33.8 48.6 | 240 325 | 34.8 47.2 | 39 76 11 | 28.7 55.9 | 223 | 31.6 49.6 | 19,187 20,789 | 30.8 33.4 | 105 | 43.7 26.1 |
| Vinite Asian or Pacific Islander Native American | 96 44 2 | 11.6 5.3 0.2 | 85 36 1 | 12.3 5.2 0.1 | 8 | 8.1 5.9 0.7 | 63 18 1 | 14.0 4.0 0.2 | 19,438 2,171 150 | 31.2 3.5 0.2 | 11 | 26.1 2.7 0.2 |
| Multiracial Unknown | 3 0 | 0.4 0.0 | 2 0 | 0.3 0.0 | 1 0 | 0.7 0.0 | 3 | 0.7 0.0 | 403 | 0.6 0.1 | | 1.2 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 | 0 29 363 286 94 | 0.0 3.5 44.0 34.7 11.4 | 0 29 323 234 66 | 0.0 4.2 46.9 34.0 9.6 | 0 0 40 52 28 | 0.0 0.0 29.4 38.2 20.6 | 0 84 186 | 0.0 0.0 18.7 41.3 19.3 | 0 64 3,804 14,832 12,793 | 0.0 0.1 6.1 23.8 20.6 | 1 7 55 | 0.0 0.2 1.7 13.6 17.1 |
| 50-59 60+ | 39 14 | 4.7 1.7 | 28 9 | 4.1 1.3 | 11 5 | 8.1 3.7 | 53 | 11.8 8.9 | 14,998 | 24.1 25.3 | 94 | 23.3 43.9 |
| Borough of residence | | | | | | | | | | | | |
| Bronx Brooklyn Manhattan Queens | 160 229 159 183 | 19.4 27.8 19.3 22.2 | 134 201 136 142 | 19.4 29.2 19.7 20.6 | 26 28 23 41 | 19.1 20.6 16.9 30.1 | | 22.9 20.7 21.1 20.9 | | 15.8 20.6 33.1 15.4 | 78 134 | 28.8 19.4 33.3 9.7 |
| Staten Island Outside NYC | 19 68 | 2.3 8.2 | 14 55 | 2.0 8.0 | 5 13 | 3.7 9.6 | 8 53 | 1.8 11.8 | 840 8,372 | 1.4 13.5 | 5 18 | 1.2 4.5 |
| Unknown | 7 | 0.8 | 7 | 1.0 | 0 | 0.0 | 4 | 0.9 | 198 | 0.3 | 13 | 3.2 |
| Neighborhood poverty level Low poverty (<10% below FPL) | 83 | 10.1 | 71 | 10.3 | 12 | 8.8 | 42 | 9.3 | 8.706 | 14.0 | 57 | 14.1 |
| Medium poverty (<10% below FPL) High poverty (20 to <30% below FPL) | 345 195 | 41.8 23.6 | 285 161 | 41.4 23.4 | 60 34 | 0.0 44.1 25.0 | 179 | 9.3 39.8 20.0 | - / | 40.0 18.8 | 142 | 35.2 22.1 |
| Very high poverty (≥30% below FPL) Area-based poverty level not available | 126 76 | 15.3 9.2 | 109 63 | 15.8 9.1 | 17 13 | 12.5 9.6 | 81 58 | 18.0 12.9 | 8,007 8,930 | 12.9 14.4 | | 20.6 7.9 |

Table 1.6.2. Injection Drug Use History (IDU), Men (Includes Transgender Men)New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; andPeople Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People W as of 12/3 | | Deaths | s, 2023 |
|--|-----|---------------------|-------|---------|------------------------|--------|--------------------|-------|---------------------|-------|--------|---------|
| | Dia | otal HIV agnoses | | AIDS | Concurrer AIDS Diag | gnoses | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 10 | 100.0 | 6 | 60.0 | 4 | 40.0 | 43 | 100.0 | 8,684 | 100.0 | 255 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 1 | 10.0 | 0 | 0.0 | 1 | 25.0 | 12 | 27.9 | 3,400 | 39.2 | 126 | 49.4 |
| Latino | 3 | 30.0 | 2 | 33.3 | 1 | 25.0 | 20 | 46.5 | 4.184 | 48.2 | 108 | 42.4 |
| White | 6 | 60.0 | 4 | 66.7 | 2 | 50.0 | 11 | 25.6 | 1,012 | 11.7 | 18 | 7.1 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 57 | 0.7 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 14 | 0.2 | | 0.4 |
| Multiracial | Ō | 0.0 | Ō | 0.0 | 0 | 0.0 | | 0.0 | 12 | 0.1 | 2 | 0.8 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 5 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 1 | 10.0 | 1 | 16.7 | 0 | 0.0 | 1 | 2.3 | 14 | 0.2 | 0 | 0.0 |
| 30-39 | 4 | 40.0 | 2 | 33.3 | 2 | 50.0 | 6 | 14.0 | 107 | 1.2 | 2 | 0.8 |
| 40-49 | 2 | 20.0 | 1 | 16.7 | 1 | 25.0 | 9 | 20.9 | 390 | 4.5 | 9 | 3.5 |
| 50-59 | 2 | 20.0 | 1 | 16.7 | 1 | 25.0 | 4 | 9.3 | 1,605 | 18.5 | 43 | 16.9 |
| 60+ | 1 | 10.0 | 1 | 16.7 | 0 | 0.0 | | 53.5 | | 75.6 | | 78.8 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 2 | 20.0 | 1 | 16.7 | 1 | 25.0 | | 41.9 | | 31.8 | | 43.9 |
| Brooklyn | 1 | 10.0 | 0 | 0.0 | 1 | 25.0 | 8 | 18.6 | 1,901 | 21.9 | 60 | 23.5 |
| Manhattan | 3 | 30.0 | 2 | 33.3 | 1 | 25.0 | 9 | 20.9 | 1,848 | 21.3 | 37 | 14.5 |
| Queens | 3 | 30.0 | 2 | 33.3 | 1 | 25.0 | 4 | 9.3 | 1,188 | 13.7 | 14 | 5.5 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 4.7 | 248 | 2.9 | 13 | 5.1 |
| Outside NYC | 1 | 10.0 | 1 | 16.7 | 0 | 0.0 | 1 | 2.3 | 721 | 8.3 | 11 | 4.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.3 | 13 | 0.1 | 8 | 3.1 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 3 | 30.0 | 2 | 33.3 | 1 | 25.0 | | 7.0 | | 7.6 | | 4.3 |
| Medium poverty (10 to <20% below FPL) | 4 | 40.0 | 2 | 33.3 | 2 | 50.0 | | 34.9 | | 33.0 | | 25.5 |
| High poverty (20 to <30% below FPL) | 1 | 10.0 | 1 | 16.7 | 0 | 0.0 | 12 | 27.9 | 1,894 | 21.8 | 59 | 23.1 |
| Very high poverty (≥30% below FPL) | 1 | 10.0 | 0 | 0.0 | 1 | 25.0 | 11 | 25.6 | 2,315 | 26.7 | 101 | 39.6 |
| Area-based poverty level not available | 1 | 10.0 | 1 | 16.7 | 0 | 0.0 | 2 | 4.7 | 950 | 10.9 | 19 | 7.5 |

Table 1.6.3. Injection Drug Use History (IDU), Women (Includes Transgender Women)New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; andPeople Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|-----|---------------------|-------|---------|----------------------|--------|--------------------|-------|---------------------|-------|--------|--------|
| | Dia | otal HIV agnoses | | AIDS | Concurre AIDS Dia | gnoses | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 10 | 100.0 | 9 | 90.0 | 1 | 10.0 | 20 | 100.0 | 4,930 | 100.0 | 118 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 5 | 50.0 | 4 | 44.4 | 1 | 100.0 | 12 | 60.0 | 2,341 | 47.5 | 67 | 56.8 |
| Latina | 2 | 20.0 | 2 | 22.2 | 0 | 0.0 | 6 | 30.0 | 1,961 | 39.8 | 45 | 38.1 |
| White | 3 | 30.0 | 3 | 33.3 | 0 | 0.0 | 2 | 10.0 | 585 | 11.9 | 6 | 5.1 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 19 | 0.4 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.1 | 0 | 0.0 |
| Age group (years) | _ | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | - | 0.0 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 10.0 | | 0.5 | 1 | 0.8 |
| 30-39 | 4 | 40.0 | 3 | 33.3 | 1 | 100.0 | | 15.0 | | 2.4 | 2 | 1.7 |
| 40-49 | 4 | 40.0 | 4 | 44.4 | 0 | 0.0 | 3 | 15.0 | 372 | 7.5 | 8 | 6.8 |
| 50-59 | 1 | 10.0 | 1 | 11.1 | 0 | 0.0 | 6 | 30.0 | 1,370 | 27.8 | 33 | 28.0 |
| 60+ | 1 | 10.0 | 1 | 11.1 | 0 | 0.0 | 6 | 30.0 | 3,046 | 61.8 | 74 | 62.7 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 4 | 40.0 | 3 | 33.3 | 1 | 100.0 | | 40.0 | | 35.4 | | 44.9 |
| Brooklyn | 3 | 30.0 | 3 | 33.3 | 0 | 0.0 | | 25.0 | | 25.1 | 26 | 22.0 |
| Manhattan | 3 | 30.0 | 3 | 33.3 | 0 | 0.0 | | 25.0 | | 18.1 | 23 | 19.5 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 10.0 | | 11.5 | 7 | 5.9 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 2.5 | 1 | 0.8 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 7.1 | 4 | 3.4 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.2 | 4 | 3.4 |
| Neighborhood poverty level | | | | | | | | | | | | _ |
| Low poverty (<10% below FPL) | 1 | 10.0 | 1 | 11.1 | 0 | 0.0 | | 5.0 | | 6.2 | | 5.9 |
| Medium poverty (10 to <20% below FPL) | 2 | 20.0 | 2 | 22.2 | 0 | 0.0 | | 20.0 | | 30.7 | 21 | 17.8 |
| High poverty (20 to <30% below FPL) | 3 | 30.0 | 2 | 22.2 | 1 | 100.0 | 8 | 40.0 | 1,246 | 25.3 | 34 | 28.8 |
| Very high poverty (≥30% below FPL) | 4 | 40.0 | 4 | 44.4 | 0 | 0.0 | | 30.0 | , - | 29.4 | 48 | 40.7 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.0 | 418 | 8.5 | 8 | 6.8 |

Table 1.6.4. Men Who Have Sex With Men and Inject Drugs (MSM-IDU)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagnoses 2023 | , People With HIV as of 12/31/2023 | | | |
|--|----|---------------------|-------|---------|--------------------------|------|------------------------|---------------------------------------|-------|----|-------|
| | | otal HIV agnoses | И | AIDS | Concurrent AIDS Diagn | | | | | | |
| | N | % | N | % | N | % | N % | | % | | % |
| Total | 22 | 100.0 | 19 | 86.4 | 3 | 13.6 | 25 100. | 0 3,464 | 100.0 | 77 | 100.0 |
| Race or ethnicity | _ | _ | | | _ | | | _ | | | |
| Black | 7 | 31.8 | 6 | 31.6 | | 33.3 | 12 48. | | 34.6 | | 46.8 |
| Latino | 10 | 45.5 | 8 | 42.1 | 2 | 66.7 | 7 28. | 0 1,290 | 37.2 | 32 | 41.6 |
| White | 4 | 18.2 | 4 | 21.1 | 0 | 0.0 | 6 24. | D 881 | 25.4 | 9 | 11.7 |
| Asian or Pacific Islander | 1 | 4.5 | 1 | 5.3 | 0 | 0.0 | 0 0. | 0 53 | 1.5 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 11 | 0.3 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 28 | 0.8 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 1 | 0.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 0 | 0.0 |
| 20-29 | 3 | 13.6 | 2 | 10.5 | 1 | 33.3 | 2 8. | 0 78 | 2.3 | 1 | 1.3 |
| 30-39 | 15 | 68.2 | 14 | 73.7 | 1 | 33.3 | 8 32. | 533 | 15.4 | 7 | 9.1 |
| 40-49 | 2 | 9.1 | 2 | 10.5 | 0 | 0.0 | 3 12. | 0 638 | 18.4 | 8 | 10.4 |
| 50-59 | 2 | 9.1 | 1 | 5.3 | 1 | 33.3 | 8 32. | 933 | 26.9 | 20 | 26.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 16. | | 37.0 | | 53.2 |
| Borough of residence | | | | | | | | | | | |
| Bronx | 2 | 9.1 | 2 | 10.5 | 0 | 0.0 | 7 28. | 0 914 | 26.4 | 30 | 39.0 |
| Brooklyn | 4 | 18.2 | 3 | 15.8 | 1 | 33.3 | 4 16. | 0 703 | 20.3 | 17 | 22.1 |
| Manhattan | 9 | 40.9 | 8 | 42.1 | 1 | 33.3 | 7 28. | 0 1,018 | 29.4 | 15 | 19.5 |
| Queens | 5 | 22.7 | 4 | 21.1 | 1 | 33.3 | 2 8. | 0 400 | 11.5 | 8 | 10.4 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 68 | 2.0 | | 3.9 |
| Outside NYC | 2 | 9.1 | 2 | 10.5 | 0 | 0.0 | 4 16. | 358 | 10.3 | | 3.9 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 4. | | 0.1 | | 1.3 |
| Neighborhood poverty level | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 2 | 9.1 | 2 | 10.5 | 0 | 0.0 | 2 8. | 0 365 | 10.5 | 5 | 6.5 |
| Medium poverty (10 to <20% below FPL) | 12 | 54.5 | 10 | 52.6 | 2 | 66.7 | 5 20. | 0 1,267 | 36.6 | 20 | 26.0 |
| High poverty (20 to <30% below FPL) | 3 | 13.6 | 2 | 10.5 | | 33.3 | 4 16. | | 21.2 | 20 | 26.0 |
| Very high poverty (≥30% below FPL) | 3 | 13.6 | 3 | 15.8 | 0 | 0.0 | 9 36.0 | 718 | 20.7 | 28 | 36.4 |
| Area-based poverty level not available | 2 | 9.1 | 2 | 10.5 | 0 | 0.0 | 5 20. | 379 | 10.9 | 4 | 5.2 |

Table 1.6.5. Heterosexual Contact, Men

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagnoses, 2023 | | People With HIV as of 12/31/2023 | | | |
|--|-----------------------------------|---|-----------------------------------|--|-------------------------------|--|-------------------------------------|--|---------------------------------------|--|-----------------------------------|---|
| | | otal HIV agnoses % | И N | | Concurrent AIDS Diagr N | | | % | | % | N | % |
| Total | 49 | 100.0 | 32 | 65.3 | 17 | 34.7 | | 100.0 | | 100.0 | 121 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black Latino White Asian or Pacific Islander Native American Multiracial Unknown | 16 30 1 2 0 0 0 | 32.7 61.2 2.0 4.1 0.0 0.0 0.0 | 13 16 1 2 0 0 0 | 40.6 50.0 3.1 6.3 0.0 0.0 0.0 | 3 14 0 0 0 0 | 17.6 82.4 0.0 0.0 0.0 0.0 0.0 | 27 29 2 1 0 1 0 | 45.0 48.3 3.3 1.7 0.0 1.7 0.0 | 2,385 569 232 23 15 | 53.6 34.3 8.2 3.3 0.3 0.2 0.1 | 46 7 1 | 54.5 38.0 5.8 0.8 0.0 0.8 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 13-19 20-29 30-39 40-49 50-59 60+ | 0 2 13 20 5 4 5 | 0.0 4.1 26.5 40.8 10.2 8.2 10.2 | 0 2 7 17 2 1 3 | 0.0 6.3 21.9 53.1 6.3 3.1 9.4 | 0 0 3 3 3 2 | 0.0 0.0 35.3 17.6 17.6 17.6 11.8 | 0 0 7 11 10 18 14 | 0.0 0.0 11.7 18.3 16.7 30.0 23.3 | 3 85 450 893 2,248 | 0.0 0.0 1.2 6.5 12.8 32.3 47.2 | 0 0 1 2 4 39 75 | 0.0 0.0 0.8 1.7 3.3 32.2 62.0 |
| Borough of residence | <u>_</u> | 10.0 | - | 04.0 | | 5.0 | 10 | 04.7 | 0.005 | 00.4 | | 00.4 |
| Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown | 8 9 7 22 0 3 0 | 16.3 18.4 14.3 44.9 0.0 6.1 0.0 | 7 5 3 15 0 2 0 | 21.9 15.6 9.4 46.9 0.0 6.3 0.0 | 1 4 7 0 1 0 | 5.9 23.5 23.5 41.2 0.0 5.9 0.0 | 19 9 12 14 1 5 0 | 31.7 15.0 20.0 23.3 1.7 8.3 0.0 | 1,726 1,005 1,281 155 758 | 29.1 24.8 14.4 18.4 2.2 10.9 0.2 | 22 14 2 2 | 36.4 29.8 18.2 11.6 1.7 1.7 0.8 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) | 3 24 11 | 6.1 49.0 22.4 | 2 16 7 | 6.3 50.0 21.9 | 1 8 4 | 5.9 47.1 23.5 | | 6.7 36.7 28.3 | 2,597 | 7.3 37.3 21.7 | | 4.1 42.1 23.1 |
| Very high poverty (≥30% below FPL) Area-based poverty level not available | 8 3 | 16.3 6.1 | 5 2 | 15.6 6.3 | 3 1 | 17.6 5.9 | 12 5 | 20.0 8.3 | | 22.1 11.6 | 34 3 | 28.1 2.5 |

Table 1.6.6. Heterosexual Contact, Women

| | HIV Diagnoses, 2023 | | | | | | AIDS Diagnoses, 2023 | | People With HIV as of 12/31/2023 | | Deaths, 2023 | |
|--|---------------------|---------------------|-----|------|------------------------|-------|-------------------------|-------|-------------------------------------|-------|--------------|-------|
| | Dia | otal HIV agnoses | | AIDS | Concurren AIDS Diag | noses | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 229 | 100.0 | 174 | 76.0 | 55 | 24.0 | 192 | 100.0 | 20,402 | 100.0 | 225 | 100.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 120 | 52.4 | 91 | 52.3 | 29 | 52.7 | 111 | 57.8 | 11,935 | 58.5 | 153 | 68.0 |
| Latina | 91 | 39.7 | 67 | 38.5 | 24 | 43.6 | 73 | 38.0 | 6,637 | 32.5 | 61 | 27.1 |
| White | 12 | 5.2 | 10 | 5.7 | 2 | 3.6 | 8 | 4.2 | 1,330 | 6.5 | 9 | 4.0 |
| Asian or Pacific Islander | 6 | 2.6 | 6 | 3.4 | 0 | 0.0 | 0 | 0.0 | 374 | 1.8 | 1 | 0.4 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 44 | 0.2 | 1 | 0.4 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 69 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 4 | 1.7 | 4 | 2.3 | 0 | 0.0 | 2 | 1.0 | 17 | 0.1 | 0 | 0.0 |
| 20-29 | 48 | 21.0 | 39 | 22.4 | 9 | 16.4 | 20 | 10.4 | 497 | 2.4 | 4 | 1.8 |
| 30-39 | 68 | 29.7 | 56 | 32.2 | 12 | 21.8 | 44 | 22.9 | 2,077 | 10.2 | 9 | 4.0 |
| 40-49 | 49 | 21.4 | 39 | 22.4 | 10 | 18.2 | 42 | 21.9 | 4,037 | 19.8 | | 8.9 |
| 50-59 | 35 | 15.3 | 25 | 14.4 | 10 | 18.2 | 40 | 20.8 | 6,088 | 29.8 | | 28.4 |
| 60+ | 25 | 10.9 | 11 | 6.3 | 14 | 25.5 | | 22.9 | 7,686 | 37.7 | 128 | 56.9 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 68 | 29.7 | 51 | 29.3 | 17 | 30.9 | 57 | 29.7 | 6,600 | 32.3 | 86 | 38.2 |
| Brooklyn | 79 | 34.5 | 59 | 33.9 | 20 | 36.4 | | 33.9 | 5,833 | 28.6 | | 29.3 |
| Manhattan | 25 | 10.9 | 19 | 10.9 | 6 | 10.9 | 23 | 12.0 | 2,467 | 12.1 | 34 | 15.1 |
| Queens | 40 | 17.5 | 31 | 17.8 | 9 | 16.4 | 28 | 14.6 | 3,164 | 15.5 | 23 | 10.2 |
| Staten Island | 7 | 3.1 | 6 | 3.4 | 1 | 1.8 | 2 | 1.0 | 552 | 2.7 | 7 | 3.1 |
| Outside NYC | . 9 | 3.9 | 7 | 4.0 | 2 | 3.6 | 15 | 7.8 | 1,761 | 8.6 | 6 | 2.7 |
| Unknown | 1 | 0.4 | 1 | 0.6 | 0 | 0.0 | 2 | 1.0 | | 0.1 | 3 | 1.3 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 17 | 7.4 | 14 | 8.0 | 3 | 5.5 | 13 | 6.8 | 1,484 | 7.3 | 7 | 3.1 |
| Medium poverty (10 to <20% below FPL) | 96 | 41.9 | 70 | 40.2 | 26 | 47.3 | 66 | 34.4 | 7,255 | 35.6 | | 31.6 |
| High poverty (20 to <30% below FPL) | 52 | 22.7 | 41 | 23.6 | 11 | 20.0 | 52 | 27.1 | 4,828 | 23.7 | 58 | 25.8 |
| Very high poverty (≥30% below FPL) | 54 | 23.6 | 41 | 23.6 | 13 | 23.6 | 44 | 22.9 | 4,972 | 24.4 | 79 | 35.1 |
| Area-based poverty level not available | 10 | 4.4 | 8 | 4.6 | 2 | 3.6 | 17 | 8.9 | 1,863 | 9.1 | 10 | 4.4 |

Table 1.6.7. Transgender People With Sexual Contact

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------|---------------------|----------|-------------|----------------------|-------------|-------------------|-------------|---------------------|-------------|---------|-------------|
| | Dia | otal HIV agnoses | | AIDS | Concurre AIDS Dia | gnoses | | | | | | |
| Total | N 54 | % 100.0 | N 49 | % 90.7 | N 5 | % 9.3 | | % 100.0 | | % 100.0 | N 20 | % 100.0 |
| | 54 | 100.0 | 49 | 90.7 | 5 | 9.3 | 31 | 100.0 | 2,307 | 100.0 | 20 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 1 | 1.9 | 1 | 2.0 | 0 | 0.0 | | 0.0 | | 1.5 | | 5.0 |
| Women | 53 | 98.1 | 48 | 98.0 | 5 | 100.0 | 31 | 100.0 | 2,529 | 98.5 | 19 | 95.0 |
| Race or ethnicity | _ | | | | | | | | | | | |
| Black | 21 | 38.9 | 20 | 40.8 | 1 | 20.0 | | 32.3 | | 46.8 | | 80.0 |
| Latino | 28 | 51.9 | 25 | 51.0 | 3 | 60.0 | | 64.5 | | 43.4 | | 10.0 |
| White | 1 | 1.9 | 1 | 2.0 | 0 | 0.0 | | 0.0 | | 5.8 | | 10.0 |
| Asian or Pacific Islander | 2 | 3.7 | 2 | 4.1 | 0 | 0.0 | | 0.0 | | 2.1 | 0 | 0.0 |
| Native American Multiracial | 0 2 | 0.0 3.7 | 0 1 | 0.0 2.0 | 0 | 0.0 20.0 | | 0.0 3.2 | | 0.4 1.6 | | 0.0 0.0 |
| | 2 | 5.7 | 1 | 2.0 | 1 | 20.0 | 1 | 5.2 | 40 | 1.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 20-29 | 3 22 | 5.6 40.7 | 3 20 | 6.1 40.8 | 0 | 0.0 40.0 | | 0.0 22.6 | | 0.1 17.1 | 0 2 | 0.0 10.0 |
| 30-39 | 22 | 40.7 42.6 | 20 21 | 40.8 | 2 2 | 40.0 | | 41.9 | | 41.3 | 2 | 35.0 |
| 40-49 | 5 | 9.3 | 4 | 8.2 | 1 | 20.0 | | 29.0 | | 23.5 | | 5.0 |
| 50-59 | 0 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 6.5 | | 13.1 | 7 | 35.0 |
| 60+ | 1 | 1.9 | 1 | 2.0 | Ō | 0.0 | | 0.0 | | 4.9 | 3 | 15.0 |
| Borough of residence | | | | | | | | | | | | |
| Bronx | 16 | 29.6 | 15 | 30.6 | 1 | 20.0 | 11 | 35.5 | 862 | 33.6 | 13 | 65.0 |
| Brooklyn | 7 | 13.0 | 7 | 14.3 | 0 | 0.0 | | 6.5 | | 23.3 | | 10.0 |
| Manhattan | 12 | 22.2 | 9 | 18.4 | 3 | 60.0 | | 25.8 | | 18.8 | | 25.0 |
| Queens | 9 | 16.7 | 8 | 16.3 | 1 | 20.0 | | 19.4 | | 15.9 | 0 | 0.0 |
| Staten Island | 5 | 9.3 | 5 | 10.2 | 0 | 0.0 | | 0.0 | | 2.4 | 0 | 0.0 |
| Outside NYC Unknown | 3 | 5.6 3.7 | 3 2 | 6.1 4.1 | 0 0 | 0.0 0.0 | | 12.9 0.0 | | 5.8 0.3 | 0 | 0.0 0.0 |
| UTKITOWIT | 2 | 3.7 | 2 | 4.1 | 0 | 0.0 | 0 | 0.0 | 1 | 0.5 | 0 | 0.0 |
| Neighborhood poverty level | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 7 | 13.0 | 5 | 10.2 | 2 | 40.0 | | 12.9 | | 5.9 | | 0.0 |
| Medium poverty (10 to <20% below FPL) | 15 | 27.8 | 14 | 28.6 | 1 | 20.0 | | 32.3 | | 36.9 | | 25.0 |
| High poverty (20 to <30% below FPL) | 13 | 24.1 | 13 | 26.5 | 0 | 0.0 | | 12.9 | | 24.2 | | 30.0 |
| Very high poverty (≥30% below FPL) | 14 | 25.9 | 12 | 24.5 | 2 | 40.0 | | 29.0 | | 26.7 | 9 | 45.0 |
| Area-based poverty level not available | 5 | 9.3 | 5 | 10.2 | 0 | 0.0 | 4 | 12.9 | 161 | 6.3 | 0 | 0.0 |

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | • | | | | AIDS Diagn 2023 | oses, | People W as of 12/3 | | Deaths | s, 2023 |
|--|----|---------------------|----|------|-----------------------|-------|--------------------|-------|---------------------|-------|--------|---------|
| | - | otal HIV agnoses | И | | Concurre AIDS Diag | | | | | | | |
| | N | ~ | Ν | % | N | % | N | % | N | % | N | % |
| Total | 11 | 100.0 | 10 | 90.9 | 1 | 9.1 | 9 | 100.0 | 883 | 100.0 | 17 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 9 | 81.8 | 9 | 90.0 | 0 | 0.0 | 6 | 66.7 | 616 | 69.8 | 14 | 82.4 |
| Women | 2 | 18.2 | 1 | 10.0 | 1 | 100.0 | 3 | 33.3 | | 30.2 | 3 | 17.6 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 1 | 9.1 | 1 | 10.0 | 0 | 0.0 | 3 | 33.3 | 312 | 35.3 | 6 | 35.3 |
| Latino | 10 | 90.9 | 9 | 90.0 | 1 | 100.0 | 5 | 55.6 | 410 | 46.4 | 8 | 47.1 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 11.1 | 141 | 16.0 | 3 | 17.6 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 1.4 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.9 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 5 | 45.5 | 5 | 50.0 | 0 | 0.0 | 4 | 44.4 | | 5.1 | 0 | 0.0 |
| 30-39 | 4 | 36.4 | 4 | 40.0 | 0 | 0.0 | 0 | 0.0 | | 16.6 | 1 | 5.9 |
| 40-49 | 2 | 18.2 | 1 | 10.0 | 1 | 100.0 | 3 | 33.3 | | 14.7 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 11.1 | | 24.5 | 4 | 23.5 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 11.1 | 344 | 39.0 | 12 | 70.6 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 7 | 63.6 | 7 | 70.0 | 0 | 0.0 | 4 | 44.4 | | 43.9 | 4 | 23.5 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 11.7 | 3 | 17.6 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 2.0 | 1 | 5.9 |
| Heterosexual contact | 1 | 9.1 | 0 | 0.0 | 1 | 100.0 | 2 | 22.2 | | 22.4 | 6 | 35.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 13 | 1.5 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 2.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| Unknown | 3 | 27.3 | 3 | 30.0 | 0 | 0.0 | 3 | 33.3 | 140 | 15.9 | 3 | 17.6 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------|---------------------|---------|-----------|--------------------------------|-------------------|------------|---------------------|------------|--------|------------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent Wi AIDS Diagnose | es | 0/ | N | 0/ | N | 0/ |
| Total | N 37 | % 100.0 | N 26 | % 70.3 | N 9 | % N 7 31 | % 100.0 | | % 100.0 | | % 100.0 |
| Total | 51 | 100.0 | 20 | 70.5 | 11 23 | 7 51 | 100.0 | 2,035 | 100.0 | 43 | 100.0 |
| Gender | | | | _ | | | | _ | | | |
| Men | 25 | 67.6 | 19 | 73.1 | 6 54 | 5 19 | 61.3 | 1,677 | 57.9 | 27 | 60.0 |
| Women | 12 | 32.4 | 7 | 26.9 | 5 45 | 5 12 | 38.7 | 1,218 | 42.1 | 18 | 40.0 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 25 | 67.6 | 16 | 61.5 | 9 81. | | 71.0 | | 64.1 | | 64.4 |
| Latino | 10 | 27.0 | 9 | 34.6 | 1 9. | | 25.8 | | 30.6 | | 31.1 |
| White | 1 | 2.7 | 1 | 3.8 | 0 0. | - | 0.0 | | 3.6 | | 2.2 |
| Asian or Pacific Islander | 1 | 2.7 | 0 | 0.0 | 1 9. | | 3.2 | | 1.0 | | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | | 0.3 | | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | | 0.3 | | 2.2 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 |) 2 | 0.1 | 0 | 0.0 |
| Age group (years) | | | _ | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 1 | 2.7 | 1 | 3.8 | 0 0 | | 0.0 | | 0.3 | | 0.0 |
| 20-29 | 14 | 37.8 | 12 | 46.2 | 2 18 | | 6.5 | | 5.8 | - | 6.7 |
| 30-39 | 8 | 21.6 | 7 | 26.9 | 1 9. | | 32.3 | | 17.0 | | 8.9 |
| 40-49 | 4 | 10.8 | 3 | 11.5 | 1 9. | | 9.7 | | 18.2 | | 17.8 |
| 50-59 | 7 | 18.9 | 3 | 11.5 | 4 36 | | 29.0 | | 24.5 | | 22.2 |
| 60+ | 3 | 8.1 | 0 | 0.0 | 3 27. | 3 7 | 22.6 | 990 | 34.2 | 20 | 44.4 |
| Transmission category | 45 | 40 5 | 40 | 50.0 | 0 10 | | 00.0 | 010 | | 0 | 47.0 |
| Men who have sex with men (MSM) | 15 | 40.5 | 13 | 50.0 | 2 18 | | 32.3 | | 28.3 | | 17.8 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0 | - | 0.0 | - | 9.5 | | 11.1 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 2.3 | | 4.4 |
| Heterosexual contact | 9 | 24.3 | 5 | 19.2 | 4 36 | | 32.3 | | 34.8 | | 35.6 |
| Transgender people with sexual contact | 1 | 2.7 | 1 | 3.8 | 0 0. | - | 0.0 | | 1.7 | | 8.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | - | 2.9 | | 2.2 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.0 | | 0.0 |
| Unknown | 12 | 32.4 | 7 | 26.9 | 5 45 | 5 11 | 35.5 | 590 | 20.4 | 9 | 20.0 |

Table 1.7.3. Fordham - Bronx Park (Bronx)

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|--------------------------|--------|-----------------------|---------------------------------|-------------------|-------|---------------------|-------------|--------|--------|
| | | otal HIV Ignoses % | и N | | Concurrent Wit AIDS Diagnose | | % | N | % | N | % |
| Total | 83 | 100.0 | 67 | ⁷⁰ 80.7 | 16 19. | | 100.0 | | 70 100.0 | 105 | 100.0 |
| | | | | | | | | | | | |
| Gender | | | | | | | | | | | |
| Men | 60 | 72.3 | 47 | 70.1 | 13 81. | | 71.2 | | 66.2 | | 70.5 |
| Women | 23 | 27.7 | 20 | 29.9 | 3 18. | 8 17 | 28.8 | 2,093 | 33.8 | 31 | 29.5 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 35 | 42.2 | 26 | 38.8 | 9 56. | | 40.7 | | 44.3 | 56 | 53.3 |
| Latino | 45 | 54.2 | 40 | 59.7 | 5 31. | | 52.5 | | 49.7 | | 43.8 |
| White | 2 | 2.4 | 1 | 1.5 | 1 6. | | 5.1 | | 4.8 | 3 | 2.9 |
| Asian or Pacific Islander | 1 | 1.2 | 0 | 0.0 | 1 6. | - | 1.7 | | 0.7 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 2.4 | 2 | 3.0 | 0 0. | | 0.0 | | 0.2 | 0 | 0.0 |
| 20-29 | 26 | 31.3 | 22 | 32.8 | 4 25. | | 8.5 | | 5.2 | 3 | 2.9 |
| 30-39 | 33 | 39.8 | 28 | 41.8 | 5 31. | | 39.0 | | 19.3 | 14 | 13.3 |
| 40-49 | 11 | 13.3 | 8 | 11.9 | 3 18. | | 20.3 | | 18.3 | 4 | 3.8 |
| 50-59 | 5 | 6.0 | 4 | 6.0 | 1 6. | | 15.3 | | 25.5 | 23 | 21.9 |
| 60+ | 6 | 7.2 | 3 | 4.5 | 3 18. | B 10 | 16.9 | 1,954 | 31.6 | 61 | 58.1 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 32 | 38.6 | 26 | 38.8 | 6 37. | | 32.2 | | 36.0 | | 24.8 |
| Injection drug use history (IDU) | 1 | 1.2 | 1 | 1.5 | 0 0. | | 8.5 | | 12.6 | 32 | 30.5 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 2.9 | 4 | 3.8 |
| Heterosexual contact | 18 | 21.7 | 15 | 22.4 | 3 18. | | 22.0 | | 24.9 | 15 | 14.3 |
| Transgender people with sexual contact | 5 | 6.0 | 5 | 7.5 | 0 0. | - | 6.8 | | 3.1 | 2 | 1.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 1 | 1.7 | 122 | 2.0 | 4 | 3.8 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 27 | 32.5 | 20 | 29.9 | 7 43. | 8 17 | 28.8 | 1,137 | 18.4 | 22 | 21.0 |

Table 1.7.4. Pelham - Throgs Neck (Bronx)

| | HIV Diagnoses, 2023 | | | | | | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|---------------------|---------|-----------|--------------------------------|-------------|------------|---|------------|---------|------------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent Wi AIDS Diagnose | es | 0/ | N | 0/ | N | 0/ |
| Total | N 47 | % 100.0 | N 38 | % 80.9 | N ' 9 19 | % N 1 47 | % 100.0 | | % 100.0 | N 50 | % 100.0 |
| | | 10010 | | 0010 | 0 10 | | 10010 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 10010 | | 10010 |
| Gender | | | | | | | | | | | |
| Men | 41 | 87.2 | 33 | 86.8 | 8 88 | 9 37 | 78.7 | 2,782 | 62.3 | 36 | 72.0 |
| Women | 6 | 12.8 | 5 | 13.2 | 1 11 | 1 10 | 21.3 | 3 1,683 | 37.7 | 14 | 28.0 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 14 | 29.8 | 12 | 31.6 | 2 22 | | 40.4 | | 40.5 | 22 | 44.0 |
| Latino | 28 | 59.6 | 22 | 57.9 | 6 66 | | 51.1 | | 51.4 | 22 | 44.0 |
| White | 4 | 8.5 | 3 | 7.9 | 1 11 | | 8.5 | | 6.6 | 5 | 10.0 |
| Asian or Pacific Islander | 1 | 2.1 | 1 | 2.6 | 0 0 | | 0.0 | | 1.1 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0 | - | 0.0 | | 0.2 | 1 | 2.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0 | - | 0.0 | | 0.2 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0 | - | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 6 | 12.8 | 6 | 15.8 | 0 0 | | 4.3 | | 0.2 | 0 | 0.0 |
| 20-29 | 17 | 36.2 | 15 | 39.5 | 2 22 | | 12.8 | | 5.2 | 0 | 0.0 |
| 30-39 | 14 | 29.8 | 11 | 28.9 | 3 33 | | 29.8 | | 14.5 | 2 | 4.0 |
| 40-49 | 5 | 10.6 | 4 | 10.5 | 1 11 | | 19.1 | | 16.1 | 2 | 4.0 |
| 50-59 | 2 | 4.3 | 1 | 2.6 | 1 11 | | 12.8 | | 26.0 | 14 | 28.0 |
| 60+ | 3 | 6.4 | 1 | 2.6 | 2 22 | 2 10 | 21.3 | 3 1,696 | 38.0 | 32 | 64.0 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 29 | 61.7 | 23 | 60.5 | 6 66 | | 44.7 | | 30.6 | | 22.0 |
| Injection drug use history (IDU) | 1 | 2.1 | 1 | 2.6 | 0 0 | | 4.3 | | 14.2 | 12 | 24.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0 | | 2.1 | | 2.4 | 0 | 0.0 |
| Heterosexual contact | 6 | 12.8 | 5 | 13.2 | 1 11 | | 19.1 | | 27.5 | 13 | 26.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 0 | | 2.1 | | 1.5 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0 | - | 4.3 | - | 3.0 | 2 | 4.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0 | | 0.0 | | 0.2 | 1 | 2.0 |
| Unknown | 11 | 23.4 | 9 | 23.7 | 2 22 | 2 11 | 23.4 | 917 | 20.5 | 11 | 22.0 |

Table 1.7.5. Crotona - Tremont (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | | • | oses, 2 | | 202 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|---------------------|----|---------|--------------------------------|------|-------|---------------------|-------|--------|--------|
| | - | otal HIV agnoses | И | AIDS | Concurrent Wi AIDS Diagnose | | | | | | |
| | N | % | N | % | N ° | % N | % | N | % | N | % |
| Total | 73 | 100.0 | 60 | 82.2 | 13 17 | 8 64 | 100.0 | 6,512 | 100.0 | 139 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 52 | 71.2 | 43 | 71.7 | 9 69. | 2 42 | 65.6 | 4,023 | 61.8 | 102 | 73.4 |
| Women | 21 | 28.8 | 17 | 28.3 | 4 30 | 8 22 | 34.4 | 2,489 | 38.2 | 37 | 26.6 |
| Race or ethnicity | _ | | | | | | | _ | | | |
| Black | 31 | 42.5 | 24 | 40.0 | 7 53. | | 43.8 | | 47.6 | 72 | 51.8 |
| Latino | 39 | 53.4 | 34 | 56.7 | 5 38. | 5 34 | 53.1 | 3,135 | 48.1 | 63 | 45.3 |
| White | 2 | 2.7 | 2 | 3.3 | 0 0. | 0 1 | 1.6 | 203 | 3.1 | 3 | 2.2 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 33 | 0.5 | 0 | 0.0 |
| Other or unknown | 1 | 1.4 | 0 | 0.0 | 1 7. | 7 1 | 1.6 | 5 40 | 0.6 | 1 | 0.7 |
| Age group (Years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| 13-19 | 2 | 2.7 | 2 | 3.3 | 0 0. | 0 0 | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 25 | 34.2 | 24 | 40.0 | 1 7. | | 6.3 | | 5.4 | 2 | 1.4 |
| 30-39 | 22 | 30.1 | 15 | 25.0 | 7 53. | | 31.3 | | 17.9 | 11 | 7.9 |
| 40-49 | 7 | 9.6 | 7 | 11.7 | 0 0. | 0 15 | 23.4 | 1,167 | 17.9 | 17 | 12.2 |
| 50-59 | 12 | 16.4 | 10 | 16.7 | 2 15 | 4 13 | 20.3 | 1,643 | 25.2 | 39 | 28.1 |
| 60+ | 5 | 6.8 | 2 | 3.3 | 3 23 | 1 12 | 18.8 | 2,173 | 33.4 | 70 | 50.4 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 30 | 41.1 | 26 | 43.3 | 4 30 | 8 17 | 26.6 | 1,898 | 29.1 | 26 | 18.7 |
| Injection drug use history (IDU) | 1 | 1.4 | 1 | 1.7 | 0 0. | 0 6 | 9.4 | 1,037 | 15.9 | 41 | 29.5 |
| MSM-IDU | 1 | 1.4 | 1 | 1.7 | 0 0. | 0 3 | 4.7 | 206 | 3.2 | 10 | 7.2 |
| Heterosexual contact | 21 | 28.8 | 16 | 26.7 | 5 38. | 5 18 | 28.1 | 1,803 | 27.7 | 31 | 22.3 |
| Transgender people with sexual contact | 1 | 1.4 | 1 | 1.7 | 0 0. | 0 2 | 3.1 | | 3.4 | 3 | 2.2 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 1 | 1.6 | 5 170 | 2.6 | 2 | 1.4 |
| Other | 0 | 0.0 | Ō | 0.0 | 0 0. | | 0.0 | - | 0.1 | 0 | 0.0 |
| Unknown | 19 | 26.0 | 15 | 25.0 | 4 30 | | 26.6 | | 18.0 | 26 | 18.7 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.7.6. High Bridge - Morrisania (Bronx)

| | HIV Diagnoses, 2023 | | | | | | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|---------------------|----|------|---------------------------------|------|-------|---------------------|-------|--------|--------|
| | Dia | otal HIV agnoses | | AIDS | Concurrent Wit AIDS Diagnose | S | | | | | |
| T () | N | % | N | % | | 6 N | % | | % | | % |
| Total | 73 | 100.0 | 62 | 84.9 | 11 15. | 1 61 | 100.0 | 6,513 | 100.0 | 144 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 50 | 68.5 | 43 | 69.4 | 7 63. | 6 40 | 65.6 | 4,169 | 64.0 | 94 | 65.3 |
| Women | 23 | 31.5 | 19 | 30.6 | 4 36. | 4 21 | 34.4 | 2,344 | 36.0 | 50 | 34.7 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 41 | 56.2 | 33 | 53.2 | 8 72. | | 52.5 | | 50.5 | | 49.3 |
| Latino | 30 | 41.1 | 27 | 43.5 | 3 27. | | 44.3 | | 44.3 | | 45.8 |
| White | 2 | 2.7 | 2 | 3.2 | 0 0. | | 3.3 | | 3.9 | | 4.9 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.6 | | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.2 | - | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 |) 8 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 4 | 5.5 | 4 | 6.5 | 0 0. | | 0.0 | | 0.2 | | 0.0 |
| 20-29 | 25 | 34.2 | 22 | 35.5 | 3 27. | | 13.1 | | 4.6 | | 1.4 |
| 30-39 | 24 | 32.9 | 19 | 30.6 | 5 45. | | 34.4 | | 17.3 | | 7.6 |
| 40-49 | 9 | 12.3 | 7 | 11.3 | 2 18. | | 19.7 | | 17.0 | | 13.2 |
| 50-59 | 7 | 9.6 | 6 | 9.7 | 1 9. | | 13.1 | | 25.9 | | 27.8 |
| 60+ | 4 | 5.5 | 4 | 6.5 | 0 0. | 0 12 | 19.7 | 2,273 | 34.9 | 72 | 50.0 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 27 | 37.0 | 22 | 35.5 | 5 45. | | 31.1 | | 29.4 | | 20.1 |
| Injection drug use history (IDU) | 2 | 2.7 | 1 | 1.6 | 1 9. | | 9.8 | | 15.2 | | 36.8 |
| MSM-IDU | 1 | 1.4 | 1 | 1.6 | 0 0. | - | 1.6 | | 3.1 | 11 | 7.6 |
| Heterosexual contact | 11 | 15.1 | 9 | 14.5 | 2 18. | | 26.2 | | 26.5 | | 20.8 |
| Transgender people with sexual contact | 8 | 11.0 | 7 | 11.3 | 1 9. | | 4.9 | | 2.6 | | 2.1 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 2.3 | | 1.4 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 24 | 32.9 | 22 | 35.5 | 2 18. | 2 16 | 26.2 | 1,359 | 20.9 | 16 | 11.1 |

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

| | HIV Diagnoses, 2023 | | | | | | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|---------------------|----|------|-----------------------------------|------|-------|---------------------|-------|--------|--------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent With AIDS Diagnoses | 6 | | | | | - |
| | N | % | N | % | N % | | % | | % | | % |
| Total | 48 | 100.0 | 39 | 81.3 | 9 18.8 | 8 44 | 100.0 | 4,144 | 100.0 | 69 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 35 | 72.9 | 29 | 74.4 | 6 66.7 | 30 | 68.2 | 2,580 | 62.3 | 47 | 68.1 |
| Women | 13 | 27.1 | 10 | 25.6 | 3 33.3 | s 14 | 31.8 | | 37.7 | 22 | 31.9 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 25 | 52.1 | 23 | 59.0 | 2 22.2 | | 45.5 | | 44.7 | 36 | 52.2 |
| Latino | 22 | 45.8 | 15 | 38.5 | 7 77.8 | | 47.7 | | 49.8 | 31 | 44.9 |
| White | 1 | 2.1 | 1 | 2.6 | 0 0.0 | | 4.5 | | 4.2 | 2 | 2.9 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 2.3 | | 0.7 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | - | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | _ | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 4 | 8.3 | 4 | 10.3 | 0 0.0 | | 0.0 | | 0.3 | 0 | 0.0 |
| 20-29 | 17 | 35.4 | 14 | 35.9 | 3 33.3 | | 11.4 | | 6.3 | 0 | 0.0 |
| 30-39 | 18 | 37.5 | 14 | 35.9 | 4 44.4 | | 31.8 | | 20.4 | 6 | 8.7 |
| 40-49 | 6 | 12.5 | 5 | 12.8 | 1 11.1 | | 15.9 | | 16.9 | 7 | 10.1 |
| 50-59 | 1 | 2.1 | 1 | 2.6 | 0 0.0 | | 18.2 | | 24.8 | 21 | 30.4 |
| 60+ | 2 | 4.2 | 1 | 2.6 | 1 11.1 | 10 | 22.7 | 1,299 | 31.3 | 35 | 50.7 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 20 | 41.7 | 17 | 43.6 | 3 33.3 | | 29.5 | | 29.6 | | 17.4 |
| Injection drug use history (IDU) | 1 | 2.1 | 0 | 0.0 | 1 11.1 | | 15.9 | | 15.5 | 19 | 27.5 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 4.5 | | 3.0 | 2 | 2.9 |
| Heterosexual contact | 10 | 20.8 | 8 | 20.5 | 2 22.2 | | 18.2 | | 27.0 | 18 | 26.1 |
| Transgender people with sexual contact | 1 | 2.1 | 1 | 2.6 | 0 0.0 | | 2.3 | | 3.6 | 1 | 1.4 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 2.3 | | 3.0 | 3 | 4.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 16 | 33.3 | 13 | 33.3 | 3 33.3 | 3 12 | 27.3 | 752 | 18.1 | 14 | 20.3 |

Table 1.8.1. Greenpoint (Brooklyn)

| | HIV Diagnoses, 2023 | | | | | | | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|--------------------------|--------|------|-------------------------------|------|---|-------------|---------------------|------------------------|--------|--------|
| | | otal HIV Ignoses % | и N | | Concurrent AIDS Diagr N | | | % | b N | % | N | % |
| Total | 10 | 100.0 | 8 | 80.0 | 2 | 20.0 | | 70 100.0 | | ⁷⁰ 100.0 | 6 | 100.0 |
| | | 10010 | Ū | 0010 | _ | 2010 | Ū | | | 10010 | v | 10010 |
| Gender | | | | | | | | | | | | |
| Men | 8 | 80.0 | 7 | 87.5 | 1 | 50.0 | 2 | 66.7 | 745 | 82.1 | 4 | 66.7 |
| Women | 2 | 20.0 | 1 | 12.5 | 1 | 50.0 | 1 | 33.3 | 3 162 | 17.9 | 2 | 33.3 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 2 | 20.0 | 1 | 12.5 | 1 | 50.0 | 1 | 33.3 | | 16.5 | | 16.7 |
| Latino | 4 | 40.0 | 3 | 37.5 | 1 | 50.0 | | 66.7 | | 43.7 | | 83.3 |
| White | 3 | 30.0 | 3 | 37.5 | 0 | 0.0 | | 0.0 | | 36.3 | 0 | 0.0 |
| Asian or Pacific Islander | 1 | 10.0 | 1 | 12.5 | 0 | 0.0 | 0 | 0.0 | | 2.8 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.7 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 1 | 0.1 | 0 | 0.0 |
| Age group (years) | - | | _ | | | | â | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 20-29 | 2 | 20.0 | 2 | 25.0 | 0 | 0.0 | 0 | 0.0 | | 3.4 | 0 | 0.0 |
| 30-39 | 3 | 30.0 | 2 | 25.0 | 1 | 50.0 | 1 | 33.3 | | 21.3 | 1 | 16.7 |
| 40-49 | 3 | 30.0 | 2 | 25.0 | 1 | 50.0 | 1 | 33.3 | | 22.6 | 1 | 16.7 |
| 50-59 | 2 | 20.0 | 2 | 25.0 | 0 | 0.0 | 1 | 33.3 | | 24.7 | 2 | 33.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 254 | 28.0 | 2 | 33.3 |
| Transmission category | | | _ | ~~ - | | | | | | | | |
| Men who have sex with men (MSM) | 6 | 60.0 | 5 | 62.5 | 1 | 50.0 | 1 | 33.3 | | 59.6 | | 16.7 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 11.2 | 1 | 16.7 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 2.6 | 0 | 0.0 |
| Heterosexual contact | 1 | 10.0 | 0 | 0.0 | 1 | 50.0 | 1 | 33.3 | | 11.7 | 1 | 16.7 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 1.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 1.0 | 1 | 16.7 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.4 | 0 | 0.0 |
| Unknown | 3 | 30.0 | 3 | 37.5 | 0 | 0.0 | 1 | 33.3 | 3 112 | 12.3 | 2 | 33.3 |

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagnoses 2023 | , People W as of 12/3 | | Deaths | , 2023 |
|--|---------|---------------------|---------|-----------|-----------------------------|----------|------------------------|--------------------------|------------|---------|------------|
| | Dia | otal HIV agnoses | | AIDS | Concurrent V AIDS Diagno | ses | | | | | |
| Total | N 37 | % 100.0 | N 29 | % 78.4 | N 8 2 | % 1.6 | N 9 19 100 | 6 N 0 2,739 | % 100.0 | N 24 | % 100.0 |
| O sur day | | | | | | | | | | | |
| Gender Men | 32 | 86.5 | 25 | 86.2 | 7 8 | 87.5 | 14 73 | 7 2,135 | 77.9 | 14 | 58.3 |
| Women | 5 | 13.5 | 4 | 13.8 | | 2.5 | | | 22.1 | 10 | 41.7 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 14 | 37.8 | 10 | 34.5 | | 0.0 | 9 47 | | 39.9 | | 54.2 |
| Latino | 13 | 35.1 | 12 | 41.4 | | 2.5 | 6 31 | | 25.8 | | 16.7 |
| White | 7 | 18.9 | 5 | 17.2 | | 25.0 | 3 15 | | 30.2 | 6 | 25.0 |
| Asian or Pacific Islander | 3 | 8.1 | 2 | 6.9 | | 2.5 | 1 5 | | 3.1 | 1 | 4.2 |
| Native American | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0 | | 0.3 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0 | | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 6 | 0.2 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0. | | 0.0 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | | 0.3 | | 0.0 |
| 20-29 | 14 | 37.8 | 13 | 44.8 | | 2.5 | 1 5. | | 4.0 | | 0.0 |
| 30-39 | 12 | 32.4 | 10 | 34.5 | | 25.0 | 5 26 | | 15.8 | | 0.0 |
| 40-49 | 6 | 16.2 | 4 | 13.8 | | 25.0 | 5 26 | | 15.3 | 2 | 8.3 |
| 50-59 | 2 | 5.4 | 2 | 6.9 | | 0.0 | 2 10 | | 25.6 | 5 | 20.8 |
| 60+ | 3 | 8.1 | 0 | 0.0 | 3 3 | 37.5 | 6 31 | 6 1,068 | 39.0 | 17 | 70.8 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 20 | 54.1 | 15 | 51.7 | | 52.5 | | | 56.0 | | 20.8 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | | 0.0 | 1 5. | | 9.8 | | 20.8 |
| MSM-IDU | 1 | 2.7 | 1 | 3.4 | | 0.0 | 0 0 | | 2.3 | 1 | 4.2 |
| Heterosexual contact | 4 | 10.8 | 3 | 10.3 | | 2.5 | | | 14.9 | | 25.0 |
| Transgender people with sexual contact | 1 | 2.7 | 1 | 3.4 | | 0.0 | 0 0 | | 0.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0 | - | 1.7 | | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | | 0.0 | | | 0.1 | 0 | 0.0 |
| Unknown | 11 | 29.7 | 9 | 31.0 | 2 2 | 25.0 | 5 26 | 3 <u>391</u> | 14.3 | 7 | 29.2 |

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diagno 2023 | oses, | People Was of 12/3 | | Deaths | , 2023 | |
|--|----|--------------------------|--------|---------|-------------------------------|---------------------|-------|--------------------|-------|--------|--------|-------|
| | - | otal HIV agnoses % | и N | | Concurrent AIDS Diagn N | | N | % | N | % | N | % |
| Total | 99 | 100.0 | 83 | 83.8 | 16 | 16.2 | 65 | 100.0 | 8,096 | 100.0 | 117 | 100.0 |
| | | | | | | | | | | | | |
| Gender | 74 | 747 | 00 | 75.0 | | ~~ ~ | | 00.4 | 5 400 | 00.0 | | 05.0 |
| Men | 74 | 74.7 | 63 | 75.9 | | 68.8 | 41 | 63.1 | | 66.8 | 77 | 65.8 |
| Women | 25 | 25.3 | 20 | 24.1 | 5 | 31.3 | 24 | 36.9 | 2,690 | 33.2 | 40 | 34.2 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 69 | 69.7 | 56 | 67.5 | 13 | 81.3 | 48 | 73.8 | 5,931 | 73.3 | 96 | 82.1 |
| Latino | 25 | 25.3 | 22 | 26.5 | 3 | 18.8 | 16 | 24.6 | 1,453 | 17.9 | 17 | 14.5 |
| White | 3 | 3.0 | 3 | 3.6 | 0 | 0.0 | 1 | 1.5 | 561 | 6.9 | 4 | 3.4 |
| Asian or Pacific Islander | 2 | 2.0 | 2 | 2.4 | 0 | 0.0 | 0 | 0.0 | 81 | 1.0 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 42 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| 13-19 | 5 | 5.1 | 5 | 6.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.1 | 0 | 0.0 |
| 20-29 | 33 | 33.3 | 33 | 39.8 | 0 | 0.0 | 4 | 6.2 | 524 | 6.5 | 1 | 0.9 |
| 30-39 | 33 | 33.3 | 26 | 31.3 | 7 | 43.8 | 24 | 36.9 | 1,616 | 20.0 | 4 | 3.4 |
| 40-49 | 16 | 16.2 | 11 | 13.3 | | 31.3 | 14 | 21.5 | | 17.2 | 5 | 4.3 |
| 50-59 | 8 | 8.1 | 5 | 6.0 | | 18.8 | 10 | 15.4 | | 24.2 | 31 | 26.5 |
| 60+ | 4 | 4.0 | 3 | 3.6 | 1 | 6.3 | 13 | 20.0 | | 32.0 | 76 | 65.0 |
| Transmission category | _ | | | | | | | | | | | |
| Men who have sex with men (MSM) | 47 | 47.5 | 44 | 53.0 | 3 | 18.8 | 18 | 27.7 | 3,180 | 39.3 | 17 | 14.5 |
| Injection drug use history (IDU) | 1 | 1.0 | 1 | 1.2 | 0 | 0.0 | 2 | 3.1 | | 9.7 | 33 | 28.2 |
| MSM-IDU | Ó | 0.0 | 0 | 0.0 | Ō | 0.0 | 3 | 4.6 | | 2.3 | 6 | 5.1 |
| Heterosexual contact | 19 | 19.2 | 16 | 19.3 | 3 | 18.8 | 17 | 26.2 | | 24.8 | 36 | 30.8 |
| Transgender people with sexual contact | 2 | 2.0 | 2 | 2.4 | Ō | 0.0 | 1 | 1.5 | | 2.5 | 1 | 0.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | Õ | 0.0 | 1 | 1.5 | | 2.2 | 1 | 0.9 |
| Other | 0 | 0.0 | Ő | 0.0 | Ő | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 30 | 30.3 | 20 | 24.1 | | 62.5 | 23 | 35.4 | - | 19.0 | 23 | 19.7 |

Table 1.8.4. East New York (Brooklyn)

| | | HIV D | • | | | AIDS Diagi 2023 | | People W as of 12/3 | | Deaths | s, 2023 |
|--|---------|---------------------|---------|-----------|-----------------------------------|--------------------|------------|---------------------|------------|--------|------------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent With AIDS Diagnoses | 5 | | | | | |
| T-4-1 | N 59 | % 100.0 | N 49 | % 83.1 | N % | | % 100.0 | | % 100.0 | | % 100.0 |
| Total | 29 | 100.0 | 49 | 83.1 | 10 16.8 | 40 | 100.0 | 3,753 | 100.0 | 90 | 100.0 |
| Gender | | | | | | | | _ | | | |
| Men | 43 | 72.9 | 35 | 71.4 | 8 80.0 |) 31 | 68.9 | 2,248 | 59.9 | 38 | 67.9 |
| Women | 16 | 27.1 | 14 | 28.6 | 2 20.0 |) 14 | 31.1 | | 40.1 | 18 | 32.1 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 37 | 62.7 | 30 | 61.2 | 7 70.0 | | 55.6 | | 61.5 | | 67.9 |
| Latino | 17 | 28.8 | 14 | 28.6 | 3 30.0 | | 33.3 | | 32.6 | | 28.6 |
| White | 3 | 5.1 | 3 | 6.1 | 0 0.0 | | 4.4 | | 3.9 | | 1.8 |
| Asian or Pacific Islander | 1 | 1.7 | 1 | 2.0 | 0 0.0 | | 4.4 | | 1.2 | | 1.8 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.3 | | 0.0 |
| Multiracial | 1 | 1.7 | 1 | 2.0 | 0 0.0 | | 2.2 | | 0.5 | | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 0 | 0.0 |) 1 | 0.0 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 0 | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 1 | 1.7 | 1 | 2.0 | 0 0.0 | - | 0.0 | | 0.3 | | 1.8 |
| 20-29 | 19 | 32.2 | 17 | 34.7 | 2 20.0 | | 17.8 | | 7.7 | | 3.6 |
| 30-39 | 21 | 35.6 | 17 | 34.7 | 4 40.0 | | 37.8 | | 19.8 | | 5.4 |
| 40-49 | 7 | 11.9 | 5 | 10.2 | 2 20.0 | | 13.3 | | 18.9 | | 5.4 |
| 50-59 | 9 | 15.3 | 7 | 14.3 | 2 20.0 | | 22.2 | | 24.0 | | 25.0 |
| 60+ | 2 | 3.4 | 2 | 4.1 | 0 0.0 |) 4 | 8.9 | 1,101 | 29.3 | 33 | 58.9 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 26 | 44.1 | 25 | 51.0 | 1 10.0 | | 33.3 | | 33.0 | | 17.9 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 2.2 | | 9.5 | | 26.8 |
| MSM-IDU | 1 | 1.7 | 0 | 0.0 | 1 10.0 | | 2.2 | | 1.9 | | 1.8 |
| Heterosexual contact | 15 | 25.4 | 11 | 22.4 | 4 40.0 | | 33.3 | | 30.5 | | 26.8 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 2.4 | | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 4.4 | - | 2.8 | | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.1 | | 0.0 |
| Unknown | 17 | 28.8 | 13 | 26.5 | 4 40.0 |) 11 | 24.4 | 739 | 19.7 | 15 | 26.8 |

Table 1.8.5. Sunset Park (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV | Diagno | oses, 20 | 023 | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | s, 2023 |
|--|----|----------|--------|----------|-----------|------|-------------------|-------|---------------------|-------|--------|---------|
| | - | otal HIV | | | Concurre | | | | | | | |
| | | agnoses | | | AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 18 | 100.0 | 14 | 77.8 | 4 | 22.2 | 9 | 100.0 | 918 | 100.0 | 7 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 17 | 94.4 | 14 | 100.0 | 3 | 75.0 | 7 | 77.8 | 708 | 77.1 | 5 | 71.4 |
| Women | 1 | 5.6 | 0 | 0.0 | 1 | 25.0 | | 22.2 | | 22.9 | 2 | 28.6 |
| Race or ethnicity | _ | | | | | | | | | | | |
| Black | 6 | 33.3 | 6 | 42.9 | 0 | 0.0 | 1 | 11.1 | 176 | 19.2 | 0 | 0.0 |
| Latino | 8 | 44.4 | 5 | 35.7 | 3 | 75.0 | 5 | 55.6 | 487 | 53.1 | 5 | 71.4 |
| White | 4 | 22.2 | 3 | 21.4 | 1 | 25.0 | 1 | 11.1 | 167 | 18.2 | 2 | 28.6 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 22.2 | 82 | 8.9 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.7 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 7 | 38.9 | 6 | 42.9 | 1 | 25.0 | | 11.1 | | 4.9 | 0 | 0.0 |
| 30-39 | 8 | 44.4 | 7 | 50.0 | 1 | 25.0 | | 33.3 | | 19.1 | 0 | 0.0 |
| 40-49 | 2 | 11.1 | 1 | 7.1 | 1 | 25.0 | | 44.4 | | 18.1 | 0 | 0.0 |
| 50-59 | 1 | 5.6 | 0 | 0.0 | 1 | 25.0 | 1 | 11.1 | | 25.8 | | 0.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 294 | 32.0 | 7 | 100.0 |
| Transmission category | _ | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 72.2 | 10 | 71.4 | 3 | 75.0 | - | 66.7 | | 43.0 | | 14.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 11.1 | | 13.8 | | 28.6 |
| MSM-IDU | 1 | 5.6 | 1 | 7.1 | 0 | 0.0 | 0 | 0.0 | | 4.2 | 0 | 0.0 |
| Heterosexual contact | 1 | 5.6 | 0 | 0.0 | 1 | 25.0 | | 11.1 | | 20.5 | | 28.6 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.8 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 1.5 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| Unknown | 3 | 16.7 | 3 | 21.4 | 0 | 0.0 | 1 | 11.1 | 148 | 16.1 | 2 | 28.6 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Sunset Park: 11220, 11232.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.6. Borough Park (Brooklyn)

| | HIV Diagnoses, 2023 | | | | | | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|---------------------|---------|-----------|-------------|----------|-----------------|---------------------|------------|---------|------------|
| | Dia | otal HIV Ignoses | | AIDS | AIDS Diagno | ses | | | | | |
| Total | N 22 | % 100.0 | N 19 | % 86.4 | N 3 1 | % 3.6 | N % 16 100.0 | | % 100.0 | N 11 | % 100.0 |
| Total | 22 | 100.0 | 19 | 00.4 | 3 1 | 3.0 | 10 100.0 | 5 1,240 | 100.0 | | 100.0 |
| Gender | | | | | | | | _ | | | |
| Men | 17 | 77.3 | 16 | 84.2 | 1 3 | 3.3 | 9 56.3 | 3 929 | 74.9 | 5 | 45.5 |
| Women | 5 | 22.7 | 3 | 15.8 | | 6.7 | 7 43.8 | | 25.1 | 6 | 54.5 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 4 | 18.2 | 3 | 15.8 | | 3.3 | 7 43.8 | | 26.9 | | 36.4 |
| Latino | 9 | 40.9 | 8 | 42.1 | | 3.3 | 6 37.5 | | 36.7 | 4 | 36.4 |
| White | 6 | 27.3 | 6 | 31.6 | | 0.0 | 2 12.5 | | 29.6 | | 27.3 |
| Asian or Pacific Islander | 3 | 13.6 | 2 | 10.5 | | 3.3 | 1 6.3 | | 6.0 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 7 | 0.6 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 1 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 9.1 | 2 | 10.5 | | 0.0 | 0 0.0 | | 0.3 | 0 | 0.0 |
| 20-29 | 5 | 22.7 | 4 | 21.1 | | 3.3 | 5 31.3 | | 3.8 | 0 | 0.0 |
| 30-39 | 8 | 36.4 | 7 | 36.8 | | 3.3 | 3 18.8 | | 17.9 | 0 | 0.0 |
| 40-49 | 5 | 22.7 | 4 | 21.1 | | 3.3 | 5 31.3 | | 21.5 | 1 | 9.1 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 3 18.8 | | 23.3 | 1 | 9.1 |
| 60+ | 2 | 9.1 | 2 | 10.5 | 0 | 0.0 | 0 0.0 | 0 411 | 33.1 | 9 | 81.8 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 11 | 50.0 | 11 | 57.9 | | 0.0 | 4 25.0 | | 46.2 | | 18.2 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | | 0.0 | 1 6.3 | | 11.0 | 4 | 36.4 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 1.8 | 0 | 0.0 |
| Heterosexual contact | 5 | 22.7 | 3 | 15.8 | | 6.7 | 7 43.8 | | 19.2 | 2 | 18.2 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 1.7 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 1.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 6 | 27.3 | 5 | 26.3 | 1 3 | 3.3 | 4 25.0 | 234 | 18.9 | 3 | 27.3 |

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

| | HIV Diagnoses, 2023 | | | | | | | oses, | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|--------------------------|--------|------|-----------------------------------|----|----|--------------|---------------------|------------|--------|------------|
| | - | otal HIV agnoses % | и N | | Concurrent W AIDS Diagnos N | | N | % | , N | % | N | % |
| Total | 73 | % 100.0 | 57 | 78.1 | 16 21 | | 50 | [%] | | % 100.0 | 75 | % 100.0 |
| | | | | | | | | | | | | |
| Gender | | | | | | | | | | | | |
| Men | 54 | 74.0 | 45 | 78.9 | 9 56 | | 34 | 68.0 | | 65.6 | 53 | 70.7 |
| Women | 19 | 26.0 | 12 | 21.1 | 7 43 | .8 | 16 | 32.0 | 2,037 | 34.4 | 22 | 29.3 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 48 | 65.8 | 35 | 61.4 | 13 81 | | 35 | 70.0 | | 75.7 | 57 | 76.0 |
| Latino | 23 | 31.5 | 20 | 35.1 | 3 18 | | 9 | 18.0 | | 15.1 | 14 | 18.7 |
| White | 1 | 1.4 | 1 | 1.8 | | .0 | 4 | 8.0 | | 7.0 | 3 | 4.0 |
| Asian or Pacific Islander | 1 | 1.4 | 1 | 1.8 | | .0 | 0 | 0.0 | | 1.2 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | | .0 | 0 | 0.0 | | 0.4 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | | .0 | 2 | 4.0 | - | 0.5 | 1 | 1.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 | 0 | 0.0 | 6 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | .0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | | .0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 23 | 31.5 | 20 | 35.1 | 3 18 | | 7 | 14.0 | | 5.5 | 1 | 1.3 |
| 30-39 | 27 | 37.0 | 23 | 40.4 | 4 25 | | 17 | 34.0 | | 18.1 | 5 | 6.7 |
| 40-49 | 12 | 16.4 | 9 | 15.8 | 3 18 | - | 7 | 14.0 | | 17.9 | 11 | 14.7 |
| 50-59 | 6 | 8.2 | 3 | 5.3 | 3 18 | | 8 | 16.0 | | 24.2 | 19 | 25.3 |
| 60+ | 5 | 6.8 | 2 | 3.5 | 3 18 | .8 | 11 | 22.0 | 2,020 | 34.2 | 39 | 52.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 31 | 42.5 | 28 | 49.1 | 3 18 | | 19 | 38.0 | | 37.4 | 22 | 29.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | | .0 | 2 | 4.0 | | 7.6 | 10 | 13.3 |
| MSM-IDU | 1 | 1.4 | 1 | 1.8 | | .0 | 0 | 0.0 | | 2.0 | 4 | 5.3 |
| Heterosexual contact | 15 | 20.5 | 10 | 17.5 | 5 31 | .3 | 10 | 20.0 | 1,532 | 25.9 | 24 | 32.0 |
| Transgender people with sexual contact | 2 | 2.7 | 2 | 3.5 | | .0 | 0 | 0.0 | | 2.0 | 1 | 1.3 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 | 2 | 4.0 | 112 | 1.9 | 1 | 1.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 | 0 | 0.0 | 14 | 0.2 | 0 | 0.0 |
| Unknown | 24 | 32.9 | 16 | 28.1 | 8 50 | .0 | 17 | 34.0 | 1,359 | 23.0 | 13 | 17.3 |

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

| | HIV Diagnoses, 2023 | | | | | | | es, | People Wi as of 12/3 | | Deaths | , 2023 |
|--|---------------------|--------------------------|--------|------|----------------------------------|-----|-----|----------------------|-------------------------|-------|--------|--------|
| | | otal HIV Ignoses % | и N | | Concurrent V AIDS Diagno N | | N | % | b N | % | N | % |
| Total | 44 | 100.0 | 35 | 79.5 | | 0.5 | | ^ر 0.00 | | 100.0 | 19 | 100.0 |
| | | | | | | | | | | | | |
| Gender | | | | | | | | | | | | |
| Men | 33 | 75.0 | 27 | 77.1 | | 6.7 | | 51.1 | | 55.6 | 13 | 68.4 |
| Women | 11 | 25.0 | 8 | 22.9 | 3 3 | 3.3 | 7 3 | 38.9 | 846 | 44.4 | 6 | 31.6 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 36 | 81.8 | 28 | 80.0 | | 8.9 | | 72.2 | | 79.6 | 11 | 57.9 |
| Latino | 4 | 9.1 | 3 | 8.6 | | 1.1 | | 27.8 | | 12.7 | 7 | 36.8 |
| White | 2 | 4.5 | 2 | 5.7 | | 0.0 | 0 | 0.0 | | 5.8 | 0 | 0.0 |
| Asian or Pacific Islander | 1 | 2.3 | 1 | 2.9 | | 0.0 | 0 | 0.0 | | 1.4 | 0 | 0.0 |
| Native American | 1 | 2.3 | 1 | 2.9 | | 0.0 | 0 | 0.0 | | 0.3 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 0.2 | 1 | 5.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |) 2 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | _ | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| 13-19 | 1 | 2.3 | 1 | 2.9 | | 0.0 | 0 | 0.0 | | 0.3 | 0 | 0.0 |
| 20-29 | 12 | 27.3 | 11 | 31.4 | | 1.1 | | 22.2 | | 5.1 | 0 | 0.0 |
| 30-39 | 11 | 25.0 | 8 | 22.9 | | 3.3 | | 22.2 | | 15.4 | 3 | 15.8 |
| 40-49 | 7 | 15.9 | 6 | 17.1 | | 1.1 | | 16.7 | | 16.8 | 1 | 5.3 |
| 50-59 | 9 | 20.5 | 5 | 14.3 | | 4.4 | | 38.9 | | 23.9 | 5 | 26.3 |
| 60+ | 4 | 9.1 | 4 | 11.4 | 0 | 0.0 | 0 | 0.0 |) 731 | 38.4 | 10 | 52.6 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 17 | 38.6 | 15 | 42.9 | | 2.2 | | 16.7 | | 25.1 | 3 | 15.8 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | | 0.0 | 1 | 5.6 | - | 7.2 | 7 | 36.8 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 1.0 | 1 | 5.3 |
| Heterosexual contact | 8 | 18.2 | 6 | 17.1 | | 2.2 | | 27.8 | | 35.1 | 3 | 15.8 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 0.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | - | 3.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 19 | 43.2 | 14 | 40.0 | 55 | 5.6 | 9 : | 50.0 |) 527 | 27.7 | 5 | 26.3 |

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV | Diagno | oses, 2 | 023 | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|-----|----------|--------|---------|----------|----------|-------------------|-------|---------------------|-------|--------|--------|
| | Т | otal HIV | | | Concurre | ent With | | | | | | |
| | Dia | agnoses | Withou | | AIDS Dia | | | | | | | |
| | N | % | N | % | N | % | | % | | % | N | % |
| Total | 10 | 100.0 | 8 | 80.0 | 2 | 20.0 | 7 | 100.0 | 796 | 100.0 | 5 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 10 | 100.0 | 8 | 100.0 | 2 | 100.0 | 5 | 71.4 | 606 | 76.1 | 4 | 80.0 |
| Women | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 28.6 | | 23.9 | 1 | 20.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 95 | 11.9 | 0 | 0.0 |
| Latino | 6 | 60.0 | 5 | 62.5 | 1 | 50.0 | 4 | 57.1 | 266 | 33.4 | 1 | 20.0 |
| White | 2 | 20.0 | 2 | 25.0 | 0 | 0.0 | 1 | 14.3 | 362 | 45.5 | 4 | 80.0 |
| Asian or Pacific Islander | 2 | 20.0 | 1 | 12.5 | 1 | 50.0 | 1 | 14.3 | 67 | 8.4 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.8 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.5 | 0 | 0.0 |
| 20-29 | 3 | 30.0 | 3 | 37.5 | 0 | 0.0 | - | 0.0 | | 4.1 | 0 | 0.0 |
| 30-39 | 2 | 20.0 | 2 | 25.0 | 0 | 0.0 | | 0.0 | | 15.5 | 0 | 0.0 |
| 40-49 | 4 | 40.0 | 2 | 25.0 | 2 | 100.0 | | 71.4 | | 16.3 | 0 | 0.0 |
| 50-59 | 1 | 10.0 | 1 | 12.5 | 0 | 0.0 | | 0.0 | | 26.6 | 1 | 20.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 28.6 | 293 | 36.8 | 4 | 80.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 4 | 40.0 | 4 | 50.0 | 0 | 0.0 | | 0.0 | | 47.9 | | 20.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 14.3 | | 10.8 | | 0.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 4.0 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 17.3 | 3 | 60.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 14.3 | | 1.3 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 1.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.3 | 0 | 0.0 |
| Unknown | 6 | 60.0 | 4 | 50.0 | 2 | 100.0 | 5 | 71.4 | 136 | 17.1 | 1 | 20.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 Total HIV Without Conc | | | | | AIDS Diag 202 | | People W as of 12/3 | | Deaths | , 2023 |
|--|---|---------------------|----|------|------------------------------|------------------|-------|---------------------|-------|--------|--------|
| | - | otal HIV agnoses | И | AIDS | Concurrent W AIDS Diagnos | | | | | | |
| | N | % | N | % | | % N | % | | % | | % |
| Total | 29 | 100.0 | 24 | 82.8 | 5 17 | .2 23 | 100.0 | 1,411 | 100.0 | 10 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 18 | 62.1 | 15 | 62.5 | 3 60 | .0 13 | 56.5 | 921 | 65.3 | 6 | 60.0 |
| Women | 11 | 37.9 | 9 | 37.5 | 2 40 | .0 10 | 43.5 | 490 | 34.7 | 4 | 40.0 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 6 | 20.7 | 5 | 20.8 | 1 20 | .0 6 | 26.1 | 487 | 34.5 | 5 | 50.0 |
| Latino | 5 | 17.2 | 4 | 16.7 | 1 20 | .0 6 | 26.1 | 411 | 29.1 | 5 | 50.0 |
| White | 16 | 55.2 | 13 | 54.2 | 3 60 | .0 11 | 47.8 | 442 | 31.3 | 0 | 0.0 |
| Asian or Pacific Islander | 2 | 6.9 | 2 | 8.3 | 0 0 | .0 0 | 0.0 | 57 | 4.0 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | 14 | 1.0 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | | 0.4 | 0 | 0.0 |
| 20-29 | 8 | 27.6 | 7 | 29.2 | 1 20 | | 21.7 | | 5.0 | 1 | 10.0 |
| 30-39 | 14 | 48.3 | 12 | 50.0 | 2 40 | | 21.7 | 256 | 18.1 | 1 | 10.0 |
| 40-49 | 4 | 13.8 | 3 | 12.5 | 1 20 | .0 5 | 21.7 | 292 | 20.7 | 1 | 10.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 3 | 13.0 | 316 | 22.4 | 2 | 20.0 |
| 60+ | 3 | 10.3 | 2 | 8.3 | 1 20 | .0 5 | 21.7 | 471 | 33.4 | 5 | 50.0 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 10 | 34.5 | 8 | 33.3 | 2 40 | .0 8 | 34.8 | 488 | 34.6 | 3 | 30.0 |
| Injection drug use history (IDU) | 2 | 6.9 | 1 | 4.2 | 1 20 | .0 2 | 8.7 | 164 | 11.6 | 2 | 20.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | 25 | 1.8 | 0 | 0.0 |
| Heterosexual contact | 9 | 31.0 | 8 | 33.3 | 1 20 | .0 8 | 34.8 | 378 | 26.8 | 3 | 30.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | 21 | 1.5 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | 33 | 2.3 | 1 | 10.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 |) 1 | 0.1 | 0 | 0.0 |
| Unknown | 8 | 27.6 | 7 | 29.2 | 1 20 | .0 5 | 21.7 | 301 | 21.3 | 1 | 10.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

| | | | U | oses, 2 | | AIDS Diagn 2023 | oses, | People W as of 12/3 | | Deaths | , 2023 | |
|--|----------|---------------------|----------|--------------|--------------------------|--------------------|-------|---------------------|--------|--------|----------|-------|
| | Dia | otal HIV agnoses | | AIDS | Concurrent AIDS Diagn | oses | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 67 | 100.0 | 54 | 80.6 | 13 | 19.4 | 26 | 100.0 | 3,851 | 100.0 | 37 | 100.0 |
| 0 en dez | | | | | | | | | | | | |
| Gender Men | 53 | 79.1 | 40 | 77 0 | 11 | 01 C | 20 | 76.0 | 2,796 | 70.6 | 27 | 72.0 |
| | 53 14 | | 42 12 | 77.8 22.2 | | 84.6 | | 76.9 | | 72.6 | 27 10 | 73.0 |
| Women | 14 | 20.9 | 12 | 22.2 | 2 | 15.4 | 6 | 23.1 | 1,055 | 27.4 | 10 | 27.0 |
| Race or ethnicity | _ | | | | | | | | | | | |
| Black | 28 | 41.8 | 24 | 44.4 | 4 | 30.8 | 12 | 46.2 | 1,727 | 44.8 | 17 | 45.9 |
| Latino | 32 | 47.8 | 23 | 42.6 | 9 | 69.2 | 13 | 50.0 | 1,494 | 38.8 | 18 | 48.6 |
| White | 6 | 9.0 | 6 | 11.1 | 0 | 0.0 | 1 | 3.8 | 519 | 13.5 | 1 | 2.7 |
| Asian or Pacific Islander | 1 | 1.5 | 1 | 1.9 | 0 | 0.0 | 0 | 0.0 | 76 | 2.0 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.3 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 22 | 0.6 | 1 | 2.7 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 3 | 4.5 | 3 | 5.6 | Õ | 0.0 | Ő | 0.0 | | 0.3 | Õ | 0.0 |
| 20-29 | 33 | 49.3 | 28 | 51.9 | - | 38.5 | | 26.9 | | 6.9 | - | 0.0 |
| 30-39 | 17 | 25.4 | 14 | 25.9 | | 23.1 | 7 | 26.9 | | 23.1 | 1 | 2.7 |
| 40-49 | 10 | 14.9 | 6 | 11.1 | | 30.8 | 7 | 26.9 | | 16.9 | 4 | 10.8 |
| 50-59 | 3 | 4.5 | 2 | 3.7 | 1 | 7.7 | 4 | 15.4 | | 21.1 | 10 | 27.0 |
| 60+ | 1 | 1.5 | 1 | 1.9 | 0 | 0.0 | 1 | 3.8 | | 31.8 | | 59.5 |
| | | | | | | | | | , | | | |
| Transmission category | | | | ~~ - | | ~ 4 = | 4.0 | ~~ - | 1 = 10 | 45.0 | 4.0 | |
| Men who have sex with men (MSM) | 44 | 65.7 | 36 | 66.7 | | 61.5 | | 38.5 | | 45.2 | | 32.4 |
| Injection drug use history (IDU) | 1 | 1.5 | 1 | 1.9 | 0 | 0.0 | 1 | 3.8 | | 12.2 | | 18.9 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 2.5 | | 10.8 |
| Heterosexual contact | 11 | 16.4 | 7 | 13.0 | | 30.8 | - | 23.1 | | 18.7 | 7 | 18.9 |
| Transgender people with sexual contact | 2 | 3.0 | 2 | 3.7 | 0 | 0.0 | 0 | 0.0 | | 2.2 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 2.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 9 | 13.4 | 8 | 14.8 | 1 | 7.7 | 9 | 34.6 | 659 | 17.1 | 7 | 18.9 |

Table 1.9.1. Washington Heights - Inwood (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 AI | | | | | | | People W as of 12/3 | | Deaths | , 2023 |
|--|------------------------|---------|----|------|----------------|------|-------|---------------------|-------|--------|--------|
| | - | | И | | | | | | | | |
| | | agnoses | | | AIDS Diagnoses | | | | | | |
| | N | % | N | % | N % | | % | | % | | % |
| Total | 57 | 100.0 | 48 | 84.2 | 9 15.8 | 3 27 | 100.0 | 4,999 | 100.0 | 49 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 50 | 87.7 | 42 | 87.5 | 8 88.9 | 23 | 85.2 | 4,166 | 83.3 | 42 | 85.7 |
| Women | 7 | 12.3 | 6 | 12.5 | 1 11.1 | | 14.8 | | 16.7 | 7 | 14.3 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 15 | 26.3 | 14 | 29.2 | 1 11.1 | | 33.3 | | 31.3 | 15 | 30.6 |
| Latino | 36 | 63.2 | 28 | 58.3 | 8 88.9 | 9 16 | 59.3 | 2,227 | 44.5 | 29 | 59.2 |
| White | 6 | 10.5 | 6 | 12.5 | 0 0.0 |) 2 | 7.4 | 1,080 | 21.6 | 5 | 10.2 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 0 | 0.0 | | 1.7 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 0 | 0.0 | 43 | 0.9 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 1.8 | 1 | 2.1 | 0 0.0 | | 0.0 | | 0.2 | 0 | 0.0 |
| 20-29 | 19 | 33.3 | 15 | 31.3 | 4 44.4 | | 18.5 | | 4.8 | 0 | 0.0 |
| 30-39 | 17 | 29.8 | 15 | 31.3 | 2 22.2 | | 40.7 | | 20.1 | 3 | 6.1 |
| 40-49 | 12 | 21.1 | 11 | 22.9 | 1 11.1 | | 22.2 | | 18.9 | 7 | 14.3 |
| 50-59 | 4 | 7.0 | 2 | 4.2 | 2 22.2 | | 7.4 | | 24.6 | 10 | 20.4 |
| 60+ | 4 | 7.0 | 4 | 8.3 | 0 0.0 |) 3 | 11.1 | 1,573 | 31.5 | 29 | 59.2 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 31 | 54.4 | 26 | 54.2 | 5 55.6 | 6 14 | 51.9 | 3,057 | 61.2 | 22 | 44.9 |
| Injection drug use history (IDU) | 1 | 1.8 | 1 | 2.1 | 0 0.0 |) 0 | 0.0 | 329 | 6.6 | 9 | 18.4 |
| MSM-IDU | 3 | 5.3 | 2 | 4.2 | 1 11.1 | 2 | 7.4 | 133 | 2.7 | 3 | 6.1 |
| Heterosexual contact | 9 | 15.8 | 7 | 14.6 | 2 22.2 | 2 7 | 25.9 | 635 | 12.7 | 7 | 14.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 0 | 0.0 | 81 | 1.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 1 | 3.7 | 59 | 1.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 0 | 0.0 | 8 | 0.2 | 0 | 0.0 |
| Unknown | 13 | 22.8 | 12 | 25.0 | 1 11.1 | 3 | 11.1 | 697 | 13.9 | 8 | 16.3 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | The Diagnoses, 2025 | | | | | | | oses, | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|---------------------|----|------|----------------------|-------|----|-------|---------------------|-------|--------|--------|
| | - | otal HIV agnoses | И | | Concurre AIDS Dia | | | | | | | |
| | N | % | Ν | % | Ν | ິ % | N | % | N | % | Ν | % |
| Total | 52 | 100.0 | 44 | 84.6 | 8 | 15.4 | 39 | 100.0 | 5,058 | 100.0 | 71 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 47 | 90.4 | 39 | 88.6 | 8 | 100.0 | 28 | 71.8 | 3,801 | 75.1 | 42 | 59.2 |
| Women | 5 | 9.6 | 5 | 11.4 | 0 | 0.0 | 11 | 28.2 | 1,257 | 24.9 | 29 | 40.8 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 32 | 61.5 | 28 | 63.6 | 4 | 50.0 | 21 | 53.8 | 3,053 | 60.4 | 53 | 74.6 |
| Latino | 12 | 23.1 | 11 | 25.0 | 1 | 12.5 | 8 | 20.5 | 1,160 | 22.9 | 12 | 16.9 |
| White | 4 | 7.7 | 3 | 6.8 | 1 | 12.5 | 8 | 20.5 | 710 | 14.0 | 4 | 5.6 |
| Asian or Pacific Islander | 2 | 3.8 | 1 | 2.3 | 1 | 12.5 | 1 | 2.6 | 86 | 1.7 | 0 | 0.0 |
| Other or unknown | 2 | 3.8 | 1 | 2.3 | 1 | 12.5 | 1 | 2.6 | 49 | 1.0 | 2 | 2.8 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.1 | 0 | 0.0 |
| 20-29 | 23 | 44.2 | 22 | 50.0 | 1 | 12.5 | 5 | 12.8 | 226 | 4.5 | 4 | 5.6 |
| 30-39 | 16 | 30.8 | 13 | 29.5 | 3 | 37.5 | 9 | 23.1 | 963 | 19.0 | 5 | 7.0 |
| 40-49 | 9 | 17.3 | 5 | 11.4 | 4 | 50.0 | 11 | 28.2 | 951 | 18.8 | 8 | 11.3 |
| 50-59 | 2 | 3.8 | 2 | 4.5 | 0 | 0.0 | 6 | 15.4 | 1,305 | 25.8 | 15 | 21.1 |
| 60+ | 2 | 3.8 | 2 | 4.5 | 0 | 0.0 | 8 | 20.5 | 1,604 | 31.7 | 39 | 54.9 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 36 | 69.2 | 32 | 72.7 | 4 | 50.0 | 16 | 41.0 | 2,506 | 49.5 | 16 | 22.5 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 12.8 | 484 | 9.6 | 13 | 18.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 143 | 2.8 | 3 | 4.2 |
| Heterosexual contact | 5 | 9.6 | 5 | 11.4 | 0 | 0.0 | 8 | 20.5 | 881 | 17.4 | 21 | 29.6 |
| Transgender people with sexual contact | 2 | 3.8 | 2 | 4.5 | 0 | 0.0 | 1 | 2.6 | | 1.8 | 1 | 1.4 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.6 | | 1.5 | 0 | 0.0 |
| Other | 0 | 0.0 | Ō | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| Unknown | 9 | 17.3 | 5 | 11.4 | 4 | 50.0 | 8 | 20.5 | | 17.3 | 17 | 23.9 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.3. East Harlem (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | • | | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|-----|--------------|----|-----------|-----------------|-------------------|-------|---------------------|-------|--------|--------|
| | - | otal HIV | И | | Concurrent With | | | | | | |
| | N N | agnoses % | Ν | AIDS % | AIDS Diagnose | | % | N | % | N | % |
| Total | 39 | 100.0 | 30 | 76.9 | 9 23. | | 100.0 | | 100.0 | 53 | 100.0 |
| | | | | | | | | | | | |
| Gender | | | | | | | | | | | |
| Men | 30 | 76.9 | 25 | 83.3 | 5 55.6 | | 70.4 | | 71.6 | | 60.4 |
| Women | 9 | 23.1 | 5 | 16.7 | 4 44.4 | 4 8 | 29.6 | 848 | 28.4 | 21 | 39.6 |
| Race or ethnicity | | | | | | | | _ | | | |
| Black | 15 | 38.5 | 9 | 30.0 | 6 66.7 | | 51.9 | /- | 44.1 | 30 | 56.6 |
| Latino | 17 | 43.6 | 14 | 46.7 | 3 33.3 | 3 10 | 37.0 | | 39.9 | 16 | 30.2 |
| White | 5 | 12.8 | 5 | 16.7 | 0 0.0 |) 3 | 11.1 | 411 | 13.8 | 6 | 11.3 |
| Asian or Pacific Islander | 2 | 5.1 | 2 | 6.7 | 0 0.0 |) 0 | 0.0 | | 1.5 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 0 | 0.0 | 21 | 0.7 | 1 | 1.9 |
| Age group (Years) | | | | | | | | _ | _ | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 10 | 25.6 | 8 | 26.7 | 2 22.2 | | 25.9 | | 4.3 | 0 | 0.0 |
| 30-39 | 12 | 30.8 | 10 | 33.3 | 2 22.2 | 2 4 | 14.8 | 509 | 17.1 | 3 | 5.7 |
| 40-49 | 7 | 17.9 | 4 | 13.3 | 3 33.3 | 3 6 | 22.2 | 451 | 15.1 | 4 | 7.5 |
| 50-59 | 6 | 15.4 | 6 | 20.0 | 0 0.0 |) 4 | 14.8 | 760 | 25.5 | 12 | 22.6 |
| 60+ | 4 | 10.3 | 2 | 6.7 | 2 22.2 | 2 6 | 22.2 | 1,130 | 37.9 | 34 | 64.2 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 15 | 38.5 | 13 | 43.3 | 2 22.2 | 2 12 | 44.4 | 1,202 | 40.3 | 10 | 18.9 |
| Injection drug use history (IDÙ) | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 2 | 7.4 | 484 | 16.2 | 18 | 34.0 |
| MŚM-IDU | 1 | 2.6 | 1 | 3.3 | 0 0.0 | | 7.4 | 86 | 2.9 | 4 | 7.5 |
| Heterosexual contact | 7 | 17.9 | 2 | 6.7 | 5 55.6 | | 22.2 | 590 | 19.8 | 14 | 26.4 |
| Transgender people with sexual contact | 2 | 5.1 | 1 | 3.3 | 1 11.1 | 1 | 3.7 | 45 | 1.5 | 2 | 3.8 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 1 | 3.7 | | 2.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.1 | Ō | 0.0 |
| Unknown | 14 | 35.9 | 13 | 43.3 | 1 11.1 | | 11.1 | | 16.3 | 5 | 9.4 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.4. Upper West Side (Manhattan)

| | HIV Diagnoses, 2023 | | | | | | | ioses, | People W as of 12/3 | | Deaths | s, 2023 |
|--|---------------------|--------------------|---------|-----------|-----------|-----------|---------|------------|---------------------|------------|--------|------------|
| | Dia | otal HIV gnoses | | AIDS | AIDS Diag | gnoses | | 0/ | N | 0/ | N | 0/ |
| Total | N 19 | % 100.0 | N 12 | % 63.2 | N 7 | % 36.8 | N 24 | % 100.0 | | % 100.0 | | % 100.0 |
| Total | 19 | 100.0 | 12 | 05.2 | | 50.0 | 24 | 100.0 | 5,255 | 100.0 | 40 | 100.0 |
| Gender | | _ | | _ | | | | | | | | |
| Men | 17 | 89.5 | 10 | 83.3 | 7 | 100.0 | 19 | 79.2 | 2,816 | 87.1 | 37 | 92.5 |
| Women | 2 | 10.5 | 2 | 16.7 | 0 | 0.0 | 5 | 20.8 | 417 | 12.9 | 3 | 7.5 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 4 | 21.1 | 2 | 16.7 | 2 | 28.6 | 10 | 41.7 | | 25.0 | | 32.5 |
| Latino | 8 | 42.1 | 7 | 58.3 | 1 | 14.3 | 6 | 25.0 | | 28.0 | | 22.5 |
| White | 7 | 36.8 | 3 | 25.0 | 4 | 57.1 | 8 | 33.3 | | 42.4 | | 42.5 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 3.2 | | 2.5 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.2 | | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.6 | | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 19 | 0.6 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 20-29 | 4 | 21.1 | 4 | 33.3 | 0 | 0.0 | 2 | 8.3 | | 3.4 | 2 | 5.0 |
| 30-39 | 1 | 5.3 | 1 | 8.3 | 0 | 0.0 | 2 | 8.3 | | 11.4 | | 5.0 |
| 40-49 | 5 | 26.3 | 3 | 25.0 | 2 | 28.6 | | 33.3 | | 14.0 | | 0.0 |
| 50-59 | 5 | 26.3 | 2 | 16.7 | 3 | 42.9 | 7 | 29.2 | | 22.4 | | 20.0 |
| 60+ | 4 | 21.1 | 2 | 16.7 | 2 | 28.6 | 5 | 20.8 | 1,575 | 48.7 | 28 | 70.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 10 | 52.6 | 8 | 66.7 | 2 | 28.6 | | 37.5 | | 65.1 | 24 | 60.0 |
| Injection drug use history (IDU) | 1 | 5.3 | 0 | 0.0 | 1 | 14.3 | 3 | 12.5 | | 7.8 | 2 | 5.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 8.3 | | 3.0 | 0 | 0.0 |
| Heterosexual contact | 1 | 5.3 | 1 | 8.3 | 0 | 0.0 | 3 | 12.5 | | 9.1 | 3 | 7.5 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.2 | | 1.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 1.0 | 1 | 2.5 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 7 | 36.8 | 3 | 25.0 | 4 | 57.1 | 6 | 25.0 | 408 | 12.6 | 10 | 25.0 |

Table 1.9.5. Upper East Side (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diag 202 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|---------------------|-------|---------|------------------------------|------------------|-------|------------------------|-------|--------|--------|
| | - | otal HIV agnoses | | AIDS | Concurrent W AIDS Diagnos | es | | | | | |
| | N | % | N | % | | % N | % | | % | | % |
| Total | 18 | 100.0 | 16 | 88.9 | 2 11 | .1 9 | 100.0 |) 1,588 | 100.0 | 14 | 100.0 |
| Gender | | | | | _ | | | | | | |
| Men | 14 | 77.8 | 13 | 81.3 | 1 50 | .0 8 | 88.9 | 1,395 | 87.8 | 13 | 92.9 |
| Women | 4 | 22.2 | 3 | 18.8 | 1 50 | | 11.1 | | 12.2 | 1 | 7.1 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 5 | 27.8 | 5 | 31.3 | 0 0 | .0 2 | 22.2 | 2 304 | 19.1 | 5 | 35.7 |
| Latino | 4 | 22.2 | 3 | 18.8 | 1 50 | | 33.3 | 393 | 24.7 | 2 | 14.3 |
| White | 6 | 33.3 | 6 | 37.5 | | .0 3 | 33.3 | | 50.4 | 6 | 42.9 |
| Asian or Pacific Islander | 2 | 11.1 | 2 | 12.5 | 0 0 | .0 0 | 0.0 |) 72 | 4.5 | 1 | 7.1 |
| Other or unknown | 1 | 5.6 | 0 | 0.0 | 1 50 | - | 11.1 | | 1.2 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 |) 3 | 0.2 | 0 | 0.0 |
| 20-29 | 8 | 44.4 | 7 | 43.8 | 1 50 | .0 1 | 11.1 | 36 | 2.3 | 0 | 0.0 |
| 30-39 | 9 | 50.0 | 8 | 50.0 | 1 50 | .0 3 | 33.3 | 3 215 | 13.5 | 0 | 0.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 2 | 22.2 | 259 | 16.3 | 3 | 21.4 |
| 50-59 | 1 | 5.6 | 1 | 6.3 | 0 0 | .0 1 | 11.1 | 375 | 23.6 | 5 | 35.7 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 2 | 22.2 | 2 700 | 44.1 | 6 | 42.9 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 8 | 44.4 | 8 | 50.0 | 0 0 | .0 3 | 33.3 | 3 1,066 | 67.1 | 6 | 42.9 |
| Injection drug use history (IDU) | 1 | 5.6 | 1 | 6.3 | 0 0 | .0 1 | 11.1 | 90 | 5.7 | 2 | 14.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 |) 48 | 3.0 | 2 | 14.3 |
| Heterosexual contact | 2 | 11.1 | 2 | 12.5 | 0 0 | .0 0 | 0.0 |) 125 | 7.9 | 1 | 7.1 |
| Transgender people with sexual contact | 1 | 5.6 | 0 | 0.0 | 1 50 | .0 1 | 11.1 | | 0.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | | .0 0 | 0.0 | | 0.7 | 1 | 7.1 |
| Other | Õ | 0.0 | Õ | 0.0 | | .0 0 | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 6 | 33.3 | 5 | 31.3 | 1 50 | | 44.4 | | 14.7 | 2 | 14.3 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.6. Chelsea - Clinton (Manhattan)

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Dia 20 | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------|---------------------|---------|---------|--------------------------------|----------------|------------|------------------------|------------|---------|------------|
| | Dia | otal HIV Ignoses | | | Concurrent Wi AIDS Diagnose | es | % | N | % | N | 0/ |
| Total | N 54 | % 100.0 | N 40 | 74.1 | N 14 25 | % N .9 37 | % 100.0 | | % 100.0 | N 45 | % 100.0 |
| | ••• | | | | | | | , | | | |
| Gender | | | | | | | | | | | |
| Men | 48 | 88.9 | 35 | 87.5 | 13 92 | 9 33 | 89.2 | 6,751 | 92.7 | 42 | 93.3 |
| Women | 6 | 11.1 | 5 | 12.5 | 1 7 | .1 4 | 10.8 | 535 | 7.3 | 3 | 6.7 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 10 | 18.5 | 10 | 25.0 | 0 0 | | 29.7 | | 17.3 | 13 | 28.9 |
| Latino | 26 | 48.1 | 19 | 47.5 | 7 50 | | 40.5 | | 25.9 | | 13.3 |
| White | 12 | 22.2 | 8 | 20.0 | 4 28 | | 21.6 | | 51.9 | 25 | 55.6 |
| Asian or Pacific Islander | 5 | 9.3 | 3 | 7.5 | 2 14 | | 5.4 | | 3.5 | 1 | 2.2 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0 | | 0.0 | | 0.2 | 0 | 0.0 |
| Multiracial | 1 | 1.9 | 0 | 0.0 | 1 7 | | 2.7 | | 0.6 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0 | .0 0 | 0.0 | 37 | 0.5 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | - | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 0 | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 26 | 48.1 | 17 | 42.5 | 9 64 | | 32.4 | | 2.8 | 0 | 0.0 |
| 30-39 | 15 | 27.8 | 13 | 32.5 | 2 14 | | 29.7 | | 14.8 | 3 | 6.7 |
| 40-49 | 7 | 13.0 | 5 | 12.5 | 2 14 | | 13.5 | | 18.9 | 4 | 8.9 |
| 50-59 | 4 | 7.4 | 4 | 10.0 | 0 0 | | 10.8 | | 27.9 | 9 | 20.0 |
| 60+ | 2 | 3.7 | 1 | 2.5 | 1 7 | .1 5 | 13.5 | 2,592 | 35.6 | 29 | 64.4 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 31 | 57.4 | 23 | 57.5 | 8 57 | | 56.8 | | 77.6 | | 66.7 |
| Injection drug use history (IDU) | 1 | 1.9 | 1 | 2.5 | 0 0 | - | 0.0 | | 4.6 | 5 | 11.1 |
| MSM-IDU | 3 | 5.6 | 3 | 7.5 | 0 0 | | 0.0 | | 3.3 | 1 | 2.2 |
| Heterosexual contact | 4 | 7.4 | 2 | 5.0 | 2 14 | | 10.8 | | 4.1 | 4 | 8.9 |
| Transgender people with sexual contact | 2 | 3.7 | 2 | 5.0 | 0 0 | | 5.4 | | 1.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0 | - | 0.0 | - | 0.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0 | | 0.0 | | 0.0 | 0 | 0.0 |
| Unknown | 13 | 24.1 | 9 | 22.5 | 4 28 | .6 10 | 27.0 | 613 | 8.4 | 5 | 11.1 |

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|----------|-------|---------|----------------|-------------------|-------|---------------------|-------|--------|--------|
| | - | otal HIV | И | | Concurrent Wit | | | | | | |
| | | agnoses | | | AIDS Diagnose | | | | | | |
| | N | % | Ν | % | N % | | % | | % | N | % |
| Total | 28 | 100.0 | 24 | 85.7 | 4 14.3 | 3 18 | 100.0 | 2,078 | 100.0 | 14 | 100.0 |
| Gender | | | | | | _ | | | | | |
| Men | 23 | 82.1 | 20 | 83.3 | 3 75.0 |) 14 | 77.8 | 1,903 | 91.6 | 13 | 92.9 |
| Women | 5 | 17.9 | 4 | 16.7 | 1 25.0 | | 22.2 | | 8.4 | 1 | 7.1 |
| Race or ethnicity | _ | | | | | | | | | | |
| Black | 11 | 39.3 | 10 | 41.7 | 1 25.0 |) 4 | 22.2 | 422 | 20.3 | 3 | 21.4 |
| Latino | 9 | 32.1 | 8 | 33.3 | 1 25.0 | 8 (| 44.4 | 522 | 25.1 | 3 | 21.4 |
| White | 6 | 21.4 | 5 | 20.8 | 1 25.0 |) 5 | 27.8 | 1,021 | 49.1 | 7 | 50.0 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 0 | 0.0 | 84 | 4.0 | 0 | 0.0 |
| Other or unknown | 2 | 7.1 | 1 | 4.2 | 1 25.0 |) 1 | 5.6 | 29 | 1.4 | 1 | 7.1 |
| Age group (Years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0.0 | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 3.6 | 1 | 4.2 | 0 0.0 | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 4 | 14.3 | 4 | 16.7 | 0 0.0 | | 11.1 | | 2.6 | 0 | 0.0 |
| 30-39 | 13 | 46.4 | 11 | 45.8 | 2 50.0 | | 16.7 | | 10.3 | 1 | 7.1 |
| 40-49 | 9 | 32.1 | 7 | 29.2 | 2 50.0 | | 27.8 | | 14.9 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 0.0 |) 4 | 22.2 | | 26.3 | 0 | 0.0 |
| 60+ | 1 | 3.6 | 1 | 4.2 | 0 0.0 |) 4 | 22.2 | 953 | 45.9 | 13 | 92.9 |
| Transmission category | | _ | | | | | | | _ | | |
| Men who have sex with men (MSM) | 10 | 35.7 | 9 | 37.5 | 1 25.0 |) 7 | 38.9 | 1,398 | 67.3 | 11 | 78.6 |
| Injection drug use history (IDU) | 2 | 7.1 | 2 | 8.3 | 0 0.0 |) 1 | 5.6 | 157 | 7.6 | 1 | 7.1 |
| MSM-IDU | 1 | 3.6 | 1 | 4.2 | 0 0.0 |) 1 | 5.6 | 93 | 4.5 | 0 | 0.0 |
| Heterosexual contact | 2 | 7.1 | 2 | 8.3 | 0 0.0 |) 3 | 16.7 | 119 | 5.7 | 1 | 7.1 |
| Transgender people with sexual contact | 1 | 3.6 | 0 | 0.0 | 1 25.0 |) 2 | 11.1 | 19 | 0.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 (| 0.0 | 8 | 0.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0.0 | 0 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Unknown | 12 | 42.9 | 10 | 41.7 | 2 50.0 |) 4 | 22.2 | 282 | 13.6 | 1 | 7.1 |

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 | | | | | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | i, 2023 |
|--|---------------------|---------------------|--------|--------|------------------------|-------------|-------------------|-------|---------------------|-------|--------|---------|
| | - | otal HIV aqnoses | M/itho | | Concurren AIDS Diag | | | | | | | |
| | N | agnoses % | N | % AIDS | N | 1103ES % | | % | Ν | % | N | % |
| Total | 6 | 100.0 | 6 | 100.0 | 0 | 0.0 | | 100.0 | | 100.0 | | 100.0 |
| | | | | | | | | | , | | | |
| Gender | | | | | | | | | | | | |
| Men | 6 | 100.0 | 6 | 100.0 | 0 | 0.0 | | 100.0 | , | 94.7 | 10 | 100.0 |
| Women | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 86 | 5.3 | 0 | 0.0 |
| Race or ethnicity | | | | | | | | | | _ | | |
| Black | 2 | 33.3 | 2 | 33.3 | 0 | 0.0 | 0 | 0.0 | 279 | 17.1 | 1 | 10.0 |
| Latino | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 25.0 | 344 | 21.1 | 2 | 20.0 |
| White | 4 | 66.7 | 4 | 66.7 | 0 | 0.0 | 3 | 75.0 | 936 | 57.4 | 6 | 60.0 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 59 | 3.6 | 1 | 10.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.9 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 26 | 1.6 | | 0.0 |
| 30-39 | 2 | 33.3 | 2 | 33.3 | 0 | 0.0 | 0 | 0.0 | 140 | 8.6 | 0 | 0.0 |
| 40-49 | 2 | 33.3 | 2 | 33.3 | 0 | 0.0 | | 25.0 | | 13.8 | | 0.0 |
| 50-59 | 1 | 16.7 | 1 | 16.7 | Õ | 0.0 | | 25.0 | | 27.1 | 1 | 10.0 |
| 60+ | 1 | 16.7 | 1 | 16.7 | 0 0 | 0.0 | | 50.0 | | 48.8 | | 90.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 4 | 66.7 | 4 | 66.7 | 0 | 0.0 | 3 | 75.0 | 1,170 | 71.7 | 8 | 80.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | Ő | 0.0 | | 0.0 | | 7.0 | | 0.0 |
| MSM-IDU | 0 | 0.0 | 0 0 | 0.0 | 0 | 0.0 | | 0.0 | | 2.8 | | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 3.9 | | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 1.5 | | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.2 | 0 | 0.0 |
| | 2 | | 2 | | 0 | 0.0 | | | | 12.7 | 2 | |
| Unknown | 2 | 33.3 | 2 | 33.3 | 0 | 0.0 | | 25.0 | 208 | 12.7 | 2 | 20.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.9. Union Square - Lower East Side (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and

People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 | | | | | | AIDS Diagn 2023 | ioses, | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|--------------------------|----|-----------|-----------------------------|------------|--------------------|--------|---------------------|-------|--------|--------|
| | Dia N | otal HIV agnoses % | N | AIDS % | Concurren AIDS Diag N | noses % | N | % | | % | | % |
| Total | 19 | 100.0 | 15 | 78.9 | 4 | 21.1 | 15 | 100.0 | 2,957 | 100.0 | 29 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 15 | 78.9 | 12 | 80.0 | 3 | 75.0 | 13 | 86.7 | 2,427 | 82.1 | 18 | 62.1 |
| Women | 4 | 21.1 | 3 | 20.0 | 1 | 25.0 | 2 | 13.3 | 530 | 17.9 | 11 | 37.9 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 4 | 21.1 | 2 | 13.3 | 2 | 50.0 | 6 | 40.0 | | 21.0 | | 31.0 |
| Latino | 4 | 21.1 | 3 | 20.0 | 1 | 25.0 | 6 | 40.0 | | 35.3 | 12 | 41.4 |
| White | 7 | 36.8 | 7 | 46.7 | 0 | 0.0 | 2 | 13.3 | | 38.0 | | 20.7 |
| Asian or Pacific Islander | 3 | 15.8 | 3 | 20.0 | 0 | 0.0 | 0 | 0.0 | | 4.6 | | 6.9 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.3 | 0 | 0.0 |
| Multiracial | 1 | 5.3 | 0 | 0.0 | 1 | 25.0 | 1 | 6.7 | | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.3 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 1 | 5.3 | 1 | 6.7 | 0 | 0.0 | 0 | 0.0 | | 0.2 | | 0.0 |
| 20-29 | 4 | 21.1 | 4 | 26.7 | 0 | 0.0 | 1 | 6.7 | | 2.2 | 0 | 0.0 |
| 30-39 | 11 | 57.9 | 8 | 53.3 | 3 | 75.0 | 6 | 40.0 | | 11.7 | | 10.3 |
| 40-49 | 1 | 5.3 | 1 | 6.7 | 0 | 0.0 | 1 | 6.7 | | 13.3 | 1 | 3.4 |
| 50-59 | 2 | 10.5 | 1 | 6.7 | 1 | 25.0 | 4 | 26.7 | | 25.8 | 7 | 24.1 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 20.0 | 1,384 | 46.8 | 18 | 62.1 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 10 | 52.6 | 9 | 60.0 | 1 | 25.0 | 6 | 40.0 | | 58.9 | 7 | 24.1 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 6.7 | | 11.5 | | 27.6 |
| MSM-IDU | 1 | 5.3 | 1 | 6.7 | 0 | 0.0 | 0 | 0.0 | | 3.4 | 1 | 3.4 |
| Heterosexual contact | 1 | 5.3 | 0 | 0.0 | 1 | 25.0 | 4 | 26.7 | | 12.4 | 5 | 17.2 |
| Transgender people with sexual contact | 3 | 15.8 | 3 | 20.0 | 0 | 0.0 | 0 | 0.0 | | 1.1 | 2 | 6.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.2 | | 0.0 |
| Unknown | 4 | 21.1 | 2 | 13.3 | 2 | 50.0 | 4 | 26.7 | 342 | 11.6 | 6 | 20.7 |

Table 1.9.10. Lower Manhattan (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 | | | | | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------------------|----------|---|-------|-----------|-----|-------------------|-------|---------------------|-------|--------|--------|
| | - | otal HIV | | | Concurren | | | | | | | |
| | | agnoses | | | AIDS Diag | | | | | | | |
| | N | % | N | % | N | % | N | % | | % | | % |
| Total | 6 | 100.0 | 6 | 100.0 | 0 | 0.0 | 5 | 100.0 | 616 | 100.0 | 3 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 4 | 66.7 | 4 | 66.7 | 0 | 0.0 | 3 | 60.0 | 532 | 86.4 | 2 | 66.7 |
| Women | 2 | 33.3 | 2 | 33.3 | 0 | 0.0 | 2 | 40.0 | | 13.6 | | 33.3 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 2 | 40.0 | 128 | 20.8 | 1 | 33.3 |
| Latino | 3 | 50.0 | 3 | 50.0 | 0 | 0.0 | 1 | 20.0 | 165 | 26.8 | 1 | 33.3 |
| White | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 1 | 20.0 | 288 | 46.8 | 1 | 33.3 |
| Asian or Pacific Islander | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 1 | 20.0 | 26 | 4.2 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 1.5 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.2 | 0 | 0.0 |
| 20-29 | 2 | 33.3 | 2 | 33.3 | 0 | 0.0 | 0 | 0.0 | | 4.1 | 1 | 33.3 |
| 30-39 | 3 | 50.0 | 3 | 50.0 | 0 | 0.0 | 2 | 40.0 | | 11.0 | 0 | 0.0 |
| 40-49 | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 0 | 0.0 | | 20.0 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | | 32.6 | 1 | 33.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 40.0 | 198 | 32.1 | 1 | 33.3 |
| Transmission category | _ | | | | | | | | | | | |
| Men who have sex with men (MSM) | 3 | 50.0 | 3 | 50.0 | 0 | 0.0 | 3 | 60.0 | | 67.5 | | 0.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 31 | 5.0 | 2 | 66.7 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 3.1 | 1 | 33.3 |
| Heterosexual contact | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 0 | 0.0 | | 9.3 | 0 | 0.0 |
| Transgender people with sexual contact | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 0 | 0.0 | 8 | 1.3 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.6 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| Unknown | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 | 1 | 20.0 | 80 | 13.0 | 0 | 0.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.1. Long Island City - Astoria (Queens)

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|---------|---------------------|---------|-----------|---------------------------------|-------------------|-------|---------------------|------------|--------|--------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent Wit AIDS Diagnose | s | | | | | |
| Tatal | N 35 | % | N 29 | % 82.9 | N % | | % | | % 100.0 | | % |
| Total | 35 | 100.0 | 29 | 82.9 | 6 17. | 1 13 | 100.0 | 2,656 | 100.0 | 15 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 28 | 80.0 | 24 | 82.8 | 4 66. | 7 8 | 61.5 | 2,311 | 87.0 | 9 | 60.0 |
| Women | 7 | 20.0 | 5 | 17.2 | 2 33. | | 38.5 | | 13.0 | 6 | 40.0 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 5 | 14.3 | 5 | 17.2 | 0 0. | | 15.4 | | 16.2 | | 20.0 |
| Latino | 23 | 65.7 | 18 | 62.1 | 5 83. | | 69.2 | | 43.6 | | 40.0 |
| White | 3 | 8.6 | 3 | 10.3 | 0 0. | - | 7.7 | | 33.3 | 6 | 40.0 |
| Asian or Pacific Islander | 4 | 11.4 | 3 | 10.3 | 1 16. | | 7.7 | | 6.1 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 6 | 0.2 | 0 | 0.0 |
| Age group (years) | | | _ | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 2.9 | 1 | 3.4 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 7 | 20.0 | 6 | 20.7 | 1 16. | | 23.1 | | 4.3 | 0 | 0.0 |
| 30-39 | 18 | 51.4 | 16 | 55.2 | 2 33. | | 30.8 | | 21.6 | 2 | 13.3 |
| 40-49 | 4 | 11.4 | 3 | 10.3 | 1 16. | | 23.1 | | 24.2 | 1 | 6.7 |
| 50-59 | 4 | 11.4 | 3 | 10.3 | 1 16. | | 7.7 | | 24.2 | 2 | 13.3 |
| 60+ | 1 | 2.9 | 0 | 0.0 | 1 16. | 7 2 | 15.4 | 678 | 25.5 | 10 | 66.7 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 22 | 62.9 | 19 | 65.5 | 3 50. | | 38.5 | | 70.0 | (| 46.7 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 4.2 | 1 | 6.7 |
| MSM-IDU | 1 | 2.9 | 1 | 3.4 | 0 0. | | 0.0 | | 2.3 | 1 | 6.7 |
| Heterosexual contact | 6 | 17.1 | 3 | 10.3 | 3 50. | - | 30.8 | | 10.5 | 4 | 26.7 |
| Transgender people with sexual contact | 1 | 2.9 | 1 | 3.4 | 0 0. | | 0.0 | | 1.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | - | 0.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| Unknown | 5 | 14.3 | 5 | 17.2 | 0 0. | 0 4 | 30.8 | 286 | 10.8 | 2 | 13.3 |

Table 1.10.2. West Queens (Queens)

| | | HIV D | iagno | oses, 2 | 2023 | A | IDS Diagn 2023 | ioses, | People W as of 12/3 | | Deaths | s, 2023 |
|--|-----|---------------------|-------|---------|------------------------------|-----|-------------------|--------|---------------------|-------|--------|---------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent W AIDS Diagnos | es | | | | | | |
| | N | % | N | % | N | % | N | % | | % | | % |
| Total | 124 | 100.0 | 96 | 77.4 | 28 22 | 2.6 | 61 | 100.0 | 6,190 | 100.0 | 20 | 100.0 |
| Gender | | | | | _ | | | | | | | |
| Men | 107 | 86.3 | 84 | 87.5 | 23 82 | 2.1 | 48 | 78.7 | 5,082 | 82.1 | 16 | 80.0 |
| Women | 17 | 13.7 | 12 | 12.5 | | 7.9 | 13 | 21.3 | | 17.9 | 4 | 20.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 21 | 16.9 | 18 | 18.8 | |).7 | 10 | 16.4 | | 23.4 | | 30.0 |
| Latino | 88 | 71.0 | 68 | 70.8 | | 1.4 | 40 | 65.6 | | 59.5 | | 35.0 |
| White | 6 | 4.8 | 4 | 4.2 | | 7.1 | 6 | 9.8 | | 10.0 | | 30.0 |
| Asian or Pacific Islander | 8 | 6.5 | 6 | 6.3 | 2 7 | 7.1 | 4 | 6.6 | | 6.6 | 1 | 5.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 0.2 | 0 | 0.0 |
| Multiracial | 1 | 0.8 | 0 | 0.0 | 1 3 | 8.6 | 1 | 1.6 | 15 | 0.2 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 1.6 | 2 | 2.1 | | 0.0 | 0 | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 37 | 29.8 | 31 | 32.3 | | 1.4 | 11 | 18.0 | | 5.4 | 0 | 0.0 |
| 30-39 | 38 | 30.6 | 30 | 31.3 | | 3.6 | 17 | 27.9 | | 18.8 | | 5.0 |
| 40-49 | 28 | 22.6 | 22 | 22.9 | | 1.4 | 14 | 23.0 | | 18.9 | | 10.0 |
| 50-59 | 13 | 10.5 | 8 | 8.3 | 5 17 | 7.9 | 10 | 16.4 | 1,647 | 26.6 | 4 | 20.0 |
| 60+ | 6 | 4.8 | 3 | 3.1 | 3 10 |).7 | 9 | 14.8 | 1,868 | 30.2 | 13 | 65.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 78 | 62.9 | 57 | 59.4 | | 5.0 | 38 | 62.3 | | 51.6 | | 30.0 |
| Injection drug use history (IDU) | 1 | 0.8 | 1 | 1.0 | | 0.0 | 2 | 3.3 | | 11.2 | | 10.0 |
| MSM-IDU | 2 | 1.6 | 2 | 2.1 | | 0.0 | 0 | 0.0 | | 2.4 | 2 | 10.0 |
| Heterosexual contact | 21 | 16.9 | 16 | 16.7 | | 7.9 | 9 | 14.8 | | 15.5 | | 25.0 |
| Transgender people with sexual contact | 2 | 1.6 | 2 | 2.1 | | 0.0 | 4 | 6.6 | | 2.8 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 1 | 1.6 | 59 | 1.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 (| 0.0 | 0 | 0.0 | 4 | 0.1 | 0 | 0.0 |
| Unknown | 20 | 16.1 | 18 | 18.8 | 2 7 | 7.1 | 7 | 11.5 | 958 | 15.5 | 5 | 25.0 |

Table 1.10.3. Flushing - Clearview (Queens)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagnose 2023 | | People Wi as of 12/3 [,] | | Deaths | , 2023 |
|--|---------|---------------------|---------|-----------|-----------------------------|----------|-----------------------|-----|--------------------------------------|------------|--------|------------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent V AIDS Diagno | ses | | ~ | | | | |
| Total | N 24 | % 100.0 | N 14 | % 58.3 | N 10 4 | % 1.7 | N 15 10 | % | N 913 | % 100.0 | N 9 | % 100.0 |
| TOTAL | 24 | 100.0 | 14 | 50.5 | 10 4 | •1.7 | 15 10 | J.U | 913 | 100.0 | 9 | 100.0 |
| Gender | | | | | | | | 1 | | | | |
| Men | 19 | 79.2 | 12 | 85.7 | 7 7 | 0.0 | 11 7 | 3.3 | 703 | 77.0 | 5 | 55.6 |
| Women | 5 | 20.8 | 2 | 14.3 | 3 3 | 30.0 | 4 2 | 6.7 | 210 | 23.0 | 4 | 44.4 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 2 | 8.3 | 1 | 7.1 | | 0.0 | | 3.3 | 141 | 15.4 | 3 | 33.3 |
| Latino | 11 | 45.8 | 5 | 35.7 | | 60.0 | | 0.0 | 373 | 40.9 | 4 | 44.4 |
| White | 2 | 8.3 | 1 | 7.1 | | 0.0 | | 3.3 | 183 | 20.0 | 0 | 0.0 |
| Asian or Pacific Islander | 9 | 37.5 | 7 | 50.0 | | 20.0 | | 3.3 | 203 | 22.2 | 2 | 22.2 |
| Native American | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 7 | 0.8 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 3 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.3 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 6.7 | 1 | 0.1 | 0 | 0.0 |
| 20-29 | 9 | 37.5 | 4 | 28.6 | | 50.0 | | 3.3 | 53 | 5.8 | 1 | 11.1 |
| 30-39 | 11 | 45.8 | 7 | 50.0 | | 0.0 | | 0.0 | 187 | 20.5 | 1 | 11.1 |
| 40-49 | 3 | 12.5 | 3 | 21.4 | | 0.0 | | 0.0 | 148 | 16.2 | 0 | 0.0 |
| 50-59 | 1 | 4.2 | 0 | 0.0 | | 0.0 | | 3.3 | 216 | 23.7 | 3 | 33.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 6.7 | 308 | 33.7 | 4 | 44.4 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 15 | 62.5 | 9 | 64.3 | | 60.0 | | 3.3 | 454 | 49.7 | 2 | 22.2 |
| Injection drug use history (IDU) | 1 | 4.2 | 0 | 0.0 | | 0.0 | | 6.7 | 68 | 7.4 | 2 | 22.2 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | | 0.0 | - | 0.0 | 17 | 1.9 | 0 | 0.0 |
| Heterosexual contact | 5 | 20.8 | 4 | 28.6 | | 0.0 | | 3.3 | 187 | 20.5 | 4 | 44.4 |
| Transgender people with sexual contact | 2 | 8.3 | 1 | 7.1 | | 0.0 | | 6.7 | 17 | 1.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 13 | 1.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 1 | 4.2 | 0 | 0.0 | 1 1 | 0.0 | 3 2 | 0.0 | 156 | 17.1 | 1 | 11.1 |

Table 1.10.4. Bayside - Little Neck (Queens)

| Total 1 100.0 1 100.0 0 0.0 1 100.0 165 100.0 1 100.0 Gender 0 0.0 0.0 0.0 0.0 0.0 1 100.0 131 79.4 1 100.0 0.0 </th <th></th> <th></th> <th>HIV</th> <th>Diagn</th> <th>oses, 2</th> <th>023</th> <th></th> <th>AIDS Diagi 2023</th> <th>noses,</th> <th>People W as of 12/3</th> <th>ith HIV 1/2023</th> <th>Deaths</th> <th>s, 2023</th> | | | HIV | Diagn | oses, 2 | 023 | | AIDS Diagi 2023 | noses, | People W as of 12/3 | ith HIV 1/2023 | Deaths | s, 2023 |
|--|---------------------------------|---|-------|-------|---------|-----|-----|--------------------|--------|---------------------|-------------------|--------|---------|
| Total 1 100.0 1 100.0 0 0 1 100.0 165 100.0 1 100.0 Gender 0 0.0 0.0 0.0 0.0 1 100.0 131 79.4 1 100.0 Men 0 0.0 0.0 0.0 0.0 0.0 1 100.0 131 79.4 1 100.0 Race or ethnicity 1 100.0 1 100.0 0 0.0 | | - | | Witho | ut AIDS | | | | | | | | |
| Gender No. No.< | | N | | N | | N | | | | | | | % |
| Men 0 0.0 0.0 0 0.0 1 100.0 131 79.4 1 100.0 Nomen 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 <td>Total</td> <td>1</td> <td>100.0</td> <td>1</td> <td>100.0</td> <td>0</td> <td>0.0</td> <td>1</td> <td>100.0</td> <td>165</td> <td>100.0</td> <td>1</td> <td>100.0</td> | Total | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 165 | 100.0 | 1 | 100.0 |
| Men 0 0.0 0.0 0 0.0 1 100.0 131 79.4 1 100.0 Nomen 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0 <td></td> <td>l</td> <td></td> | | | | | | | | | | | | l | |
| Women 1 100.0 1 100.0 0 0 0.0 34 20.6 0 0.0 Race or ethnicity Image: Stack 0 0.0 0.0 0.0 0.0 0.0 0.0 22 13.3 0 0.0 Latino 1 100.0 1 100.0 0.00 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 400.0 | 101 | 70.4 | | 400.0 |
| Race or ethnicity Image: Control or Contret Perinatal Control or Cont | | - | | | | | | - | | | | | |
| Black 0 0.0 0 0.0 0 0.0 22 13.3 0 0.0 Latino 1 100.0 1 100.0 0.00 0.0 1 100.0 50 30.3 0 0.0 Asian or Pacific Islander 0 0.0 0.0 0.0 0.0 <td>Women</td> <td>1</td> <td>100.0</td> <td>1</td> <td>100.0</td> <td>0</td> <td>0.0</td> <td>0</td> <td>0.0</td> <td>34</td> <td>20.6</td> <td>0</td> <td>0.0</td> | Women | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 34 | 20.6 | 0 | 0.0 |
| Latino 1 100.0 1 100.0 0 0 1 100.0 50 30.3 0 0.0 White 0 0.0 0.0 0.0 0.0 0.0 | Race or ethnicity | | | | | | | | | | | | |
| White 0 0.0 0.0 0.0 0.0 | Black | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 22 | 13.3 | 0 | 0.0 |
| Asian or Pacific Islander 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 | Latino | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 50 | 30.3 | 0 | 0.0 |
| Native American 0 0.0 | White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 73 | 44.2 | 1 | 100.0 |
| Native American 0 0.0 | Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 10.3 | 0 | 0.0 |
| Multiracial 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 <td>Native American</td> <td>0</td> <td>0.0</td> <td>0</td> <td>0.0</td> <td></td> <td>0.0</td> <td></td> <td>0.0</td> <td></td> <td>0.6</td> <td></td> <td>0.0</td> | Native American | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | | 0.6 | | 0.0 |
| Unknown 0 0.0 0.0< | | | | | | | | | | | | | 0.0 |
| 0-12 0 0.0 0.0 0.0 0 0.0 | Unknown | 0 | | | | | | | | | | | 0.0 |
| 0-12 0 0.0 0.0 0.0 0 0.0 | Age group (vears) | | | | | | | | | | | | |
| 13-19 0 0.0 0 < | 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 0 0.0 0 < | 13-19 | 0 | 0.0 | | 0.0 | | | | 0.0 | | | | 0.0 |
| 30-39 1 100.0 1 100.0 0 0.0 1 100.0 28 17.0 0 0.1 40-49 0 0.0 0 | | Õ | | | | | | 0 | | | | | 0.0 |
| 40-49 0 0.0 0 < | | 1 | | - | | | | | | | | | 0.0 |
| 50-59 0 0.0 0 0 0 <td< td=""><td></td><td>-</td><td></td><td>-</td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td>0.0</td></td<> | | - | | - | | | | - | | | | | 0.0 |
| 50+ 0 0.0 0 0.0 0 0.0 0 0.0 65 39.4 1 100.4 Transmission category Men who have sex with men (MSM) 0 0.0 0 0.0 1 100.0 85 51.5 0 0.1 Injection drug use history (IDU) 0 0.0 0 0.0 0 0.0 0 0.0 1 100.0 13 7.9 1 100.1 MSM-IDU 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 13 7.9 1 100.1 MSM-IDU 0 0.0 0 0.0 0 0.0 0 0.0 0 <td></td> <td>0.0</td> | | | | | | | | | | | | | 0.0 |
| Men who have sex with men (MSM) 0 0.0 0 0.0 0 0.0 1 100.0 85 51.5 0 0.0 njection drug use history (IDU) 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 100.0 85 51.5 0 0.0 MSM-IDU 0 0.0 0 <th< td=""><td>60+</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100.0</td></th<> | 60+ | | | | | | | | | | | | 100.0 |
| Men who have sex with men (MSM) 0 0.0 0 0.0 0 0.0 1 100.0 85 51.5 0 0.0 njection drug use history (IDU) 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 100.0 85 51.5 0 0.0 MSM-IDU 0 0.0 0 <th< td=""><td>Transmission category</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<> | Transmission category | | | | | | | | | | | | |
| Injection drug use history (IDU)00.000.000.0137.91100.1MSM-IDU00.000.000.000.000.000.0Heterosexual contact1100.01100.000.000.03320.000.0Transgender people with sexual contact00.000.000.000.000.0Perinatal00.000.000.000.000.000.0Other00.00.00.00.00.00.00.00.00.00.0 | Men who have sex with men (MSM) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 100.0 | 85 | 51.5 | 0 | 0.0 |
| MSM-IDU 0 0.0 <t< td=""><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td>100.0</td></t<> | | - | | | | | | - | | | | | 100.0 |
| Heterosexual contact 1 100.0 1 100.0 0 0.0 0.33 20.0 0 0.0 Transgender people with sexual contact 0 0.0 0.0 0 0.0 0 <td></td> <td>Ű</td> <td></td> <td>0.0</td> | | Ű | | | | | | | | | | | 0.0 |
| Transgender people with sexual contact 0 0.0 0 0 0.0 0 0 0 0 | | Ű | | - | | | | - | | | | | 0.0 |
| Perinatal 0 0.0 0 0.0 0 0.0 3 1.8 0 0.1 Other 0 0.0 0 0.0 0 0.0 0 0.0 2 1.2 0 0.1 | | • | | - | | | | | | | | | 0.0 |
| Other 0 0.0 0 0.0 0 0.0 0 0.0 2 1.2 0 0.0 | | - | | | | | | | | | | | 0.0 |
| | | | | | | | | | | | | | |
| | Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 14.5 | | 0.0 |

Table 1.10.5. Ridgewood - Forest Hills (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|---------------------|-------|---------|--------------------------------|-------------------|-------|---------------------|-------|--------|--------|
| | - | otal HIV agnoses | И | | Concurrent Wi AIDS Diagnose | | | | | | |
| | N | % | Ν | % | | % N | % | N | % | Ν | % |
| Total | 20 | 100.0 | 15 | 75.0 | 5 25. | 0 14 | 100.0 | 1,504 | 100.0 | 5 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 18 | 90.0 | 14 | 93.3 | 4 80. | 0 10 | 71.4 | 1,202 | 79.9 | 4 | 80.0 |
| Women | 2 | 10.0 | 1 | 6.7 | 1 20. | 0 4 | 28.6 | | 20.1 | 1 | 20.0 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 3 | 15.0 | 2 | 13.3 | 1 20. | 0 3 | 21.4 | 206 | 13.7 | 1 | 20.0 |
| Latino | 13 | 65.0 | 9 | 60.0 | 4 80. | 0 11 | 78.6 | 5 772 | 51.3 | 1 | 20.0 |
| White | 3 | 15.0 | 3 | 20.0 | 0 0. | 0 0 | 0.0 | 428 | 28.5 | 2 | 40.0 |
| Asian or Pacific Islander | 1 | 5.0 | 1 | 6.7 | 0 0. | 0 0 | 0.0 | 86 | 5.7 | 1 | 20.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 12 | 0.8 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 7 | 35.0 | 4 | 26.7 | 3 60. | | 28.6 | | 4.8 | 0 | 0.0 |
| 30-39 | 7 | 35.0 | 6 | 40.0 | 1 20. | | 50.0 | | 20.7 | 1 | 20.0 |
| 40-49 | 4 | 20.0 | 4 | 26.7 | 0 0. | | 7.1 | | 17.2 | 0 | 0.0 |
| 50-59 | 2 | 10.0 | 1 | 6.7 | 1 20. | 0 1 | 7.1 | | 24.2 | 1 | 20.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 1 | 7.1 | 493 | 32.8 | 3 | 60.0 |
| Transmission category | | | | | | | | _ | | | |
| Men who have sex with men (MSM) | 9 | 45.0 | 8 | 53.3 | 1 20. | 0 7 | 50.0 | | 58.4 | 2 | 40.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | | 5.8 | 0 | 0.0 |
| MSM-IDU | 1 | 5.0 | 0 | 0.0 | 1 20. | 0 1 | 7.1 | 34 | 2.3 | 0 | 0.0 |
| Heterosexual contact | 4 | 20.0 | 2 | 13.3 | 2 40. | 0 3 | 21.4 | | 17.6 | 2 | 40.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 1 | 7.1 | 16 | 1.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 27 | 1.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 |) 4 | 0.3 | 0 | 0.0 |
| Unknown | 6 | 30.0 | 5 | 33.3 | 1 20. | 0 2 | 14.3 | 193 | 12.8 | 1 | 20.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.6. Fresh Meadows (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | HIV Diagnoses, 2023 | | | | | | | noses, | People W as of 12/3 | | Deaths | i, 2023 |
|--|---------------------|----------|---|----------|----------|-------|---|-------------|------------------------|-------|--------|---------|
| | T | otal HIV | И | | | | | | | | | |
| | | agnoses | | | AIDS Dia | | | | | | | |
| | N | % | Ν | % | N | % | | % | | % | | % |
| Total | 7 | 100.0 | 5 | 71.4 | 2 | 28.6 | 2 | 100.0 | 333 | 100.0 | 4 | 100.0 |
| Orandon | | | | | | | | | | | | |
| Gender Men | F | 74 4 | 2 | <u> </u> | 2 | 100.0 | 0 | 100.0 | 206 | 61.9 | 4 | 100.0 |
| | 5 | 71.4 | 3 | 60.0 | 2 | | | 100.0 | | | | 100.0 |
| Women | 2 | 28.6 | 2 | 40.0 | 0 | 0.0 | 0 | 0.0 | 127 | 38.1 | 0 | 0.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 1 | 14.3 | 0 | 0.0 | 1 | 50.0 | 1 | 50.0 | 137 | 41.1 | 3 | 75.0 |
| Latino | 4 | 57.1 | 3 | 60.0 | 1 | 50.0 | 1 | 50.0 | 112 | 33.6 | 1 | 25.0 |
| White | 2 | 28.6 | 2 | 40.0 | 0 | 0.0 | 0 | 0.0 | 51 | 15.3 | 0 | 0.0 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 32 | 9.6 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 1 | 0.3 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.6 | 0 | 0.0 |
| 20-29 | 2 | 28.6 | 2 | 40.0 | 0 | 0.0 | 0 | 0.0 | 21 | 6.3 | 0 | 0.0 |
| 30-39 | 2 | 28.6 | 1 | 20.0 | 1 | 50.0 | 1 | 50.0 | 56 | 16.8 | 1 | 25.0 |
| 40-49 | 0 | 0.0 | Ó | 0.0 | Ó | 0.0 | | 0.0 | | 14.7 | 0 | 0.0 |
| 50-59 | 2 | 28.6 | 1 | 20.0 | 1 | 50.0 | | 50.0 | | 26.4 | Õ | 0.0 |
| 60+ | 1 | 14.3 | 1 | 20.0 | 0 | 0.0 | | 0.0 | | 35.1 | 3 | 75.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 2 | 28.6 | 1 | 20.0 | 1 | 50.0 | 1 | 50.0 | 119 | 35.7 | 3 | 75.0 |
| Injection drug use history (IDU) | 0 | 0.0 | Ó | 0.0 | 0 | 0.0 | | 0.0 | | 6.9 | 0 | 0.0 |
| MSM-IDU | 0 | 0.0 | Ő | 0.0 | 0 | 0.0 | | 0.0 | | 0.9 | 1 | 25.0 |
| Heterosexual contact | 2 | 28.6 | 1 | 20.0 | 1 | 50.0 | | 50.0 | | 29.7 | 0 | 25.0 |
| | | | | 20.0 | | 0.0 | | 50.0 0.0 | | 29.7 | 0 | |
| Transgender people with sexual contact | 0 | 0.0 | 0 | | 0 | | | | | | | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 3.6 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.3 | 0 | 0.0 |
| Unknown | 3 | 42.9 | 3 | 60.0 | 0 | 0.0 | 0 | 0.0 | 69 | 20.7 | 0 | 0.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.7. Southwest Queens (Queens)

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagn 2023 | oses, | People W as of 12/3 | | Deaths | s, 2023 |
|--|---------|---------------------|---------|-----------|------------------------|-----------|--------------------|------------|---------------------|------------|--------|------------|
| | Dia | otal HIV Ignoses | | AIDS | Concurren AIDS Diag | gnoses | | 0/ | | 0/ | | |
| Total | N 37 | % 100.0 | N 33 | % 89.2 | N 4 | % 10.8 | N 17 | % 100.0 | | % 100.0 | | % 100.0 |
| Total | 31 | 100.0 | 33 | 09.2 | 4 | 10.0 | 17 | 100.0 | 2,170 | 100.0 | 10 | 100.0 |
| Gender | | _ | | _ | | | | | | _ | | |
| Men | 30 | 81.1 | 26 | 78.8 | 4 | 100.0 | 15 | 88.2 | 1,573 | 72.3 | 8 | 80.0 |
| Women | 7 | 18.9 | 7 | 21.2 | 0 | 0.0 | 2 | 11.8 | 603 | 27.7 | 2 | 20.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 5 | 13.5 | 4 | 12.1 | 1 | 25.0 | 4 | 23.5 | | 24.1 | 3 | 30.0 |
| Latino | 24 | 64.9 | 21 | 63.6 | 3 | 75.0 | | 64.7 | | 49.0 | | 60.0 |
| White | 2 | 5.4 | 2 | 6.1 | 0 | 0.0 | 1 | 5.9 | | 14.0 | | 0.0 |
| Asian or Pacific Islander | 6 | 16.2 | 6 | 18.2 | 0 | 0.0 | | 5.9 | | 11.5 | | 10.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.7 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.6 | | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Age group (years) | | | _ | | | | _ | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 5.4 | 2 | 6.1 | 0 | 0.0 | 0 | 0.0 | | 0.2 | 0 | 0.0 |
| 20-29 | 18 | 48.6 | 16 | 48.5 | 2 | 50.0 | 4 | 23.5 | | 5.1 | 0 | 0.0 |
| 30-39 | 11 | 29.7 | 10 | 30.3 | 1 | 25.0 | 7 | 41.2 | | 18.1 | 0 | 0.0 |
| 40-49 | 5 | 13.5 | 4 | 12.1 | 1 | 25.0 | 4 | 23.5 | | 19.0 | | 20.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 25.9 | | 30.0 |
| 60+ | 1 | 2.7 | 1 | 3.0 | 0 | 0.0 | 2 | 11.8 | 690 | 31.7 | 5 | 50.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 19 | 51.4 | 18 | 54.5 | 1 | 25.0 | 10 | 58.8 | | 44.7 | | 10.0 |
| Injection drug use history (IDU) | 1 | 2.7 | 1 | 3.0 | 0 | 0.0 | 0 | 0.0 | | 7.4 | | 0.0 |
| MSM-IDU | 1 | 2.7 | 1 | 3.0 | 0 | 0.0 | 0 | 0.0 | | 1.5 | 0 | 0.0 |
| Heterosexual contact | 7 | 18.9 | 6 | 18.2 | 1 | 25.0 | 4 | 23.5 | | 24.3 | 4 | 40.0 |
| Transgender people with sexual contact | 1 | 2.7 | 1 | 3.0 | 0 | 0.0 | 0 | 0.0 | | 2.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 2.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.2 | 1 | 10.0 |
| Unknown | 8 | 21.6 | 6 | 18.2 | 2 | 50.0 | 3 | 17.6 | 387 | 17.8 | 4 | 40.0 |

Table 1.10.8. Jamaica (Queens)

| | | HIV D | iagno | oses, 2 | 2023 | 4 | AIDS Diagnoses 2023 | , People V as of 12/ | | Deaths | , 2023 |
|--|---------|---------------------|---------|-----------|-----------------------------|----------|------------------------|-------------------------|------------|--------|------------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent V AIDS Diagno | ses | | | | | |
| Total | N 59 | % 100.0 | N 43 | % 72.9 | N 16 2 | % 7.1 | N 45 100 | % N 0 3,528 | % 100.0 | | % 100.0 |
| | | | | | | | | , | | | |
| Gender | | | | | | | | | | | |
| Men | 46 | 78.0 | 32 | 74.4 | | 37.5 | 32 71 | | 62.8 | | 77.1 |
| Women | 13 | 22.0 | 11 | 25.6 | 2 1 | 2.5 | 13 28 | 9 1,313 | 37.2 | 8 | 22.9 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 30 | 50.8 | 25 | 58.1 | 5 3 | 31.3 | 19 42 | 2 2,368 | 67.1 | 32 | 91.4 |
| Latino | 22 | 37.3 | 12 | 27.9 | 10 6 | 62.5 | 24 53 | 3 811 | 23.0 | 2 | 5.7 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 178 | 5.0 | 1 | 2.9 |
| Asian or Pacific Islander | 7 | 11.9 | 6 | 14.0 | 1 | 6.3 | 1 2 | 2 135 | 3.8 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 13 | 0.4 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 2 | 2 19 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 4 | 0.1 | 0 | 0.0 |
| Age group (years) | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 3 | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 10 | 0.3 | 0 | 0.0 |
| 20-29 | 19 | 32.2 | 15 | 34.9 | 4 2 | 25.0 | 11 24 | 4 224 | 6.3 | 0 | 0.0 |
| 30-39 | 19 | 32.2 | 12 | 27.9 | 7 4 | 3.8 | 17 37 | 8 628 | 17.8 | 3 | 8.6 |
| 40-49 | 14 | 23.7 | 10 | 23.3 | 4 2 | 25.0 | 8 17 | 8 582 | 16.5 | 3 | 8.6 |
| 50-59 | 4 | 6.8 | 4 | 9.3 | | 0.0 | 5 11 | 1 824 | 23.4 | 9 | 25.7 |
| 60+ | 3 | 5.1 | 2 | 4.7 | | 6.3 | 4 8 | | 35.6 | | 57.1 |
| Transmission category | | | | | | | | | | | |
| Men who have sex with men (MSM) | 21 | 35.6 | 15 | 34.9 | 6 3 | 37.5 | 14 31 | 1 1,212 | 34.4 | 10 | 28.6 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 297 | 8.4 | 3 | 8.6 |
| MŚM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 48 | 1.4 | 3 | 8.6 |
| Heterosexual contact | 9 | 15.3 | 7 | 16.3 | 2 1 | 2.5 | 12 26 | 7 1,057 | 30.0 | 7 | 20.0 |
| Transgender people with sexual contact | 2 | 3.4 | 2 | 4.7 | 0 | 0.0 | 0 0 | | 2.2 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 0 | 0 94 | 2.7 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | | 0.0 | 1 2 | - | 0.2 | 0 | 0.0 |
| Unknown | 27 | 45.8 | 19 | 44.2 | | 50.0 | 18 40 | | 20.8 | | 34.3 |

Table 1.10.9. Southeast Queens (Queens)

| | | HIV D | • | | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | s, 2023 |
|--|-----|---------------------|----|-----------|---------------------------------|-------------------|-------|---------------------|-------|---------|---------|
| | Dia | otal HIV Ignoses | | AIDS | Concurrent Wit AIDS Diagnose | es | | | | | |
| | N | % | N | % 82.6 | | 6 N | % | | % | N 12 | % |
| Total | 23 | 100.0 | 19 | 82.6 | 4 17. | 4 14 | 100.0 | 1,427 | 100.0 | 12 | 100.0 |
| Gender | | | | | | | | | | | |
| Men | 18 | 78.3 | 15 | 78.9 | 3 75. | 0 8 | 57.1 | 816 | 57.2 | 10 | 83.3 |
| Women | 5 | 21.7 | 4 | 21.1 | 1 25. | 0 6 | 42.9 | 611 | 42.8 | 2 | 16.7 |
| Race or ethnicity | | | | | | | | | | | |
| Black | 18 | 78.3 | 15 | 78.9 | 3 75. | | 64.3 | | 75.0 | | 83.3 |
| Latino | 2 | 8.7 | 2 | 10.5 | 0 0. | | 21.4 | | 13.7 | | 0.0 |
| White | 0 | 0.0 | 0 | 0.0 | 0 0. | | 7.1 | | 6.0 | | 8.3 |
| Asian or Pacific Islander | 3 | 13.0 | 2 | 10.5 | 1 25. | | 7.1 | | 4.8 | | 8.3 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | | 0.1 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | | 0.6 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 0. | 0 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Age group (years) | | | _ | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.1 | 0 | 0.0 |
| 20-29 | 7 | 30.4 | 7 | 36.8 | 0 0. | | 14.3 | | 4.7 | 0 | 0.0 |
| 30-39 | 7 | 30.4 | 5 | 26.3 | 2 50. | | 42.9 | | 14.2 | | 16.7 |
| 40-49 | 5 | 21.7 | 4 | 21.1 | 1 25. | | 21.4 | | 17.4 | | 16.7 |
| 50-59 | 3 | 13.0 | 3 | 15.8 | 0 0. | | 7.1 | | 25.3 | | 8.3 |
| 60+ | 1 | 4.3 | 0 | 0.0 | 1 25. | 0 2 | 14.3 | 546 | 38.3 | 7 | 58.3 |
| Transmission category | | | _ | | | | | | | | |
| Men who have sex with men (MSM) | 6 | 26.1 | 5 | 26.3 | 1 25. | | 28.6 | | 24.2 | | 25.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0. | | 7.1 | | 7.8 | | 8.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | | 1.5 | | 0.0 |
| Heterosexual contact | 4 | 17.4 | 3 | 15.8 | 1 25. | | 14.3 | | 39.2 | | 16.7 |
| Transgender people with sexual contact | 1 | 4.3 | 1 | 5.3 | 0 0. | - | 0.0 | | 0.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 0. | - | 0.0 | - | 2.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 0. | | 0.0 | | 0.4 | 0 | 0.0 |
| Unknown | 12 | 52.2 | 10 | 52.6 | 2 50. | 0 7 | 50.0 | 331 | 23.2 | 6 | 50.0 |

Table 1.10.10. Rockaway (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagn 2023 | ioses, | People W as of 12/3 | | Deaths | , 2023 |
|--|-----|--------------|-------|-----------|----------------------|-------------|--------------------|--------|---------------------|-------|--------|--------|
| | - | otal HIV | И | | Concurre AIDS Dia | | | | | | | |
| | N N | agnoses % | Ν | AIDS % | AIDS Dia | gnoses % | | % | N | % | N | % |
| Total | 21 | 100.0 | 19 | 90.5 | 2 | 9.5 | 15 | 100.0 | | 100.0 | 30 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 17 | 81.0 | 15 | 78.9 | 2 | 100.0 | 11 | 73.3 | 796 | 59.8 | 21 | 70.0 |
| Women | 4 | 19.0 | 4 | 21.1 | 0 | 0.0 | 4 | 26.7 | | 40.2 | 9 | 30.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 10 | 47.6 | 10 | 52.6 | 0 | 0.0 | 9 | 60.0 | | 62.5 | 22 | 73.3 |
| Latino | 10 | 47.6 | 8 | 42.1 | 2 | 100.0 | 4 | 26.7 | 351 | 26.4 | 5 | 16.7 |
| White | 1 | 4.8 | 1 | 5.3 | 0 | 0.0 | 2 | 13.3 | | 8.9 | 3 | 10.0 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 1.2 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 1.0 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.2 | 0 | 0.0 |
| 20-29 | 7 | 33.3 | 7 | 36.8 | 0 | 0.0 | 0 | 0.0 | | 5.8 | 0 | 0.0 |
| 30-39 | 9 | 42.9 | 7 | 36.8 | 2 | 100.0 | 7 | 46.7 | | 16.2 | 3 | 10.0 |
| 40-49 | 1 | 4.8 | 1 | 5.3 | 0 | 0.0 | 1 | 6.7 | | 16.4 | 2 | 6.7 |
| 50-59 | 2 | 9.5 | 2 | 10.5 | 0 | 0.0 | 2 | 13.3 | | 24.6 | | 23.3 |
| 60+ | 2 | 9.5 | 2 | 10.5 | 0 | 0.0 | 5 | 33.3 | 490 | 36.8 | 18 | 60.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 11 | 52.4 | 10 | 52.6 | 1 | 50.0 | 6 | 40.0 | | 30.6 | | 16.7 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 6.7 | | 11.4 | 11 | 36.7 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 6.7 | | 2.0 | 1 | 3.3 |
| Heterosexual contact | 3 | 14.3 | 3 | 15.8 | 0 | 0.0 | | 33.3 | | 32.7 | 9 | 30.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 1.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 3.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| Unknown | 7 | 33.3 | 6 | 31.6 | 1 | 50.0 | 2 | 13.3 | 251 | 18.8 | 4 | 13.3 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.11.1. Port Richmond (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | • | | | | AIDS Diagi 2023 | | People W as of 12/3 | | Deaths | s, 2023 |
|--|---|----------|---|------|----------|-------|--------------------|-------|---------------------|-------|--------|---------|
| | T | otal HIV | И | | Concurre | | | | | | | |
| | | agnoses | | | AIDS Dia | | | | | | | |
| | N | % | N | % | N | % | | % | | % | | % |
| Total | 8 | 100.0 | 5 | 62.5 | 3 | 37.5 | 7 | 100.0 | 626 | 100.0 | 10 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 6 | 75.0 | 3 | 60.0 | 3 | 100.0 | 7 | 100.0 | 366 | 58.5 | 8 | 80.0 |
| Women | 2 | 25.0 | 2 | 40.0 | 0 | 0.0 | 0 | 0.0 | | 41.5 | | 20.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 2 | 25.0 | 2 | 40.0 | 0 | 0.0 | 2 | 28.6 | 324 | 51.8 | 7 | 70.0 |
| Latino | 4 | 50.0 | 1 | 20.0 | 3 | 100.0 | 3 | 42.9 | 201 | 32.1 | 2 | 20.0 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 84 | 13.4 | 1 | 10.0 |
| Asian or Pacific Islander | 1 | 12.5 | 1 | 20.0 | 0 | 0.0 | 1 | 14.3 | 6 | 1.0 | 0 | 0.0 |
| Other or unknown | 1 | 12.5 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | 11 | 1.8 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| 13-19 | 1 | 12.5 | 1 | 20.0 | 0 | 0.0 | | 0.0 | | 0.5 | | 0.0 |
| 20-29 | 2 | 25.0 | 2 | 40.0 | 0 | 0.0 | | 0.0 | | 5.1 | 0 | 0.0 |
| 30-39 | 2 | 25.0 | 0 | 0.0 | 2 | 66.7 | | 57.1 | | 17.4 | - | 0.0 |
| 40-49 | 2 | 25.0 | 1 | 20.0 | 1 | 33.3 | | 28.6 | | 18.1 | 2 | 20.0 |
| 50-59 | 1 | 12.5 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | | 23.3 | | 20.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 223 | 35.6 | 6 | 60.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 4 | 50.0 | 2 | 40.0 | 2 | 66.7 | | 42.9 | | 29.7 | | 0.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | | 15.5 | | 40.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 2.9 | | 10.0 |
| Heterosexual contact | 1 | 12.5 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | | 31.3 | 3 | 30.0 |
| Transgender people with sexual contact | 1 | 12.5 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | 17 | 2.7 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 2.7 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 2 | 25.0 | 1 | 20.0 | 1 | 33.3 | 3 | 42.9 | 95 | 15.2 | 2 | 20.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.11.2. Stapleton - St. George (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diagr 2023 | | People W as of 12/3 | | Deaths | s, 2023 |
|--|----|---------------------|-------|---------|----------------------|--------|--------------------|-------|---------------------|-------|--------|---------|
| | - | otal HIV agnoses | И | AIDS | Concurre AIDS Dia | | | | | | | |
| | N | % | Ν | % | Ν | - % | | % | | % | | % |
| Total | 15 | 100.0 | 12 | 80.0 | 3 | 20.0 | 8 | 100.0 | 1,220 | 100.0 | 22 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 11 | 73.3 | 8 | 66.7 | 3 | 100.0 | 6 | 75.0 | 792 | 64.9 | 16 | 72.7 |
| Women | 4 | 26.7 | 4 | 33.3 | 0 | 0.0 | 2 | 25.0 | | 35.1 | 6 | 27.3 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 7 | 46.7 | 5 | 41.7 | 2 | 66.7 | 5 | 62.5 | 561 | 46.0 | 10 | 45.5 |
| Latino | 7 | 46.7 | 6 | 50.0 | 1 | 33.3 | 3 | 37.5 | 359 | 29.4 | 4 | 18.2 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 269 | 22.0 | 7 | 31.8 |
| Asian or Pacific Islander | 1 | 6.7 | 1 | 8.3 | 0 | 0.0 | 0 | 0.0 | 22 | 1.8 | 1 | 4.5 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.7 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 20-29 | 5 | 33.3 | 5 | 41.7 | 0 | 0.0 | 2 | 25.0 | 56 | 4.6 | 0 | 0.0 |
| 30-39 | 7 | 46.7 | 5 | 41.7 | 2 | 66.7 | 4 | 50.0 | 186 | 15.2 | 1 | 4.5 |
| 40-49 | 2 | 13.3 | 2 | 16.7 | 0 | 0.0 | 1 | 12.5 | 189 | 15.5 | 2 | 9.1 |
| 50-59 | 1 | 6.7 | 0 | 0.0 | 1 | 33.3 | 1 | 12.5 | 314 | 25.7 | 6 | 27.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 475 | 38.9 | 13 | 59.1 |
| Transmission category | | | | | _ | | | | | - | | |
| Men who have sex with men (MSM) | 7 | 46.7 | 5 | 41.7 | 2 | 66.7 | 3 | 37.5 | 420 | 34.4 | 4 | 18.2 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 170 | 13.9 | 6 | 27.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 34 | 2.8 | 2 | 9.1 |
| Heterosexual contact | 1 | 6.7 | 1 | 8.3 | 0 | 0.0 | 1 | 12.5 | 323 | 26.5 | 5 | 22.7 |
| Transgender people with sexual contact | 3 | 20.0 | 3 | 25.0 | 0 | 0.0 | 0 | 0.0 | 35 | 2.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 25.0 | | 2.3 | | 0.0 |
| Other | Ō | 0.0 | Ō | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| Unknown | 4 | 26.7 | 3 | 25.0 | 1 | 33.3 | 2 | 25.0 | | 17.2 | | 22.7 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.11.3. Willowbrook (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV D | iagno | oses, 2 | 2023 | | AIDS Diag 2023 | | People W as of 12/3 | | Deaths | , 2023 |
|--|----|----------|-------|---------|----------|-------|-------------------|-------|---------------------|-------|--------|--------|
| | | otal HIV | И | | Concurre | | | | | | | |
| | | ignoses | | | AIDS Dia | | | | | | | |
| | N | % | N | % | N | % | | % | | % | N | % |
| Total | 13 | 100.0 | 12 | 92.3 | 1 | 7.7 | 4 | 100.0 | 248 | 100.0 | 5 | 100.0 |
| Gender | | | | | | | | | | | | |
| Men | 8 | 61.5 | 7 | 58.3 | 1 | 100.0 | 4 | 100.0 | 169 | 68.1 | 4 | 80.0 |
| Women | 5 | 38.5 | 5 | 41.7 | 0 | 0.0 | 0 | 0.0 | | 31.9 | 1 | 20.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 3 | 23.1 | 3 | 25.0 | 0 | 0.0 | 0 | 0.0 | 59 | 23.8 | 1 | 20.0 |
| Latino | 5 | 38.5 | 5 | 41.7 | 0 | 0.0 | 0 | 0.0 | 77 | 31.0 | 2 | 40.0 |
| White | 5 | 38.5 | 4 | 33.3 | 1 | 100.0 | 4 | 100.0 | | 39.1 | 2 | 40.0 |
| Asian or Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 5.2 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.8 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | 0 | 0.0 |
| 20-29 | 4 | 30.8 | 4 | 33.3 | 0 | 0.0 | 0 | 0.0 | | 6.5 | 0 | 0.0 |
| 30-39 | 3 | 23.1 | 3 | 25.0 | 0 | 0.0 | 0 | 0.0 | | 16.1 | 0 | 0.0 |
| 40-49 | 3 | 23.1 | 2 | 16.7 | 1 | 100.0 | 1 | 25.0 | | 15.3 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 25.8 | 2 | 40.0 |
| 60+ | 3 | 23.1 | 3 | 25.0 | 0 | 0.0 | 3 | 75.0 | 90 | 36.3 | 3 | 60.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 4 | 30.8 | 3 | 25.0 | 1 | 100.0 | 2 | 50.0 | | 38.3 | 1 | 20.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 25.0 | | 12.1 | 3 | 60.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 2.4 | 0 | 0.0 |
| Heterosexual contact | 4 | 30.8 | 4 | 33.3 | 0 | 0.0 | 1 | 25.0 | | 24.2 | 0 | 0.0 |
| Transgender people with sexual contact | 1 | 7.7 | 1 | 8.3 | 0 | 0.0 | 0 | 0.0 | | 2.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 2.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.4 | 0 | 0.0 |
| Unknown | 4 | 30.8 | 4 | 33.3 | 0 | 0.0 | 0 | 0.0 | 44 | 17.7 | 1 | 20.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP code is included in Willowbrook: 10314.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.11.4. South Beach - Tottenville (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2023, to December 31, 2023; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2023

| | | HIV | Diagno | oses, 2 | 023 | | AIDS Diag 2023 | noses, S | People W as of 12/3 | /ith HIV 31/2023 | Deaths | s, 2023 |
|--|-----|----------|--------|---------|----------|-------------|-------------------|-------------|---------------------|---------------------|--------|-------------|
| | T | otal HIV | | | Concurre | | | | | | | |
| | Dia | agnoses | Withou | | AIDS Dia | ignoses | | | | | | |
| | N | % | N | % | N | % | | % | | % | N | % |
| Total | 9 | 100.0 | 7 | 77.8 | 2 | 22.2 | 3 | 100.0 | 470 | 100.0 | 2 | 100.0 |
| | | | | | | | | | | | | |
| Gender | - | 00.0 | -7 | 100.0 | | 50.0 | | 00.0 | 004 | 00.0 | | 50.0 |
| Men | 8 | 88.9 | 1 | 100.0 | 1 | 50.0 | | 33.3 | | 68.9 | | 50.0 |
| Women | 1 | 11.1 | 0 | 0.0 | 1 | 50.0 | 2 | 66.7 | 146 | 31.1 | 1 | 50.0 |
| Race or ethnicity | | | | | | | | | | | | |
| Black | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 69 | 14.7 | 0 | 0.0 |
| Latino | 3 | 33.3 | 1 | 14.3 | 2 | 100.0 | 2 | 66.7 | 137 | 29.1 | 1 | 50.0 |
| White | 5 | 55.6 | 5 | 71.4 | 0 | 0.0 | 0 | 0.0 | 251 | 53.4 | 1 | 50.0 |
| Asian or Pacific Islander | 1 | 11.1 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 10 | 2.1 | 0 | 0.0 |
| Other or unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.6 | 0 | 0.0 |
| Age group (Years) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.9 | 0 | 0.0 |
| 20-29 | 1 | 11.1 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 21 | 4.5 | 0 | 0.0 |
| 30-39 | 2 | 22.2 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 50 | 10.6 | 0 | 0.0 |
| 40-49 | 3 | 33.3 | 1 | 14.3 | 2 | 100.0 | | 100.0 | 62 | 13.2 | Ō | 0.0 |
| 50-59 | 3 | 33.3 | 3 | 42.9 | 0 | 0.0 | | 0.0 | | 29.8 | 1 | 50.0 |
| 60+ | Ő | 0.0 | 0 | 0.0 | 0 | 0.0 | - | 0.0 | | 41.1 | 1 | 50.0 |
| Transmission category | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 4 | 44.4 | 4 | 57.1 | 0 | 0.0 | 0 | 0.0 | 139 | 29.6 | 0 | 0.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 0 | 0.0 | | 0.0 | | 15.1 | 1 | 50.0 |
| MSM-IDU | 0 | 0.0 | Ő | 0.0 | 0 | 0.0 | - | 0.0 | | 2.1 | Ó | 0.0 |
| Heterosexual contact | 1 | 11.1 | 0 | 0.0 | 1 | 50.0 | | 33.3 | | 27.2 | 1 | 50.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 50.0 0.0 | | 33.3 0.0 | | 0.6 | 0 | 50.0 0.0 |
| Perinatal | - | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.6 3.6 | | 0.0 |
| | 0 | | 0 | | 0 | | - | | | | 0 | |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.6 | 0 | 0.0 |
| Unknown | 4 | 44.4 | 3 | 42.9 | 1 | 50.0 | 2 | 66.7 | 99 | 21.1 | 0 | 0.0 |

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312. In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of <500 people or a cell with a denominator of <100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 2.1. Rate of New HIV Diagnoses, Prevalence of People With HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2023 Overall and by Gender, Age, and Race or Ethnicity

| | HIV Diagnoses per 100,000 People ^{1,2} | People With HIV as a Percent of Population ² | Age-Adjusted Death Rate per 1,000 People With HIV ³ | 2022 New York City Population⁴ |
|---------------------------|---|---|--|--------------------------------------|
| Total | 20.2 | 1.6 | 7.5 | 8,335,897 |
| | | | | |
| Gender | | | | |
| Men | 33.2 | 2.5 | 7.6 | 4,007,108 |
| Women | 8.2 | 0.8 | 7.6 | 4,328,789 |
| Race or ethnicity | | | | |
| Black | 38.5 | 3.1 | 9.9 | 1,812,467 |
| Latino | 29.4 | 1.9 | 6.5 | 2,423,203 |
| White | 7.0 | 1.0 | 4.5 | 2,618,297 |
| Asian or Pacific Islander | | | | |
| Native American | 14.7* | 1.5 | 10.0* | 20,349 |
| Multiracial | 5.6* | 0.4 | 10.0* | 161,054 |
| Age group (years) | | | | |
| 13 - 19 | 6.5 | 0.0 | 4.2* | 631,398 |
| 20 - 29 | 47.6 | 0.5 | 3.8 | 1,188,418 |
| 30 - 39 | 43.2 | 1.7 | 5.0 | 1,319,894 |
| 40 - 49 | 25.9 | 2.2 | 5.8 | 1,039,199 |
| 50 - 59 | 14.1 | 3.3 | 10.5 | 1,042,682 |
| 60+ | 4.9 | 2.5 | 19.3 | 1,891,662 |

As reported to the NYC Health Department by March 31, 2024.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using NYC Health Department 2022 population estimates, modified from US Census Bureau intercensal population estimates.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator. ⁴Population from NYC Health Department intercensal estimates.

Table 2.2. Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2023

Overall and by Borough and United Hospital Fund Neighborhood of Residence

| | HIV Diagnoses per 100,000 People ^{1,2} | People With HIV as a Percent of Population ² | Age-Adjusted Death Rate per 1,000 People With HIV ³ | 2022 New York City Population ⁴ |
|--------------------------------------|---|---|--|--|
| Total | 20.2 | . 1.6 | 7.5 | 8,335,897 |
| Description | 07.0 | | 10.1 | 4 070 040 |
| Bronx ⁵ | 27.0 | 2.3 | 10.4 | 1,379,946 |
| Crotona - Tremont | 35.2 | 3.1 | 12.3 | 207,295 |
| Fordham - Bronx Park | 32.5 | 2.4 | 10.7 | 255,075 |
| High Bridge - Morrisania | 35.0 | 3.1 | 12.9 | 208,352 |
| Hunts Point - Mott Haven | 35.1 | 3.0 | 10.0 | 136,691 |
| Kingsbridge - Riverdale | 12.3 | 1.0 | 9.5 | 89,433 |
| Northeast Bronx | 18.5 | 1.4 | 9.9 | 199,806 |
| Pelham - Throgs Neck | 16.3 | 1.5 | 5.2 | 288,083 |
| Brooklyn⁵ | 18.1 | 1.2 | 9.0 | 2,590,516 |
| Bedford Stuyvesant - Crown Heights | 29.4 | 2.4 | 9.0 | 337,087 |
| Bensonhurst - Bay Ridge | 4.9* | 0.4 | 4.3* | 205,091 |
| Borough Park | 6.7 | 0.4 | 6.3 | 329,335 |
| Canarsie - Flatlands | 21.6 | 0.9 | 5.9 | 203,324 |
| Coney Island - Sheepshead Bay | 10.0 | 0.5 | 6.1* | 288,853 |
| Downtown - Heights - Park Slope | 14.2 | 1.1 | 4.8 | 259,761 |
| East Flatbush - Flatbush | 25.1 | 2.0 | 4.0 | 291,220 |
| East New York | 30.0 | 2.0 | 22.1 | |
| | | | | 196,880 |
| Greenpoint | 7.1* | 0.6 | 4.2* | 139,968 |
| Sunset Park | 15.2 | 0.8 | 4.6* | 118,127 |
| Williamsburg - Bushwick | 30.3 | 1.7 | 6.0 | 220,872 |
| Manhattan⁵ | 18.7 | 2.1 | 6.1 | 1,596,273 |
| Central Harlem - Morningside Heights | 28.8 | 2.8 | 10.2 | 180,261 |
| Chelsea - Clinton | 35.2 | 4.8 | 3.7 | 153,207 |
| East Harlem | 34.7 | 2.7 | 9.4 | 112,442 |
| Gramercy Park - Murray Hill | 21.3 | 1.6 | 3.3 | 131,716 |
| Greenwich Village - Soho | 7.8* | 2.1 | 2.6* | 77,104 |
| Lower Manhattan | 9.9* | 1.0 | 6.1* | 60,895 |
| Union Square - Lower East Side | 10.3 | 1.6 | 5.4 | 184,007 |
| Upper East Side | 8.9 | 0.8 | 4.9 | 203,150 |
| Upper West Side | 8.7 | 1.5 | | |
| 1 | | | 7.4 | 218,047 |
| Washington Heights - Inwood | 21.6 | 1.9 | 6.3 | 264,348 |
| Queens ⁵ | 15.4 | 0.9 | 4.5 | 2,278,029 |
| Bayside - Little Neck | 1.1* | 0.2 | 1.7* | 90,386 |
| Flushing - Clearview | 9.6 | 0.4 | 6.4* | 250,796 |
| Fresh Meadows | 7.3* | 0.3 | 5.5* | 96,256 |
| Jamaica | 18.4 | 1.1 | 6.3 | 319,852 |
| Long Island City - Astoria | 17.7 | 1.3 | 4.7 | 197,260 |
| Ridgewood - Forest Hills | 7.8 | 0.6 | 1.4* | 255,214 |
| Rockaway | 16.1 | 1.0 | 12.5 | 130,164 |
| Southeast Queens | 10.8 | 0.7 | 5.4 | 213,527 |
| Southwest Queens | 13.2 | 0.8 | 3.3* | 280,047 |
| West Queens | 27.5 | 1.4 | 2.6 | 450,833 |
| Staten Island ⁵ | 9.2 | 0.5 | 7.0 | 491,133 |
| | | | | |
| Port Richmond | 11.1* | 0.9 | 7.3* | 71,985 |
| South Beach - Tottenville | 4.6* | 0.2 | 1.3* | 195,506 |
| Stapleton - St. George | 11.7 | 0.9 | 8.6 | 128,508 |
| Willowbrook | 13.7 | 0.3 | 8.6* | 95,135 |

As reported to the NYC Health Department by March 31, 2024.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution. ¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using NYC Health Department 2022 population estimates, modified from US Census Bureau intercensal population estimates. ³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC Health Department intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.