


SUMMARY OF VITAL STATISTICS 1975 THE CITY OF NEW YORK

The CONQUEST OF PESTILENCE in New York City ~

... As Shown by the Death Rate as Recorded in the Official Records of the Department of Health.



CONTENTS

	PAGE
Table 1. Population, births, marriages, deaths, fetal deaths and infant mortality, 1898-1975	2
Table 2. Births, deaths, puerperal deaths and fetal deaths by borough of report, 1975	2
Table 3. Births, fetal deaths, infant mortality, and deaths by borough of residence, 1975	2
Table 4. Deaths by cause and borough of residence, 1975	3
Table 5. Chief causes of death in certain age groups, 1975	4
Table 6. Infant and puerperal mortality by ethnic group, 1965-1975	5
Table 7. Total reported terminated pregnancies by type of termination, 1969-1975	5
Table 8. Deaths and crude death rates, 1901-1975	6, 7
Table 9a. Live births, infant, neonatal, postneonatal mortality by health center district of residence, 1975 ...	8
Table 9b. Population, total deaths, selected causes of death by health center district of residence, 1975	9
Table 10. Live births and fetal deaths (20 weeks and over) by age of mother, 1975	10
Table 11. Deaths from accidents, 1975	11
Table 12. Population in 1970 and deaths in 1975 by age, color and sex	11
Table 13. Expectation of life in New York City 1950, 1960, 1970 and in the United States, 1970	11
Table 14. Age specific death rates, 1909-1971	12
Table 15. Age-adjusted death rates, certain causes, 1901-1971	12
Table 16. Cases of reportable infectious diseases, 1940-1975	12

Table 1. Population, Births, Marriages, Deaths and Infant Mortality, 1898-1975

YEAR	Estimated Population July 1	LIVE BIRTHS*		MARRIAGES		DEATHS		FETAL DEATHS		INFANT MORTALITY	
		Total Re-reported	Rate per 1,000	Total Re-reported	Rate per 1,000	Total Re-reported	Rate per 1,000	Total Re-reported	Ratio to 1,000 Live Births	Deaths Under One Year	Rate per 1,000 Live Births
1898-1900..	3,358,000	119,000	35.4	30,535	9.1	67,503	20.1	5,639	47.4	16,264	136.7
1901-1905..	3,786,000	129,000	34.1	37,988	10.0	71,689	18.9	6,096	47.3	15,611	121.0
1906-1910..	4,473,000	144,000	32.2	44,966	10.1	75,865	17.0	6,927	48.1	16,609	115.3
1911-1915..	5,049,000	140,581	27.8	51,157	10.1	74,666	14.9	6,590	46.9	14,060	100.0
1916-1920..	5,492,000	136,101	24.9	59,081	10.8	80,435	14.6	6,276	46.1	12,004	88.2
1921-1925..	6,175,000	130,462	21.1	62,710	10.1	69,303	11.2	6,205	47.6	8,985	68.9
1926-1930..	6,703,000	125,590	18.7	65,278	9.7	75,395	11.2	5,899	47.0	7,662	61.0
1931-1935..	7,101,000	108,179	15.0	63,273	8.9	75,561	10.6	5,259	49.5	5,521	52.0
1936-1940..	7,363,000	102,418	13.9	69,184	9.4	76,065	10.3	5,930†	57.9	4,079	39.8
1941-1945..	7,597,000	126,495	16.7	76,086	10.0	78,382	10.3	9,770	77.2	3,528	30.3
1946-1950..	7,815,000	158,926	20.3	90,924	11.6	79,708	10.2	14,387	90.5	4,139	26.0
1951.....	7,891,000	162,755	20.6	76,983	9.8	79,109	10.0	17,961	110.4	3,847	23.6
1952.....	7,879,000	164,165	20.8	71,004	9.0	81,139	10.3	18,549	113.0	3,980	24.2
1953.....	7,867,000	161,499	20.5	71,942	9.1	82,039	10.4	19,537	119.9	3,945	24.4
1954.....	7,854,000	164,060	20.9	69,900	8.9	79,014	10.1	20,379	124.2	3,891	23.7
1955.....	7,843,000	165,150	21.1	68,615	8.7	81,612	10.4	20,384	123.4	4,268	25.8
1956.....	7,831,000	165,553	21.1	70,291	9.0	81,118	10.4	21,527	130.0	4,052	24.5
1957.....	7,818,000	166,977	21.4	69,498	8.9	84,141	10.8	21,810	130.6	4,176	25.0
1958.....	7,806,000	167,775	21.5	67,594	8.7	84,586	10.8	23,331	133.1	4,435	26.4
1959.....	7,794,000	168,138	21.6	66,887	8.6	85,352	11.0	22,665	134.8	4,458	26.5
1960.....	7,782,000	166,300	21.4	67,133	8.6	86,252	11.1	23,055	138.6	4,328	26.0
1961.....	7,793,000	168,383	21.6	66,258	8.5	86,855	11.1	22,286	132.4	4,307	25.6
1962.....	7,805,000	165,244	21.2	65,512	8.4	87,089	11.2	22,461	135.9	4,510	27.3
1963.....	7,816,000	167,848	21.5	67,886	8.7	88,621	11.3	22,484	134.0	4,334	25.8
1964.....	7,828,000	165,695	21.2	70,053	9.0	88,026	11.2	23,416	141.3	4,438	26.8
1965.....	7,839,000	158,815	20.3	71,880	9.2	87,395	11.1	21,923	138.0	4,076	25.7
1966.....	7,850,000	153,334	19.5	66,689	8.5	88,418	11.3	19,872	129.6	3,819	24.9
1967.....	7,862,000	145,802	18.5	68,876	8.8	87,610	11.1	18,805	129.0	3,489	23.9
1968.....	7,873,000	141,920	18.0	73,307	9.3	91,169	11.6	18,061	127.3	3,282	23.1
1969.....	7,885,000	146,221	18.5	75,220	9.5	88,535	11.2	18,010	123.2	3,563	24.4
1970.....	7,896,000	149,192	18.9	74,174	9.4	88,191	11.2	23,819‡	159.6‡	3,230	21.6
1971.....	7,896,000	131,920	16.7	73,810	9.3	86,724	11.0	16,448‡	124.7‡	2,751	20.9
1972.....	7,896,000	117,088	14.8	73,253	9.3	85,363	10.8	5,992‡	51.2‡	2,321	19.8
1973.....	7,896,000	110,639	14.0	70,104	8.9	82,319	10.4	3,919‡	35.4‡	2,206	19.9
1974.....	7,896,000	110,642	14.0	61,925	7.8	79,846	10.1	2,848‡	25.7‡	2,175	19.7
1975.....	7,896,000	109,418	13.9	59,591	7.5	76,312	9.7	8,122	74.2‡	2,110	19.3

NOTE: Figures for single years prior to 1941 appear in the annual summaries for 1965 and earlier.

* 1898-1913 birth figures are estimated, as the number actually reported was undoubtedly incomplete.

† Increase due to improved reporting of fetal deaths under 20 weeks gestation.

‡ Excludes induced abortions after liberalized abortion law went into effect July 1, 1970.

Table 2. Births, Deaths, Puerperal Deaths and Fetal Deaths, by Borough of Report, 1975

BOROUGH	Estimated Population July 1	LIVE BIRTHS	DEATHS	SPONTANEOUS FETAL DEATHS	PUERPERAL DEATHS	
					Number	Rate per 10,000 Live Births
Manhattan.....	1,539,000	30,472	22,577	1,854	8	2.6
Bronx.....	1,472,000	16,482	12,829	1,241	6	3.6
Brooklyn.....	2,602,000	38,315	21,254	3,406	6	1.6
Queens.....	1,967,000	20,418	16,817	1,413	6	2.9
Richmond.....	296,000	3,731	2,835	208	0	—
City of New York.....	7,896,000	109,418	76,312	8,122	26	2.4

Table 3. Births, Fetal Deaths, and Deaths by Borough of Residence City of New York, 1975

	Total Recorded In New York City	Known Residents by Borough of Residence					Known Non-Residents of City	Permanent Res. Unknown
		Manhattan	Bronx	B'klyn	Queens	Rich'd		
Live births.....	109,418	16,466	20,415	39,207	21,929	4,365	6,655	381
Rate per 1,000 population.....	13.9	10.7	13.9	15.1	11.0	14.7
Fetal deaths (spontaneous).....	8,122	1,577	1,012	2,725	1,662	373	580	173
Ratio per 1,000 live births.....	74.2	95.8	49.6	69.5	76.7	85.5
Induced abortions.....	106,717	17,312	16,752	28,961	16,127	2,274	22,442	2,449
Ratio per 1,000 live births.....	...	105.4	830.6	738.7	735.4	521.0
Deaths under one year.....	2,110	315	372	768	308	74	251	22
Rate per 1,000 live births.....	19.3	19.1	18.2	19.6	14.0	17.0
Deaths under 28 days.....	1,586	233	275	586	238	57	179	18
Rate per 1,000 live births.....	14.5	14.2	13.5	14.9	10.9	13.1
Deaths from all causes.....	76,312	16,019	12,916	21,933	17,896	2,535	4,403	660
Rate per 1,000 population.....	9.7	10.4	8.8	8.4	9.0	8.6
Deaths in Resident Institutions.....	2,762	644	1,381	440	180	117

Table 4. Deaths by Cause and Borough of Residence, City of New York, 1975

CAUSE OF DEATH	Total Recorded In New York City	Known Residents by Borough of Residence					Res. of Inst.	Known Non-Residents Res. of City	Perma- nent Res. Un- known
		Man- hattan	Bronx	B'klyn	Queens	Rich'd			
TOTAL, ALL CAUSES	76,312	15,375	11,535	21,493	17,666	2,418	2,762	4,403	660
1. Total tuberculosis (010-019)	208	57	32	69	27	7	2	6	8
Respiratory tuberculosis (010-012)	177	49	27	62	23	4	0	5	7
Other forms (013-019)	31	8	5	7	4	3	2	1	1
2. Syphilis and its sequelae (090-097)	5	1	1	2	1	0	0	0	0
3. Infectious hepatitis (070)	45	8	3	19	10	1	0	4	0
4. Other infective and parasitic diseases (Rest of 000-136)	378	76	64	118	67	12	8	33	0
5. Malignant neoplasms, all (140-209)	16,893	3,053	2,315	4,448	3,968	543	1,022	1,477	67
Buccal cavity and pharynx (140-149)	445	110	48	84	78	9	62	51	3
Digestive organs and peritoneum (150-159)	5,234	968	771	1,389	1,276	167	317	326	20
Stomach (151)	862	163	129	255	188	25	57	42	3
Large intestine (153)	2,051	360	296	542	520	76	136	114	7
Rectum (154)	546	77	81	135	164	17	46	25	1
Biliary passages and liver (155, 156)	358	87	48	86	78	16	13	29	1
Pancreas (157)	895	173	130	224	236	19	37	72	4
Respiratory system (160-163)	3,443	628	461	928	830	153	189	231	23
Trachea, Bronchus, and Lung (162)	3,198	580	432	874	773	143	161	213	22
Breast and Genito-urinary organs (174, 180-189)	4,309	736	554	1,148	1,034	115	327	381	14
Breast (174)	1,711	302	211	454	417	35	138	156	4
Cervix uteri (180)	275	54	32	77	50	4	28	29	1
Ovary, Fallopian tube and broad ligament (183)	500	86	74	137	119	13	21	49	1
Prostate (185)	755	123	101	206	184	29	62	46	4
Bladder and other urinary organs (186-189)	701	114	85	190	180	17	47	65	3
Other and unspecified sites (170-173, 190-199)	1,843	325	264	489	403	53	88	216	5
Lymphatic and hematopoietic tissues (200-209)	1,619	286	217	410	347	46	39	272	2
Leukemia and aleukemia (204-207)	667	122	84	160	123	22	8	147	1
6. Benign and unspecified neoplasms (210-239)	268	49	41	60	73	7	5	33	0
7. Diabetes (250)	1,723	325	310	540	393	33	44	71	7
8. Alcoholism (303)	298	93	50	106	30	4	0	6	9
9. Drug dependence (304)	529	172	131	58	86	12	0	48	22
10. Total Cardiovascular-renal (390-458, 582-584)	38,084	7,264	5,643	11,069	9,718	1,292	1,324	1,539	235
Cerebrovascular disease (430-438)	4,676	950	655	1,275	1,312	141	157	165	21
Diseases of heart (393-398, 410-429)	30,518	5,652	4,559	8,912	7,789	1,068	1,109	1,234	195
Chronic rheumatic heart disease (393-398)	545	104	99	135	124	19	5	53	6
Ischemic heart disease (410-414)	28,737	5,277	4,256	8,390	7,428	1,006	1,080	1,119	181
Other forms of heart disease (420-429)	1,236	271	204	387	237	43	24	62	8
Hypertensive disease (400-404)	511	85	77	161	137	15	13	20	3
Arteriosclerosis (440)	568	165	57	214	89	14	11	13	5
Chronic and unspecified nephritis (582-584)	365	93	62	108	73	6	8	14	1
11. Influenza and pneumonia (470-474, 480-486)	2,880	533	396	840	649	98	217	125	22
12. Bronchitis, emphysema, and asthma (490-493)	607	125	112	166	145	25	10	18	6
13. Ulcer of stomach and duodenum (531-533)	477	95	80	123	114	24	5	31	5
14. Appendicitis (540-543)	25	4	5	9	5	1	0	1	0
15. Intestinal obstruction and hernia (550-553, 560)	252	58	39	64	55	14	5	13	4
16. Cirrhosis of liver (571)	2,348	804	379	560	411	54	3	76	61
17. Acute nephritis and nephrosis (580, 581)	40	5	8	10	9	2	1	5	0
18. Hyperplasia of prostate (600)	79	18	22	16	18	1	1	3	0
19. Complications of pregnancy, childbirth, and the puerperium (630-678)	26	2	9	7	7	0	0	1	0
20. Congenital anomalies (740-759)	543	69	88	158	80	15	5	127	1
21. Certain diseases of perinatal morbidity and mortality (760-779)	1,240	192	212	469	176	47	0	132	12
22. Ill defined (780-796)	858	201	120	339	116	21	1	37	23
23. All other diseases	3,822	905	603	1,084	742	115	100	241	32
24. Total accidents (800-949)	1,536	272	221	451	303	50	7	204	28
Motor vehicle accidents (810-823)	629	97	114	186	134	23	1	63	11
Home accidents	465	105	69	154	103	15	2	12	5
25. Injury undetermined whether accidentally or purposely inflicted (980-989)	838	290	180	147	114	13	1	34	59
26. Suicide and self inflicted injuries (950-959)	679	222	90	131	166	15	0	45	10
27. Homicide (960-978, 990-999)	1,631	482	381	430	183	12	1	93	49

Numbers in parentheses are those of the International Classification of Disease, Injuries and Causes of Death, 1968 Revision, 1969 — Accidents and Suicides not strictly comparable with previous years figures. New classification has a new rubric — deaths from injuries undetermined whether accidentally or purposely inflicted. The number of deaths assigned to this rubric in 1969 just about equals the decrease in deaths assigned to suicides and accidents other than motor vehicle.

Table 5.

Chief Causes of Death in Certain Age Groups (a)
City of New York, 1975

Males		ALL AGES	Females	
Deaths	Percent		Deaths	Percent
16,235	39	Heart Diseases	14,567	42
8,859	21	Malignant Neoplasms	8,034	23
2,005	5	Cerebrovascular Diseases	2,671	8
1,534	4	Influenza and Pneumonia	1,346	4
1,673	4	Cirrhosis of Liver	675	2
730	2	Diabetes Mellitus	993	3
1,347	3	Homicides	284	1
1,018	2	Accidents	518	1
7,848	20	All Other Causes	5,975	16
41,249	100	Total	35,063	100
UNDER ONE YEAR				
200	17	Congenital Anomalies	150	16
144	12	Immaturity	125	13
140	12	Postnatal Asphyxia and Atelectasis	100	11
111	9	Sudden Infant Death Syndrome	88	9
54	5	Influenza and Pneumonia	52	6
27	2	Gastrointestinal Diseases	24	4
20	2	Birth Injuries	19	2
379	32	Other Diseases of Early Infancy	312	33
96	9	All Other Causes	69	6
1,171	100	Total	939	100
1 TO 14 YEARS				
105	25	Accidents	52	17
84	20	Malignant Neoplasms	54	18
53	13	Congenital Anomalies	43	14
28	7	Influenza and Pneumonia	15	5
22	5	Homicides	20	7
16	4	Diseases of Nervous System and Sense Organs	20	7
13	3	Infective and Parasitic Diseases	5	2
4	1	Diseases of the Digestive System	9	3
98	22	All Other Causes	82	27
423	100	Total	300	100
15 TO 24 YEARS				
313	29	Homicides	64	15
155	14	Drug Dependence	52	12
138	13	Accidents	42	10
73	7	Malignant Neoplasms	44	10
52	5	Suicides	33	7
22	2	Heart Diseases	9	2
19	2	Congenital Anomalies	12	3
13	1	Diseases of Nervous System and Sense Organs	13	3
14	1	Influenza and Pneumonia	12	3
293	26	All Other Causes	160	35
1,092	100	Total	441	100
25 TO 44 YEARS				
389	11	Malignant Neoplasms	442	25
677	19	Homicides	110	6
461	13	Cirrhosis of Liver	180	10
413	11	Heart Diseases	181	10
266	7	Accidents	71	4
233	6	Drug Dependence	54	3
186	5	Suicides	87	5
100	3	Cerebrovascular Diseases	71	4
932	25	All Other Causes	570	33
3,657	100	Total	1,766	100
45 TO 64 YEARS				
4,510	39	Heart Diseases	2,056	28
3,040	27	Malignant Neoplasms	2,977	40
894	8	Cirrhosis of Liver	327	4
419	4	Cerebrovascular Diseases	391	5
290	3	Influenza and Pneumonia	187	3
235	2	Diabetes Mellitus	223	3
236	2	Other Diseases of Digestive System	207	3
245	2	Accidents	97	1
1,596	13	All Other Causes	986	13
11,455	100	Total	7,451	100
65 AND OVER				
11,276	48	Heart Diseases	12,315	51
5,271	22	Malignant Neoplasms	4,516	19
1,472	6	Cerebrovascular Diseases	2,195	9
1,085	5	Influenza and Pneumonia	1,039	4
456	2	Diabetes Mellitus	741	3
521	2	Other Diseases of Digestive System	537	2
508	2	Other Diseases of Circulatory System	550	2
257	1	Accidents	252	1
2,605	12	All Other Causes	2,021	9
23,451	100	Total	24,166	100

(a) Eight leading causes of death in each age group arranged in order of importance for both sexes combined.

Table 6. Infant and Puerperal Mortality by Ethnic Group, New York City, 1965-1975

Ethnic Group	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975
Live Births											
Total	158,815	153,334	145,802	141,920	146,221	149,192	131,920	117,088	110,639	110,642	109,418
Puerto Rican	24,498	23,907	23,578	23,641	24,364	24,434	21,010	17,173	15,035	14,518	13,856
Nonwhite	40,962	39,980	38,365	38,403	41,266	44,148	39,349	36,273	35,475	36,944	38,975
Other	93,355	89,447	83,859	79,876	80,591	80,610	71,561	63,642	60,129	59,180	56,587
Infant Deaths											
Total	4,076	4,819	3,489	3,282	3,563	3,230	2,751	2,321	2,206	2,175	2,110
Puerto Rican	653	591	572	592	561	471	413	314	293	252	245
Nonwhite	1,812	1,529	1,390	1,271	1,405	1,320	1,077	923	849	909	925
Other	1,811	1,699	1,527	1,419	1,597	1,439	1,261	1,084	1,064	1,014	940
Infant Mortality Rates*											
Total	25.7	24.9	23.9	23.1	24.4	21.6	20.0	19.8	19.9	19.7	19.3
Puerto Rican	26.7	24.7	24.3	25.0	23.0	19.3	19.7	18.3	19.5	17.4	17.7
Nonwhite	39.4	38.2	36.2	33.1	34.0	29.9	27.4	25.4	23.9	24.6	23.7
Other	19.4	19.0	18.2	17.8	19.8	17.9	17.6	17.0	17.7	17.1	16.6
Deaths Under 28 Days											
Total	3,044	2,856	2,662	2,430	2,642	2,419	1,983	1,750	1,639	1,611	1,586
Puerto Rican	487	443	447	450	399	357	297	223	220	185	188
Nonwhite	1,190	1,120	1,038	897	1,022	965	740	674	617	654	682
Other	1,367	1,293	1,177	1,083	1,221	1,097	946	853	802	772	716
Neonatal Mortality Rates*											
Total	19.2	18.6	18.3	17.1	18.1	16.2	15.0	14.9	14.8	14.6	14.5
Puerto Rican	19.9	18.5	19.0	19.0	16.4	14.6	14.1	13.0	14.6	12.7	13.6
Nonwhite	29.1	28.0	27.1	23.4	24.8	21.9	18.8	18.6	17.4	17.7	17.5
Other	14.6	14.5	14.0	13.6	15.2	13.6	13.2	13.4	13.3	13.0	12.7
Puerperal Deaths											
Total	104	80	76	66	77	68	37	54	36	28	26
Puerto Rican	24	15	10	7	14	10	14	9	8	3	0
Nonwhite	51	40	45	41	48	43	14	34	17	20	17
Other	29	25	21	18	15	15	9	11	11	5	9
Puerperal Mortality Rates**											
Total	6.5	5.2	5.2	4.7	5.3	4.6	2.8	4.6	3.3	2.5	2.4
Puerto Rican	9.8	6.3	4.2	3.0	5.8	4.1	6.7	5.2	5.3	2.1	—
Nonwhite	12.5	10.0	11.7	10.7	11.6	9.7	3.6	9.4	5.8	5.4	4.4
Other	3.1	2.8	2.5	2.3	1.9	1.9	1.3	1.7	1.8	0.8	1.6

*Rates per 1,000 live births.

**Rates per 10,000 live births.

Table 7. Total Reported Terminated Pregnancies by Type of Termination New York City, 1969-1975

Type of delivery	Numbers						
	1969	1970	1971	1972	1973	1974	1975
Live births	146,221	149,192	131,920	117,088	110,639	110,642	109,418
Under 20 weeks	265	399	307	121	142	76	67
20-27 weeks	1,247	1,219	963	890	892	826	806
28 weeks & over	142,311	145,475	127,190	113,308	108,515	109,605	107,674
Gestation not stated	2,398	2,099	3,460	2,769	1,040	135	871
Spontaneous fetal deaths	16,750	23,344	5,834	5,782	3,680	2,541	7,874
Under 20 weeks	11,998	17,480	4,259	2,792	2,189	378	1,811
20-27 weeks	1,721	2,355	578	2,380	1,185	379	1,473
28 weeks +	1,852	1,820	618	581	287	1,393	1,170
Gestation not stated	48	103	9	29	19	391	3,420
Illegal abortions	1,179	1,789	379	29	2	0	0
Ectopic pregnancies	48	103	9	8	2	0	0
Induced abortions	362	367	165	202	237	307	248
	850	43,999	202,435	203,247	149,755	120,829	106,317

Table 8.

Deaths and Crude Death Rates per 100,000 F

CAUSE	1901-	1906-	1911-	1916-	1921-	1926-	1931-	1936-
	1905	1910	1915	1920	1925	1930	1935	1940
Infant deaths.....	15,611	16,609	14,060	12,004	8,985	7,662	5,521	4,079
Rate (a).....	120.8	115.2	100.0	88.2	68.9	61.0	52.0	39.8
Neonatal deaths.....	(b)	(b)	5,143	4,894	4,309	3,892	3,152	2,631
Rate (a).....	37.4	36.0	33.0	31.0	29.7	25.7
Infant deaths (under 7 days).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)	2,110
Rate (a).....	20.5
Fetal deaths (28 wks. gestation & over).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)	2,589
Ratio (a).....	25.3
Perinatal rate (c).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)	44.7
Measles (55).....	616	925	630	559	405	255	107	31
Rate (d).....	144.0	191.8	119.8	100.5	73.2	46.8	21.4	6.5
Meningococcus men. (36).....	846	485	185	184	106	305	142	87
Rate.....	22.3	10.8	3.7	3.4	1.7	4.6	2.0	1.2
Tuberculosis of resp. sys. (10-12).....	8,154	8,832	8,745	7,915	4,937	4,574	4,068	3,280
Rate.....	215.4	197.5	173.2	144.1	80.0	68.2	57.3	50.0
Other tuberculosis (13-19).....	1,246	1,288	1,415	1,189	754	670	498	345
Rate.....	32.9	28.8	28.0	21.6	12.2	10.0	7.0	4.7
Influenza (470-474).....	449	412	393	4,480	725	874	625	250
Rate.....	11.9	9.2	7.8	81.6	11.7	13.0	8.8	3.4
Pneumonia (480-486).....	9,976	10,573	10,135	12,656	8,210	9,115	7,580	5,087
Rate.....	263.5	236.4	200.7	230.4	133.0	136.0	106.7	69.1
Other respiratory (460-466, 490-519).....	3,224	2,307	1,458	1,407	689	622	594	536
Rate.....	85.2	51.6	38.9	25.6	11.2	9.3	8.4	7.3
Malignant neoplasms (140-209) (e).....	2,621	3,334	4,256	4,993	6,229	7,637	9,062	11,257
Rate.....	69.2	74.5	84.3	90.9	100.9	113.9	127.6	152.9
Diabetes (250).....	520	690	916	1,063	1,284	1,624	2,140	2,787
Rate.....	13.7	15.4	18.1	19.4	20.8	24.2	30.1	37.9
Appendicitis (540-543).....	472	565	664	686	912	1,053	1,059	857
Rate.....	12.5	12.6	13.2	12.5	14.8	15.7	14.9	11.6
Nephritis (580-584).....	5,752	5,600	5,499	5,676	4,108	3,411	3,608	3,675
Rate.....	151.9	125.2	108.9	103.4	50.9	50.8	50.9	40.6
Circulatory system (390-458).....	5,954	9,148	12,699	14,792	18,114	21,815	23,706	25,711
Rate.....	157.3	204.5	251.5	269.3	293.3	325.5	333.8	349.2
Vascular lesions (430-438) (f).....	2,593	1,790	970	834	719	723	1,333	3,846
Rate.....	68.4	40.0	19.2	15.2	11.6	10.8	20.2	52.2
Drug dependence (304).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)
Rate.....
Suicides (950-959) (i).....	761	825	686	742	842	1,163	1,369	1,191
Rate.....	20.1	18.4	17.2	13.5	13.6	17.4	19.3	16.2
Homicides (960-978) (990-999).....	143	247	293	271	334	405	522	341
Rate.....	3.8	5.5	5.8	4.9	5.4	6.0	7.4	4.5
Automobile accidents (810-823).....	(b)	(b)	253	658	929	1,175	1,167	920
Rate.....	5.0	12.0	15.0	17.5	16.4	12.5
Home accidents (g).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)	1,546
Rate.....	21.0
Other accidents.....	3,521	3,549	3,516	3,426	3,138	3,574	3,205	1,561
Rate.....	93.0	79.3	69.3	62.4	50.8	53.3	45.1	21.2
Injury undetermined (980-989) (j).....	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)
Rate.....
Puerperal diseases (630-678).....	694	745	694	664	689	651	608	372
Rate—per 10,000 live births.....	53.7	51.7	49.4	48.8	52.8	51.8	57.3	36.3

Numbers following disease names are numbers of the International List, 8th Revision. (a) Rates are per 1,000 live births. (b) Not available. (c) Fetal deaths (28 wks. +) plus infant deaths (-7 days) per 1,000 live births plus fetal deaths (28 +). (d) Rates for measles per 100,000 under five years; (e) Includes neoplasms of lymphatic and haematopoietic tissues. (f) Coding changed in 1935, giving greater weight to cerebral hemorrhage than to arteriosclerosis. The rate for 1931-1934 was 9.1 and for 1935 it was 44.9. (g) Beginning with 1936 accidents occurring in other than residential hospitals were classified as "public" rather than "home," thus reducing home accident totals. Beginning

0,000 Population, City of New York, 1901 to 1975

ANNUAL AVERAGE

1936-1940	1941-1945	1946-1948	1949-1951	1952-1955	1956-1960	1961-1965	1966-1970	1971	1972	1973	1974	1975
4,079	3,828	4,298	3,882	4,021	4,290	4,333	3,477	2,751	2,321	2,206	2,175	2,110
39.8	30.3	26.8	24.5	24.6	25.7	26.2	23.6	20.9	19.8	19.9	19.7	19.3
2,431	2,764	3,298	2,989	3,032	3,220	3,226	2,602	1,983	1,750	1,639	1,611	1,586
25.7	21.9	20.5	18.9	18.5	19.3	19.5	17.7	15.0	14.9	14.8	14.6	14.5
2,110	2,338	2,845	2,604	2,713	2,909	2,922	2,351	1,749	1,524	1,406	1,368	1,352
20.5	18.5	17.7	16.4	16.6	17.4	17.7	16.0	13.3	13.0	12.7	12.4	12.4
2,589	2,709	2,902	2,441	2,310	2,362	2,276	1,885	1,553	1,249	1,074	1,393	1,170
25.3	21.4	18.1	15.4	14.1	14.1	13.8	12.8	11.8	10.7	9.7	12.6	10.7
44.7	39.1	35.1	31.3	30.3	31.1	31.0	28.4	24.7	23.4	22.2	24.6	22.8
31	14	16	10	12	12	8	2	4	1	0	2	0
6.5	2.6	2.4	1.4	1.8	1.8	1.1	0.2	0.6	0.2	...	0.3	...
87	135	40	32	34	27	24	19	18	6	8	9	10
1.2	1.8	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1
3,680	3,281	2,932	2,173	1,178	824	624	432	286	303	225	184	177
50.0	43.2	37.7	27.4	15.0	10.6	8.0	5.5	3.6	3.8	2.8	2.3	2.2
345	304	229	172	97	52	43	39	30	32	34	31	31
4.7	4.0	2.9	2.2	1.2	0.7	0.5	0.5	0.4	0.4	0.4	0.4	0.4
250	108	48	57	51	68	32	63	13	41	33	22	27
3.4	1.4	0.6	0.7	0.6	0.9	0.4	0.8	0.2	0.5	0.4	0.3	0.3
5,087	3,345	2,966	2,412	2,613	3,391	3,362	3,499	3,346	3,231	3,157	3,099	2,853
69.1	44.0	38.2	30.4	33.2	43.4	42.9	44.4	42.4	40.9	40.0	39.2	36.1
536	492	424	450	461	651	960	1,425	1,569	1,710	1,569	1,676	1,613
7.3	6.5	5.5	5.7	5.9	8.3	12.3	18.1	19.9	21.7	19.9	21.2	20.4
11,257	13,169	14,627	15,556	16,553	16,869	17,387	17,814	17,863	17,601	17,365	16,853	16,893
152.9	173.3	188.2	196.0	210.6	216.1	222.1	226.3	226.2	222.9	219.9	213.4	213.9
2,787	3,131	3,423	1,583	1,644	1,581	1,789	1,867	2,190	2,233	2,100	2,076	1,723
57.9	41.2	44.0	19.9	20.9	20.3	22.9	23.7	27.7	28.3	26.6	26.3	21.8
357	441	273	192	162	136	94	64	50	59	41	35	25
11.6	5.8	3.5	2.4	2.1	1.7	1.2	0.8	0.6	0.7	0.5	0.4	0.3
3,675	3,081	2,574	570	556	573	509	447	364	332	401	357	405
40.6	40.6	33.1	7.2	7.1	7.3	6.5	5.7	4.6	4.2	5.1	4.5	5.1
25,711	30,886	32,539	36,206	37,724	38,988	39,943	41,918	43,062	42,398	40,265	39,749	37,719
349.2	406.6	418.7	456.3	479.9	499.5	510.2	532.4	545.3	537.0	509.9	503.4	477.7
3,846	3,611	3,710	5,099	5,688	6,013	6,174	6,277	5,993	5,884	5,469	5,142	4,676
52.2	47.5	47.7	64.3	72.4	77.0	78.9	79.7	75.9	74.5	69.3	65.1	59.2
(b)	(b)	(b)	(b)	81	96	263	551	867	752	543	694	529
...	1.0	1.2	3.4	7.0	11.0	9.5	6.9	8.8	6.7
1,191	907	930	863	649	711	908	680	590	608	656	670	679
16.2	11.9	12.0	10.9	8.3	9.1	11.6	8.6	7.5	7.7	8.3	8.5	8.6
351	265	362	318	340	366	592	992	1,558	1,781	1,766	1,581	1,631
4.5	3.5	4.7	4.0	4.3	4.7	7.6	12.6	19.7	22.6	22.4	20.0	20.7
920	728	635	600	634	655	714	887	963	890	963	723	629
12.5	9.6	8.2	7.6	8.1	8.4	9.1	11.3	12.2	11.3	12.2	9.2	8.0
1,546	1,823	1,941	1,699	1,568	1,095	951	871	828	854	928	702	465
21.0	24.0	25.0	21.4	19.9	14.0	12.1	11.1	10.5	10.8	11.8	8.9	5.9
1,561	1,268	1,314	1,008	882	996	996	859	429	510	532	506	442
21.2	16.7	16.9	12.7	11.2	12.8	12.7	10.9	5.4	6.5	6.7	6.4	5.6
(b)	(b)	(b)	(b)	(b)	(b)	(b)	946	1,206	1,227	1,102	936	838
...	10.9	15.3	15.5	14.0	11.9	10.6
372	255	178	115	102	107	109	73	37	54	36	28	26
36.3	20.2	11.1	7.3	6.2	6.4	6.6	5.0	2.8	4.6	3.3	2.5	2.4

with 1958 accidents in all hospitals were classified as "public" resulting in a small additional drop in some accident totals. (h) Rate is less than 0.05. (i) The 7th Revision of the International List now classifies deaths reported as due to "fall or jump" from high places, ingestion of poison, or inhalation of gas where an indication is undetermined whether injury was inflicted accidentally or with suicidal intent as suicides. Previously such deaths had been classified as accidental deaths. (j) The 8th Revision of the International List has a new rubric thereby making accidents and suicides not strictly comparable with previous years figures.

Table 9a. Live Births, Infant, Neonatal and Postneonatal Mortality by Health Center District of Residence, New York City 1975

	LIVE BIRTHS						INFANT MORTALITY		NEONATAL MORTALITY		POSTNEONATAL MORTALITY	
	Number	Rate*	PERCENT OF TOTAL BIRTHS				Number	Rate**	Number	Rate**	Number	Rate**
			Puerto Rican Mothers	Non-white	Under 2501 grams	Late or no prenatal care***						
NEW YORK CITY	109,418	13.9	12.7	35.6	9.1	22.2	2,110	19.3	1,586	14.5	524	4.8
KNOWN RESIDENTS	102,382	†	13.4	37.2	9.2	23.0	1,837	17.9	1,389	13.6	448	4.4
MANHATTAN	16,466	10.7	14.1	39.8	10.1	23.5	315	19.1	233	14.2	82	5.0
Central Harlem	2,169	11.9	1.7	95.7	16.3	30.6	69	31.8	53	24.4	16	7.4
East Harlem	2,039	13.0	33.4	32.9	11.5	23.5	48	23.5	34	16.7	14	6.9
Kips Bay-Yorkville	1,459	6.4	1.7	10.0	8.3	11.6	23	15.8	21	14.4	2	1.4
Lower East Side	2,969	11.9	26.8	27.8	9.5	20.1	59	19.9	34	11.5	25	8.4
Lower West Side	1,873	7.4	11.3	27.3	7.7	21.2	26	13.9	20	10.7	6	3.2
Riverside	2,310	10.5	10.9	41.6	10.0	25.4	38	16.4	32	13.9	6	2.6
Washington Heights	3,647	14.7	8.9	37.5	8.0	26.7	52	14.3	39	10.7	13	3.6
BRONX	20,415	13.9	25.5	37.7	10.6	34.0	372	18.2	275	13.5	97	4.8
Fordham-Riverdale	2,757	11.3	16.1	19.2	7.4	24.2	36	13.1	28	10.2	8	2.9
Morrisania	3,782	14.4	28.3	53.1	13.5	42.9	93	24.6	68	18.0	25	6.6
Mott Haven	2,884	13.5	42.2	31.3	10.9	39.6	68	23.6	51	17.7	17	5.9
Pelham Bay	2,185	10.6	9.2	43.0	9.6	20.9	30	13.7	19	8.7	11	5.0
Tremont	5,304	20.5	30.3	45.2	11.4	42.5	99	18.7	75	14.1	24	4.5
Westchester	3,503	12.1	19.2	26.1	9.2	23.1	46	13.1	34	9.7	12	3.4
BROOKLYN	39,207	15.1	13.7	42.0	9.3	21.5	768	19.6	586	14.9	182	4.6
Bay Ridge	3,213	11.8	3.8	4.1	6.4	11.4	43	13.4	36	11.2	7	2.2
Bedford	4,777	17.3	3.6	89.8	12.4	27.6	125	26.2	90	18.8	35	7.3
Brownsville	5,541	17.4	13.8	64.1	11.2	23.6	120	21.7	88	15.9	32	5.8
Bushwick	4,127	17.9	30.3	40.0	9.8	28.8	83	20.1	57	13.8	26	6.3
Flushing	6,652	13.6	5.0	41.4	7.6	16.0	118	17.7	94	14.1	24	3.6
Fort Greene	3,195	16.1	13.5	73.0	12.4	28.0	97	30.4	68	21.3	29	9.1
Gravesend	3,342	10.6	6.0	13.7	7.4	16.6	52	15.6	43	12.9	9	2.7
Red Hook-Gowanus	1,878	13.3	22.4	33.4	9.9	20.5	46	24.5	38	20.2	8	4.3
Sunset Park	3,162	17.2	23.1	8.7	6.9	17.5	50	15.8	45	14.2	5	1.6
Williamsburg-Greenpoint	3,320	18.9	28.4	12.2	8.2	24.1	34	10.2	27	8.1	7	2.1
QUEENS	21,929	11.0	3.3	31.4	7.5	17.5	308	14.0	238	10.9	70	3.2
Astoria-Long Island City	3,039	12.2	4.3	17.8	6.8	16.1	41	13.5	29	9.5	12	3.9
Corona	3,650	14.3	4.4	29.3	6.9	17.7	47	12.9	38	10.4	9	2.5
Flushing	4,026	8.3	1.9	16.5	6.3	9.3	44	10.9	36	8.9	8	2.0
Jamaica East	4,168	12.1	2.2	75.4	10.7	27.7	87	20.9	65	15.6	22	5.3
Jamaica West	4,400	12.3	4.6	28.2	7.3	20.2	61	13.9	45	10.2	16	3.6
Maspeth-Forest Hills	2,646	9.0	2.6	8.6	6.4	10.6	28	10.6	25	9.4	3	1.1
RICHMOND	4,365	14.7	1.9	11.8	7.4	9.6	74	17.0	57	13.1	17	3.9
NON-RESIDENTS	6,655	251	...	179	...	72	...
RESIDENCE UNKNOWN	381	22	...	18	...	4	...

* Rate per 1,000 population.

** Rate per 1,000 live births.

*** Includes not stated prenatal care.

† This figure is not computed because known resident totals include only events occurring in New York City to known residents, and do not include events occurring outside of city to New York residents.

Table 9b. Population Total Deaths and Selected Causes of Death by Health Center District of Residence, New York City, 1975

District	POPULATION ESTIMATES July 1, 1970	Deaths All Causes		Ischemic and Other Heart Disease		Malignant Neoplasms		Cerebrovascular Disease		Pneumonia and Influenza		Cirrhosis of Liver	
		No.	Rate*	No.	Rate**	No.	Rate**	No.	Rate**	No.	Rate**	No.	Rate**
NEW YORK CITY	7,896,000	76,312	9.7	29,973	379.6	16,893	213.9	4,676	59.2	2,880	36.5	2,348	29.7
KNOWN RESIDENTS	7,896,000	68,487	†	27,499	†	14,327	†	4,333	†	2,516	†	2,208	†
MANHATTAN	1,539,000	15,375	10.0	5,548	360.5	3,063	198.4	950	61.7	533	34.6	804	52.2
Central Harlem	183,000	2,448	13.4	753	411.5	410	224.0	135	73.8	72	39.3	203	110.9
East Harlem	157,000	1,216	7.7	384	244.6	199	126.8	82	52.2	53	33.8	86	54.8
Kips Bay-Yorkville	229,000	2,075	9.1	822	359.0	492	214.8	141	61.6	77	33.6	72	31.4
Lower East Side	249,000	2,258	9.1	788	316.5	469	188.4	104	41.8	78	31.3	120	48.2
Lower West Side	253,000	2,844	11.2	1,063	420.2	601	237.5	174	68.8	115	45.5	133	52.6
Riverside	220,000	2,060	9.4	794	360.9	395	179.5	134	60.9	64	29.1	95	43.2
Washington Heights	248,000	2,474	10.0	944	380.6	487	196.4	180	72.6	74	29.8	95	38.3
BRONX	1,472,000	11,535	7.8	4,460	303.0	2,315	157.3	655	44.5	396	26.9	379	25.7
Fordham-Riverdale	243,000	2,602	10.7	1,125	463.0	579	238.3	166	68.3	82	33.7	59	24.3
Morrisania	262,000	1,378	5.3	384	146.6	234	89.3	55	21.0	43	16.4	74	28.2
Mott Haven	213,000	1,028	4.8	307	144.1	155	72.8	60	28.2	36	16.9	62	29.1
Pelham Bay	206,000	2,250	10.9	957	464.6	530	257.3	132	64.1	87	42.2	40	19.4
Tremont	259,000	1,502	5.8	501	193.4	234	90.3	65	25.1	56	21.6	76	29.3
Westchester	289,000	2,775	9.6	1,186	410.4	583	201.7	177	61.2	92	31.8	68	23.5
BROOKLYN	2,602,000	21,493	8.3	8,777	337.3	4,448	170.9	1,275	49.0	840	32.3	560	21.5
Bay Ridge	272,000	2,744	10.1	1,252	460.3	634	233.1	157	57.7	76	27.9	49	18.0
Bedford	276,000	1,921	7.0	573	207.6	365	132.2	128	46.4	84	30.4	89	32.2
Brownsville	319,000	1,885	5.9	641	200.9	397	124.5	103	32.3	78	24.5	57	17.9
Bushwick	230,000	1,518	6.6	562	244.3	267	116.1	89	38.7	65	28.3	56	24.3
Flatbush	489,000	4,549	9.3	2,030	415.1	982	200.8	279	57.1	167	34.2	68	13.9
Fort Greene	199,000	1,427	7.2	444	223.1	220	110.6	90	45.2	92	46.2	76	38.2
Gravesend	316,000	3,427	10.8	1,591	503.5	814	257.6	199	63.0	103	32.6	37	11.7
Red Hook-Gowanus	141,000	1,047	7.4	401	284.4	207	146.8	47	33.3	58	41.1	37	26.2
Sunset Park	184,000	1,645	8.9	734	398.9	322	175.0	111	60.3	72	39.1	35	19.0
Williamsburg-Greenpoint	176,000	1,330	7.6	549	311.9	240	136.4	72	40.9	45	25.6	56	31.8
QUEENS	1,987,000	17,666	8.9	7,665	385.8	3,968	199.7	1,312	66.0	649	32.7	411	20.7
Astoria-L.I.C.	250,000	2,518	10.1	1,070	428.0	564	225.6	187	74.8	105	42.0	75	30.0
Corona	256,000	2,161	8.4	888	346.9	481	187.9	159	62.1	91	35.5	48	18.8
Flushing	483,000	3,653	7.6	1,632	337.9	867	179.5	274	56.7	143	29.6	47	9.7
Jamaica East	344,000	2,553	7.4	984	286.0	545	158.4	173	50.3	94	27.3	95	27.6
Jamaica West	359,000	3,564	9.9	1,651	459.9	718	200.0	248	69.1	113	31.5	84	23.4
Maspeth-Forest Hills	295,000	3,217	10.9	1,440	488.1	793	268.8	271	91.9	103	34.9	62	21.0
RICHMOND	296,000	2,418	8.2	1,049	354.4	543	183.4	141	47.6	98	33.1	54	18.2
RES. OF INSTITUTIONS		2,762	...	1,104	...	1,022	...	157	...	217	...	3	...
KNOWN NON-RESIDENTS		4,403	...	1,181	...	1,477	...	165	...	125	...	76	...
PERMANENT RESIDENTS UNKNOWN		660	...	189	...	67	...	21	...	22	...	61	...

* Rate per 1,000 population.

** Rate per 100,000 population.

† This figure is not computed because known resident totals include only events occurring in New York City to known residents, and do not include events occurring outside of city to New York City Residents.

Table 10. Live Births and Fetal Deaths (20 Weeks and Over) by Age of Mother, City of New York, 1975

	Total Births	AGE OF MOTHER							40 & Over	Not Stated
		Under 15 Years	15-19	20-24	25-29	30-34	35-39			
Total Live Births	109,418	395	15,312	32,880	35,580	17,604	6,280	1,355	12	
Sex										
Male	55,831	194	7,738	16,845	18,259	8,892	3,203	692	8	
Female	53,587	201	7,574	16,035	17,321	8,712	3,077	663	4	
Race of Child										
White	69,052	137	7,254	20,551	24,696	11,668	3,912	825	9	
Negro	35,104	245	7,490	11,190	8,881	4,826	2,000	469	3	
Indian	67	..	4	20	26	10	6	1	..	
Chinese	1,576	..	46	349	753	288	119	21	..	
Japanese	287	24	146	95	19	3	..	
Other non-white	3,332	13	518	746	1,078	717	224	36	..	
Number of Child in Order of Birth										
(Live Births Only)										
First child	49,850	386	12,017	17,532	13,132	4,372	1,203	202	6	
Second child	32,811	8	2,754	10,290	12,672	5,445	1,424	218	..	
Third child	14,902	1	447	3,541	5,774	3,703	1,236	200	..	
Fourth Child	6,528	..	59	1,090	2,338	1,976	875	190	..	
Fifth Child	2,982	..	10	289	989	965	577	152	..	
Sixth child or more	1,515	..	4	100	641	1,131	951	392	..	
Not stated	116	..	21	38	34	12	4	1	6	
Weight at Delivery										
1000 grams and under	624	4	126	209	132	102	42	8	1	
1001-1500 grams	868	3	162	240	259	142	46	16	..	
1501-2000 grams	1,843	15	359	560	486	265	123	35	..	
2001-2500 grams	6,609	35	1,261	2,098	1,820	935	371	89	..	
2501 and over	99,429	337	13,399	29,758	32,872	16,156	5,697	1,206	4	
Not stated	45	1	5	15	11	4	1	1	7	
Plurality										
Single	107,279	388	15,097	32,294	34,827	17,191	6,138	1,332	12	
Twins	2,084	7	212	569	730	393	142	23	..	
Triplets	37	..	3	14	11	9	
Quadruplets	18	3	4	11	
Place of Birth										
Home	475	3	78	178	108	68	25	11	4	
Hospital										
Voluntary	77,559	236	8,806	22,119	27,301	13,529	4,610	953	5	
Proprietary	6,772	11	514	2,044	2,526	1,158	440	79	..	
Municipal	24,550	145	5,908	8,524	5,625	2,838	1,197	311	2	
Federal and State	2	1	1	..	
Foundling	
All Others	60	..	6	15	19	11	8	..	1	
Attendant										
M.D. not in hospital	7	4	2	1	
Nurse-Midwife*	4,142	18	969	1,441	1,005	484	187	37	1	
Ambulance	535	4	86	187	124	84	32	12	6	
In hospital:										
Private Service	58,056	70	3,267	15,371	23,355	11,487	3,774	732	..	
General Service	46,658	303	10,987	15,869	11,088	5,547	2,287	573	4	
All others	20	..	3	8	6	1	..	1	1	
Fetal Deaths (20+ Weeks)	1,001	2	141	273	293	171	89	24	8	
Sex										
Male	511	1	76	134	150	84	50	13	3	
Female	426	..	56	126	124	71	35	10	4	
Undetermined	64	1	9	13	19	16	4	1	1	
Weight at Delivery										
1000 grams and under	266	..	33	79	87	39	22	4	2	
1001-1500 grams	146	1	21	41	41	27	11	4	..	
1501-2000 grams	104	1	20	26	30	17	8	2	..	
2001-2500 grams	109	..	16	26	31	14	17	4	1	
2501 and over	240	..	29	63	72	45	22	8	1	
Not stated	136	..	22	38	32	29	9	2	4	

*Includes no deliveries performed by "old style" midwives. Last of such midwives retired in 1963.

Table 11. Deaths from Accidents* City of New York, 1975

Type of accident	All Ages	Age Group							75 and over
		0-4	5-14	15-24	25-44	45-64	65-74		
Total	1,536	52	116	180	337	342	206	303	
Occupational	42		1	7	13	18	2	1	
Home	465	34	24	23	58	96	78	152	
Poisonings (gas excepted)	5	1		1	1		2		
Poisonings by gases and vapors	8			1	2	2	2	1	
Fire and flames	131	13	13	7	28	25	25	20	
Suffocation	17	4	1		3	8	1		
Falls	254	10	4	10	19	54	38	119	
Other home accidents	50	6	6	4	5	7	10	12	
Motor Vehicle	629	11	65	98	155	137	84	79	
Injury to pedestrian	342	9	53	13	45	82	72	68	
Collision with other motor vehicle	115	1	1	29	49	26	7	2	
Collision with fixed object	106	1	3	33	46	16	3	4	
Non-collision	20		1	10	4	5			
Other motor vehicle	46		7	13	11	8	2	5	
Public Non-Motor Vehicle	388	7	26	49	107	89	41	69	
Subway and elevated train	11		1	3	2	4	1		
Air transportation	113	4	7	13	54	29	5	1	
Fire, explosion	11	1			2	6		1	
Drowning	41		6	14	14	5		2	
Falls	152		2	12	19	32	30	57	
Other public	60	2	9	7	16	13	5	8	
Type Unknown	12			3	4	2	1	2	

* Including 39 deaths occurring in New York City as a result of accidents out of city.

Table 12. Population in 1970 and Deaths in 1975, City of New York

Age	1970 Population by Age, Color and Sex					Deaths in 1975 by Age, Color and Sex				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
All ages	7,894,862	2,851,687	3,197,154	851,668	994,353	76,312	32,367	28,312	8,882	6,751
Under 5	615,831	215,643	206,700	97,592	95,896	2,412	786	562	559	505
5-9	631,748	216,942	207,102	104,957	102,729	226	79	64	36	24
10-14	624,166	220,021	211,777	96,354	96,014	195	74	47	50	37
15-19	602,327	217,211	219,834	80,527	84,755	503	206	101	129	67
20-24	649,640	228,709	270,121	63,586	87,224	1,030	449	155	308	118
25-29	596,566	216,387	226,749	66,286	87,144	1,212	506	187	382	137
30-34	479,020	169,297	171,582	61,395	76,746	1,214	465	200	392	157
35-39	494,931	157,231	164,548	54,832	68,320	1,225	452	232	343	198
40-44	470,704	109,154	186,387	50,793	64,370	1,772	651	352	466	303
45-49	479,839	173,375	202,993	46,577	56,894	2,728	1,040	663	626	399
50-54	462,177	170,195	208,548	36,555	46,879	4,034	1,679	1,083	799	473
55-59	463,418	178,335	218,042	28,758	38,283	5,111	2,241	1,424	870	576
60-64	426,617	168,750	203,930	22,550	30,987	7,033	3,331	2,202	869	631
65-69	355,284	134,286	178,693	17,893	24,412	8,626	4,213	2,852	888	673
70-74	270,715	100,047	143,517	11,447	15,704	9,753	4,571	3,661	784	737
75 and over	321,789	116,104	176,613	11,166	17,996	29,238	11,624	14,527	1,371	1,716

Table 13. Expectation of Life in New York City at Specified Ages, 1950, 1960, 1970 and United States 1970

Exact Age	M A L E							
	New York City						United States	
	1950		1960		1970		1970	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
0	68.1	39.3	67.3	60.8	67.1	61.5	68.0	61.3
5	63.4	38.0	64.3	59.2	63.7	58.9	64.6	58.9
10	58.6	35.2	59.5	54.5	58.9	54.0	59.8	54.0
15	53.7	48.3	54.6	49.0	54.0	49.2	54.9	49.2
20	48.9	44.0	49.8	45.0	49.4	44.8	50.3	44.7
30	39.4	35.5	40.4	36.3	40.4	36.8	41.1	36.5
40	30.1	27.4	31.2	28.5	31.4	29.1	31.9	28.6
50	21.8	20.4	22.6	21.5	23.3	22.2	23.4	21.6
60	15.0	15.0	15.6	15.7	16.3	16.5	16.2	15.7
70	9.7	10.7	10.1	11.5	10.8	12.0	10.5	11.2
Exact Age	F E M A L E							
	New York City						United States	
	1950		1960		1970		1970	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
0	71.2	64.2	73.1	67.6	74.8	71.2	75.6	69.4
5	68.0	62.6	69.8	65.6	71.2	68.5	72.0	66.7
10	63.2	57.8	64.9	60.8	66.4	63.6	67.1	61.8
15	58.3	53.0	60.0	55.9	61.5	58.7	62.2	57.0
20	53.4	48.4	55.2	51.1	56.7	54.0	57.4	52.2
30	43.8	39.5	45.5	41.9	47.1	44.7	47.7	42.0
40	34.4	30.9	36.1	33.4	37.8	36.0	38.3	34.2
50	25.6	23.4	27.2	25.6	29.0	28.1	29.3	26.3
60	17.7	17.3	19.0	18.7	20.9	21.2	21.0	19.4
70	11.1	11.9	11.9	13.0	13.6	15.1	13.6	13.7

**Table 14. Age Specific Death Rates Per 1,000 Population
City of New York, 1909-1971**

Age	1909-10-'11		1919-'20*		1929-'30-'31		1939-'40-'41		1949-'50-'51		1959-'60-'61		1969-'70-'71	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
0-4	50.2	43.2	32.4	26.5	19.4	15.4	11.3	8.8	7.6	6.0	8.2	6.4	6.6	5.3
5-9	4.2	3.9	3.8	3.1	2.5	2.0	1.0	0.8	0.6	0.5	0.7	0.5	0.6	0.4
10-14	2.4	2.3	2.4	2.2	1.7	1.3	0.9	0.7	0.6	0.4	0.5	0.3	0.5	0.3
15-19	3.9	3.1	4.0	3.7	2.6	2.2	1.3	1.1	0.9	0.6	0.9	0.5	1.8	0.7
20-24	5.3	4.6	5.8	5.4	3.4	3.2	1.7	1.6	1.3	0.9	1.5	0.7	2.9	0.9
25-29	6.9	5.9	6.5	6.0	3.8	3.4	2.2	2.0	1.4	1.2	1.7	1.0	2.8	1.1
30-34	9.6	7.6	7.7	7.0	5.1	4.1	3.1	2.4	2.0	1.6	2.4	1.6	3.3	1.7
35-39	13.0	9.3	9.2	7.3	7.0	5.9	4.5	3.2	3.2	2.2	3.5	2.3	4.8	2.5
40-44	16.5	11.2	10.9	9.0	10.1	6.9	7.0	4.8	5.5	3.6	5.6	3.5	6.7	3.6
45-49	20.8	14.3	15.2	12.1	14.8	10.5	11.7	7.4	8.9	5.3	8.6	5.0	9.5	5.3
50-54	26.5	19.1	20.6	16.3	22.0	15.0	17.2	11.5	14.5	8.3	13.7	7.2	13.5	7.3
55-59	37.0	28.8	30.1	24.8	32.0	23.4	25.9	17.5	22.6	12.8	19.7	9.8	19.8	9.9
60-64	51.4	44.1	40.8	35.8	44.7	35.3	37.9	26.8	32.0	20.5	30.5	15.8	28.3	13.4
65-69	68.5	58.9	59.1	55.0	62.0	50.2	55.0	40.8	46.2	29.7	43.4	24.2	41.1	20.3
70-74	80.6	81.2	85.1	79.5	84.3	73.3	78.0	62.5	68.0	49.7	61.1	40.7	57.3	32.6
75-79	127.3	114.4	116.2	107.6	120.7	109.2	111.4	93.3	95.9	77.0	87.7	65.6	83.1	55.3
80-84	167.4	159.6	162.6	143.6	170.9	151.2	149.8	141.5	134.0	121.2	138.9	117.1	120.3	91.7
85 & Over	257.4	232.3	224.8	210.2	242.8	227.5	230.5	222.2	202.8	183.8	206.6	198.3	167.0	155.6

* As Census date is the midpoint of the period presented, only two years are used for 1919-'20 calculation, the Census having been made on Jan. 1, 1920.

**Table 15. Age-Adjusted Death Rates (a) Certain Causes,
Per 100,000 Population, City of New York, 1901-1971**

Cause of Death	1901-'03	1909-'11	1919-'20	1929-'31	1939-'41	1949-'51	1959-'61	1969-'71
All causes	2,324.2	1,934.1	1,691.4	1,449.0	1,128.1	885.8	813.3	771.1
Respiratory tuberculosis	241.0	191.4	143.7	73.7	48.6	25.2	7.3	3.0
Other forms of tuberculosis	31.2	25.2	22.0	19.9	5.2	2.1	0.5	0.3
Influenza and pneumonia	302.8	260.8	301.7	178.6	60.3	30.7	36.4	29.0
Malignant neoplasms (b)	114.8	124.8	134.3	158.0	178.9	170.6	162.9	161.2
Diabetes	23.3	25.4	26.5	35.8	43.6	17.0	14.8	15.9
Appendicitis	13.4	13.6	14.6	16.9	9.4	2.3	1.2	0.5
Nephritis	244.8	181.9	141.6	63.3	52.6	6.7	5.5	3.5
Diseases of circulatory system	258.6	383.2	427.7	506.7	421.1	404.8	355.8	306.6
Cardiovascular-Renal	634.8	599.3	601.1	582.5	515.4	444.0	416.1	356.7
Total accidents	108.2	87.8	73.8	81.3	55.9	38.4	28.1	22.7 (d)
Auto accidents	(c)	(c)	14.9	22.6	12.8	7.3	31.0	11.6
Other accidents	(c)	(c)	58.9	58.7	43.1	31.0	20.3	11.6
Suicide	26.8	21.2	14.1	21.3	14.3	9.7	9.2	6.4 (d)
Homicide	3.6	5.1	6.2	8.0	4.4	4.0	5.3	14.0

(a) For 1901-'03 and 1909-'11 rates are adjusted for age and sex; for all other years rates are adjusted for age, sex and color. Standard is the population of the United States in 1940.

(b) Under malignant neoplasms in the sixth and later revisions are included deaths from Hodgkin's disease, leukemia and aplastic anemia, and mycosis fungoides to which 643, 1516 and 22 deaths respectively were assigned in the three-year period 1949-1951. The adjusted rate for these 2,581 deaths was 10.0 per 100,000.

(c) Data not available for 1901-1911.

(d) Accidents and suicides not strictly comparable with previous years figures.

Table 16. Cases of Reportable Diseases, City of New York, 1940-1975

Year	Pulmonary Tuberculosis	Measles	Scarlet Fever	Chickentox	Whooping Cough	Meningococcal Meningitis	Poliomylitis	Syphilis		Gonorrhea	Encephalitis	Hepatitis
								Total	Primary & Secondary			
1940	8,212	10,496	13,569	13,046	5,775	48	67	30,718	3,113	14,639	28	
1941	8,459	79,646	7,206	9,773	7,811	118	404	27,194	2,957	12,297	46	
1942	9,145	2,291	7,002	10,978	10,240	41	88	29,040	3,436	12,022	52	
1943	8,283	23,627	9,484	9,290	3,678	1,406	361	25,878	4,252	12,957	37	
1944	7,229	26,048	8,509	8,441	2,810	1,104	1,890	23,069	4,841	14,489	37	
1945	6,232	1,870	8,347	7,905	4,992	487	547	22,690	5,164	18,009	34	
1946	6,836	22,408	8,009	6,586	2,135	246	716	26,765	6,063	24,350	38	274
1947	6,832	7,915	3,583	11,321	3,224	113	224	26,303	5,099	23,746	30	110
1948	7,359	28,980	2,420	10,214	1,591	120	703	25,366	3,846	23,422	33	93
1949	7,344	5,467	2,230	12,866	4,129	104	2,246	20,489	2,218	20,309	47	107
1950	6,518	21,900	1,652	7,973	1,791	142	1,084	21,795	1,304	16,784	127	114
1951	5,331	9,644	2,144	11,849	1,606	110	555	22,458	801	14,114	200	202
1952	6,021	34,614	3,548	8,912	1,379	144	821	25,078	784	12,105	280	286
1953	6,110	5,117	1,595	12,942	2,733	183	677	25,224	658	12,505	311	515
1954	5,432	41,037	2,143	8,775	1,777	129	844	19,412	617	12,379	270	809
1955	5,064	9,712	1,834	10,486	1,136	108	806	18,056	566	11,239	220	1,154
1956	5,089	21,616	2,357	11,433	1,113	75	149	17,032	605	10,482	309	824
1957	5,162	10,226	1,637	7,287	1,325	75	57	15,485	635	11,479	204	597
1958	4,133	28,272	1,944	8,403	655	68	109	13,082	911	13,341	163	637
1959	4,196	5,215	2,043	7,731	1,322	92	170	13,131	1,454	14,370	212	841
1960	3,923	25,523	2,622	8,042	416	89	92	16,872	2,606	16,677	97	1,106
1961	3,635	4,796	2,820	6,190	249	69	2	20,017	3,374	18,285	216	1,839
1962	3,702	29,631	1,259	7,913	307	59	7	20,058	3,329	18,901	175	1,359
1963	4,057	7,406	1,287	6,683	212	52	1	19,312	3,481	22,912	147	1,325
1964	3,381	15,435	1,052	6,183	304	40	2	18,875	3,215	25,896	158	1,287
1965	3,589	4,127	792	7,423	194	38	1	16,969	2,897	29,032	162	1,248
1966	2,932	8,381	799	4,172	206	56	0	13,734	2,364	29,679	149	1,552
1967	2,863	529	731	5,887	179	65	1	13,918	1,987	27,373	61	2,558
1968	2,658	2,445	732	4,267	122	90	1	13,204	2,172	32,637	61	3,542
1969	2,397	5,033	891	3,640	149	88	0	11,439	2,630	36,729	57	3,982
1970	2,073	1,154	513	4,978	163	90	0	10,362	5,780	36,783	35	4,492
1971	2,048	3,819	614	3,815	55	60	0	11,642	3,854	38,472	19	4,160
1972	1,374	447	445	5,663	79	44	1	10,390	4,196	43,709	11	2,907
1973	1,740	905	708	4,496	71	37	0	7,394	3,256	48,055	26	1,478
1974	1,582	651	462	3,877	75	29	0	7,593	5,184	48,220	17	1,078
1975	2,187	170	463	3,962	40	32	0	7,236	2,864	47,839	14	1,366

Hepatitis made reportable December 1945. Figures for 1900-1939 appear in Annual Summaries for 1960 and earlier.