



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	
Cafe Address:	
Application Number:	
CB Review Deadline (on date or next business day NYCDOT Internal Use Only):
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review
Comments related to the cafe's physical footprint and dime	ensions:
Comments related to pedestrian flow (i.e., visbility, safety , p	otential crowding):
Comments related to potential conflicts with existing curb u	se (i.e., planters, bike racks, bus stops):
Please check one of the recommendations below, either appro the above application:	oval, denial, or approval with modifications relating to
Community Board recommends approval	Community Board recommends denial
Community Board recommends approval w/ modification	ns
Recommended modifications (only if approved w/ modifications)	tions):
Applicant acknowledges and agrees to modifications related this box is checked, please provide NYC DOT with documents.	•

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50125038

Expiration Date: 07/31/2025 DOHMH Status: CURRENT

Business Legal Name: RAKE NYC INC.

Assumed Name: Rake Wine Bar

Business Address: 45 1ST AVE, NEW YORK, NY 10003

Venue Type: Wine Bar

Last updated from DOHMH: 02/03/2025

Restaurant Information Entity Type: Corporation Phone: (212) 219-1193

Email Address: matthew.borowiec@helbraunlevey.com

Secondary Email Address: jorparias@gmail.com

DOS Information DOS ID#: 5999533

Process Name: THE CORPORATION

DOS Address: 45 1st Avenue, New York, New York 10003

NYS Liquor Authority Information

NYSLA Serial No: 1337392 License Type: On-Premises

Name of License: RAKE NYC INC Title of Representative: President

Name of Certificate Holder: Jorge P Arias

User Information

Created By: Heather Kirk

Created On: 6/4/2024 5:11:09 PM

Modified By: Chase Ridge

Modified On: 1/10/2025 4:31:52 PM

Business hours

Sun:4:00 PM- 11:00 PM

Mon:-

Tues:4:00 PM- 11:30 PM Wed:4:00 PM- 11:30 PM Thurs:4:00 PM- 11:30 PM Fri:2:00 PM- 11:30 PM Sat:2:00 PM- 11:30 PM

SECTION 1: Site Plan

- . This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.
- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor (8 feet Clear Path)

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

C4- Community Connector (8 feet Clear Path) C5- Baseline Street (8 feet Clear Path)

Setup Area Identification:

Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.

THE RESIDENCE OF THE PARTY OF T

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.



Applicant Name: Jorge

Restaurant Name: RAKE WINE BAR

FSEP Number:

Drawing Requirements

Food service establishment frontage shown by:

- · Line representing space occupied in building
- Labels

Street names:

· Labels on each street

Sidewalk shown as:

- · Line representing street curb
- · Width measured from building line to curb line

Primary building entrance shown as:

- Label
- · Distance from proposed setup

Cafe perimeter shown as:

- Line
- · Length and width
- (Dashed line) representing Private Property Line

Set-up furniture (tables, chairs, etc.) shown as:

· Lines or symbols at approximate location within setup

Sidewalk elements or objects shown as:

- Lines or symbols
- Labels
- Distance from cafe penmeter

Utility coverings shown as:

· Symbols representing the approximate shape of the covering within the setup

Length of sidewalk cafe: 20

Width of sidewalk cafe 4' 11 feet

SECTION 2: Required Clearances Please provide distances from the following objects Only provide a distance if the listed object is within 15 feet of your proposed setup. Leave box blank if not applicable. Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances. Elements with minimum 15 feet clearance from sidewalk cafe: S01- Subway Stair: Open End Elements with minimum 10 feet clearance from sidewalk cafe: S02- Subway Elevator Entrance S04- MTA Curb Cut S03- Exhaust Duct 14/T feet S05- FDNY Curb Cut Elements with minimum 8 feet clearance from sidewalk cafe: S06- Street Tree Bed S13- Newsstand S07- Mailbox S14- Streetlight S08- LinkNYC Kiosk S15- Bus Stop Pole S09- Wayfinding Kiosk S16- Fire Hydrant S10- E-charging Station S17- Bus Stop Shelter S11- Parking Meter S18- Traffic Signal S12- Select Bus Service Fare NA feet Machine Elements with minimum 5 feet clearance from sidewalk cafe: S19- CitiBike/Bike Share Station S24- Emergency Exit Hatch S20- Bike Corral P feet S25- Subway Stair: Closed End S21- Micromobility Station N/ feet S26- Subway Elevator: Non-Entry S22- Primary Building Entrance S27- Siamese Connection S23- Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure NA feet S29- Transformer Vault Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: S30- Vent Infrastructure





SECTION 3: Material Requirements

drawings prepared by a licensed professional.

Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

THE CONTRACTOR OF THE PARTY OF

Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials

Materials Checklist:

eter demarcation eter demarcation must be clear and visible by using a lightweight and removable self-supporting wall, railing, planter, fence, or stanchion and rope. num height is 2 feet 6 inches (excluding planting(s)). fixed to the sidewalk. ptional- Only check the material categories you intend to use in your sidewalk cafe* weight and easily movable. fixed to the sidewalk. hysically attached to the building) A cum 8 feet height from the ground and does not exceed 10 feet height.
eter demarcation must be clear and visible by using a lightweight and removable self-supporting wall, railing, planter, fence, or stanchion and rope. num height is 2 feet 6 inches (excluding planting(s)). fixed to the sidewalk. ptional- Only check the material categories you intend to use in your sidewalk cafe* eveight and easily movable. fixed to the sidewalk. hysically attached to the building) // A sum 8 feet height from the ground and does not exceed 10 feet height.
num height is 2 feet 6 inches (excluding planting(s)). If fixed to the sidewalk. ptional- Only check the material categories you intend to use in your sidewalk cafe* reight and easily movable. If fixed to the sidewalk. hysically attached to the building) / A sum 8 feet height from the ground and does not exceed 10 feet height.
veight and easily movable. If it is a substitute of the suilding in the substitute of the suilding is a substitute of the suilding in the substitute of th
veight and easily movable. If it is a substitute of the suilding in the substitute of the suilding is a substitute of the suilding in the substitute of th
veight and easily movable. If it is a substitute of the suilding in the substitute of the suilding is a substitute of the suilding in the substitute of th
fixed to the sidewalk. hysically attached to the building) NA sum 8 feet height from the ground and does not exceed 10 feet height.
hysically attached to the building) NA
ium 8 feet height from the ground and does not exceed 10 feet height
ium 8 feet height from the ground and does not exceed 10 feet height
removable, comprised of fire-grade and wind resistant materials
not extend beyond the perimeter of the sidewalk cafe
lies with the New York City Building Code and the requirements of the Landmarks Preservation ission, as applicable.
overings/ Umbrellas N A
rum 7 feet height from the ground and does not exceed 10 feet height.
removable, comprised of fire-grade and wind resistant materials.
not extend beyond the perimeter of the sidewalk cafe.
mbrella/overhead covering has a weighted base and any supports are not affixed to the side of the
upport structures are of sufficient size and strength, made of durable materials, and free of defects
Electrical Connections
phting is outdoor rated, properly secured, and lightweight.
ection is directly connected to ground floor restaurant's power source and within the perimeter of
not extend beyond the perimeter of the sidewalk cafe.
not exceed 10 feet in height.
tached to any City property, including street trees.
cal work complies with the applicable requirements set forth in the DOT's rules and the New York extrical Code.

