



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

#### **DINING OUT NYC**

#### **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:			
Cafe Address:			
Application Number:			
CB Review Deadline (on date or next business day  NYCDOT Internal Use Only	<b>):</b>		
Sidewalk Cafe Setup Feedback:	Community Board chooses to <b>WAIVE</b> review		
Comments related to the cafe's <b>physical footprint and dime</b>	ensions:		
Comments related to <b>pedestrian flow</b> (i.e., visbility, safety , p	otential crowding):		
Comments related to potential conflicts with <b>existing curb use</b> (i.e., planters, bike racks, bus stops):			
Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval with modifications</b> <u>relating to the above application</u> :			
Community Board recommends approval	Community Board recommends denial		
Community Board recommends approval w/ modification	ns		
Recommended modifications (only if approved w/ modifications)	tions):		
Applicant acknowledges and agrees to modifications related this box is checked, please provide NYC DOT with documents.	•		

#### **RESTAURANT DETAILS**

Food Service Establishment Permit(FSEP)

FSEP#: 41173497

Expiration Date: 03/31/2025 DOHMH Status: CURRENT

Business Legal Name: LE MIU CORP.

Assumed Name: KAZUZA

Business Address: 107 AVENUE A, NEW YORK, NY 10009

Venue Type: Hookah Café

Last updated from DOHMH: 02/10/2025

Restaurant Information Entity Type: Corporation Phone: (212) 509-9300

Email Address: rcswc1@gmail.com

Secondary Email Address: BASHIRM37@YAHOO.COM

DOS Information DOS ID#: 3244976

Process Name: Le Miu Corp

DOS Address: 107 Avenue A, NEW YORK, New York 10009

NYS Liquor Authority Information

NYSLA Serial No: 1169576 License Type: On-Premises

Name of License: Mohamed Bashir Title of Representative: President

Name of Certificate Holder: Le Miu Corp

#### **User Information**

Created By: Jimmy Baig

Created On: 8/3/2024 6:14:30 PM

Modified By: Jimmy Baig

Modified On: 8/3/2024 6:14:30 PM

#### Business hours

Sun:4:00 PM- 4:00 AM

Mon:4:00 PM- 4:00 AM

Tues:4:00 PM- 4:00 AM

Wed:4:00 PM- 4:00 AM

Thurs:4:00 PM- 4:00 AM

Fri:4:00 PM- 4:00 AM

Sat:4:00 PM- 4:00 AM

# SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

# **Identify Clear Path Requirements:**

 Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor (8 feet Clear Path)

C4- Community Connector (8 feet Clear Path)

C5- Baseline Street (8 feet Clear Path)

# **Setup Area Identification:**

Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawin below.

DINIIG MCOUL	NEW YORK CITY	Eric Adams Mayor Ydanis Rodriguez Commissioner

# Sidewalk Cafe Site Plan Form

site	<sup>te</sup> Applicant Name:	
a ng	Restaurant Name:	
	ing	
	<b>FSEP Number:</b>	

**Drawing Requirements** 

# Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

## **Street names:**

Labels on each street

# Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

# **Primary building entrance shown as:**

- Label
- Distance from proposed setup

# Cafe perimeter shown as:

- Line
- Length and width
- Cashed line) representing Private Property Line

# Set-up furniture (tables, chairs, etc.)

#### shown as:

 Lines or symbols at approximate location within setup


# Sidewalk elements or objects shown as:

- Lines or symbols
- Labels
- Distance from cafe perimeter

# Utility coverings shown as:

Symbols representing the approximate shape of the covering within the setup
 MANHOLE COVER

☐ UTILITY COVERING



Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.



# SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

• Reier to the Setup Guides in the	Dinling Out NYC w	ebsite for more imormation	regarding clearances
Elements with minimum 15 fee	t clearance from s	sidewalk cafe:	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 fee	t clearance from s	sidewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
<b>Elements with minimum 8 feet</b>	clearance from si	dewalk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12- Select Bus Service Fare Machine	feet		
Elements with minimum 5 feet clearance from sidewalk cafe:			


S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	 feet
S23- Curb Cut	feet		


# **Elements with minimum 3 feet clearance from sidewalk cafe:**

S28- Elevated Train Infrastructure	feet
S29- Transformer Vault	feet

# Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

S30- Vent Infrastructure \_\_\_\_\_feet





# SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

## **Materials Checklist:**

# \*Required\*

## **Perimeter Demarcation**

Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.

Maximum height is 2 feet 6 inches (excluding planting(s)).

Not affixed to the sidewalk.

\*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

# **Furnishings**

- Lightweight and easily movable.
- Not affixed to the sidewalk.

# Awnings (Physically attached to the building)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.

# Overhead Coverings/ Umbrellas

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

# Lighting and Electrical Connections

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.