



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

#### **DINING OUT NYC**

#### **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	
Cafe Address:	
Application Number:	
CB Review Deadline (on date or next business day  NYCDOT Internal Use Only	<b>):</b>
Sidewalk Cafe Setup Feedback:	Community Board chooses to <b>WAIVE</b> review
Comments related to the cafe's <b>physical footprint and dime</b>	ensions:
Comments related to <b>pedestrian flow</b> (i.e., visbility, safety , p	otential crowding):
Comments related to potential conflicts with <b>existing curb u</b>	<b>se</b> (i.e., planters, bike racks, bus stops):
Please check one of the recommendations below, either <b>appro</b> the above application:	oval, denial, or approval with modifications relating to
Community Board recommends approval	Community Board recommends denial
Community Board recommends approval w/ modification	ns
Recommended modifications (only if approved w/ modifications)	tions):
Applicant acknowledges and agrees to modifications related this box is checked, please provide NYC DOT with documents.	•

#### **RESTAURANT DETAILS**- ROSIE'S (20240719010013)

#### **Food Service Establishment Permit(FSEP)**

FSEP#: 50018775

Expiration Date: 01/31/2026 DOHMH Status: CURRENT

Business Legal Name: SECOND STREET RESTAURANT LLC

Assumed Name: ROSIE'S

Business Address: 29 E 2ND ST, NEW YORK, NY 10003

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 12/02/2024

#### **Restaurant Information**

Phone: (646) 239-3439

Email Address: chrisp@bowerygroupnyc.com

#### **DOS Information**

DOS ID#: 4504431

Process Name: 2nd Street restaurant LLC

DOS Address: 29 E 2nd st, New York, New York 10003

#### **NYS Liquor Authority Information**

NYSLA Serial No: 1280481 License Type: On-Premises

Name of License: 2nd Street restaurant LLC

Title of Representative: chairman

Name of Certificate Holder: Vincent G Bradley

#### **User Information**

Created By: Chris Paraskevaides Created On: 7/18/2024 8:13:02 PM Modified By: Chris Paraskevaides Modified On: 7/18/2024 8:13:02 PM

#### **Business hours**

Sun: 12:00 PM- 10:00 AM Mon: 4:00 PM- 10:00 PM Tues: 5:00 PM- 10:00 PM Wed: 5:00 AM- 11:00 AM Thurs: 5:00 AM- 11:00 AM Fri: 5:00 AM- 11:00 AM Sat: 12:00 PM- 11:00 AM











#### SECTION 1: Site Plan

Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.			
- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.  C1- Global Corridor (12 feet Clear Path)  C2- Regional Corridor (10 feet Clear Path)  C3- Neighborhood Corridor (8 feet Clear Path)  C4- Community Connector (8 feet Clear Path)  C5- Baseline Street (8 feet Clear Path)  C5- Baseline Street (8 feet Clear Path)  FS			
sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.  C2- Regional Corridor (10 feet Clear Path)  C3- Neighborhood Corridor (8 feet Clear Path)  C4- Community Connector (8 feet Clear Path)  C5- Baseline Street (8 feet Clear Path)  C5- Baseline Street (8 feet Clear Path)  FS	Identify Clear Path Requirements:	Setup Area Identification :	
Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.	sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open  C2- Regional Corridor (10 feet Clear Path)  C3- Neighborhood Corridor (8 feet Clear Path)  C4- Community Connector (8 feet Clear Path)	within private property. If so, indicate the property line in the site plan drawing below.  Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing	Re
	Use the space below to draw or upload your Site Plan representing you	cafe perimeters, furniture, and clearances.	

Width of sidewalk cafe:

Length of sidewalk cafe:

\_feet





# **Sidewalk Cafe Site Plan Form**

Applicant Name:	
Restaurant Name:	
FSEP Number:	

#### **Drawing Requirements**

## Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

#### Street names:

· Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

#### Primary building entrance shown as:

- Label
- Distance from proposed setup

#### Cafe perimeter shown as:

- Line
- Length and width
- ---- (Dashed line) representing Private Property Line

### Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

#### Sidewalk elements or objects shown as:

- Lines or symbols
- Labels
- Distance from cafe perimeter

#### Utility coverings shown as:

Symbols representing the approximate shape of the covering within the setup

 AANHOLE COVER

$\mathcal{L}$	MANHOLE COVER
_	LITH ITY COVEDIN

□ UTILITY COVERING

#### SECTION 2: Required Clearances

- · Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet cl	earance from sid	ewalk cafe:	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 feet cl	earance from sid	ewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet cle	arance from side	walk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12- Select Bus Service Fare Machine	feet		
Elements with minimum 5 feet cle	arance from side	walk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet
S23- Curb Cut	feet		
Elements with minimum 3 feet cle	arance from side	walk cafe:	
S28- Elevated Train Infrastructure	feet		
S29- Transformer Vault	feet		
Elements with minimum 1 foot 6 in	nches clearance f	rom sidewalk cafe elements:	
S30- Vent Infrastructure	inches		
Cannot block access			
Callifor block access	100000	Cannot block or	00000

be attached to fire escape stairs

#### **SECTION 3: Material Requirements**

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:
*Required*  Perimeter Demarcation  Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.  Maximum height is 2 feet 6 inches (excluding planting(s)).  Not affixed to the sidewalk.
*Optional- Only check the material categories you intend to use in your sidewalk cafe*
<u>Furnishings</u>
Lightweight and easily movable.
Not affixed to the sidewalk.
Awnings (Physically attached to the building)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.
Overhead Coverings/ Umbrellas
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
☐ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Does not exceed 10 feet in height.
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

Please check this box if you are submitting additional documents for review. Documents may include technical

drawings prepared by a licensed professional.