	Abbreviations	
Status:Published		Document ID: 992
DATE EFFECTIVE	APPROVED BY	PAGE
02/17/2023	Quality Assurance Manager	1 OF 7

# Abbreviations

The following are the commonly used abbreviations in the Department. While these abbreviations are typically used as suffixes within sample identifiers, they may be used independently in case notes as well.

Abbreviation	Description
,#	STR rerun due to poor/no size standard
, 1/10 dil	STR rerun at 1/10 dilution
, confirm OL	STR rerun to confirm off-ladder allele
_0.0000001	1/10,000,000 Dilution
_0.000001	1/1,000,000 Dilution
_0.00001	1/100,000 Dilution
_0.0001	1/10,000 dilution
_0.000167	1/6000 Dilution
_0.00025	1/4000 Dilution
_0.0003	1/3000 Dilution
_0.0004	1/2500 Dilution
_0.0005	1/2000 Dilution
_0.001	1/1000 Dilution
_0.0025	1/400 Dilution
_0.005	1/200 Dilution
_0.008	1/125 Dilution
_0.01	1/100 Dilution
_0.015625	1/64 Dilution
_0.02	1/50 Dilution
_0.03125	1/32 Dilution
_0.04	1/25 Dilution
_0.05	1/20 Dilution
_0.0625	1/16 Dilution
_0.1	1/10 Dilution
_0.1_a	1/10 dilution for sample a replicate
_0.1_b	1/10 dilution for sample b replicate
_0.125	1/8 Dilution
_0.166	1/6 Dilution

Controlled versions of Department of Forensic Biology Manuals only exist in the Forensic Biology Qualtrax software. All printed versions are non-controlled copies.

© NYC OFFICE OF CHIEF MEDICAL EXAMINER

Abbreviations		
Status:Published		Document ID: 992
DATE EFFECTIVE	APPROVED BY	PAGE
02/17/2023	Quality Assurance Manager	2 OF 7

Abbreviation	Description
_0.2	1/5 Dilution
_0.25	1/4 dilution
_0.5	1/2 Dilution
_0.78	Suffix used for QA sensitivity test
1X	Not diluted
_1	Sequential number identifier
_10	Sequential number identifier
_11	Sequential number identifier
_12	Sequential number identifier
_125	Suffix used for QA sensitivity test
_13	Sequential number identifier
_14	Sequential number identifier
_15	Sequential number identifier
_150	Suffix used for QA sensitivity test
_16	Sequential number identifier
_17	Sequential number identifier
_18	Sequential number identifier
_19	Sequential number identifier
_1a	Sequential number identifier for sample a replicate
_1b	Sequential number identifier for sample b replicate
_1c	Sequential number identifier for sample c replicate
_1H	Sequential number identifier for high dilution
_2	Sequential number identifier
_20	Sequential number identifier
_21	Sequential number identifier
_22	Sequential number identifier
_23	Sequential number identifier
_24	Sequential number identifier
_25	Sequential number identifier
_25	Suffix used for QA sensitivity test
_26	Sequential number identifier
_27	Sequential number identifier
_28	Sequential number identifier
_29	Sequential number identifier
_2a	Sequential number identifier for sample a replicate

Controlled versions of Department of Forensic Biology Manuals only exist in the Forensic Biology Qualtrax software. All printed versions are non-controlled copies.

© NYC OFFICE OF CHIEF MEDICAL EXAMINER

Abbreviations		
Status:Published		Document ID: 992
DATE EFFECTIVE	APPROVED BY	PAGE
02/17/2023	Quality Assurance Manager	3 OF 7

Abbreviation	Description
_2b	Sequential number identifier for sample b replicate
_2c	Sequential number identifier for sample c replicate
_2H	Sequential number identifier for high dilution
_3	Sequential number identifier
_30	Sequential number identifier
_31	Sequential number identifier
_32	Sequential number identifier
_33	Sequential number identifier
_34	Sequential number identifier
_35	Sequential number identifier
_36	Sequential number identifier
_37	Sequential number identifier
_38	Sequential number identifier
_39	Sequential number identifier
_3H	Sequential number identifier for high dilution
_4	Sequential number identifier
_40	Sequential number identifier
_41	Sequential number identifier
_42	Sequential number identifier
_43	Sequential number identifier
44	Sequential number identifier
_45	Sequential number identifier
_46	Sequential number identifier
_47	Sequential number identifier
_48	Sequential number identifier
_4H	Sequential number identifier for high dilution
_5	Sequential number identifier
_50	Suffix used for QA sensitivity test
_5H	Sequential number identifier for high dilution
5X	1/5 Dilution
_6	Sequential number identifier
_6.25	Suffix used for QA sensitivity test
_6H	Sequential number identifier for high dilution
_7	Sequential number identifier
_8	Sequential number identifier

Abbreviations		
Status:Published		Document ID: 992
DATE EFFECTIVE	APPROVED BY	PAGE
02/17/2023	Quality Assurance Manager	4 OF 7

Abbreviation	Description
_9	Sequential number identifier
10X	1/10 Dilution
20X	1/20 Dilution
_a	Sample a
_a_low	Sample a replicate amplified at a lower than optimal DNA amount
_abc	Pooled comparison samples
_aH	Sample a replicate at a high dilution for STR plates
ALBU	Albumin, a blood protein
_AM	Bottle mouth swabs/samples with possible saliva suffix
Amp	Amplification
Amp Neg	Amplification Negative Control
Amp Pos	Amplification Positive Control
Amy	Amylase
AMY1	Amylase 1, a saliva protein
AS	Anal swabs (or smears)
_b	Sample b
_b_low	Sample b replicate amplified at a lower than optimal DNA amount
_bH	Sample b replicate at a high dilution for STR plates
BL	Bloodstain suffix
B3AT	Band 3 anion transport protein, a blood protein
<mark>BF</mark>	Body fluid
BL	Blood
_c	Sample c
_c_low	Sample c replicate amplified at a lower than optimal DNA amount
_CB	Cigarette Butt suffix
_cH	Sample c replicate at a high dilution for STR plates
_cond	Conditioned for STRMix
<b>CPA</b>	Control's Peak Area
CS	Cervical swabs (or smears)
CYTT	Cystatin SA, a saliva protein
DS	Dried Secretion swab(s)
_dup	Sample duplication
_dup_hi	Duplicate amplification at higher than optimal DNA amount
_dup_hr	Duplicate amplification at higher than "hi" DNA amount
_dup_reamp	Sample duplication reamplification

. 1 1	• .•	
Abbrev	viations	
110010	lations	

Status:Published		Document ID: 992
DATE EFFECTIVE	APPROVED BY	PAGE
02/17/2023	Quality Assurance Manager	5 OF 7

Abbreviation	Description
_dup_recut	Duplicate of a recut sample
_dup_rerun	Sample duplication rerun
_EC(F1)	Epithelial Cell Fraction (Fraction 1)
E Neg (or Eneg)	Extraction Negative Control
EPos SA	Extraction Positive for Saliva (Molecular Serology)
EPos SE	Extraction Positive for Semen (Molecular Serology)
EPos BL	Extraction Positive for Blood (Molecular Serology)
EX	Extraction Tube
FA	Formic Acid
<b>FIS</b>	Fragment Ion Ratio Score
FN	Fingernail suffix
FRS	Family reference sample
GS	Gun Swab
F1(EC)	Fraction 1 (Epithelial Cell Fraction)
F2(SF)	Fraction 2 (Sperm Cell Fraction)
HBA	Hemoglobin subunit alpha, a blood protein
HBB	Hemoglobin subunit beta, a blood protein
hi	Amplified with higher than optimal DNA amount
HIS1	Histatin 1, a saliva protein
Hr	Amplified with higher than the "hi" DNA amount
Ht	Amplified with the maximum DNA amount
ILS	Internal Lane Standard
	The most likely DNA profile of the DNA donor could not be
INC	determined at this locus
KLK3	kallikrein-3 (aka prostate specific antigen), a semen protein
КМ	Kastle Meyer (presumptive test)
_lo	Amplified with lower than optimal DNA amount
LEG1H	LEG1 homolog a saliva protein
lwr	Amplified with lower than the "lo" DNA amount
_max	Amplified with the maximum DNA amount
_mcon	Microcon
_mcon1	Microcon 1
_mcon2	Microcon 2
MSDA	Molecular Serology Data Analysis
_nd or ND	No duplication of sample needed

A 1 1	• ,•
Abbre	eviations
11001	/ futions

Status:Published		Document ID: 992
DATE EFFECTIVE	APPROVED BY	PAGE
02/17/2023	Quality Assurance Manager	6 OF 7

Abbreviation	Description	
_neat or N	Neat (no dilution)	
NTC	Non Template Control	
OB	Out of Bin STR peak	
OL	Off Ladder STR peak	
_opt	Amplified with the optimal DNA amount	
OS	Oral swabs (or smears)	
РА	Perianal swabs (or smears)	
PAA	Perianal / anal swabs (or smears)	
PE	Positive External Control	
POC	Product of conception	
PS	Penile swabs (or smears)	
_PT	Touched items swabbed by NYPD suffix	
_R	Remains from Extraction	
_reamp	Re-amplification	
_reamp_hi	Reamplification at higher than optimal DNA amount	
_reamp_Hr	Reamplification at higher than "hi" DNA amount	
_reamp_Ht	Reamplification at highest DNA amount	
_reamp_lo	Reamplification at lower than optimal DNA amount	
_reamp_opt	Reamplification at optimal DNA amount	
_reamp2	2nd Re-amplification	
_reamp2_hi	2nd reamplification at higher than optimal DNA amount	
_reamp2_lo	2nd reamplification at lower than optimal DNA amount	
_reamp2_opt	2nd reamplification at optimal DNA amount	
_reamp3	3rd Re-amplification	
_recut	Recut	
_recut2	2nd Recut	
_recut3	3rd Recut	
_reinj	Reinjection	
_rep	for a replicate amplified at optimum (or less) DNA	
_rerun	Rerun	
_rerun_0.05	Rerun at 1/20 dilution	
_rerun_0.1	Rerun at 1/10 dilution	
_rerun_0.2	Rerun at 1/5 dilution	
_rerun_hi	Rerun at high parameter	
_rerun2	2nd rerun	

Abbreviations			
Status:Published		Document ID: 992	
DATE EFFECTIVE	APPROVED BY	PAGE	
02/17/2023	Quality Assurance Manager	7 OF 7	

Abbreviation	Description	
_rerun3	3rd rerun	
RTCV	Retention time concordance CV	
_S	Scrapings suffix	
_S(2)	Scrapings suffix resubmission	
<mark>SA</mark>	Saliva	
<mark>SE</mark>	Semen	
SEMG1	Semenogelin 1, a semen protein	
SEMG2	Semenogelin 2, a semen protein	
_SF(F2)	Sperm Cell Fraction (Fraction 2)	
_SM	STRmix	
SPA	Sample's Peak Area	
SPA-CPA	Sample fold change (Sample Peak Area – Control Peak Area)	
SS	Size Standard	
_ST	Sample to be screened for Male DNA on non-male screening or non-differential extraction	
_SUR	Substrate Remains Fraction	
_SW	Items swabbed	
_SWR	Swab Remains Fraction or Substrate Remains Fraction	
_T	Touched items swabbed by OCME suffix	
_UHR	Unidentified human remains	
UW	Underwear	
VS	Vaginal swabs (or smears)	
VU	Vulvar swabs (or smears)	
XIC	Extracted Ion Chromatograms	
_Y	Y-STR suffix	
YF	Yfiler	
Ζ	Another allele may be present at this locus	
	The STRmix designation which is equivalent to INC (see INC for	
ZZ	definition)	

For additional abbreviations used on STR test batches please reference the ReRun Codes Manual

For additional abbreviation used on CODIS sheets please reference the <u>CODIS Profile</u> <u>Management Manual</u>

For definitions of terms used in the case report please reference the DCJS website (http://www.criminaljustice.ny.gov).