

# **APPENDIX H:**

**Phase I Proposed Park Site**  
**at 399, 441, and 445**  
**Exterior Street, Bronx, NY 10451**



**Phase I Environmental Site Assessment  
Lower Concourse Rezoning**

Proposed Park Site  
399, 441 and 445 Exterior Street, Bronx, N.Y. 10451  
BLOCK 2323, LOTS 100, 103 AND 107  
00147-74786

**Prepared for:**

New York City Department of Citywide Administrative Services  
One Center Street, 17<sup>th</sup> Floor South, New York, N.Y. 10007

**PREPARED BY:**

Henningson, Durham & Richardson, Architecture and Engineering, P.C.  
in association with HDR Engineering, Inc.  
One Blue Hill Plaza, 12<sup>th</sup> Floor  
Pearl River, New York 10965

**October, 2008**

## Table of Contents

<b>1.0 Executive Summary</b> .....	<b>1</b>
<b>2.0 Introduction</b> .....	<b>8</b>
2.1 Purpose and Involved Parties .....	8
2.2 Scope of Services, Significant Assumptions, and Limitations .....	8
<b>3.0 Site Description</b> .....	<b>10</b>
3.1 Location and Legal Description .....	10
3.2 Site and Vicinity Characteristics.....	10
3.3 Description of Structures, Roads, and Other Site Improvements.....	11
3.4 Area Geology and Hydrogeology.....	11
<b>4.0 User- Provided Information</b> .....	<b>12</b>
<b>5.0 Records Review</b> .....	<b>12</b>
5.1 Environmental Records Review .....	12
5.2 Summary of Listed Records of Concern to the Project .....	16
5.3 Agencies Contacted by HDR for Additional Information.....	20
5.4 Historical Use Information .....	20
5.5 Environmental Liens and Additional Information.....	24
5.6 Summary of Previous Environmental Investigations .....	24
<b>6.0 Site Reconnaissance and Interviews</b> .....	<b>25</b>
6.1 Site Reconnaissance.....	25
6.2 Interviews .....	31
6.3 Known Current and Past Uses of the Site .....	31
6.4 Utilities and PCBs.....	31
<b>7.0 Data Gap Analysis</b> .....	<b>33</b>
<b>8.0 Findings and Conclusions</b> .....	<b>34</b>
<b>9.0 Recommendations</b> .....	<b>38</b>
<b>10.0 Qualifications of Environmental Professionals</b> .....	<b>41</b>
10.1 Signatures and Qualifications.....	41
<b>11.0 References</b> .....	<b>43</b>



## **Appendices**

Appendix A – Figures

Appendix B – Site Photographs

Appendix C – EDR Radius Report

Appendix D – Interview Documentation

Appendix E – Excerpts from Reviewed Regulatory Files

Appendix F – Historical Research Documentation

Appendix G – Resumes of HDR Personnel

## List of Acronyms

<b>AIRS</b>	Aerometric Information Retrieval System
<b>AST</b>	Petroleum Bulk Storage (Above Ground Storage Tanks)
<b>ASTM</b>	American Society for Testing and Materials
<b>BROWNFIELDS</b>	Brownfields Site List
<b>CBS</b>	Chemical Bulk Storage
<b>CBS AST</b>	Chemical Bulk Storage Database (Above Ground Storage Tanks)
<b>CBS UST</b>	Chemical Bulk Storage Database (Underground Storage Tanks)
<b>CERCLIS</b>	Comprehensive Environmental Response, Compensation, and Liability Information System
<b>CONSENT</b>	Superfund (CERCLA) Consent Decrees
<b>CORRACTS</b>	Corrective Action Report
<b>DEL SHWS</b>	Delisted Registry Sites
<b>DOT OPS</b>	Incident and Accident Data
<b>DOD</b>	Department of Defense
<b>DRY CLEANERS</b>	Registered Drycleaners
<b>E DESIGNATION</b>	E Designation Site Listing
<b>ENG CONTROLS</b>	Registry of Engineering Controls
<b>EPA</b>	Environmental Protection Agency
<b>ERNS</b>	Emergency Response Notification System
<b>ESA</b>	Environmental Site Assessment
<b>FIFRA</b>	Federal Insecticide, Fungicide, and Rodenticide Act
<b>FINDS</b>	Facility Index System
<b>FRDS</b>	Federal Reporting Data System
<b>FTTS</b>	FIFRA/TSCA Tracking System
<b>FUDS</b>	Formerly Used Defense Sites
<b>FURS</b>	Federal Underground Injection Control
<b>HMIRS</b>	Hazardous Materials Information Reporting System
<b>HSWDS</b>	Hazardous Substance Waste Disposal Site Inventory
<b>HWS Permit</b>	Active TSD facilities
<b>ICIS</b>	Integrated Compliance Information System
<b>INST CONTROLS</b>	Registry of Institutional Controls
<b>LIENS 2</b>	CERCLA Lien Information

<b>LUCIS</b>	Land Use Control Information System
<b>LTanks</b>	Leaking Underground Storage Tank
<b>MINES</b>	Mines Master Index File
<b>MLTS</b>	Material Licensing Tracking System
<b>MOSF</b>	Major Oil Storage Facilities
<b>MOSF AST</b>	Major Oil Storage Facilities Database (Above Ground Storage Tanks)
<b>MOSF UST</b>	Major Oil Storage Facilities Database (Underground Storage Tanks)
<b>NFRAP</b>	No Further Remedial Action Planned
<b>NPL</b>	National Priority List
<b>NY Spills</b>	New York State Spills Database
<b>NWI</b>	National Wetlands Inventory
<b>ODI</b>	Open Dump Inventory
<b>PADS</b>	PCB Activity Database
<b>RADINFO</b>	Radiation Information Database
<b>RAATS</b>	RCRA Administrative Action Tracking System
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>RCRIS CESQG</b>	Resource Conservation and Recovery Information System Conditionally Exempt Small Quantity Generator
<b>RCRIS LQG</b>	Resource Conservation and Recovery Information System Large Quantity Generators
<b>RCRIS SQG</b>	Resource Conservation and Recovery Information System Small Quantity Generators
<b>RCRIS TSD</b>	Resource Conservation and Recovery Information System Treatment, Storage, and Disposal
<b>REC</b>	Recognized Environmental Condition
<b>RES DECL</b>	Restrictive Declarations Listing
<b>ROD</b>	Records of Decision
<b>SHWS</b>	Inactive Hazardous Waste Disposal Sites in New York State
<b>SI</b>	Site Inspection
<b>SPDES</b>	State Pollution Discharge Elimination System
<b>SRP</b>	Site Remediation Program
<b>SSTS</b>	Section 7 Tracking System
<b>SWF/LF</b>	Solid Waste Facilities/Landfill
<b>SWRCY</b>	Registered Recycling Facility List

<b>SWTIRE</b>	Registered Waste Tire Storage and Facility List
<b>TRIS</b>	Toxic Chemical Release Inventory System
<b>TSCA</b>	Toxic Substances Control Act
<b>UMTRA</b>	Uranium Mill Tailings Sites
<b>US Brownfields</b>	A listing of Brownfields Sites
<b>US ENG CONTROLS</b>	Engineering Control Sites List
<b>US CDL</b>	Clandestine Drug Labs
<b>USGS</b>	United States Geological Survey
<b>US INST CONTROL</b>	Sites with Institutional Controls
<b>UST</b>	Underground Petroleum Bulk Storage Tanks
<b>VCP</b>	Voluntary Cleanup Agreements

*Note: A more complete acronym list is included in the EDR Report, Appendix C.*

## 1.0 Executive Summary

HDR Engineering, Inc. (HDR) has conducted a Phase I Environmental Site Assessment (ESA) of the property identified by the City of New York Building Department as Block 2349, Lots 100, 103 and 107 located at 399, 441 and 445 Exterior Street, Bronx, New York 10451 respectively. According to information from the Building Department and the New York City Department of Finance (Finance Department), Lot 100 is owned by 399 Exterior Street Associates, LLC; Lot 103 is owned by 441 River Avenue, Inc. and, Lot 107 is owned by Freiman Coated Fabric Corporation. Lot 100 includes the Atlantic Bus Company (AKA Amboy Bus Company), which includes a bus repair and maintenance garage, an on-site gasoline station and bus parking area. Lot 103 includes a warehouse currently occupied by the Food Fest Cash and Carry, Inc., a wholesale food distributor and restaurant supply company. Lot 107 includes a warehouse that is currently occupied by the Freiman Coated Fabric Corporation., a fabric distribution company.

This ESA was conducted in conformance with the scope and limitations of the American Society for Testing and Materials (ASTM) Practice E 1527-05. Any exceptions to, or deletions from, this practice are described in Section 2.2 of this report. This Phase I ESA includes a summary of a reconnaissance conducted on August 19, 2008, a review of environmental databases, a review of historical data sources and HDR interviews with representatives of the on-site facilities (Atlantic Bus Company AKA Amboy Bus Company; Food Fest Cash and Carry, Inc, and, Freiman Coated Fabrics).

This assessment indicated the following recognized environmental conditions.

### Lot 100

- Information from the EDR database report and the HDR site visit indicates the presence of two active 4000-gallon underground storage tanks (gasoline and diesel fuel oil) at the on-site gasoline station. Information from the EDR database report indicated that the facility located on this lot (the Atlantic Bus Company AKA Amboy Bus Company) had a reported spill of five gallons of diesel oil. The cause of the spill was listed as equipment failure (a delivery truck fitting malfunctioned). This spill may have adversely impacted the soil and/or groundwater on the Site.
- Several stains were observed and a petroleum odor was detected in the area of gasoline and diesel oil pumps located at the on-site gasoline station. Observed stains and detected odors indicate that spills have occurred in this area. These spills may have adversely impacted the soil and/or groundwater at the Site.
- Two active 700-gallon above ground storage tanks (motor oil) and two active 275-gallon above ground storage tanks (transmission oil and waste oil) were observed in the repair and maintenance garage. Stains were observed and odors were detected in the areas near the four above ground tanks. In addition, an absorbent was observed beneath one of the 275-gallon tanks. Observed stains and absorbent and detected odors indicate that spills have occurred in this area. These spills may have adversely impacted the soil and/or groundwater on the Site.
- The garage includes an oil/water separator. According to an HDR interview with a representative of the Atlantic Bus Company, the separator was installed approximately five years ago because, during heavy rain, the garage would flood. The separator includes a pump that removes water from beneath the concrete slab

foundation of the garage thereby preventing flooding. Any oil included in the groundwater rises to top of the separator and is skimmed off and stored in the 275-gallon waste oil storage tank prior to removal by Safety Kleen. The remaining water is filtered prior to discharge to the New York City sewer system. According to an HDR interview with a representative of the Atlantic Bus Company, they were not aware of the existence of any permits associated with the release of the filtered waste water into the New York City Sewer System. An HDR record and file search did not discover the presence of a State Pollutant Discharge Elimination System (SPDES) permit or the existence of a New York City Department of Environmental Protection permit. An HDR record and file search of the files of the United States Environmental Protection Agency and the New York State Department of Environmental Conservation, did not indicate the presence of a RCRA permit and/or any manifest documents relating to the disposal of the waste oil. The Site representative was not aware of the existence of any RCRA permits and/or waste-removal manifests. Stains were observed on the concrete floor beneath the separator. The presence of an oil/water separator on the Site may indicate a soil and/or groundwater contamination issue. In addition, permits may be required to discharge the filtered water into the New York City sewer system. No documentation was discovered during this investigation regarding the proper disposal of the waste oil.

- The repair and maintenance garage and the on-site gasoline station include several drums (30 and 55-gallon capacity) of grease, used oil, antifreeze and windshield washer fluid. Stains were observed on the floor beneath several drums and in some instances a petroleum odor was detected in the area of the drums. An absorbent was observed on the floor beneath a drum, indicating a spill. A 30-gallon portable grease station was observed near one of the hydraulic lifts. Absorbent was observed on the concrete floor beneath the lift, indicating a spill. Stains were observed and a petroleum odor was detected in this area. Product was observed on top of one of the 55-gallon drums of antifreeze, located in the garage. Stains were also observed on the floor beneath the drum. Spills are indicated in the vicinity of several drums. These spills may have adversely impacted the soil and groundwater on the Site.
- The garage includes an oil filter crusher. Used oil filters are crushed and the waste oil is stored in a 55-gallon drum located near the oil/water separator. The oil filters are stored in a separate drum. According to an HDR interview with a representative of the Atlantic Bus Company, both the waste oil and the used oil filters are removed from the Site by Safety Kleen. However, he was not aware of the presence of any manifests documenting the removal of the waste oil and/or used oil filters from the facility. Stains were observed on the concrete floor beneath the oil filter crusher and drums of waste oil and used oil filters. A strong petroleum odor was detected in this area. The observed stains and detected odors indicate spills in this area. The spills may have adversely impacted the soil and/or groundwater on the Site. No documentation, regarding the proper disposal of the waste oil and/or the used oil filters, was discovered during this investigation.
- A spill (a sheen on a puddle of water) was observed at the front entrance to the eastern-most garage bay door. This spill may have an adverse impact on the soil and/or groundwater on the Site.
- Several drums, associated with the Atlantic Bus Company (AKA Amboy Bus Company), are stored on Lot 100. Stains were observed beneath several of the drums and several drums were unlabeled or included labels that were unreadable. Therefore HDR was unable to determine their contents. Absorbent was observed

beneath two of the drums, indicating spills. A black viscous material and a yellow viscous material were observed on top of one of the drums. The source of the yellow material may have been the 5-gallon container of Simonize brand cleaner that was located on the top of the drum. However, the container appeared to be in good condition. The source of the black material is unknown. A black viscous material was also observed on the asphalt paving beneath the drum. The source of this material was not determined. The observed stains and absorbent in the areas of several drums indicate spills. In addition, a spill of an unknown black viscous material was observed near one of the drums. These spills may have adversely impacted the soil and/or groundwater on the Site.

- A review of historic documents indicates that this lot once included coal pockets, coal storage sheds and a coal conveyor. The storage of coal on the lot (if not in a containment) could have an adverse impact to the soil and/or groundwater. The uncontained storage of coal on a site, if exposed to precipitation, can leach heavy metals (i.e. arsenic, mercury, etc.) and other contaminants into the groundwater and soil. However, based on the length of time that has elapsed since the coal was stored on the lot, HDR does not expect the Site to be adversely impacted from this use.

#### Lot 103

- Information from the EDR database indicated that a facility (PPG), which was previously located at 441 Exterior Street, had, at one time, generated less than 1,000 kg of hazardous waste. However, no violations were discovered and the potential adverse impact to the Site from this facility is considered low.
- The basement of the building located on this lot includes a former boiler room. According to an HDR interview with a representative of the company, the type of boiler (i.e. gas or oil supplied) that was located in the boiler room was unknown. HDR did not determine the presence or absence of above ground or underground fuel storage tanks at this facility. However, a review of historic documents indicates that this building once included a buried 550-gallon gasoline tank at the southeast section of the structure. The use of the tank was not determined. It is possible that the reference to the tank, as indicated on the Sanborn maps, is erroneous and this tank may have been used to hold fuel oil for the boiler. This investigation did not determine the presence or absence of above ground or underground petroleum storage tanks at this location. Therefore an uncontrolled and unregistered underground tank (or tanks) may be present.
- The basement of the building also includes an electrical equipment room. The electrical equipment did not include signs indicating the presence or absence of PCBs. Lighting for the warehouse is provided by fluorescent light fixtures. Because of the age of this building (constructed in 1923) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing).

#### Lot 107

- The basement of the building located on this lot includes a gas furnace, which was once used to heat the building. The burner is located in a concrete block room, the door to which was inaccessible because it was blocked by debris. According to an HDR interview with the owner of the lot and the company, this furnace has not been

used in more than twenty-five years and the owner was not aware of the presence of any storage tanks at this facility. No storage tanks were observed during the Site visit. Because of the inaccessibility of the boiler room, HDR was unable to determine the presence or absence of any ASTs in this area. In addition, the site representative was not aware of the presence of any USTs at this location.

- Electrical equipment was observed in the building located on this lot. The electrical equipment did not include signs indicating the presence or absence of PCBs. Lighting for the warehouse is provided by fluorescent light fixtures. Because of the age of this building (constructed in 1910) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing).

#### The Site

- Information from the EDR database report indicated that several upgradient and/or adjoining or nearby facilities had reported spills of gasoline, dielectric fluid and lithium bromide that could have adversely impacted the Site.
- Information from the EDR database report indicated that an upgradient facility, listed on the RCRA database, generated tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethene, carbon tetrachloride and chlorinated fluorocarbons. Violations were reported, therefore this facility may have had an adverse impact on the Site.
- Gaps of time between reviewed historic documents exist with the largest gap being between 1908 and 1935. A gap of 27 years may be considered significant as the Site was developed prior to 1935. Any potential RECs, related to past uses of the Site, are therefore unknown.

Recommendations included in this report have been developed through the investigative procedures described in the *Scope of Services, Significant Assumptions, and Limitations* section of this report. These findings should be reviewed within the context of the limitations provided in the *Limitations* section.

#### Lot 100

- Information from the reviewed EDR database indicates that a spill of diesel fuel oil occurred at this facility (most likely at the on-site gasoline station). In addition, staining was observed and odors were detected in the vicinity of two on-site fuel pumps located at the gasoline station. Indications of spills were observed near four ASTs and several drums, which are located in the garage and near drums of antifreeze and windshield washer fluid stored near the fuel pumps. Therefore, HDR recommends that several soil samples be collected from the footprint of the garage and gasoline station and analyzed for the presence of NYSDEC Spill Technology and Remediation Series (STARS) Gasoline and Fuel Oil parameters, grease and those components found in antifreeze and windshield washer fluid.
- Information from the HDR site visit indicates the bus repair and maintenance garage includes an oil/water separator, which indicates a potential groundwater contamination issue. In addition, this investigation did not discover any permits related to the release of the filtered water to the New York City sewer system.



Therefore, HDR recommends further investigation to determine if permits are required, and if so, the City of New York should obtain copies of existing permits for review. In addition, HDR recommends that the soil and groundwater beneath the slab in the garage be sampled and analyzed for the NYSDEC STARS Gasoline and Fuel Oil parameters, grease and those components found in antifreeze and windshield washer fluid, which are products stored in garage and for which evidence of spills was observed. HDR also recommends that a vapor intrusion assessment be conducted to determine if a potential vapor intrusion condition (pVIC) exists in this area. The assessment should be conducted in conformance with the Standard Practice for Performance of Assessment of Vapor Intrusion into Structures on Property Involved in Real Estate Transactions as codified in ASTM E 2600 – 08.

- Information from an HDR interview with a representative of the facility located on Lot 100 (Atlantic Bus Company AKA Amboy Bus Company), indicates that waste oil, from the oil water separator, is stored in the 275-gallon AST located in the garage. According to the representative, the waste oil is removed from the facility by a waste management company (Safety Kleen). The representative was not aware of the existence of any waste manifests. Therefore HDR recommends that should the manifests exist, the facility provide copies of the manifests to the City of New York for review. In addition, any required government permits should be provided for review.
- Information from the HDR site visit indicates the garage includes a used oil filter crusher that removes used oil. The used oil and oil filters are stored in drums near the oil/water separator. According to an HDR interview with a representative of the facility, the used oil and used oil filters are removed from the facility by a waste management company (Safety Kleen). The representative was not aware of the existence of any waste manifests. Therefore HDR recommends the manifests be provided to the City of New York of for review. In addition, any required government permits should be provided for review.
- Information from the HDR site visit indicated the presence of a spill (sheen on water) near the entrance to the eastern-most garage bay. Therefore HDR recommends this area be included in any sampling plan for the garage area. The soil collected from this area should be analyzed for NYSDEC STARS Gasoline and Fuel Oil parameters, grease and those components found in antifreeze and windshield washer fluid.
- Information from the HDR site visit indicated that the lot included several areas of stored drums (30 and 55-gallon size). Indications of spills were observed near several drums. Therefore HDR recommends that the soil in the areas near these drums be sampled and analyzed for NYSDEC STARS Gasoline and Fuel Oil parameters, grease and those components found in antifreeze and windshield washer fluid.
- Information from the HDR site visit, the EDR report and files of the NYSDEC indicate the presence of two 4000-gallon USTs on the site. HDR recommends that any planned tank removal be conducted in accordance with all applicable government regulations.

Lot 103

- An HDR review of historic documents indicates that the facility located on this lot once included a buried 550-gallon gasoline tank at the southeast section of the structure. The use of the tank was not determined. It is possible that the reference to the tank, as indicated on the Sanborn maps, is erroneous and this tank may have been used to hold fuel oil for a boiler that once existed on the premises. In addition, this investigation did not determine the presence or absence of above ground or underground petroleum storage tanks at this location and an uncontrolled and unregistered underground tank may be present. Therefore HDR recommends a ground-penetrating radar (GPR) survey be completed to determine the presence and/or absence of any underground storage tanks at this facility.
- Information from the HDR site visit indicates that the facility includes electrical equipment, which does not include signs indicating the presence or absence of PCBs. The building also includes fluorescent lights. Because of the age of this building (constructed in 1923) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing). Therefore HDR recommends that soil samples be collected from the footprint of the building and analyzed for PCBs.
- Although asbestos and lead-based paint are not generally included in the standard ASTM ESA scope, the age of the building indicates that asbestos and lead-based paint may be present. HDR recommends an investigation of the structures for the presence of asbestos and/or lead-based paint prior to any planned alteration and/or demolition.

Lot 107

- According to information from an HDR interview with a representative of the facility located on this lot, a gas furnace, which was once used to heat the building (more than 25 years ago), is located in a concrete block room. The door to the room was inaccessible because it was blocked by debris and therefore the interior of the room was not observed. Because of the inaccessibility of the boiler room, HDR was unable to determine the presence of the furnace and/or any ASTs that may be in this area. In addition, because of the age of the building, the potential exists for the presence of USTs. This investigation did not determine the presence or absence of USTs on the site and consequently uncontrolled and unregistered storage tanks may be present. Therefore HDR recommends that the debris be cleared and the interior of the room be observed to determine the presence or absence of any ASTs. In addition, HDR recommends a GPR survey be completed to determine the presence and/or absence of any USTs at this facility.
- Information from the HDR site visit indicates that the facility includes electrical equipment, which does not include signs indicating the presence or absence of PCBs. The building also includes fluorescent lights. Because of the age of this building (constructed in 1910) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing). Therefore HDR recommends that soil samples be collected from the footprint of the building and analyzed for PCBs.
- Although asbestos and lead-based paint are not generally included in the standard ASTM ESA scope, the age of the building indicates that asbestos and lead-based paint may be present. HDR recommends an investigation of the structures for the

presence of asbestos and/or lead-based paint prior to any planned alteration and/or demolition.

#### The Site

- Information from the EDR database report indicates that several upgradient and/or adjoining or nearby facilities had reported spills of gasoline, dielectric fluid and lithium bromide that could have adversely impacted the Site. Therefore HDR recommends soil samples be collected around the periphery of the Site and analyzed for those constituents that are associated with these spills.
- Information from the EDR database report indicated that an upgradient facility, listed on the RCRA database, generated tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethene, carbon tetrachloride and chlorinated fluorocarbons. Violations were reported; therefore this facility may have had an adverse impact on the Site. Therefore HDR recommends that soil samples be collected from the periphery of the Site and analyzed for these contaminants.
- There is an undocumented gap of time (27 years) in the available reviewed historical documents and any potential RECs, related to past uses of the Site, are therefore unknown. HDR recommends further investigation to determine Site usage during this time period.

## 2.0 Introduction

### 2.1 Purpose and Involved Parties

This Phase I ESA documents the evaluation of the Site for indications of recognized environmental conditions (REC). A REC is defined by ASTM Practice E 1527-05 as: “The presence or likely presence of any hazardous substances or petroleum products on a project site under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the project site or into the ground, groundwater, or surface water of the project site. The term includes hazardous substances or petroleum products even under conditions of storage and use in compliance with local and state laws and regulations. The term is not intended to include *de minimus* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of regulatory governmental agencies. Conditions determined to be *de minimus* are not RECs.”

HDR received authorization from the City of New York Department of Citywide Administrative Services (NYC DCAS), the “user” of this report, to conduct a Phase I ESA of the Site (Figure 1), which is a property that includes three lots identified by the City of New York Building Department (Building Department) as Block 2349, Lots 100, 103 and 107 located at 399, 441 and 445 Exterior Street, Bronx, New York 10451 respectively (Figure 2). According to information from the Building Department and the New York City Department of Finance (Finance Department), Lot 100 is owned by 399 Exterior Street Associates, LLC; Lot 103 is owned by 441 River Avenue, Inc. and, Lot 107 is owned by Freiman Coated Fabric Corporation.

According to information from the Building and Finance Departments Lot 100 is 228.33 by 336.58 feet. The Atlantic Bus Company (AKA Amboy Bus Company) currently occupies the 99 by 72 foot 2-story on-site corrugated steel building. The on-site building also includes a bus repair and maintenance garage and the lot includes a gasoline station, which is used to service the buses. The building classification is listed as G2-Garage/Gas Station.

Lot 103 is 93 by 189.42 feet and includes an 80 by 170 foot 2-story concrete building that is currently occupied by Food Fest Cash and Carry, Inc., a wholesale food distributor and restaurant supply company. The building classification is listed as E1-Warehouse.

Lot 107 is 114.33 by 221.25 feet and includes a 114 by 199.4 foot 2-story concrete building that is currently occupied by the Freiman Coated Fabric Corporation., a fabric distribution company. The building classification is listed as E1-Warehouse.

Information from the New York City Planning Commission Zoning Map indicates the Site is zoned M2-1 (Manufacturing District, exemption code #1 Ports and Terminals).

### 2.2 Scope of Services, Significant Assumptions, and Limitations

The services provided for this project consisted of the following:

- Provide a description of the project area including current land uses
- Provide a general description of the topography, soils, geology, and groundwater flow direction
- Review reasonably ascertainable and reviewable regulatory information published by federal, state, local, tribal, health, and/or environmental agencies pertaining to the project area

- Review historical data sources for the project area, including aerial photographs, topographic maps, fire insurance maps, city directories, and other readily available development data
- Conduct an area reconnaissance and an environmental review—including a visual inspection of adjoining properties—with a focus on indications of hazardous substances, petroleum products, polychlorinated biphenyls (PCBs), wells, storage tanks, solid waste disposal pits and sumps, and utilities
- Interview current owners and occupants of businesses located near the project area that are likely to use hazardous materials in their operations and interview other persons with knowledge of the development history of the project area
- Prepare a written report of methods, findings, and conclusions

The goal of this scope of services is to assist the user (The City of New York) in identifying conditions in the project area that may indicate risks regarding hazardous materials storage, disposal, or other impacts. The resulting report may qualify the user for relief from liabilities as one of three “defenses” identified in the 2002 Brownfields Amendments to the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Section 9607 (All Appropriate Inquiry subsections). These three defenses include:

1. The “innocent landowner” defense to potential liabilities under 42 United States Code [U.S.C.] § 9601
2. The “contiguous project corridor owner” defense pursuant to 42 U.S.C. § 9607q
3. The “bona fide prospective purchaser” defense pursuant to 42 U.S.C. §9607r

Federal regulations at 40 Code of Federal Regulations [C.F.R.] Part 312, promulgated by the United States (U.S.) Environmental Protection Agency (EPA), require that liability release be based (in part) on completion of All Appropriate Inquiries (AAI) prior to purchase of a property. Those inquiries are documented by Phase I reports, or Environmental Site Assessments (ESAs). EPA has agreed that the recently developed ASTM guidance (ASTM Practice E 1527-05) specifies and interprets AAI requirements.

A user is defined by ASTM Practice E 1527-05 as the party seeking to use Practice E 1527 to complete an ESA of the project area and may include a potential purchaser of land in the project area, a potential tenant of the project area, an owner of land in the project area, a lender, or a project area manager. Investigative areas not included in the standard ASTM ESA scope include: asbestos, lead-based paint, lead in drinking water, radon or urea formaldehyde, wetland issues, regulatory compliance, cultural and historic resources, industrial hygiene, health and safety, ecological resources, endangered species, indoor air quality, and high voltage power lines. The scope of services for ESA projects also does not include the completion of soil borings, the installation of groundwater monitoring wells, or the collection of soil or groundwater samples. Likely sources of vapor intrusion, from potential on-site or off-site sources, are identified. State and national policies and standards relevant to vapor intrusion are in flux and subject to change.

HDR has made certain assumptions in preparing the scope of this assessment:

- Data gathered from public information sources (i.e., libraries or public regulatory agencies) are accurate and reliable.
- Site operations reflect site conditions relative to potential releases and no intentional concealment of environmental conditions or releases has occurred.

- Interview information is directly reported as gathered by the assessor and is limited by the accuracy of the interviewee's recollection and experience.
- Published geologic information and site observations made by the environmental professional are used to estimate likely contaminant migration pathways in the subsurface. These estimates by the environmental professional are limited in accuracy and are generally cross-referenced with existing information about similar sites and environmental releases in the area.
- Regulatory information is limited to sites discovered after the late 1980s because reliable records were not kept by regulatory agencies prior to that time frame.

Where a REC has resulted from historical uses or conditions, but apparently no longer persists at the site, the term "historical REC" is used.

The findings and conclusions presented in this report are based on the procedures described in ASTM Practice E 1527-05, informal discussions with various agencies, a review of the available literature cited in this report, conditions noted at the time of this Phase I ESA, and HDR's interpretation of the information obtained as part of this Phase I ESA. The findings and conclusions are limited to the Site as described in this report and by the accuracy and completeness of the information provided by others.

An ESA cannot entirely eliminate uncertainty regarding the potential for RECs. Conducting this assessment is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs in connection with a project area within reasonable limits of time and cost. In conducting its services, HDR used a degree of care and skill ordinarily exercised under similar circumstances by reputable members of its profession practicing in the same locality. No other warranty is made or intended. This Phase I ESA generally conforms to the level of documentation required in ASTM Practice E 1527-05.

## **3.0 Site Description**

### **3.1 Location and Legal Description**

The Site includes three lots that are identified by the City of New York Building Department (Building Department) as Block 2349, Lots 100, 103 and 107. The lots are located at 399, 441 and 445 Exterior Street, Bronx, New York 10451 respectively. According to information from the Building and Finance Departments, Lot 100 is owned by the 399 Exterior Street Associates, LLC; Lot 103 is owned by 441 River Avenue, Inc. and, Lot 107 is owned by Freiman Coated Fabric Corporation.

### **3.2 Site and Vicinity Characteristics**

The 1979 Central Park, New York, United States Geological Survey (USGS) quadrangle map indicates that the elevation of the Site ranges from approximately 12 feet above mean sea level (amsl) to 4 feet amsl. The topography in the vicinity of the Site slopes generally toward the west. Runoff from the Site flows toward the west. The general gradient in the vicinity of the Site indicates that groundwater flows to the west toward the Harlem River. According to information from the National Flood Insurance Program, Flood Insurance Rate Map (FIRM) panel 3604970020B, the Site is located in Zones A-6 and B. The Zone A-6

designation indicates areas of the 100-year flood. The Zone B designation indicates areas between the 100 and 500-year flood.

According to the United States Department of Agriculture (USDA) Soil Conservation Service's soil survey soil maps for STATSGO, the soil in the vicinity of Site is mainly composed of Urban Land. Urban Land consists of areas where at least 50% of the surface is covered by buildings, parking lots or other impervious structures. Included with this unit are areas of silt loam, loamy sand, sandy loam and fine sandy loam. Deeper soils may include un-weathered bedrock, very gravelly loamy sand and stratified sandy loam. Bedrock in this area is greater than 10 inches below ground surface (bgs). Locally the Harlem Line Railroad, which was completed in 1851 along the bank of the Harlem River, included the construction of rails on trestles set in "rip-rap" foundations on the riverbed. These trestles and rip-rap then provided the support for new fill between the rails and the shore.

The soil lies on top of unconsolidated glacial deposits of clay, silt, sand, gravel, and boulders that formed during the Wisconsin glacial stage, approximately 12,000 years ago. The glacial deposits lie unconformably over the carbonate rocks (i.e. dolomite marble, calcite marble, calc-schist) of the Inwood Marble of the lower Ordovician and Cambrian periods of the Paleozoic Era, which formed approximately 500 to 478 million years ago (MYA).

### **3.3 Description of Structures, Roads, and Other Site Improvements**

The Site, which includes three lots, is located adjacent to Exterior Street, ASS Wire Products and Clear Channel Outdoors, Inc. (a radio broadcasting station) to the east; the Harlem River to the west; Bronx County Recycling, Inc. (a recycler of rock, soil and concrete) to the north and, the Lee and Grant Food Supply and Paper Products Company to the south .

Lot 100 includes a 2-story corrugated metal building, a bus repair and maintenance garage, a gasoline station and a paved bus parking area. The building includes an office (on the second floor). The 4-bay bus repair and maintenance garage is located on the first floor of the building. The garage is heated by overhead natural gas heaters and a natural gas burner supplies heat for the office. The eastern and southern sections of the lot are fenced and access is gained through four locked gates located on Exterior Street. The building is connected to New York City water and sewer mains.

Lot 103 includes a 2-story concrete building. The building, a warehouse, is heated by electric space heaters and is connected to New York City water and sewer mains. Access to the building is through the main entrance and/or loading docks located on Exterior Street.

Lot 107 includes a foot 2-story concrete building. The building, a warehouse, is heated by overhead natural gas heaters and is connected to New York City water and sewer mains. Access to the building is through the main entrance and/or loading docks located on Exterior Street.

### **3.4 Area Geology and Hydrogeology**

The New York City area is comprised of three physiographic provinces including the New England Upland Province. The New England Upland Province includes the Manhattan Prong, which is a geologic sub province that encompasses Manhattan, the Bronx, most of Westchester County and a portion of Putnam County. The majority of the bedrock of the Manhattan Prong is metamorphic and, in the vicinity of the Site, includes the Cambrian-Ordovician carbonate rocks of the Inwood Marble (dolomite marble, calc-schist, and calcite marble).

The Inwood Marble, which metamorphosed from limestone/dolostone, forms beds 150 to 500 feet thick beneath the Harlem River and adjacent regions. The marbles are rich in magnesium but poor in iron. Therefore they contain very pale, magnesium-rich phlogopite mica, diopsidic pyroxene, and tremolite. Inwood marble was likely used by the earliest residents of the Bronx for building material as the marble was readily available and easy to tool. In the early nineteenth century, the rock had been quarried to produce both a building material and a mortar. The excavation for the Harlem River Shipping Canal in 1895, directly through an old quarry site, also served to provide a large quantity of marble, which was used as a building material throughout the area.

The groundwater in the New York City area discharges to the Hudson and East Rivers, which are located west and east of the Site respectively. Groundwater recharge includes precipitation, leaking drains and water lines. Recharge of the groundwater from precipitation is limited due to the relatively impermeable nature of the streets, buildings, foundations and underground structures such as subways, tunnels and other impervious obstructions. Groundwater flow in the bedrock is controlled by the interconnection of the open joints and fractures in the bedrock. The groundwater level in the overburden tends to follow the bedrock elevation, which suggests a perched water table on top of the bedrock in some areas.

Groundwater elevations in the vicinity of the Site are most likely tidally influenced. The Harlem River, which adjoins the Site to the west, forms a part of the Hudson estuary system, serving as a narrow strait that divides the island of Manhattan from the Bronx and is affected by the actions of the ocean and neighboring rivers. The ebb and flow of the tides cause the Harlem River's currents to fluctuate throughout the day.

Information included in the EDR report indicates that groundwater levels in one well, located in the vicinity of the Site, was measured at eight (8) feet below ground surface.

#### **4.0 User- Provided Information**

The City of New York provided a tax map, zoning information and Site contact information.

### **5.0 Records Review**

#### **5.1 Environmental Records Review**

Environmental Data Resources, Inc. (EDR) was contracted by HDR to complete a database search of Federal, state, and tribal environmental records for the project Site. The Federal and state databases searched included the following:

##### Federal Records

- NPL – National Priority List
- Proposed NPL – Proposed National Priority List
- Delisted NPL – National Priority List Deletions
- CERCLIS – Comprehensive Environmental Response, Compensation, and Liability Information System
- CERCLIS-NFRAP – CERLCIS No Further Remedial Action Planned
- CORRACTS – Corrective Action Report
- RCRA TSDF – Resource Conservation and Recovery Act Treatment, Storage, and Disposal Facilities



- RCRA Small Quantity Generators (SQG)
- RCRA Large Quantity Generators (LQG)
- RCRA Conditionally Exempt Small Quantity Generators (CESQG)
- RCRA Non-Generators (Non-Gen)
- U.S. Institutional Control/Engineering Controls Registries
- ERNS – Emergency Response Notification System
- NPL Liens– Federal Superfund Liens
- Liens 2 – CERCLA Liens
- DOD – Department of Defense Sites
- FUDS – Formerly Used Defense Sites
- U.S. Brownfields – Listing of Brownfields Sites
- CONSENT – Superfund (CERLA) Consent Decrees
- ROD – Records of Decision
- UMTRA – Uranium Mill Tailing Sites
- ODI – Open Dump Inventory
- SSTS – Section 7 Tracking Systems
- ICIS – Integrated Compliance Information System
- MINES – Mines Master Index File
- HMIRS – Hazardous Materials Incident Report System
- TRIS – Toxic Chemical Release Inventory System
- TSCA – Toxic Substances Control Act
- FTTS – FIFRA, TSCA, and EPCRA Tracking Systems
- PADS – PCB Activity Database System
- MLTS – Material Licensing Tracking System
- FINDS – Facility Index System
- RAATS – RCRA Administration Action Tracking System
- RADIOINFO – Radiation Information Database
- US CDL – Clandestine Drug Labs
- LUCIS – Land Use Control Information System
- DOT OPS – Incident and Accident Data
- Debris Region 9 (illegal dump site locations)

#### State and Local Records

- HSWDS – Hazardous Substance Waste Disposal Site Inventory
- SHWS – Inactive Hazardous Waste Disposal Sites in New York
- DEL SHWS – Delisted Registry Sites
- SWF/LF – Facility Register
- SWRCY – Registered Recycling Facility List
- SWTIRE – Registered Waste Tire Storage and Facility List
- LTanks – Spills Information Database (leaking underground storage tanks)
- UST – Petroleum Bulk Storage (PBS) Database
- CBS UST – Chemical Bulk Storage (underground tanks) Database

- MOSF UST – Major Oil Storage Facilities Database (underground)
- AST – Petroleum Bulk Storage (above ground tanks) Database
- CBS AST – Chemical Bulk Storage Database
- MOSF AST – Major Oil Storage Facilities Database (above ground)
- NY Spills – Spills Information Database
- ENG CONTROLS – Registry of Engineering Controls
- INST CONTROLS – Registry of Institutional Controls
- VCP – Voluntary Cleanup Agreements
- DRYCLEANERS – Registered Drycleaners
- Brownfields – Brownfields Site List
- SPDES – State Pollutant Discharge Elimination System
- AIRS – Air Emissions Data
- CBS – Chemical Bulk Storage Site Listing
- E DESIGNATION – Environmental Designation Site Listing
- RES DECL – Restrictive Declarations Listing
- MOSF – Major Oil Storage Facility Site Listing

Tribal Records

- INDIAN RESERV – Indian Reservations
- INDIAN LUST – Leaking Underground Storage Tanks on Indian Land
- INDIAN UST – Underground Storage Tanks on Indian Land

EDR Proprietary Records

- Manufactured Coal Gas Plants

A computerized environmental information database search was performed for the project Site by EDR on July 31, 2008. The databases searched included Federal, state, local, tribal, and EDR proprietary databases as defined by ASTM E 1527-05. The results of the database search are summarized in the following table and paragraphs. A complete copy of the EDR environmental database report is included in Appendix C.

**Table 1 – Summary of Environmental Database Search Results**

Database	Description	Facilities Listed	Sites of Concern to the Project
	<b>Federal</b>		
RCRA-LQG	The RCRA Large Quantity Generator database includes facilities that generate, transport, store, treat and/or dispose of 1000 kilograms or more of hazardous waste per month.	2	0

Database	Description	Facilities Listed	Sites of Concern to the Project
<b>Federal</b>			
RCRA-CESQG	The RCRA Conditionally Exempt Small Quantity Generators (CESQG) data base includes those facilities that generate less than 100 kilograms of hazardous waste or less than 1 kilogram of acutely hazardous waste per month.	4	1
RCRA Non-Gen	The RCRA Non-Generator database includes facilities that do not presently generate hazardous waste.	25	13
<b>State</b>			
SHWS	The State Inactive Hazardous Waste Disposal Sites database, also known as the State Superfund Program, is the cleanup program for inactive hazardous waste sites and hazardous substance sites.	1	0
SWF/LF	The Solid Waste Facilities/Landfill database typically contains an inventory of solid waste disposal facilities or landfills, which may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.	2	1
SWRCY	The State Registered Recycling Facility List is a database that includes a listing of registered recycling facilities.	2	0
LTanks	The Leaking Storage Tank (LTanks) Incident Reports database includes an inventory of reported leaking storage tank incidents reported from 4/1/1986 through the most recent update (2/5/2008).	54	3
UST	The Petroleum Bulk Storage (PBS) Underground Storage Tank (UST) database, maintained by the New York State Department of Environmental Conservation, includes facilities that have petroleum storage capacities in excess of 1, 100 gallons and less than 400,000 gallons.	26	12
AST	The Petroleum Bulk Storage (PBS) Above Ground Storage Tank (AST) database, maintained by the New York State Department of Environmental Conservation, includes facilities that have above ground petroleum storage tanks.	16	6
MANIFEST	Manifest is a document that lists and tracks hazardous waste from the generator through the transporter to the disposal facility.	20	7
NY Spills	The New York Spills (NY Spills) database is maintained by the NYSDEC and includes a listing of reported spills from April 1, 1986 to the most current government update (February 15, 2008).	4	4
Drycleaners	The Drycleaners database is a listing of all registered drycleaning facilities.	1	0

There are four listings for the Site on the EDR database report as follows:

Lot 100 – 399 Exterior Street

Metro Affiliates, located at 399 Exterior Street, is listed on the AST and UST databases. According to information on the AST and UST databases the lot includes/included the following tanks:

Tank No.	Location	Capacity (gal)	Product Stored	Installation Date	Status
001	Underground	4000	Unleaded Gasoline	1998	In Service
002	Underground	4000	Diesel	1998	In Service
003	Above Ground	275	Lube Oil	1990	Removed 2002
004	Above Ground	275	Lube Oil	1990	Removed 2002
005	Above Ground	275	Other	1990	Removed 2002
006	Above Ground	700	Lube Oil	2002	In Service
007	Above Ground	700	Lube Oil	2002	In Service
008	Above Ground	275	Waste Oil	2002	In Service
009	Above Ground	275	Other	2002	In Service

An employee (garage manager) of the Atlantic Bus Company (AKA Metro Affiliates and the Amboy Bus Co.) provided HDR with a copy of the most current Petroleum Bulk Storage Certificate (expires on November 9, 2011). According to information on the certificate, the facility includes two (2) active 4000 gallon USTs; two (2) active 700 gallon ASTs and, two (2) active 275 gallon ASTs. This information agrees with the information included on the AST and UST database reports. Information received from the NYSDEC, in response to an HDR FOIA request, agrees with the information included in the EDR database report with the exception of the product stored in Tank 001. According to the information on the EDR database report, this tank stores unleaded gasoline. However, the information received by HDR from the NYSDEC indicates this tank stores diesel fuel oil. According to observations made during the HDR site visit, the information included on the EDR database report is correct.

In addition to the listings on the AST and UST databases, 399 Exterior Street (Amboy Bus Company) is listed on the NY Spills database.

According to information on the database, the Amboy Bus Co. had a reported spill of five (5) gallons of diesel oil on July 5, 2005 (NYSDEC Spill No. 0503991). The cause of the spill is listed as equipment failure (delivery truck fitting malfunctioned) and the resource affected is listed as soil. The database notes indicate that the spill was to concrete and did not flow into the sewer or soil. The spill file was closed the next day. A copy of the spill report, received from the NYSDEC, in response to an HDR FOIA request, agrees with the information included in the EDR database search report.

Information from the NYSDEC, in response to an HDR FOIA request, indicates that the spiller (Sprague Energy Corp.) completed a non-hazardous waste manifest for the disposal of petroleum-contaminated Drysol, an absorbent, on July 6, 2005.

Lot 103 – 441 Exterior Street

PPG Industries, Inc., 441 Exterior Street, is listed on the RCRA Non-Gen database. According to the database, this facility does not currently generate hazardous waste and no violations were reported. In addition to the information on the EDR database, HDR received a copy of a Notification of Hazardous Waste Activity form from the USEPA in response to an HDR request for information. According to information on this form, dated July 30, 1986, PPG Industries was located at 441 Exterior Street (Lot 103) at that time. The information on the form indicates that PPG generated less than 1,000 kg of hazardous waste per month. No additional information was discovered regarding the nature of the waste.

In addition to the above listed facilities, HDR determined that several mapped upgradient and/or nearby facilities, listed on the RCRA-CESQG, RCRA Non-Generator, SWF/LF, LTanks, UST, AST, Manifest, and NY Spills databases, may be of concern to the project.

#### RCRA-CESQG

One upgradient and/or nearby facility is listed on the RCRA-CESQG database. No violations were reported for this facility.

#### RCRA Non Generator/Manifest

Twenty-five upgradient and/or nearby facilities are listed on the RCRA Non-Generator database and seven facilities are listed on the Manifest database. HDR determined that of the twenty-five listed facilities on the RCRA Non-Gen database, one facility, S&S Industries, located at 385 Gerard Avenue, had reported violations. According to the RCRA Non-Gen database report, this facility generated hazardous waste that included the following chemicals:

Tetrachloroethylene  
 Trichloroethylene  
 Methylene Chloride  
 1,1,1-Trichloroethane  
 Carbon Tetrachloride  
 Chlorinated Fluorocarbons

The facility is listed as having the following violations:

Violation Date	Compliance Date	Lead Agency
2/23/1999	3/23/1999	USEPA
8/11/1993	3/3/1994	State
8/11/1993	3/3/1994	State
12/23/1987	3/11/1988	State

Because HDR determined this facility is located upgradient of the Site, this facility may have an adverse impact on the environmental integrity of the project.

All the remaining facilities listed on the RCRA Non-Gen database had no reported violations and therefore are not expected to have an adverse impact on the environmental integrity of the Site.

#### SWF/LF

Equinox (AKA Bronx County Recycling), located at 475 Exterior Street, is listed as a recycling facility that handles construction and demolition (C&D) material. This facility is also listed on the NY Spills, UST (as an unmapped site) and the AST (as an unmapped site) databases. Because Bronx County Recycling (AKA Equinox) is listed on the NY Spills database and adjoins the Site to the north (north of Lot 107), this facility may have an adverse impact on the environmental integrity of the project.

#### LTanks

Three upgradient and/or nearby facilities are listed on the LTanks database. EDR determined that one of the three listed facilities had a spill that may have adversely impacted the Site.

#### *318 Grand Concourse*

According to the database report, a spill of 1,000-gallons of gasoline was reported for this location on September 6, 1989. The cause of the spill is listed as a tank overfill and the resource affected is listed as the sewer. According to the database report, the spill, which occurred in the subway, was cleaned up with a vacuum truck. The spill file was closed the same day. Because this facility is located upgradient to the Site, this spill may have adversely impacted the subject property. However, because of the large area of impermeable surfaces in the vicinity, and the fact that potable water for the Site is not obtained from local groundwater sources, it is expected that the impact to the Site from this spill would be moderate to low.

HDR reviewed the remaining two spill files and determined that, because of the nature of the spills (small quantities), the large area of impermeable surfaces in the vicinity, and the fact that potable water for the Site is not obtained from local groundwater sources, it is expected that the impact to the Site from the remaining two spills would be low to none.

#### UST

Twelve upgradient and/or nearby facilities are listed on the UST database. HDR determined that these facilities did not have reported spills and therefore are not expected to have an adverse impact on the environmental integrity of the Site.

#### AST

Six upgradient and/or nearby facilities are listed on the AST database. HDR determined that these facilities did not have reported spills and therefore are not expected to have an adverse impact on the environmental integrity of the Site.

#### NY Spills

Four upgradient and/or nearby facilities are listed on the NY Spills database. HDR determined that two facilities had reported spills that may have adversely impacted the Site.

##### *Equinox – 475 Exterior Street*

According to the database report, a spill of unspecified quantity of lithium bromide was reported at this location on December 3, 1996. The database indicates that the cause of the spill was unknown and the resource affected was listed as surface water (the Harlem River). Information from the NYSDEC indicated that this substance was observed flowing from the facility into the river. The facility was closed (for accepting un-permitted waste) and required to dispose of the waste. The spill file was closed on January 10, 1997.

This facility is also listed on the SWF/LF, UST (as an unmapped site) and the AST (as an unmapped site) databases. Because Bronx County Recycling (AKA Equinox) adjoins the Site to the north (north of Lot 107), this facility may have an adverse impact on the environmental integrity of the project.

##### *Manhole #1676*

Information on the EDR database indicated that a spill of 50 gallons of dielectric fluid was reported for this location on August 24, 2002. The cause of the spill was listed as equipment failure (fault found at a transformer) and the resource affected was listed as soil. According to information on the database, 50 gallons of dielectric fluid was observed on 400 gallons of water in the vault. There was no smoke or fire and no sewers, waterways or private property was affected. This spill may have had an adverse impact on the Site, however it is expected that any adverse impact to the Site from this spill would be moderate to low.

HDR determined that because of the small amount of material spilled and erroneous sampling results, the remaining two spills are not expected to have had an adverse impact on the environmental integrity of the Site.

In addition to the list of mapped facilities, EDR included a list of unmappable facilities

(orphan sites) for which the facility address was either unknown or incomplete. HDR determined that one facility, Bronx County Recycling, adjoins the Site to the north (north of Lot 107). This facility, located at 475 Exterior Street, is listed on both the UST and the AST databases. A spill was also reported for this location (see Equinox AKA Bronx County Recycling). According to the spill file, the material spilled at this location was lithium bromide. Information from UST and AST databases indicates the tanks at this facility store waste oil and diesel fuel oil. Therefore the tanks were most likely not the source of this spill.

### 5.3 Agencies Contacted by HDR for Additional Information

In addition to the database search report supplied by EDR, HDR contacted the following agencies for information on the Site:

Agency Contacted	Information Requested	Response
USEPA	Files for Lots 100, 103 and 107	Reviewed Files for Lot 103 No Files for Lots 100 and 107
NYSDEC	Files for Lots 100, 103 and 107	Reviewed Files for Lot 100 No Files for Lots 103 and 107
New York City Dept. of Environmental Protection	Files for Lots 100, 103 and 107	No Response to Date
New York City Department of Health	Files for Lots 100, 103 and 107	No Response to Date
Fire Department City of New York	Files for Lots 100, 103 and 107	No Response to Date
NYC Building Department	Information for Lots 100, 103 and 107	Yes, Reviewed
NYC Department of Finance	Information for Lots 100, 103 and 107	Yes, Reviewed
NYC Planning Commission	Zoning Information for Lots 100, 103 and 107	Yes, Reviewed

Information from the NYC Building Department included the property identification number, lot address and building classification. The NYC Department of Finance files included information on Site ownership and lot and building size. The NYC Planning Commission files included information on zoning.

Any pertinent information received by HDR from the NYCDEP, the NYCDOH and/or the FDNY, subsequent to the issuance of this report, will be forwarded as an addendum. Copies of the HDR Freedom of Information Act requests; agency responses; excerpts of reviewed information and, HDR telecommunication documentation are included in Appendix E.

### 5.4 Historical Use Information

The objective of reviewing historical use information is to develop a history of previous land uses in the vicinity of the project area and to assess these uses for potential hazardous materials impacts that may affect the project. HDR reviewed those historical sources that were readily available and reviewable and likely to provide useful information, given the time and cost constraints inherent in ESA projects. Copies of reviewed historical use information are included in Appendix F.



## Fire Insurance Maps

Fire insurance maps are produced by private fire insurance companies to indicate uses of the project area on specified dates. HDR requested fire insurance maps from EDR, the copyright holder for the Sanborn map collection.

EDR provided Sanborn maps for the following years:

1891 1908 1935 1944 1946 1947 1951 1977 1980 1984 1989  
1991 1993 1996

## The Site

Information from the 1891 map indicates the Site was undeveloped. The Site is not included on the 1908 map. The 1935 Sanborn map indicates the presence of the Pittsburg Plate Glass Company (PPG) (441 Exterior Street) and the National Surplus Company (445 Exterior Street) on the Site. The building located at 441 Exterior Street, which was constructed in 1923, includes a buried 550-gallon gasoline tank at the southeast section of the structure. The building located at 445 Exterior Street was constructed in 1910. The Site also includes the railroad tracks (all lots), a freight shed (Lot 100) and freight yard of the Harlem Valley Railroad. Information from the 1944 map indicates the Site included PPG (441 Exterior Street), a wine and plywood storage warehouse (445 Exterior Street), the Lenox Coal Company, coal pockets, office, storage shed, and railroad tracks. The 1946 map indicates the Site included PPG (441 Exterior Street), a wine and plywood storage warehouse (445 Exterior Street), the Riverside Fuel Company, coal pockets, storage shed, office, railroad tracks and a freight yard. Information from the 1947 and 1951 maps indicate the Site included PPG (441 Exterior Street), a wine and plywood storage warehouse (445 Exterior Street), coal pockets, a coal conveyor, lockers, an office and railroad tracks. The buried 550-gallon gasoline tank is no longer indicated at 441 Exterior Street (PPG). According to the 1977 Sanborn map, the Site included a warehouse (441 Exterior Street), a plywood warehouse (445 Exterior Street), coal pockets, lockers, a coal conveyor, office and railroad tracks. The 1980 and 1984 maps indicate the Site included a warehouse (441 Exterior Street), a plywood warehouse (445 Exterior Street) and a railroad spur. Information from the 1989 map indicated the Site included a warehouse (441 Exterior Street) and a plywood warehouse (445 Exterior Street). The railroad spur is not indicated. The 1991, 1993 and 1996 maps indicate the Site included a warehouse (441 Exterior Street), a plywood warehouse (445 Exterior Street) and an additional structure, a warehouse (399 Exterior Street), which is located west of 445 Exterior Street, and the Atlantic Express School Bus parking lot (southern section of the Site).

## Adjoining Property

Information from the 1891 map indicates the Site was adjoined by the Harlem River to the west (as do all subsequent maps). The property that adjoined the Site to the north, south and east was vacant. The adjoining property is not included on the 1908 map. Information from the 1935 map indicates that railroad tracks adjoined the Site to the north and south and Exterior Street adjoined the Site to the east. An unlabeled structure is indicated southeast of the Site. The 1944 and 1946 maps indicate the Site was adjoined on the north and south by railroad tracks and a freight yard and on the east by Exterior Street and the Major William F.

Deegan Highway (Major Deegan). Information from the 1947 and 1951 maps indicate the Lehigh Valley Freight Yard, a flour warehouse, coal pockets, a lube oil warehouse, coal storage bins and lockers adjoined the Site to the north. Exterior Street and the Major Deegan adjoined the Site to the east. A freight yard and the freight house of the Lehigh Valley Railroad adjoined the Site to the south. With the exception of the Metropolitan Roofing Company, which adjoined the Site to the south, the information on the 1977 map is the same as that included on the 1947 and 1951 maps. The 1980 map includes the same information as the 1977 map with the exception of the presence of only one structure (unlabeled) being located north of the Site. The Lehigh Valley Freight Yard, flour warehouse, coal pockets, lube oil warehouse, coal storage bins and lockers are no longer indicated. The 1984 map includes the same information as the 1980 map with the addition of a metal storage yard adjoining the Site to the south. The 1989 map includes the same information as the 1984 map with the addition of an automobile junk yard adjoining the Site to the north. The 1991 and 1993 maps include the same information as the 1989 map with the exception of the addition of a workshop and the Update Carting Company adjoining the Site to the north. The 1996 map indicates the Site is adjoined by Demolition and Update Carting, Inc. to the north, Bronx Paper Products Company to the south and Exterior Street and the Major Deegan to the east.

#### Nearby Properties

Information from the 1891 Sanborn map indicated the area in the vicinity of the Site included the Panoramic Painting Company, unlabeled structures, the New York Central and Hudson River and New Haven and Hartford railroad tracks, a store house, foundry, saw mill, the Mott Haven Depot, a bowling alley, stables, the American Express Company, a color works, the Mott Haven Canal, a sash, door and blind company, a coal yard and a lighting company. The 1908 map indicated the area in the vicinity of the Site included a lumber yard. Information from the 1935 map indicated the presence of roads, an office, freight shed and railroad tracks in the vicinity of the Site. According to the 1944 and 1946 maps, the area in the vicinity of the Site included roads, railroad tracks and a freight yard. Information from the 1947 map indicates the area in the vicinity of the Site included railroad tracks, roads, a flour warehouse, the Consolidated Telegraph and Electric Subway Company, a truck repair shop, coal yard, oil company, twelve earth-covered fuel oil tanks, a garage, offices, coal pockets and an oil filling station. According to the 1951 map, the area in the vicinity of the Site included the Bradley Mahoney Coal Corp., garages, coal pockets, the Consolidated Telegraph and Electric Subway Company, a truck repair shop, a coal yard, an oil company, twelve earth-covered fuel oil tanks, coal pockets and an oil filling station. The 1977, 1980 and 1984 maps indicate the area in the vicinity of the Site included the Central Coal Company, coal pockets, garage, an office, storage shed and the Consolidated Edison Company (Con Ed). The 1989, 1991, 1993 and 1996 maps indicated the area in the vicinity of the Site included a limousine sales and service company, a repair shop, garage, offices and the Con Ed Company.

#### City Directory Information

HDR requested a City Directory Abstract Report from EDR. The directory included listings for a portion of the Site (Lot 100) and surrounding properties for the years searched (1927 through 2005) as follows.

<b>Year</b>	<b>Address</b>	<b>Listing and/or Listing Type</b>
1927	100 East 144 <sup>th</sup> St.	M. Manzo Rags and Paper
1931	100 East 144 <sup>th</sup> St.	Prince Eveleyn
1940	101 East 144 <sup>th</sup> St.	American Franklin Olean Tile Warehouse Olen Tile Company Franklin Tile Company
1949	404 Exterior St.	Texachem Corporation
1956	404 Exterior St.	Metro Industrial Painting Co., Inc. Metro Decorating Company
1993	385 Exterior St. 399 Exterior St.	Borax Paper Products, Inc. Atlantic Hudson Inc. Amboy Bus Company
2000	399 Exterior St.	Atlantic Hudson Inc. Amboy Bus Company
2005	399 Exterior St.	Amboy Bus Company Atlantic Hudson, Inc. Tract

### **Historical Aerial Photographs**

Historical aerial photographs are valuable for the environmental assessor to review features of the Site and surrounding properties over a long period of time. HDR reviewed the historic aerial photographs provided by EDR. Historical aerial photographs were available for 1954, 1966, 1975, 1984, 1994 and 2006. The 1954 photograph indicates the presence of two large structures at the northeast section of the Site; two smaller structures at the western section of the Site, and what appear to be railroad tracks at the western and southern sections of the Site. The property adjoining the Site to the north includes one large structure; two smaller structures and, what appears to be railroad tracks. The area adjoining the Site to the east includes a road and several medium and smaller structures. A large structure and several smaller structures are evident on the property adjoining the Site to the south. With the exception of increased development in the area, the 1966 aerial photograph appears to include the same features as the 1954 photograph. The 1975 and 1984 photographs indicate that there are only two structures on the Site (the two larger structures located at the northeast section of the property). The features indicated on the adjoining property appear to be the same as those indicated on the 1966 photograph with the exception that the property adjoining the Site to the north appears to only include one structure, which is located at the eastern section of the lot. The 1994 and 2006 aerial photographs indicate three structures on the Site; the two structures located at the eastern section of the Site and, one structure located at the western section of the Site (west of 445 Exterior Street). In addition, what appear to be busses are parked along the western and southern sections of the Site. The areas adjoining the Site to the north, south and east appear to be the same as those indicated on the 1984 photograph.

## **Historical Topographic Maps**

Historical topographic maps provide an overview of the area relative to potential previous land uses. HDR reviewed historical topographic maps of the Site, nearby areas and adjoining properties for the following years: 1897, 1947, 1966, 1979 and 1995.

With the exception of the presence of railroad tracks, located at the western and southern sections of the Site, the 1897 map indicated the Site was undeveloped. There were no structures indicated on the properties that adjoined the Site to the north, south and east. Small structures; railroad tracks; bridges and, parks were evident on nearby properties.

The 1947 topographic map indicated the presence of one large structure (northeast section of the property) and railroad tracks (western and southern sections of the property) on the Site. Several large, medium and smaller structures are evident on the property adjoining the Site to north and south and, a road is evident adjoining the Site to the east. Nearby properties included bridges; railroad tracks and the warehouse of the Lehigh Valley Railroad; small, medium and large structures; roads; parks; Yankee Stadium; an armory and, an ice company (as labeled). The features indicated on the 1966 topographic map are the same as those included on the 1947 map for the Site and adjoining properties. Nearby properties included small, medium and large structures; roads; bridges; parks; railroad tracks; schools; Yankee Stadium; a rail yard (Mott Haven); playgrounds; Terminal Market (as labeled); a prison and, hospitals.

The 1979 and 1995 topographic maps indicated the presence of one large structure on the Site and the railroad tracks are no longer evident. The property adjoining the Site to the north appears to be undeveloped. The properties adjoining the Site to the south and east appear to include the same features as the 1966 and 1947 maps. Nearby properties included small, medium and large structures; roads; bridges; parks; railroad tracks; schools; Yankee Stadium; a rail yard (Mott Haven); playgrounds; Terminal Market (as labeled); a prison and, hospitals.

## **5.5 Environmental Liens and Additional Information**

The City of New York did not provide a Report of Title for HDR review, nor any information on environmental liens, or activity or use limitations. Environmental lien searches were not conducted as part of the scope of work for this project. No information on specialized knowledge of the City of New York was provided. No information on a relationship of the purchase price to the fair market value of the property if clean was provided by the City of New York.

## **5.6 Summary of Previous Environmental Investigations**

No information regarding previous environmental investigations was provided by the City of New York of this report for review. No information regarding previous environmental investigations of the Site was discovered during this assessment.

## 6.0 Site Reconnaissance and Interviews

### 6.1 Site Reconnaissance

On August 19, 2008, HDR conducted a reconnaissance of the Site, which includes three lots (Lots 100, 103 and 107). Site reconnaissance photographs are included in Appendix B.

#### Lot 100

Lot 100, which is located at 399 Exterior Street, is 228.33 by 336.58 feet and includes a 99 by 72 foot 2-story corrugated steel building. The building, which is currently occupied by the Atlantic Bus Company (AKA Amboy Bus Company), includes an office and a four-bay bus repair and maintenance garage. In addition, the lot includes a bus parking area and a gasoline service station, which is used to service the buses (Photographs 1 and 2). The eastern and southern portions of the lot are fenced and access to the Site is through any one of four gates located on Exterior Street. The building is located at the northwest section of the Site and access to the repair and maintenance garage is through any one of the four bay doors located at the southern section of the building. The office, which is located on the second floor of the building, is accessed through a door that is located west of the garage bays. The gasoline station, which includes two fuel dispensers located on a pump island, is located south of the repair and maintenance garage. The bus parking area is located north and south of the gasoline service station.

#### *The Building*

The four bay garage, which is located on the first floor (ground level) of the building, has a concrete floor and includes hydraulic lifts; tools, four above ground petroleum storage tanks; a 30-gallon portable and grease station, various vehicle parts, batteries, eleven empty white plastic 55-gallon drums; air compressors; portable heaters; a 275-gallon plastic drum of windshield washer fluid; an oil/water separator; an oil filter crusher; several 30 and 55-gallon oil and grease storage drums; an open drum of waste (crushed) oil filters; several blue plastic 55-gallon drums of antifreeze; several 5-gallon metal containers of fuel treatments and fuel additives; bags of absorbent, bottles of glass cleaner and, other miscellaneous automotive maintenance products.

The garage included four above ground storage tanks. Two of the tanks each have a 750-gallon capacity (Photograph 3) and, according to a sign on the tanks, contain motor oil. The tanks are located within a metal containment unit and appeared to be in good condition. However, stains were observed on the concrete floor beneath the tanks and a petroleum odor was detected in the area of the tanks. One of the 275-gallon tanks contained transmission oil (as labeled). The tank is located within a metal containment unit and appeared to be in good condition (Photograph 4). However, stains were observed on the concrete floor beneath the tank and a petroleum odor was detected in the area near the tank. Sorbent was observed on the floor beneath the tank, indicating a spill. The remaining 275-gallon tank contained waste oil (from the oil/water separator). The tank is located within a metal containment unit and appeared to be in good condition (Photograph 5). Stains were observed on the concrete floor beneath the tank and a petroleum odor was detected in the area near the tank. According to information from a representative of the Atlantic Bus Company, the waste oil stored in this tank (from the oil/water separator) is removed by Safety Kleen, a waste management company.

A 30-gallon portable grease station was observed near one of the hydraulic lifts (Photograph 6). Absorbent was observed on the concrete floor beneath the lift, indicating a spill. Stains were observed and a petroleum odor was detected in this area.

One open 30-gallon and one open 55-gallon metal drum were observed near the 275-gallon tank of transmission oil. Both drums are used to store miscellaneous trash and or for recycling (i.e. used oil filters). Eleven empty white plastic drums were observed being stored in the garage. According to labels on the drums, they had contained Simonize brand windshield washer fluid. Stains (possibly water) were observed on the concrete floor beneath the drums but no odors were detected in this area (Photograph 7). The garage also includes one 275-gallon plastic drum of windshield washer fluid. The drum appeared to be approximately three quarters full and included a dispenser. No stains were observed on the concrete floor beneath the drum and no odors were detected (Photograph 8). In addition, the garage includes several 30-gallon drums of grease. The grease drums appeared to be in good condition. However stains were observed on the concrete floor beneath the drums and a slight petroleum odor was detected in the vicinity of the drums. In addition to the 30-gallon drums of grease, HDR observed several blue plastic 55-gallon drums of antifreeze (as labeled). The drums appeared to be in good condition and were full or partially full. Product was observed on the top of one of the antifreeze drums (Photograph 9). HDR observed stains on the concrete floor beneath this drum. No odors were detected.

The garage includes an Aero-Power oil/water separator. According to an HDR interview with a representative of the Atlantic Bus Company, the separator was installed approximately five years ago because, during heavy rain, the garage would flood. The separator includes a pump that removes water from beneath the concrete slab foundation of the garage thereby preventing flooding. A manhole, located adjacent to the separator, serves as access to the underground pipes, etc. associated with the separator (Photograph 10). Any oil included in the groundwater rises to top of the separator and is skimmed off and the stored in the 275-gallon waste oil storage tank prior to removal by Safety Kleen. The remaining water is filtered prior to discharge to the New York City sewer system. According to an HDR interview with a representative of the Atlantic Bus Company, they were not aware of the existence of any permits associated with the release of the filtered waste water into the New York City Sewer System. An HDR record and file search did not discover the presence of a State Pollutant Discharge Elimination System (SPDES) permit or the existence of a New York City Department of Environmental Protection permit. An HDR record and file search of the files of the United States Environmental Protection Agency and the New York State Department of Environmental Conservation, did not indicate the presence of a RCRA permit and/or any manifest documents relating to the disposal of the waste oil. The Site representative was not aware of the existence of any RCRA permits and/or waste-removal manifests. Stains were observed on the concrete floor beneath the separator however, no odors were detected.

In addition to the oil/water separator, the garage includes an oil filter crusher. Used oil filters are crushed and the waste oil is stored in a 55-gallon drum located near the oil/water separator. The oil filters are stored in a separate drum (Photograph 11). According to an HDR interview with a representative of the Atlantic Bus Company, both the waste oil and the used oil filters are removed from the Site by Safety Kleen. However, he was not aware of the presence of any manifests documenting the removal of the waste oil and/or used oil filters from the facility. Stains were observed on the concrete floor beneath the oil filter crusher and drums of waste oil and used oil filters. A strong petroleum odor was detected in this area.

What appeared to be a small puddle of water was observed on the asphalt paving located in front of the entrance to the eastern-most garage bay. A sheen was observed on the water,

which indicates a spill (Photograph 12). HDR reported this observation to the representative of the Atlantic Bus Company who stated that it would be cleaned up.

Heating for the garage is provided by natural gas space heaters. The garage also includes electrical equipment (Photograph 13) and fluorescent lights. The electrical equipment did not include signs indicating the presence or absence of PCBs.

The office, which is located on the second floor of the building, includes the furniture and fixtures associated with this type of use (desks, computers, etc.). The office also includes a utility room. This room includes a natural gas hot water heater and gas burner (Photograph 14), which is used to heat the office. Lighting for the office is provided by fluorescent light fixtures.

### *The Lot*

The lot, which is used to park buses, is paved (asphalt) and includes a gasoline service station. The service station includes a pump island and two fuel pumps (Photograph 15). The pump island is a concrete pad that is located on asphalt pavement. One pump is used to dispense diesel fuel and the other is used to dispense unleaded gasoline. Several stains were observed and a petroleum odor was detected in the area near the pumps. In addition to the pump island the station includes underground fuel oil storage tanks, which are located west of the pump island (Photograph 16). The area near the pumps also included three 5-gallon buckets of all purpose cleaner; a spill-response kit; eight small open plastic bottles; an empty open 5-gallon gasoline container and, three 55-gallon plastic drums (Photographs 17 and 18). One of the 5-gallon buckets was open and included water and washing cloths. The remaining two buckets were closed and appeared to be full or partially full. One of the eight open plastic bottles contained oil. The remaining bottles were empty but oil stains were observed on the inside of the bottles indicating they are (or were) used to hold oil. One of the open empty bottles included a funnel, indicating the oil is poured into these bottles from a larger container. All three 55-gallon plastic drums were closed. Two of the three drums (blue plastic) were labeled as containing antifreeze. The drums appeared to be full or partially full. The remaining drum (white plastic) was labeled as containing windshield washer fluid. This drum appeared to be less than one quarter full. No stains were observed and no odors were detected in the area near the drums. All three drums appeared to be in good condition.

In addition to the bus parking area and service station, the lot includes two trailers, drums, tires, batteries, hoses, wood pallets, crates, metal pipe, PVC pipe and other miscellaneous items (ladders, traffic control equipment, open trash bins, a shopping cart, vehicle parts, etc.).

The trailers were locked and the keys were not available. Therefore the interiors of the trailers were not observed. However, according to an HDR interview with a representative from the Atlantic Bus Company, one trailer is used as a field office and the other trailer includes lockers for the bus drivers. According to the facility representative, no petroleum products or chemicals are stored in the trailers.

In addition to the two trailers, the lot includes several areas that are used to store drums as follows<sup>1</sup>:

---

<sup>1</sup> Note that the drum storage area designations were assigned by HDR for the purpose of this report.

### Drum Storage Area A

This area included fifteen 55-gallon empty blue plastic drums; three empty white 55-gallon drums and, one closed and empty metal 55-gallon drum (Photograph 19). According to the labels, the blue plastic drums once contained antifreeze and the white plastic drums contained windshield wiper fluid. No label was observed on the metal drum, therefore the contents of the drum was not determined. The drums appeared to be in good condition. Stains were observed on the asphalt beneath the drums and what appeared to be absorbent was observed in this area. No odors were detected.

### Drum Storage Area B

This area included two 55-gallon blue plastic drums; two black metal 55-gallon drums; three red metal 55-gallon drums and, one rusted drum (Photograph 20). The two blue plastic drums were closed, in good condition and appeared to be full or partially full. According to the labels, the drums contained antifreeze. The two black metal drums were closed, were in good condition and appeared to be full or partially full. According to the labels, the drums contained CRC Premium Air Brake Conditioner. The three red metal drums were closed, in good condition (with the exception of some minor rust on the top of the drums) and appeared to be full or partially full. There were no labels and/or no readable labels to indicate the contents of the drums. One drum, which was rusted, was closed and appeared to be full or partially full. No labels were observed on the drums therefore their contents were not determined. Stains were observed on the asphalt beneath the drums. No odors were detected.

### Drum Storage Area C

Drum storage Area C included three 30-gallon drums of grease; seven empty 55-gallon blue plastic drums of antifreeze; two 55-gallon black metal drums; one rusted drum and, one 5-gallon container of Simonize cleaner (Photograph 21). The 30-gallon drums of grease were closed, appeared to be in good condition and were full or partially full. The seven 55-gallon drums of antifreeze were closed and appeared to be in good condition. The two black metal 55-gallon drums were closed and appeared to be full or partially full. The contents of the drums were not determined. The drums appeared to be in good condition (no holes or cracks observed), however a black viscous material and a yellow viscous material were observed on top of one of the drums (Photograph 22). The source of the yellow material may have been the 5-gallon container of Simonize brand cleaner that was located on the top of the drum. However, the container appeared to be in good condition. The source of the black material is unknown. In addition, a black viscous material was observed on the asphalt paving beneath the drum (Photograph 23). The source of this material was not determined. No odors were detected in the area near the drums.

### Drum Storage Area D

This area included seven 55-gallon blue plastic drums of antifreeze. The drums were closed, appeared to be in good condition and were full or partially full. In addition to the seven drums, this area included one open blue plastic 55-gallon drum (Photograph 24). This drum included trash (paper, plastic, glass, etc). Water was observed on the asphalt beneath the drums. No odors were detected in area near the drums.



In addition to the drum storage areas, several drums were observed throughout the lot as follows:

- One closed 30-gal partially full metal drum of Mobil Grease XHP.

This drum appeared to be in good condition. However, minor staining was observed on the asphalt paving beneath the drum (Photograph 25). No odors were detected.

- Two closed red 55-gal full or partially full drums

These drums appeared to be in good condition. Because the drums were unlabeled, the contents of the drums were not determined. A stain was observed on the asphalt paving beneath one of the drums and absorbent was observed on the ground beneath the other drum, indicating a spill (Photograph 26). No odors were detected in the area near the drums.

#### Lot 103

Lot 103, which is located at 441 Exterior Street, is 93 by 189.42 feet and includes an 80 by 170 foot 2-story concrete building that is currently occupied by Food Fest Cash and Carry, Inc., a wholesale food distributor and restaurant supply company (Photograph 27). The building is accessed through the main entrance and loading dock which are located at the east side of the building on Exterior Street. The loading dock area includes a hydraulic lift. A manhole was observed near the lift (Photograph 28). No stains were observed and no odors were detected in the area near the lift and manhole.

The first floor of the warehouse includes commercially packaged food and beverages, cleaning supplies (soaps, bleach, cleansers, etc.) and restaurant supplies and equipment (paper goods, coffee urns, food processors, meat grinders, cake display cases, etc.) (Photograph 29). Large freezers and refrigeration units are used to store perishable items. The freezers and refrigeration units appeared to be in good condition and no stains or leaks were observed in the areas near the units. In addition, the main floor includes two offices. The offices included the furniture and fixtures associated with this type of use. (desks, files, computers, etc.).

The second floor of the building is used to store perishable items. The items are stored in a large walk-in freezer and a large walk-in refrigeration unit. No stains or leaks were observed in the areas near the freezer or the refrigeration unit. In addition, this area includes a metal cart that is used to store several one-gallon and five-gallon containers of paint, adhesives, joint compound and kerosene. According to the company representative, the kerosene is not used at this facility but was once used to supply portable kerosene heaters the company used at their former facility. HDR observed indications of dried material on the exterior of several of the containers (dried drip marks) (Photograph 30). One container of paint had previously ruptured and the contents had spilled onto the cart (material had dried) (Photograph 31). No material was observed on the concrete floor beneath the cart and no odors were detected in the area near the cart. No floor drains were observed.

The basement of the building is used to store perishable and non-perishable items (that are sold on the main floor of the building) and restaurant kitchen and dining room supplies (plates, cups, saucers, glassware, etc.). The perishable items are stored in a large walk-in freezer, which appeared to be in good condition (no stains or leaks observed). The basement also includes an electrical equipment room and a former boiler room, which is

currently under construction for another use (Photograph 32). The electrical equipment did not include signs indicating the presence or absence of PCBs (Photograph 33). According to an HDR interview with a representative of the company, the type of boiler (i.e. gas or oil supplied) that was located in the boiler room was unknown. In addition, the representative was unaware of the presence of any petroleum storage tanks (above ground or underground) on the premises. HDR did not determine the presence or absence of above ground or underground fuel storage tanks at this facility. Heat for the warehouse is currently provided by electric space heaters and lighting for the warehouse is provided by fluorescent light fixtures.

In addition to the building, Lot 103 also includes an unpaved area, which is located adjacent to the north side of the building (Photograph 34). This area, which separates 441 Exterior Street from 445 Exterior Street, is unpaved but does include gravel and is partly vegetated. This portion of the lot is used as a parking area for an automobile and to store bags of sand, empty 5-gallon buckets and an open, plastic 55-gallon drum, which is used to store household trash (bottles, cans, etc.). No stains were observed and no odors were detected near the drum and buckets. No signs of stressed vegetation were observed.

#### Lot 107

Lot 107, which is located at 445 Exterior Street, is 114.33 by 221.25 feet and includes a 114 by 199.4 foot 2-story concrete warehouse building that is currently occupied by the Freiman Coated Fabric Corporation, a fabric distribution company. The building is accessed through the main entrance and the four loading dock bays which are located at the east side of the lot on Exterior Street (Photograph 35). The main floor of the building, which is used as a shipping and receiving area for the various types of fabrics stored in the warehouse (Photograph 36), includes a cutting machine, a wrapping machine, and fork lifts. The cutting machine is used to cut specified lengths of fabric and the wrapping machine is used to roll and wrap the fabric. The fabric is wrapped in paper and/or clear plastic sheeting. The fork lifts use liquid propane gas (LPG) canisters as fuel. A canister of LPG was observed being stored against a wall near the fork lift (Photograph 37). No odors or stains were detected in the vicinity of the canister. The main floor also includes an office, which included the furniture and fixtures associated with this type of use, and an unused air conditioning unit (once used by National Plywood). The upper floor is used for fabric storage. The basement, which is also used to store rolls of fabric, includes several commercially packaged closed 5-gallon containers of fabric soap and bleach (Photograph 38). No stains were observed and no odors were detected in the areas near the containers. The basement also includes a concrete block room, which, according to an interview with the facility representative includes a gas furnace, which was once used to heat the building. The room was inaccessible because the door was blocked by debris (rolls of fabric, large rolls of plastic sheeting, etc.) (Photograph 39). According to the representative this furnace has not been used in more than twenty-five years and he was not aware of the presence of any ASTs or USTs at the facility. The building is heated by overhead gas space heaters and the owner is not aware of the presence of any underground storage tanks. No above ground storage tanks were observed during the Site visit. However, because of the inaccessibility of the boiler room, HDR was unable to determine the presence or absence of any storage tanks in this area. Electrical equipment was observed in the building. The equipment did not include signs indicating the presence or absence of PCBs (Photograph 40). The warehouse also includes fluorescent lights.

## **6.2 Interviews**

HDR conducted in-person interviews with representatives of the owners of the Site and the lessees of the businesses located on each of the lots. In addition, HDR presented a list of questions to the representatives of each of the lot owners. HDR has not received any responses to date. Any information received by HDR subsequent to the issuance of this report will be included in an addendum. Information obtained from the representatives of the owners of the lots and lessees is included in various sections of this report.

## **6.3 Known Current and Past Uses of the Site**

The Site includes three lots. Each of the three lots is currently developed. Lot 100, which is located at 399 Exterior Street, is 228.33 by 336.58 feet and includes a 99 by 72 foot 2-story corrugated steel building. The building, which is currently occupied by Atlantic Bus Company (AKA Amboy Bus Company), includes an office and a four-bay bus repair and maintenance garage. In addition, the lot includes a bus parking area and a gasoline service station, which is used to service the buses. Lot 103, which is located at 441 Exterior Street, is 93 by 189.42 feet and includes an 80 by 170 foot 2-story concrete building that is currently occupied by Food Fest Cash and Carry, Inc., a wholesale food distributor and restaurant supply company. Lot 107, which is located at 445 Exterior Street is 114.33 by 221.25 feet and includes a 114 by 199.4 foot 2-story concrete warehouse building that is currently occupied by the Freiman Coated Fabric Corporation, a fabric distribution company.

Information from reviewed historical documents (Building Department files, Sanborn Fire Insurance Maps, the EDR City Directory Abstract report, aerial photographs and topographic maps) indicate the Site was undeveloped until approximately 1910, when the building located at 445 Exterior Street (Lot 107) was constructed. Reviewed documents indicate that a second building was constructed on the Site in 1923. The building was located at 441 Exterior Street (Lot 103) and, according to the 1935 Sanborn map, included a buried 550-gallon gasoline tank, which was located at the southeast section of the structure. According to reviewed documents, the third building was constructed on the Site (Lot 100) sometime in the late 1980s or early 1990s.

In addition, reviewed documents indicate the Site included the Pittsburg Plate Glass Company (PPG); the National Surplus Company; railroad tracks and a freight shed; a wine and a plywood storage warehouse (National Plywood); the Riverside Fuel Company; coal pockets; a storage shed; office; a freight yard; a coal conveyor; a railroad spur a gasoline station, a warehouse and a bus garage (Lot 100).

## **6.4 Utilities and PCBs**

The top floor (office) of the building located on Lot 100 is heated by a natural gas-fired furnace. The repair and maintenance garage is heated by natural gas space heaters. Both the office and garage include electrical equipment. The equipment does not include signs indicating the presence or absence of PCBs. Lighting for both the office and garage is provided by fluorescent light fixtures.

The building located on Lot 103 is heated by electric space heaters. The basement of the building includes an electrical equipment room and a former boiler room. The electrical

equipment did not include signs indicating the presence or absence of PCBs. According to an HDR interview with a representative of the company, the type of boiler (i.e. gas or oil supplied) and the presence of any petroleum storage tanks were unknown. However, the HDR review of historic documents indicates that the building once included a buried 550-gallon gasoline tank at the southeast section of the structure. The use of the tank was not determined. It is possible that the reference to the tank, as indicated on the Sanborn maps, is erroneous and this tank may have been used to hold fuel oil for the boiler. This investigation did not determine the presence or absence of above ground or underground petroleum storage tanks at this location. Lighting for the warehouse is provided by fluorescent light fixtures.

The basement of the building located on Lot 107 includes a gas furnace, which was once used to heat the building. The burner is located in a concrete block room, the door to which was inaccessible because it was blocked by debris. According to an HDR interview with the owner of the lot and the company, this furnace has not been used in more than twenty-five years. The building is heated by overhead gas space heaters and the owner is not aware of the presence of any above ground or underground storage tanks. No storage tanks were observed during the Site visit. However, because of the inaccessibility to the boiler room, HDR was unable to determine the presence or absence of any ASTs this area. Electrical equipment was observed. The equipment did not include signs indicating the presence or absence of PCBs. The warehouse also includes fluorescent lights.

All three buildings are connected to New York City water and sewer lines.

Because of the age of the buildings located on Lots 103 and 107, PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing). The electrical equipment in all buildings did not include signs that indicated the presence or absence of PCBs. This investigation did not determine the presence or absence of above ground or underground storage tanks which are currently, or were once, used to supply heating oil for the buildings.

## 7.0 Data Gap Analysis

The ASTM E 1527-05 standard requires a listing of “data gaps” encountered during the investigative process that may affect the validity of the conclusions drawn by the environmental professional. The ASTM E 1527-05 standard also requires that the environmental professional estimate the relative importance of the data gaps. Generally, gaps in available data are related to the availability of historical data sources for specific sites of concern. The environmental professional uses multiple historical data sources as a method to provide coverage for data gaps. Historical information is collected on a recurring basis, and the passage of time between data sets may or may not constitute a significant gap in data coverage. For this project, the following may constitute a data gap as defined by ASTM:

- Gaps of time between reviewed historic documents exist with the largest gap being between 1908 and 1935.

A gap of 27 years may be considered significant as the Site was developed prior to 1935.

## 8.0 Findings and Conclusions

HDR has conducted a Phase I ESA of the Site identified by the City of New York Building Department as Block 2349, Lots 100, 103 and 107, located at 399, 441 and 445 Exterior Street, Bronx, New York 10451, respectively.

As required by the standards “We have performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-05 of Block 2349 Lots 100,103, and 107, the property. Any exceptions to, or deletions from, this practice are described in Section 2.2 of this report. This assessment has revealed no evidence of recognized environmental conditions in connection with the property except for the following:

### Lot 100

- Information from the EDR database report and the HDR site visit indicates the presence of two active 4000-gallon underground storage tanks (gasoline and diesel fuel oil) at the on-site gasoline station. Information from the EDR database report indicated that the facility located on this lot (the Atlantic Bus Company AKA Amboy Bus Company) had a reported spill of five gallons of diesel oil. The cause of the spill was listed as equipment failure (a delivery truck fitting malfunctioned). This spill may have adversely impacted the soil and/or groundwater on the Site.
- Several stains were observed and a petroleum odor was detected in the area of gasoline and diesel oil pumps located at the on-site gasoline station. Observed stains and detected odors indicate that spills have occurred in this area. These spills may have adversely impacted the soil and/or groundwater at the Site.
- Two active 700-gallon above ground storage tanks (motor oil) and two active 275-gallon above ground storage tanks (transmission oil and waste oil) were observed in the repair and maintenance garage. Stains were observed and odors were detected in the areas near the four above ground tanks. In addition, an absorbent was observed beneath one of the 275-gallon tanks. Observed stains and absorbent and detected odors indicate that spills have occurred in this area. These spills may have adversely impacted the soil and/or groundwater on the Site.
- The garage includes an oil/water separator. According to an HDR interview with a representative of the Atlantic Bus Company, the separator was installed approximately five years ago because, during heavy rain, the garage would flood. The separator includes a pump that removes water from beneath the concrete slab foundation of the garage thereby preventing flooding. Any oil included in the groundwater rises to top of the separator and is skimmed off and the stored in the 275-gallon waste oil storage tank prior to removal by Safety Kleen. The remaining water is filtered prior to discharge to the New York City sewer system. According to an HDR interview with a representative of the Atlantic Bus Company, they were not aware of the existence of any permits associated with the release of the filtered waste water into the New York City Sewer System. An HDR record and file search did not discover the presence of a State Pollutant Discharge Elimination System (SPDES) permit or the existence of a New York City Department of Environmental Protection permit. An HDR record and file search of the files of the United States Environmental Protection Agency and the New York State Department of Environmental Conservation, did not indicate the presence of a RCRA permit and/or any manifest documents relating to the disposal of the waste oil. The Site

representative was not aware of the existence of any RCRA permits and/or waste-removal manifests. Stains were observed on the concrete floor beneath the separator. The presence of an oil/water separator on the Site may indicate a soil and/or groundwater contamination issue. In addition, permits may be required to discharge the filtered water into the New York City sewer system. No documentation was discovered during this investigation regarding the proper disposal of the waste oil.

- The repair and maintenance garage and the on-site gasoline station include several drums (30 and 55-gallon capacity) of grease, used oil, antifreeze and windshield washer fluid. Stains were observed on the floor beneath several drums and in some instances a petroleum odor was detected in the area of the drums. An absorbent was observed on the floor beneath a drum, indicating a spill. A 30-gallon portable grease station was observed near one of the hydraulic lifts. Absorbent was observed on the concrete floor beneath the lift, indicating a spill. Stains were observed and a petroleum odor was detected in this area. Product was observed on top of one of the 55-gallon drums of antifreeze, located in the garage. Stains were also observed on the floor beneath the drum. Spills are indicated in the vicinity of several drums. These spills may have adversely impacted the soil and groundwater on the Site.
- The garage includes an oil filter crusher. Used oil filters are crushed and the waste oil is stored in a 55-gallon drum located near the oil/water separator. The oil filters are stored in a separate drum. According to an HDR interview with a representative of the Atlantic Bus Company, both the waste oil and the used oil filters are removed from the Site by Safety Kleen. However, he was not aware of the presence of any manifests documenting the removal of the waste oil and/or used oil filters from the facility. Stains were observed on the concrete floor beneath the oil filter crusher and drums of waste oil and used oil filters. A strong petroleum odor was detected in this area. The observed stains and detected odors indicate spills in this area. The spills may have adversely impacted the soil and/or groundwater on the Site. No documentation, regarding the proper disposal of the waste oil and/or the used oil filters, was discovered during this investigation.
- A spill (a sheen on a puddle of water) was observed at the front entrance to the eastern-most garage bay door. This spill may have an adverse impact on the soil and/or groundwater on the Site.
- Several drums, associated with the Atlantic Bus Company (AKA Amboy Bus Company), are stored on Lot 100. Stains were observed beneath several of the drums and several drums were unlabeled or included labels that were unreadable. Therefore HDR was unable to determine their contents. Absorbent was observed beneath two of the drums, indicating spills. A black viscous material and a yellow viscous material were observed on top of one of the drums. The source of the yellow material may have been the 5-gallon container of Simonize brand cleaner that was located on the top of the drum. However, the container appeared to be in good condition. The source of the black material is unknown. A black viscous material was also observed on the asphalt paving beneath the drum. The source of this material was not determined. The observed stains and absorbent in the areas of several drums indicate spills. In addition, a spill of an unknown black viscous material was observed near one of the drums. These spills may have adversely impacted the soil and/or groundwater on the Site.

- A review of historic documents indicates that this lot once included coal pockets, coal storage sheds and a coal conveyor. The storage of coal on the lot (if not in a containment) could have an adverse impact to the soil and/or groundwater. The uncontained storage of coal on a site, if exposed to precipitation, can leach heavy metals (i.e. arsenic, mercury, etc.) and other contaminants into the groundwater and soil. However, based on the length of time that has elapsed since the coal was stored on the lot, HDR does not expect the Site to be adversely impacted from this use.

#### Lot 103

- Information from the EDR database indicated that a facility (PPG), which was previously located at 441 Exterior Street, had, at one time, generated less than 1,000 kg of hazardous waste. However, no violations were discovered and the potential adverse impact to the Site from this facility is considered low.
- The basement of the building located on this lot includes a former boiler room. According to an HDR interview with a representative of the company, the type of boiler (i.e. gas or oil supplied) that was located in the boiler room was unknown. HDR did not determine the presence or absence of above ground or underground fuel storage tanks at this facility. However, a review of historic documents indicates that this building once included a buried 550-gallon gasoline tank at the southeast section of the structure. The use of the tank was not determined. It is possible that the reference to the tank, as indicated on the Sanborn maps, is erroneous and this tank may have been used to hold fuel oil for the boiler. This investigation did not determine the presence or absence of above ground or underground petroleum storage tanks at this location. Therefore an uncontrolled and unregistered underground tank (or tanks) may be present.
- The basement of the building also includes an electrical equipment room. The electrical equipment did not include signs indicating the presence or absence of PCBs. Lighting for the warehouse is provided by fluorescent light fixtures. Because of the age of this building (constructed in 1923) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing).

#### Lot 107

- The basement of the building located on this lot includes a gas furnace, which was once used to heat the building. The burner is located in a concrete block room, the door to which was inaccessible because it was blocked by debris. According to an HDR interview with the owner of the lot and the company, this furnace has not been used in more than twenty-five years and the owner was not aware of the presence of any storage tanks at this facility. No storage tanks were observed during the Site visit. Because of the inaccessibility of the boiler room, HDR was unable to determine the presence or absence of any ASTs in this area. In addition, the site representative was not aware of the presence of any USTs at this location.
- Electrical equipment was observed in the building located on this lot. The electrical equipment did not include signs indicating the presence or absence of PCBs. Lighting for the warehouse is provided by fluorescent light fixtures. Because of the age of this building (constructed in 1910) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing).



## The Site

- Information from the EDR database report indicated that several upgradient and/or adjoining or nearby facilities had reported spills of gasoline, dielectric fluid and lithium bromide that could have adversely impacted the Site.
- Information from the EDR database report indicated that an upgradient facility, listed on the RCRA database, generated tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethene, carbon tetrachloride and chlorinated fluorocarbons. Violations were reported, therefore this facility may have had an adverse impact on the Site.
- Gaps of time between reviewed historic documents exist with the largest gap being between 1908 and 1935. A gap of 27 years may be considered significant as the Site was developed prior to 1935. Any potential RECs, related to past uses of the Site, are therefore unknown.

## 9.0 Recommendations

Recommendations included in this report have been developed through the investigative procedures described in the *Scope of Services, Significant Assumptions, and Limitations* section of this report. These findings should be reviewed within the context of the limitations provided in the *Limitations* section.

### Lot 100

- Information from the reviewed EDR database indicates that a spill of diesel fuel oil occurred at this facility (most likely at the on-site gasoline station). In addition, staining was observed and odors were detected in the vicinity of two on-site fuel pumps located at the gasoline station. Indications of spills were observed near four ASTs and several drums, which are located in the garage and near drums of antifreeze and windshield washer fluid stored near the fuel pumps. Therefore, HDR recommends that several soil samples be collected from the footprint of the garage and gasoline station and analyzed for the presence of NYSDEC spill parameters, grease and those components found in antifreeze and windshield washer fluid.
- Information from the HDR site visit indicates the bus repair and maintenance garage includes an oil/water separator, which indicates a potential groundwater contamination issue. In addition, this investigation did not discover any permits related to the release of the filtered water to the New York City sewer system. Therefore, HDR recommends further investigation to determine if permits are required, and if so, the City of New York should obtain copies of existing permits for review. In addition, HDR recommends that the soil and groundwater beneath the slab in the garage be sampled and analyzed for the NYSDEC spill parameters, grease and those components found in antifreeze and windshield washer fluid, which are products stored in garage and for which evidence of spills was observed. HDR also recommends that a vapor intrusion assessment be conducted to determine if a potential vapor intrusion condition (pVIC) exists in this area. The assessment should be conducted in conformance with the Standard Practice for Performance of Assessment of Vapor Intrusion into Structures on Property Involved in Real Estate Transactions as codified in ASTM E 2600 – 08.
- Information from an HDR interview with a representative of the facility located on Lot 100 (Atlantic Bus Company AKA Amboy Bus Company), indicates that waste oil, from the oil water separator, is stored in the 275-gallon AST located in the garage. According to the representative, the waste oil is removed from the facility by a waste management company (Safety Kleen). The representative was not aware of the existence of any waste manifests. Therefore HDR recommends that should the manifests exist, the facility provide copies of the manifests to the City of New York for review. In addition, any required government permits should be provided for review.
- Information from the HDR site visit indicates the garage includes a used oil filter crusher that removes used oil. The used oil and oil filters are stored in drums near the oil/water separator. According to an HDR interview with a representative of the facility, the used oil and used oil filters are removed from the facility by a waste management company (Safety Kleen). The representative was not aware of the existence of any waste manifests. Therefore HDR recommends the manifests be provided to the City of New York for review. In addition, any required government permits should be provided for review.

- Information from the HDR site visit indicated the presence of a spill (sheen on water) near the entrance to the eastern-most garage bay. Therefore HDR recommends this area be included in any sampling plan for the garage area. The soil collected from this area should be analyzed for NYSDEC spill parameters, grease and those components found in antifreeze and windshield washer fluid.
- Information from the HDR site visit indicated that the lot included several areas of stored drums (30 and 55-gallon size). Indications of spills were observed near several drums. Therefore HDR recommends that the soil in the areas near these drums be sampled and analyzed for NYSDEC spill parameters, grease and those components found in antifreeze and windshield washer fluid.
- Information from the HDR site visit, the EDR report and files of the NYSDEC indicate the presence of two 4000-gallon USTs on the site. HDR recommends that any planned tank removal be conducted in accordance with all applicable government regulations.

#### Lot 103

- An HDR review of historic documents indicates that the facility located on this lot once included a buried 550-gallon gasoline tank at the southeast section of the structure. The use of the tank was not determined. It is possible that the reference to the tank, as indicated on the Sanborn maps, is erroneous and this tank may have been used to hold fuel oil for a boiler that once existed on the premises. In addition, this investigation did not determine the presence or absence of above ground or underground petroleum storage tanks at this location and an uncontrolled and unregistered underground tank may be present. Therefore HDR recommends a ground-penetrating radar (GPR) survey be completed to determine the presence and/or absence of any underground storage tanks at this facility.
- Information from the HDR site visit indicates that the facility includes electrical equipment, which does not include signs indicating the presence or absence of PCBs. The building also includes fluorescent lights. Because of the age of this building (constructed in 1923) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing). Therefore HDR recommends that soil samples be collected from the footprint of the building and analyzed for PCBs.
- Although asbestos and lead-based paint are not generally included in the standard ASTM ESA scope, the age of the building indicates that asbestos and lead-based paint may be present. HDR recommends an investigation of the structures for the presence of asbestos and/or lead-based paint prior to any planned alteration and/or demolition.

#### Lot 107

- According to information from an HDR interview with a representative of the facility located on this lot, a gas furnace, which was once used to heat the building (more than 25 years ago), is located in a concrete block room. The door to the room was inaccessible because it was blocked by debris and therefore the interior of the room was not observed. Because of the inaccessibility of the boiler room, HDR was unable to determine the presence of the furnace and/or any ASTs that may be in this area. In addition, because of the age of the building, the potential exists for the presence of USTs. This investigation did not determine the presence or absence of USTs on the site and consequently uncontrolled and unregistered storage tanks may be present.

Therefore HDR recommends that the debris be cleared and the interior of the room be observed to determine the presence or absence of any ASTs. In addition, HDR recommends a GPR survey be completed to determine the presence and/or absence of any USTs at this facility.

- Information from the HDR site visit indicates that the facility includes electrical equipment, which does not include signs indicating the presence or absence of PCBs. The building also includes fluorescent lights. Because of the age of this building (constructed in 1910) PCBs may be present in older light fixtures (ballasts), electrical equipment, caulking and sealants (in double glazing). Therefore HDR recommends that soil samples be collected from the footprint of the building and analyzed for PCBs.
- Although asbestos and lead-based paint are not generally included in the standard ASTM ESA scope, the age of the building indicates that asbestos and lead-based paint may be present. HDR recommends an investigation of the structures for the presence of asbestos and/or lead-based paint prior to any planned alteration and/or demolition.

#### The Site


- Information from the EDR database report indicates that several upgradient and/or adjoining or nearby facilities had reported spills of gasoline, dielectric fluid and lithium bromide that could have adversely impacted the Site. Therefore HDR recommends soil samples be collected around the periphery of the Site and analyzed for those constituents that are associated with these spills.
- Information from the EDR database report indicated that an upgradient facility, listed on the RCRA database, generated tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethene, carbon tetrachloride and chlorinated fluorocarbons. Violations were reported; therefore this facility may have had an adverse impact on the Site. Therefore HDR recommends that soil samples be collected from the periphery of the Site and analyzed for these contaminants.
- There is an undocumented gap of time (27 years) in the available reviewed historical documents and any potential RECs, related to past uses of the Site, are therefore unknown. HDR recommends further investigation to determine Site usage during this time period.

## 10.0 Qualifications of Environmental Professionals

### 10.1 Signatures and Qualifications


We declare that, to the best of our professional knowledge and belief, we meet the definition of environmental professional as defined in Section 312.10 of 40 Code of Federal Regulations [C.F.R.] Part 312. This Phase I ESA was conducted under the supervision of a qualified environmental professional. We have the specific qualifications based on education, training, and expertise to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR 312.

The preceding report has been prepared in general conformance with standard industry practice for performance of Environmental Site Assessments and includes the applicable portions of the investigation procedures codified in ASTM E 1527-05, *Standard Practice for Environmental Site Assessments: Environmental Site Assessment Process*. The end user of this report may rely on the contents, findings, and conclusions to be accurate within the limitations stated in this report and in the ASTM standard. The report also complies with specific requirements supplied by the client.



---

Qualified Environmental Professional  
Name: Thomas E. Pease, P.E., Ph. D  
Title: Technical Reviewer



Qualified Environmental Professional who Performed Assessment  
Name: Theresa M. Schneider  
Title: Senior Project Geologist

### **Qualifications of Environmental Professionals**

This Phase I ESA was performed by the following HDR personnel.

Ms. Theresa M. Schneider, HDR's qualified environmental professional, as defined by ASTM Practice E 1527-05, has more than 19 years of experience in the assessment and remediation of impacted properties and compliance with environmental regulations. She has a B.S. in Geology from the State University of New York at New Paltz. Ms. Schneider specializes in Phase I Environmental Site Assessments and the investigation of hazardous materials-impacted properties for Federal, state and municipal agencies, as well as for commercial clients. Her experience includes the assessment of various types of properties, ranging from agricultural land to industrial and military properties. She is highly knowledgeable of Federal, state and local environmental regulations and standards.

### **Qualifications of QA/QC Review Professionals**

A technical review and a review for quality assurance and quality control was performed by Dr. Thomas E. Pease, P.E., Ph. D

Resumes of above listed HDR personnel are included in Appendix G.

## 11.0 References

ASTM Practice E 1527-05. 2005. *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*.

Bedrock Map of the Bronx, New York. Duke Labs. [www.dukelabs.com](http://www.dukelabs.com)

Merguerian, Charles. Hofstra University 1C Field Guidebook, A Geological Transect from New York City to New Jersey. 2002.

Merguerian, Charles. Stratigraphy, Structural Geology, and Ductile – And Brittle Faults of The New York City Area. [www.dukelabs.com](http://www.dukelabs.com).

New York Nature. History of New York Geology – New York City's Ancient Bedrock. [www.newyorknature.net](http://www.newyorknature.net).


United States Geological Society (USGS). New York Regional Geology – Northern Manhattan Island. [www.usgs.gov/nyc](http://www.usgs.gov/nyc).

United States Geological Survey (USGS) quadrangle map Central Park, New York. 1979.

University State of New York, NY State Education System, Geologic Map of New York, Lower Hudson Sheet. 1970.

## **Appendix A Figures**






Name: CENTRAL PARK  
 Date: 10/8/2008  
 Scale: 1 inch equals 2000 feet

Location: 040° 49' 01.15" N 073° 55' 53.47" W NAD27  
 Caption: Figure 1 - Site Location Map  
 Proposed Park Site  
 Lower Concourse Phase I ESA





Name: CENTRAL PARK NE SW, NJ NY  
 Date: 10/8/2008  
 Scale: 1 inch equals 600 feet

Location: 040° 49' 01.25" N 073° 55' 47.68" W NAD27  
 Caption: Figure 2 - Site Map  
 Proposed Park Site  
 Lower Concourse Phase I ESA



**Appendix B**  
**Site Photographs**

## Photographs



Photograph 1 – Lot 100: Building (office and garage) and Gasoline Station



Photograph 2 – Lot 100: Bus Parking Area



Photograph 3 – Lot 100: Two 700-Gallon Above Ground Storage Tanks



Photograph 4 – Lot 100: 275-Gallon Above Ground Storage Tank



Photograph 5 – Lot 100: 275-Gallon Above Ground Storage Tank



Photograph 6 – Lot 100: Portable Grease Station, Absorbent and Stains





Photograph 7 – Lot 100: Eleven White Plastic 55-Gallon Drums and Stains



Photograph 8 – Lot 100: 275-Gallon Plastic Drum of Windshield Washer Fluid



Photograph 9 – Lot 100: Product on Top of a 55-Gallon Drum of Antifreeze



Photograph 10 – Lot 100: Oil/Water Separator





Photograph 11 – Lot 100: Oil Filter Crusher, Drum of Waste Oil and Drum of Used Oil Filters



Photograph 12 – Lot 100: Sheen on Water Near Garage Bay Entrance



Photograph 13 – Lot 100: Electrical Equipment



Photograph 14 – Lot 100: Hot Water Heater and Gas Furnace



Photograph 15 – Lot 100: On-Site Gasoline Service Station



Photograph 16 – Lot 100: Location of Underground Storage Tanks





Photograph 17 – Lot 100: Plastic Bottles



Photograph 18 – Lot 100: Three 55-Gallon Drums



Photograph 19 – Lot 100: Drum Storage Area A



Photograph 20 – Lot 100: Drum Storage Area B



Photograph 21 – Lot 100: Drum Storage Area C



Photograph 22 – Lot 100: Black and Yellow Material on Top of Drum





Photograph 23 – Lot 100: Black Material on Ground Beneath Drum



Photograph 24 – Lot 100: Drum Storage Area D



Photograph 25 – Lot 100: 30-Gallon Drum of Grease



Photograph 26 – Lot 100: Two 55-Gallon Drums





Photograph 27 – Lot 103: Food Fest Cash and Carry, Inc.



Photograph 28 – Lot 103: Hydraulic Lift



Photograph 29 – Lot 103: First Floor of Warehouse



Photograph 30 – Lot 103: Containers of Paint, etc., Second Floor of Warehouse



Photograph 31 – Lot 103: Ruptured Paint Can



Photograph 32 – Lot 103: Former Boiler Room in Basement





Photograph 33 – Lot 103: Electrical Equipment



Photograph 34 – Lot 103: Unpaved Area North of Lot 103 Building



Photograph 35 – Lot 107: Exterior of Freiman Coated Fabric Corp.



Photograph 36 – Lot 107: Stored Fabrics and Rolls of Plastic Sheetting



Photograph 37 – Lot 107: Fork Lift and Canister of LPG



Photograph 38 – Lot 107: Stored Fabrics and Containers of Soap and Bleach





Photograph 39 – Lot 107: Concrete Block Furnace Room



Photograph 40 – Lot 107: Electrical Equipment

**Appendix C**  
**EDR Radius Report**



**LoCo Proposed Park Site**


399 Exterior Street

Bronx, NY 10451

Inquiry Number: 2282321.2s

July 31, 2008

**The EDR Radius Map™ Report with GeoCheck®**



440 Wheelers Farms Road  
Milford, CT 06461  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	6
Orphan Summary .....	717
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-7
Physical Setting Source Map Findings .....	A-8
Physical Setting Source Records Searched .....	A-17

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

#### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

399 EXTERIOR STREET  
BRONX, NY 10451

#### COORDINATES

Latitude (North): 40.817260 - 40° 49' 2.1"  
Longitude (West): 73.931640 - 73° 55' 53.9"  
Universal Transverse Mercator: Zone 18  
UTM X (Meters): 590101.6  
UTM Y (Meters): 4518809.0  
Elevation: 3 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-G8 CENTRAL PARK, NY  
Most Recent Revision: 1995

### TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 6 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
METRO AFFILIATES 399 EXTERIOR STREET BRONX, NY 10451	AST HIST UST HIST AST	N/A
AMBOY BUS 399 EXTERIOR ST BRONX, NY	NY Spills Date Closed: 07/06/05	N/A
METRO AFFILIATES 399 EXTERIOR STREET BRONX, NY 10451	UST	N/A

## EXECUTIVE SUMMARY

### DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

### FEDERAL RECORDS

NPL	National Priority List
Proposed NPL	Proposed National Priority List Sites
Delisted NPL	National Priority List Deletions
NPL LIENS	Federal Superfund Liens
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP	CERCLIS No Further Remedial Action Planned
LIENS 2	CERCLA Lien Information
CORRACTS	Corrective Action Report
RCRA-TSDF	RCRA - Transporters, Storage and Disposal
RCRA-SQG	RCRA - Small Quantity Generators
US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
ERNS	Emergency Response Notification System
HMIRS	Hazardous Materials Information Reporting System
DOT OPS	Incident and Accident Data
US CDL	Clandestine Drug Labs
US BROWNFIELDS	A Listing of Brownfields Sites
DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
LUCIS	Land Use Control Information System
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
ODI	Open Dump Inventory
DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations
MINES	Mines Master Index File
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS	Section 7 Tracking Systems
ICIS	Integrated Compliance Information System
PADS	PCB Activity Database System
MLTS	Material Licensing Tracking System
RADINFO	Radiation Information Database
FINDS	Facility Index System/Facility Registry System
RAATS	RCRA Administrative Action Tracking System

### STATE AND LOCAL RECORDS

HSWDS	Hazardous Substance Waste Disposal Site Inventory
DEL SHWS	Delisted Registry Sites
SWTIRE	Registered Waste Tire Storage & Facility List
CBS UST	Chemical Bulk Storage Database
MOSF UST	Major Oil Storage Facilities Database

## EXECUTIVE SUMMARY

CBS AST.....	Chemical Bulk Storage Database
MOSF AST.....	Major Oil Storage Facilities Database
ENG CONTROLS.....	Registry of Engineering Controls
INST CONTROL.....	Registry of Institutional Controls
VCP.....	Voluntary Cleanup Agreements
BROWNFIELDS.....	Brownfields Site List
NPDES.....	State Pollutant Discharge Elimination System
AIRS.....	Air Emissions Data
E DESIGNATION.....	E DESIGNATION SITE LISTING
MOSF.....	Major Oil Storage Facility Site Listing
RES DECL.....	Restrictive Declarations Listing
CBS.....	Chemical Bulk Storage Site Listing

### TRIBAL RECORDS

INDIAN RESERV.....	Indian Reservations
INDIAN ODI.....	Report on the Status of Open Dumps on Indian Lands
INDIAN LUST.....	Leaking Underground Storage Tanks on Indian Land
INDIAN UST.....	Underground Storage Tanks on Indian Land
INDIAN VCP.....	Voluntary Cleanup Priority Listing

### EDR PROPRIETARY RECORDS

Manufactured Gas Plants..... EDR Proprietary Manufactured Gas Plants

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

### FEDERAL RECORDS

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 03/06/2008 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b><i>NYCDOT/145 STREET BRIDGE</i></b>	<b><i>OVER HARLEM RIVER</i></b>	<b><i>1/8 - 1/4 NNW 29</i></b>		<b><i>105</i></b>
<b><i>NYS ARMORY</i></b>	<b><i>5TH AVE</i></b>	<b><i>1/8 - 1/4 WNW J31</i></b>		<b><i>125</i></b>

## EXECUTIVE SUMMARY

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 03/06/2008 has revealed that there are 4 RCRA-CESQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>2350 FIFTH AVENUE CORP</b>	<b>2350 5TH AVE</b>	<b>1/8 - 1/4 W</b>	<b>L37</b>	<b>184</b>
<b>MERIT OIL CORP</b>	<b>370 GRAND CONCOURSE AVE</b>	<b>1/8 - 1/4 SE</b>	<b>R67</b>	<b>335</b>
<b>HOSTOS COMMUNITY COLLEGE</b>	<b>475 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>S69</b>	<b>348</b>
<b>MTA NYCT - 149TH ST GRAND CONC</b>	<b>E 149TH ST &amp; GRAND CONC</b>	<b>1/8 - 1/4 ENE</b>	<b>90</b>	<b>478</b>

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 03/06/2008 has revealed that there are 25 RCRA-NonGen sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>PPG INDUSTRIES INC LOC #1834</b>	<b>441 EXTERIOR ST</b>	<b>0 - 1/8 ENE</b>	<b>B4</b>	<b>18</b>
<b>COPAKE VALLEY FARM LLC</b>	<b>475 EXTERIOR ST</b>	<b>0 - 1/8 NE</b>	<b>C6</b>	<b>22</b>
<b>SPORT SCREEN INC</b>	<b>385 GERARD AVE 2ND FLOOR</b>	<b>0 - 1/8 SE</b>	<b>E11</b>	<b>32</b>
<b>BARKLEY BUILDING</b>	<b>385 GERARD AVE - 5TH &amp;</b>	<b>0 - 1/8 SE</b>	<b>E12</b>	<b>33</b>
<b>S &amp; S INDUSTRIES INC-385 GERAR</b>	<b>385 GERARD AVENUE</b>	<b>0 - 1/8 SE</b>	<b>E13</b>	<b>34</b>
<b>NORTHEAST LAMP RECYCLING INC</b>	<b>385 GERARD AVE - MAIN F</b>	<b>0 - 1/8 SE</b>	<b>E16</b>	<b>59</b>
<b>SPORT SCREEN INC</b>	<b>385 GERARD AVE</b>	<b>0 - 1/8 SE</b>	<b>E17</b>	<b>61</b>
<b>STONE SERVICES INC</b>	<b>445 GERARD AVE</b>	<b>0 - 1/8 E</b>	<b>F18</b>	<b>62</b>
<b>LUIGI RENALDO AUTO CENTER</b>	<b>325 EXTERIOR ST</b>	<b>0 - 1/8 SSE</b>	<b>G19</b>	<b>81</b>
<b>GAINES LEASING CORP</b>	<b>325 EXTERIA ST</b>	<b>0 - 1/8 SSE</b>	<b>G21</b>	<b>83</b>
<b>WEDTECH CORP</b>	<b>350 GERARD AVE</b>	<b>1/8 - 1/4 SE</b>	<b>I27</b>	<b>99</b>
<b>HOSTOS COMMUNITY COLLEGE - TRAU HAUL CENTER</b>	<b>427 WALTON AVE</b>	<b>1/8 - 1/4 E</b>	<b>H32</b>	<b>152</b>
<b>VAN GOGH CLEANERS</b>	<b>350 WALTON AVE</b>	<b>1/8 - 1/4 SE</b>	<b>K35</b>	<b>162</b>
<b>RIVER GAS CORP</b>	<b>2350 FIFTH AVE</b>	<b>1/8 - 1/4 W</b>	<b>L38</b>	<b>208</b>
<b>CON ED - EXTERIOR ST STORAGE Y</b>	<b>99 E 149TH ST</b>	<b>1/8 - 1/4 NNE</b>	<b>M43</b>	<b>257</b>
<b>B &amp; M LINEN CORP</b>	<b>281 EXTERIOR ST</b>	<b>1/8 - 1/4 S</b>	<b>N46</b>	<b>267</b>
<b>NYC SANITATION</b>	<b>310 WALTON AVE</b>	<b>1/8 - 1/4 SSE</b>	<b>O49</b>	<b>271</b>
<b>A C A AMOCO #594</b>	<b>125 E 149TH ST</b>	<b>1/8 - 1/4 NE</b>	<b>P54</b>	<b>298</b>
<b>SHULTZ INDUSTRIES</b>	<b>350 GRAND CONCOURSE BLV</b>	<b>1/8 - 1/4 SE</b>	<b>T73</b>	<b>399</b>
<b>GRAND OPERATING CORP</b>	<b>44 WEST 143 STREET</b>	<b>1/8 - 1/4 WNW</b>	<b>U76</b>	<b>412</b>
<b>NYS DOT - CONTRACT D253704</b>	<b>315 GRAND CONCOURSE</b>	<b>1/8 - 1/4 SE</b>	<b>V81</b>	<b>432</b>
<b>58 WEST 143RD STREET LLC - C-O</b>	<b>ADJACENT TO 725 EXTERIO</b>	<b>1/8 - 1/4 N</b>	<b>X88</b>	<b>457</b>
<b>US POSTAL SERVICE - VMF</b>	<b>58 W 143RD ST</b>	<b>1/8 - 1/4 WNW</b>	<b>U89</b>	<b>477</b>
<b>US POSTAL SERVICE - VMF</b>	<b>580 GERARD AVENUE</b>	<b>1/8 - 1/4 NE</b>	<b>Y92</b>	<b>494</b>
<b>US POSTAL SERVICE - VMF</b>	<b>580 GERARD AVE</b>	<b>1/8 - 1/4 NE</b>	<b>Y94</b>	<b>527</b>

## EXECUTIVE SUMMARY

### STATE AND LOCAL RECORDS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, and dated 06/10/2008 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>2350 FIFTH AVENUE CORP</b>	<b>2350 5TH AVE</b>	<b>1/8 - 1/4 W</b>	<b>L37</b>	<b>184</b>
Class Code: Significant threat to the public health or environment - action required.				

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, and dated 05/02/2008 has revealed that there are 2 SWF/LF sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>EQUINOX X 149 ST OF DEGAN</b>	<b>475 EXTERIOR STREET</b>	<b>0 - 1/8 NE</b>	<b>C7</b>	<b>23</b>
CON-EDISON @ SERVICE CENTER	281 EXTERIOR STREET	1/8 - 1/4 S	N47	269

Registered Recycling Facility List from the Department of Environmental Conservation.

A review of the SWRCY list, as provided by EDR, and dated 05/02/2008 has revealed that there are 2 SWRCY sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
ECOLOGY RECYCLING PLANT	321 CANAL PLACE	1/4 - 1/2 SE	106	578
IESI NY CORP. (PREVIOUSLY -CRY	264-66 CANAL PLACE	1/4 - 1/2 SSE	122	649

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 06/10/2008 has revealed that there are 54 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>101-165 W 146TH ST/BX</b> Date Closed: 12/27/00	<b>1010165 WEST 146TH STRE</b>	<b>0 - 1/8 ENE</b>	<b>B5</b>	<b>19</b>
<b>AMOCO</b> Date Closed: / /	<b>99 EAST 149TH ST</b>	<b>1/8 - 1/4 NNE</b>	<b>M41</b>	<b>246</b>
<b>99 E 149 ST</b> Date Closed: 03/04/03	<b>99 E 149 ST</b>	<b>1/8 - 1/4 NNE</b>	<b>M42</b>	<b>254</b>
<b>471 WALTON AV/WIRELESS</b> Date Closed: 03/04/03	<b>471 WALTON AVE</b>	<b>1/8 - 1/4 ENE</b>	<b>45</b>	<b>264</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>310 WALTON AVENUE</b> Date Closed: 02/02/94	<b>310 WALTON AVENUE</b>	<b>1/8 - 1/4 SSE</b>	<b>O50</b>	<b>275</b>
<b>318 GRAND CONCOURSE/BX</b> Date Closed: 09/06/89	<b>318 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>Q62</b>	<b>312</b>
<b>143RD STREET ASSOCIATES</b> Date Closed: / /	<b>44-58 WEST 143RD ST.</b>	<b>1/8 - 1/4 WNW</b>	<b>U75</b>	<b>405</b>
<b>GASETERIA</b> Date Closed: / /	115 EAST 138TH STREET	1/4 - 1/2 S	96	530
<b>138 EAST 150TH STREET</b> Date Closed: 12/10/93	<b>138 EAST 150TH STREET</b>	<b>1/4 - 1/2 NE</b>	<b>97</b>	<b>533</b>
<b>GRAND CONCOURSE REALTY CO</b> Date Closed: 10/01/04	<b>557 GRAND CONCOURSE</b>	<b>1/4 - 1/2 ENE</b>	<b>98</b>	<b>535</b>
15 WEST 139 STREET Date Closed: 04/26/05	15 W 139 ST	1/4 - 1/2 WSW	99	538
<b>GRAND CONCOUR/CARROLL PL.</b> Date Closed: 03/20/03	<b>118 GRAND CONCOURSE</b>	<b>1/4 - 1/2 SSE</b>	<b>100</b>	<b>539</b>
COMMERCAIL BUILD Date Closed: / /	200 EAST 146TH STREET	1/4 - 1/2 E	101	541
<b>PREMIER METALS</b> Date Closed: / /	<b>381 CANAL PLACE</b>	<b>1/4 - 1/2 ESE</b>	<b>Z102</b>	<b>543</b>
<b>PREMIER METAL PRODUCTS CO DIV</b> Date Closed: 03/21/95	<b>381 CANAL PLACE</b>	<b>1/4 - 1/2 ESE</b>	<b>Z103</b>	<b>545</b>
<b>500 GRAND CONCOURSE</b> Date Closed: 09/30/92	<b>500 GRAND CONCOURSE</b>	<b>1/4 - 1/2 NE</b>	<b>104</b>	<b>569</b>
<b>GETTY GASOLINE 58409</b> Date Closed: / /	<b>119 WEST 145 ST</b>	<b>1/4 - 1/2 NW</b>	<b>AA105</b>	<b>572</b>
<b>NYC TRANSIT AUTHORITY</b> Date Closed: 12/27/00	<b>146TH ST / LENOX</b>	<b>1/4 - 1/2 NW</b>	<b>AB107</b>	<b>578</b>
<b>CLARA HALE DEPOT</b> Date Closed: 12/27/00	<b>721 LENNOX AVE</b>	<b>1/4 - 1/2 NW</b>	<b>AB108</b>	<b>583</b>
<b>146TH ST BUS DEPOT</b> Date Closed: 02/12/03	<b>721 LENOX AVE</b>	<b>1/4 - 1/2 NW</b>	<b>AB109</b>	<b>589</b>
<b>NYC-TA MOTHER CLARA HALE DEPOT</b> Date Closed: 02/10/03 Date Closed: / /	<b>721 LENOX AVENUE</b>	<b>1/4 - 1/2 NW</b>	<b>AB110</b>	<b>594</b>
MOTHER CLARA HALE DEPOT Date Closed: 01/10/05	721 LENOX AVE	1/4 - 1/2 NW	AB111	622
<b>120-28 W.145 ST MANHATTAN</b> Date Closed: 08/21/87	<b>120-28 W 145 STREET</b>	<b>1/4 - 1/2 NW</b>	<b>AA112</b>	<b>624</b>
<b>120-128 WEST 145TH STREET</b> Date Closed: 07/22/94	<b>120-128 WEST 145TH STRE</b>	<b>1/4 - 1/2 NW</b>	<b>AA113</b>	<b>627</b>
<b>NYC TRANSIT</b> Date Closed: 07/10/02	<b>146ST / LENNOX</b>	<b>1/4 - 1/2 NW</b>	<b>AB114</b>	<b>629</b>
<b>101-65 WEST 146TH ST/BX</b> Date Closed: 06/30/05	<b>101065 WEST 146TH STREE</b>	<b>1/4 - 1/2 NW</b>	<b>AB115</b>	<b>632</b>
<b>CARMEL HAYS HIGH SCHOOL</b> Date Closed: 03/03/03	<b>650 GRAND CONCORSE</b>	<b>1/4 - 1/2 NE</b>	<b>116</b>	<b>634</b>



## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>101 W 140TH ST</b> Date Closed: 11/22/96	<b>101 W 140TH ST</b>	<b>1/4 - 1/2 W</b>	<b>AC117</b>	<b>637</b>
APT COMPLEX Date Closed: 11/19/03	101 W.140TH ST	1/4 - 1/2 W	AC118	639
<b>101-125 WEST 147TH ST.</b> Date Closed: 05/16/94	<b>101-125 WEST 147TH ST.</b>	<b>1/4 - 1/2 NNW</b>	<b>119</b>	<b>641</b>
<b>234 EAST 149TH STREET</b> Date Closed: 11/27/93	<b>234 EAST 149TH STREET</b>	<b>1/4 - 1/2 E</b>	<b>AD120</b>	<b>643</b>
LINCOLN MEDICAL CENTER Date Closed: 01/06/06	234 EAST 149TH ST	1/4 - 1/2 E	AD121	648
RIVERTON ASSOCIATES - MISC Date Closed: 05/16/06	2237 5TH AVE	1/4 - 1/2 SW	123	650
120 W 140TH ST Date Closed: 04/10/06	120 W 140TH ST	1/4 - 1/2 W	124	652
APARTMENT Date Closed: 08/08/06	127 WEST 141 ST	1/4 - 1/2 W	125	653
<b>Not reported</b> Date Closed: 11/10/05	<b>106 WEST 139TH ST</b>	<b>1/4 - 1/2 W</b>	<b>AE126</b>	<b>655</b>
<b>Not reported</b> Date Closed: 11/23/05	<b>118 W 139TH ST</b>	<b>1/4 - 1/2 W</b>	<b>AE127</b>	<b>657</b>
<b>Not reported</b> Date Closed: 10/15/98	<b>75 CANAL ST</b>	<b>1/4 - 1/2 S</b>	<b>128</b>	<b>660</b>
<b>USPS VEHICLE MAINT. FAC.</b> Date Closed: 05/11/01	<b>580 GERARD AVENUE</b>	<b>1/4 - 1/2 NNE</b>	<b>129</b>	<b>662</b>
<b>138TH AVE. / RYDER AVE. /</b> Date Closed: 03/07/87	<b>138TH ST./ RYDER AVE.</b>	<b>1/4 - 1/2 SSE</b>	<b>130</b>	<b>665</b>
<b>Not reported</b> Date Closed: 02/20/04	<b>132 WEST 139TH ST</b>	<b>1/4 - 1/2 W</b>	<b>131</b>	<b>667</b>
Not reported Date Closed: 01/22/04	160 WEST 146TH ST	1/4 - 1/2 NW	132	670
APARTMENT BUILDING Date Closed: 03/27/08	112 WEST 138TH ST	1/4 - 1/2 W	133	671
<b>10 W 135TH ST</b> Date Closed: 02/27/89	<b>10 W 135TH ST</b>	<b>1/4 - 1/2 SW</b>	<b>134</b>	<b>674</b>
<b>150-54 WEST 145TH ST/MANH</b> Date Closed: 11/28/90	<b>150-54 WEST 145TH STREE</b>	<b>1/4 - 1/2 NW</b>	<b>135</b>	<b>676</b>
<b>LINCOLN</b> Date Closed: 08/02/91	<b>2142 MADISON AVENUE</b>	<b>1/4 - 1/2 SSW</b>	<b>136</b>	<b>679</b>
<b>556 MORRIS AVE</b> Date Closed: 01/22/96	<b>556 MORRIS AVE</b>	<b>1/4 - 1/2 E</b>	<b>137</b>	<b>681</b>
<b>PATTERSON HOUSES</b> Date Closed: 03/31/95 Date Closed: 12/02/05	<b>301 EAST 143RD STREET</b>	<b>1/4 - 1/2 ESE</b>	<b>138</b>	<b>684</b>
<i>*Additional key fields are available in the Map Findings section</i>				
<b>138 ST &amp; 3RD AVE.- EFFCO</b> Date Closed: 06/13/86	<b>138TH ST / 3RD AVE</b>	<b>1/4 - 1/2 SSE</b>	<b>139</b>	<b>691</b>
<b>P &amp; R FIXTURES CORP</b> Date Closed: 01/23/04	<b>271 E 139TH ST</b>	<b>1/4 - 1/2 SE</b>	<b>140</b>	<b>694</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>DREW HAMILTON</b> Date Closed: 11/19/07	<b>200 WEST 143RD STREET</b>	<b>1/4 - 1/2 WNW</b>	<b>141</b>	<b>696</b>
<b>LINCOLN</b> Date Closed: 10/26/05	<b>2132 MADISON AVENUE</b>	<b>1/4 - 1/2 SSW</b>	<b>AF142</b>	<b>704</b>
<b>711 WALTON AVENUE</b> Date Closed: 12/22/94	<b>711 WALTON AVENUE</b>	<b>1/4 - 1/2 NNE</b>	<b>143</b>	<b>706</b>
<b>LINCOLN HOUSES</b> Date Closed: 10/26/05 Date Closed: / /	<b>2130 MADISON AVE</b>	<b>1/4 - 1/2 SSW</b>	<b>AF144</b>	<b>709</b>

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 43 HIST LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>101-165 W 146TH ST/BX</b>	<b>1010165 WEST 146TH STRE</b>	<b>0 - 1/8 ENE</b>	<b>B5</b>	<b>19</b>
<b>AMOCO</b>	<b>99 EAST 149TH ST</b>	<b>1/8 - 1/4 NNE</b>	<b>M41</b>	<b>246</b>
<b>99 E 149 ST</b>	<b>99 E 149 ST</b>	<b>1/8 - 1/4 NNE</b>	<b>M42</b>	<b>254</b>
<b>471 WALTON AV/WIRELESS</b>	<b>471 WALTON AVE</b>	<b>1/8 - 1/4 ENE</b>	<b>45</b>	<b>264</b>
<b>310 WALTON AVENUE</b>	<b>310 WALTON AVENUE</b>	<b>1/8 - 1/4 SSE</b>	<b>O50</b>	<b>275</b>
<b>318 GRAND CONCOURSE/BX</b>	<b>318 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>Q62</b>	<b>312</b>
<b>143RD STREET ASSOCIATES</b>	<b>44-58 WEST 143RD ST.</b>	<b>1/8 - 1/4 WNW</b>	<b>U75</b>	<b>405</b>
<b>138 EAST 150TH STREET</b>	<b>138 EAST 150TH STREET</b>	<b>1/4 - 1/2 NE</b>	<b>97</b>	<b>533</b>
<b>GRAND CONCOURSE REALTY CO</b>	<b>557 GRAND CONCOURSE</b>	<b>1/4 - 1/2 ENE</b>	<b>98</b>	<b>535</b>
<b>GRAND CONCOUR/CARROLL PL.</b>	<b>118 GRAND CONCOURSE</b>	<b>1/4 - 1/2 SSE</b>	<b>100</b>	<b>539</b>
<b>PREMIER METALS</b>	<b>381 CANAL PLACE</b>	<b>1/4 - 1/2 ESE</b>	<b>Z102</b>	<b>543</b>
<b>PREMIER METAL PRODUCTS CO DIV</b>	<b>381 CANAL PLACE</b>	<b>1/4 - 1/2 ESE</b>	<b>Z103</b>	<b>545</b>
<b>500 GRAND CONCOURSE</b>	<b>500 GRAND CONCOURSE</b>	<b>1/4 - 1/2 NE</b>	<b>104</b>	<b>569</b>
<b>GETTY GASOLINE 58409</b>	<b>119 WEST 145 ST</b>	<b>1/4 - 1/2 NW</b>	<b>AA105</b>	<b>572</b>
<b>NYC TRANSIT AUTHORITY</b>	<b>146TH ST / LENOX</b>	<b>1/4 - 1/2 NW</b>	<b>AB107</b>	<b>578</b>
<b>CLARA HALE DEPOT</b>	<b>721 LENNOX AVE</b>	<b>1/4 - 1/2 NW</b>	<b>AB108</b>	<b>583</b>
<b>146TH ST BUS DEPOT</b>	<b>721 LENOX AVE</b>	<b>1/4 - 1/2 NW</b>	<b>AB109</b>	<b>589</b>
<b>NYC-TA MOTHER CLARA HALE DEPOT</b>	<b>721 LENOX AVENUE</b>	<b>1/4 - 1/2 NW</b>	<b>AB110</b>	<b>594</b>
<b>120-28 W.145 ST MANHATTAN</b>	<b>120-28 W 145 STREET</b>	<b>1/4 - 1/2 NW</b>	<b>AA112</b>	<b>624</b>
<b>120-128 WEST 145TH STREET</b>	<b>120-128 WEST 145TH STRE</b>	<b>1/4 - 1/2 NW</b>	<b>AA113</b>	<b>627</b>
<b>NYC TRANSIT</b>	<b>146ST / LENNOX</b>	<b>1/4 - 1/2 NW</b>	<b>AB114</b>	<b>629</b>
<b>101-65 WEST 146TH ST/BX</b>	<b>101065 WEST 146TH STREE</b>	<b>1/4 - 1/2 NW</b>	<b>AB115</b>	<b>632</b>
<b>CARMEL HAYS HIGH SCHOOL</b>	<b>650 GRAND CONCORSE</b>	<b>1/4 - 1/2 NE</b>	<b>116</b>	<b>634</b>
<b>101 W 140TH ST</b>	<b>101 W 140TH ST</b>	<b>1/4 - 1/2 W</b>	<b>AC117</b>	<b>637</b>
<b>101-125 WEST 147TH ST.</b>	<b>101-125 WEST 147TH ST.</b>	<b>1/4 - 1/2 NNW</b>	<b>119</b>	<b>641</b>
<b>234 EAST 149TH STREET</b>	<b>234 EAST 149TH STREET</b>	<b>1/4 - 1/2 E</b>	<b>AD120</b>	<b>643</b>
<b>Not reported</b>	<b>106 WEST 139TH ST</b>	<b>1/4 - 1/2 W</b>	<b>AE126</b>	<b>655</b>
<b>Not reported</b>	<b>118 W 139TH ST</b>	<b>1/4 - 1/2 W</b>	<b>AE127</b>	<b>657</b>
<b>Not reported</b>	<b>75 CANAL ST</b>	<b>1/4 - 1/2 S</b>	<b>128</b>	<b>660</b>
<b>USPS VEHICLE MAINT. FAC.</b>	<b>580 GERARD AVENUE</b>	<b>1/4 - 1/2 NNE</b>	<b>129</b>	<b>662</b>
<b>138TH AVE. / RYDER AVE. /</b>	<b>138TH ST./ RYDER AVE.</b>	<b>1/4 - 1/2 SSE</b>	<b>130</b>	<b>665</b>
<b>Not reported</b>	<b>132 WEST 139TH ST</b>	<b>1/4 - 1/2 W</b>	<b>131</b>	<b>667</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>10 W 135TH ST</b>	<b>10 W 135TH ST</b>	<b>1/4 - 1/2 SW</b>	<b>134</b>	<b>674</b>
<b>150-54 WEST 145TH ST/MANH LINCOLN</b>	<b>150-54 WEST 145TH STREE 2142 MADISON AVENUE</b>	<b>1/4 - 1/2 NW</b>	<b>135</b>	<b>676</b>
<b>556 MORRIS AVE</b>	<b>556 MORRIS AVE</b>	<b>1/4 - 1/2 SSW</b>	<b>136</b>	<b>679</b>
<b>PATTERSON HOUSES</b>	<b>301 EAST 143RD STREET</b>	<b>1/4 - 1/2 E</b>	<b>137</b>	<b>681</b>
<b>138 ST &amp; 3RD AVE.- EFFCO</b>	<b>138TH ST / 3RD AVE</b>	<b>1/4 - 1/2 ESE</b>	<b>138</b>	<b>684</b>
<b>P &amp; R FIXTURES CORP</b>	<b>271 E 139TH ST</b>	<b>1/4 - 1/2 SSE</b>	<b>139</b>	<b>691</b>
<b>DREW HAMILTON LINCOLN</b>	<b>200 WEST 143RD STREET</b>	<b>1/4 - 1/2 SE</b>	<b>140</b>	<b>694</b>
<b>711 WALTON AVENUE LINCOLN HOUSES</b>	<b>2132 MADISON AVENUE 711 WALTON AVENUE 2130 MADISON AVE</b>	<b>1/4 - 1/2 WNW</b>	<b>141</b>	<b>696</b>
		<b>1/4 - 1/2 SSW</b>	<b>AF142</b>	<b>704</b>
		<b>1/4 - 1/2 NNE</b>	<b>143</b>	<b>706</b>
		<b>1/4 - 1/2 SSW</b>	<b>AF144</b>	<b>709</b>

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 03/28/2008 has revealed that there are 26 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>PANORAMIC INDUSTRIES INC</b>	<b>120 E 144TH ST</b>	<b>0 - 1/8 ESE</b>	<b>D8</b>	<b>27</b>
<b>ROCKET JEWELRY BOX INC</b>	<b>125 EAST 144TH STREET</b>	<b>0 - 1/8 ESE</b>	<b>D22</b>	<b>88</b>
<b>350 GERARD CORPORATION</b>	<b>350 GERARD AVENUE</b>	<b>1/8 - 1/4 SE</b>	<b>I28</b>	<b>101</b>
<b>HOSTOS COMMUNITY COLLEGE</b>	<b>427 WALTON AVENUE</b>	<b>1/8 - 1/4 E</b>	<b>H33</b>	<b>157</b>
<b>U-HAUL CO OF METRO NY</b>	<b>368 WALTON AVENUE</b>	<b>1/8 - 1/4 SE</b>	<b>K34</b>	<b>159</b>
<b>BUDGE-WOOD LAUNDRY SERVICE INC</b>	<b>2350 FIFTH AVENUE</b>	<b>1/8 - 1/4 W</b>	<b>L36</b>	<b>180</b>
<b>MOBIL S/S 17-KRQ BRONX TERMINA</b>	<b>99 EAST 149TH STREET</b>	<b>1/8 - 1/4 NNE</b>	<b>M39</b>	<b>229</b>
<b>AMOCO SERVICE STATION</b>	<b>99-113 149TH STREET</b>	<b>1/8 - 1/4 NNE</b>	<b>M44</b>	<b>258</b>
<b>310 WALTON AVENUE</b>	<b>310 WALTON AVENUE</b>	<b>1/8 - 1/4 SSE</b>	<b>O51</b>	<b>277</b>
<b>MANHATTAN DISTRICT 9</b>	<b>125 EAST 149TH STREET</b>	<b>1/8 - 1/4 NE</b>	<b>P53</b>	<b>281</b>
<b>PUBLIC SCHOOL 31 - BRONX</b>	<b>425 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>Q56</b>	<b>301</b>
<b>287 WALTON AVE.</b>	<b>287 WALTON AVENUE</b>	<b>1/8 - 1/4 SSE</b>	<b>O61</b>	<b>311</b>
<b>METROPOLITAN ROOFING SUPPS CO</b>	<b>355 MAJOR DEEGAN BLVD</b>	<b>1/8 - 1/4 SSE</b>	<b>64</b>	<b>316</b>
<b>MERIT GRAND CONCOURSE</b>	<b>370 GRAND CONCOURSE</b>	<b>1/8 - 1/4 SE</b>	<b>R66</b>	<b>327</b>
<b>HOSTOS COMMUNITY COLLEGE</b>	<b>475 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>S69</b>	<b>348</b>
<b>POWER TEST00129</b>	<b>475 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>S70</b>	<b>372</b>
<b>BP SERVICE STATION #13510</b>	<b>350 GRAND CONCOURSE</b>	<b>1/8 - 1/4 SE</b>	<b>T72</b>	<b>388</b>
<b>THE SHULTZ COMPANY INC</b>	<b>44 W 143RD ST</b>	<b>1/8 - 1/4 WNW</b>	<b>U74</b>	<b>400</b>
<b>143RD STREET ASSOCIATES</b>	<b>44-58 WEST 143RD ST.</b>	<b>1/8 - 1/4 WNW</b>	<b>U75</b>	<b>405</b>
<b>BOULEVARD CAR WASH OF N.Y. INC</b>	<b>315 GRAND CONCOURSE</b>	<b>1/8 - 1/4 SE</b>	<b>V78</b>	<b>418</b>
<b>HOSTOS COMMUNITY COLLEGE</b>	<b>500 GRAND CONCOURSE</b>	<b>1/8 - 1/4 ENE</b>	<b>W82</b>	<b>434</b>
<b>BRONX TERMINAL MARKET WATERFRO</b>	<b>EXTERIOR STREET &amp; EAST</b>	<b>1/8 - 1/4 NNE</b>	<b>X85</b>	<b>447</b>
<b>255 EXTERIOR STREET, LLC</b>	<b>255 EXTERIOR STREET</b>	<b>1/8 - 1/4 S</b>	<b>86</b>	<b>453</b>
<b>580 GERARD AVENUE</b>	<b>580 GERARD AVENUE</b>	<b>1/8 - 1/4 NE</b>	<b>Y91</b>	<b>481</b>
<b>VEHICLE MAINTENANCE FACILITY</b>	<b>580 GERARD AVENUE</b>	<b>1/8 - 1/4 NE</b>	<b>Y93</b>	<b>516</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>NYS ARMORY</b>	<b>5TH AVE</b>	<b>1/8 - 1/4 WNW</b>	<b>J31</b>	<b>125</b>

## EXECUTIVE SUMMARY

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 25 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PANORAMIC INDUSTRIES INC	120 E 144TH ST	0 - 1/8 ESE	D9	29
<b>GAINES LEASING CORP</b>	<b>325 EXTERIA ST</b>	<b>0 - 1/8 SSE</b>	<b>G21</b>	<b>83</b>
ROCKET JEWELRY BOX INC	125 EAST 144TH STREET	0 - 1/8 ESE	D23	89
PAY TV OF GREATER NY	140 E 146TH ST	0 - 1/8 ENE	F25	94
<b>350 GERARD CORPORATION</b>	<b>350 GERARD AVENUE</b>	<b>1/8 - 1/4 SE</b>	<b>I28</b>	<b>101</b>
<b>U-HAUL CO OF METRO NY</b>	<b>368 WALTON AVENUE</b>	<b>1/8 - 1/4 SE</b>	<b>K34</b>	<b>159</b>
<b>BUDGE-WOOD LAUNDRY SERVICE INC</b>	<b>2350 FIFTH AVENUE</b>	<b>1/8 - 1/4 W</b>	<b>L36</b>	<b>180</b>
<b>MOBIL S/S 17-KRQ BRONX TERMINA</b>	<b>99 EAST 149TH STREET</b>	<b>1/8 - 1/4 NNE</b>	<b>M39</b>	<b>229</b>
<b>AMOCO SERVICE STATION</b>	<b>99-113 149TH STREET</b>	<b>1/8 - 1/4 NNE</b>	<b>M40</b>	<b>239</b>
<b>310 WALTON AVENUE</b>	<b>310 WALTON AVENUE</b>	<b>1/8 - 1/4 SSE</b>	<b>O51</b>	<b>277</b>
<b>MANHATTAN DISTRICT 9</b>	<b>125 EAST 149TH STREET</b>	<b>1/8 - 1/4 NE</b>	<b>P53</b>	<b>281</b>
P.S. 31	425 GRAND CONCOURSE	1/8 - 1/4 E	Q57	303
287 WALTON AVE.	287 WALTON AVENUE	1/8 - 1/4 SSE	O60	309
<b>METROPOLITAN ROOFING SUPPS CO</b>	<b>355 MAJOR DEEGAN BLVD</b>	<b>1/8 - 1/4 SSE</b>	<b>64</b>	<b>316</b>
<b>MERIT GRAND CONCOURSE</b>	<b>370 GRAND CONCOURSE</b>	<b>1/8 - 1/4 SE</b>	<b>R66</b>	<b>327</b>
HOSTOS COMMUNITY COLLEGE	475 GRAND CONCOURSE	1/8 - 1/4 E	S68	346
<b>POWER TEST00129</b>	<b>475 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>S70</b>	<b>372</b>
<b>BP SERVICE STATION #13510</b>	<b>350 GRAND CONCOURSE</b>	<b>1/8 - 1/4 SE</b>	<b>T72</b>	<b>388</b>
<b>THE SHULTZ COMPANY INC</b>	<b>44 W 143RD ST</b>	<b>1/8 - 1/4 WNW</b>	<b>U74</b>	<b>400</b>
<b>143RD STREET ASSOCIATES</b>	<b>44-58 WEST 143RD ST.</b>	<b>1/8 - 1/4 WNW</b>	<b>U75</b>	<b>405</b>
315 GRAND CONCOURSE	315 GRAND CONCOURSE	1/8 - 1/4 SE	V80	428
<b>HOSTOS COMMUNITY COLLEGE</b>	<b>500 GRAND CONCOURSE</b>	<b>1/8 - 1/4 ENE</b>	<b>W84</b>	<b>442</b>
<b>580 GERARD AVENUE</b>	<b>580 GERARD AVENUE</b>	<b>1/8 - 1/4 NE</b>	<b>Y91</b>	<b>481</b>
<b>VEHICLE MAINTENANCE FACILITY</b>	<b>580 GERARD AVENUE</b>	<b>1/8 - 1/4 NE</b>	<b>Y93</b>	<b>516</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>NYS ARMORY</b>	<b>2366 5TH AVE</b>	<b>1/8 - 1/4 WNW</b>	<b>J30</b>	<b>121</b>

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 03/28/2008 has revealed that there are 16 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
385 GERARD AVE	385 GERARD AVENUE	0 - 1/8 SE	E15	58
<b>A.C. AUTO WRECKING CO. INC</b>	<b>475 GERARD AVE</b>	<b>0 - 1/8 ENE</b>	<b>24</b>	<b>90</b>
<b>BARBOUR THREADS, INC.</b>	<b>135 EAST 144TH STREET</b>	<b>1/8 - 1/4 ESE</b>	<b>H26</b>	<b>96</b>
<b>AMOCO SERVICE STATION</b>	<b>99-113 149TH STREET</b>	<b>1/8 - 1/4 NNE</b>	<b>M40</b>	<b>239</b>
BEN-GOMO REALTY, INC.	301 WALTON AVENUE	1/8 - 1/4 SSE	O55	300
<b>A J GRIFFEN CORP</b>	<b>424 GRAND CONCOURSE</b>	<b>1/8 - 1/4 ESE</b>	<b>Q58</b>	<b>304</b>
<b>424-430 GRAND CONCOURSE</b>	<b>424-430 GRAND CONCOURSE</b>	<b>1/8 - 1/4 ESE</b>	<b>Q59</b>	<b>307</b>
388-390 GRAND CONCOURSE	388-390 GRAND CONCOURSE	1/8 - 1/4 ESE	63	315
DELANO VILLAGE	30 WEST 141 ST	1/8 - 1/4 WSW	65	325
EAGLE AUTO REPAIR CORP	341 GRAND CONCOURSE	1/8 - 1/4 SE	T71	387
PEGUERO BROTHERS REPAIR SHOP	338 GRAND CONCOURSE	1/8 - 1/4 SE	T77	417
BOULEVARD CAR WASH OF N.Y. INC	315 GRAND CONCOURSE	1/8 - 1/4 SE	V79	424

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HOSTOS COMMUNITY COLLEGE	500 GRAND CONCOURSE	1/8 - 1/4 ENE	W83	438
585 GERARD AVENUE CORP.	585 GERARD AVENUE	1/8 - 1/4 NE	Y87	456
AMERICAN SELF STORAGE	586 RIVER AVENUE / 595	1/8 - 1/4 NNE	95	529
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>NYS ARMORY</b>	<b>5TH AVE</b>	<b>1/8 - 1/4 WNW</b>	<b>J31</b>	<b>125</b>

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 05/27/2008 has revealed that there are 20 MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>S &amp; S INDUSTRIES INC-385 GERAR</b>	<b>385 GERARD AVENUE</b>	<b>0 - 1/8 SE</b>	<b>E13</b>	<b>34</b>
<b>STONE SERVICES INC</b>	<b>445 GERARD AVE</b>	<b>0 - 1/8 E</b>	<b>F18</b>	<b>62</b>
<b>GAINES LEASING CORP</b>	<b>325 EXTERIA ST</b>	<b>0 - 1/8 SSE</b>	<b>G21</b>	<b>83</b>
<b>WEDTECH CORP</b>	<b>350 GERARD AVE</b>	<b>1/8 - 1/4 SE</b>	<b>I27</b>	<b>99</b>
<b>HOSTOS COMMUNITY COLLEGE - TRA</b>	<b>427 WALTON AVE</b>	<b>1/8 - 1/4 E</b>	<b>H32</b>	<b>152</b>
<b>U HAUL CENTER</b>	<b>350 WALTON AVE</b>	<b>1/8 - 1/4 SE</b>	<b>K35</b>	<b>162</b>
<b>2350 FIFTH AVENUE CORP</b>	<b>2350 5TH AVE</b>	<b>1/8 - 1/4 W</b>	<b>L37</b>	<b>184</b>
<b>VAN GOGH CLEANERS</b>	<b>2350 FIFTH AVE</b>	<b>1/8 - 1/4 W</b>	<b>L38</b>	<b>208</b>
<b>CON ED - EXTERIOR ST STORAGE Y</b>	<b>281 EXTERIOR ST</b>	<b>1/8 - 1/4 S</b>	<b>N46</b>	<b>267</b>
<b>HIPPODROME SVCS</b>	<b>310 WALTON AVE</b>	<b>1/8 - 1/4 SSE</b>	<b>O48</b>	<b>270</b>
<b>B &amp; M LINEN CORP</b>	<b>310 WALTON AVE</b>	<b>1/8 - 1/4 SSE</b>	<b>O49</b>	<b>271</b>
<b>MANHATTAN WEST 9</b>	<b>125 E 149TH ST</b>	<b>1/8 - 1/4 NE</b>	<b>P52</b>	<b>280</b>
<b>MERIT OIL CORP</b>	<b>370 GRAND CONCOURSE AVE</b>	<b>1/8 - 1/4 SE</b>	<b>R67</b>	<b>335</b>
<b>HOSTOS COMMUNITY COLLEGE</b>	<b>475 GRAND CONCOURSE</b>	<b>1/8 - 1/4 E</b>	<b>S69</b>	<b>348</b>
<b>SHULTZ INDUSTRIES</b>	<b>44 WEST 143 STREET</b>	<b>1/8 - 1/4 WNW</b>	<b>U76</b>	<b>412</b>
<b>NYSDOT - CONTRACT D253704</b>	<b>ADJACENT TO 725 EXTERIO</b>	<b>1/8 - 1/4 N</b>	<b>X88</b>	<b>457</b>
<b>MTA NYCT - 149TH ST GRAND CONC</b>	<b>E 149TH ST &amp; GRAND CONC</b>	<b>1/8 - 1/4 ENE</b>	<b>90</b>	<b>478</b>
<b>US POSTAL SERVICE - VMF</b>	<b>580 GERARD AVENUE</b>	<b>1/8 - 1/4 NE</b>	<b>Y92</b>	<b>494</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>NYCDOT/145 STREET BRIDGE</b>	<b>OVER HARLEM RIVER</b>	<b>1/8 - 1/4 NNW</b>	<b>29</b>	<b>105</b>
<b>NYS ARMORY</b>	<b>5TH AVE</b>	<b>1/8 - 1/4 WNW</b>	<b>J31</b>	<b>125</b>

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 06/10/2008 has revealed that there are 4 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>EQUINOX X 149 ST OF DEGAN</b> Date Closed: 01/10/97	<b>475 EXTERIOR STREET</b>	<b>0 - 1/8 NE</b>	<b>C7</b>	<b>23</b>
VS 2773 Date Closed: 03/19/07	385 GERARD AVENUE	0 - 1/8 SE	E10	31
MANHOLE 1676 Date Closed: 01/14/04	385 GERARD AV	0 - 1/8 SE	E14	56

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
VERIZON BUILDING Date Closed: 02/21/07	325 EXTERIOR STREET	0 - 1/8 SSE	G20	82

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 NY Hist Spills site within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>EQUINOX X 149 ST OF DEGAN</b>	<b>475 EXTERIOR STREET</b>	<b>0 - 1/8 NE</b>	<b>C7</b>	<b>23</b>

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 06/15/2004 has revealed that there is 1 DRYCLEANERS site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<b>2350 FIFTH AVENUE CORP</b>	<b>2350 5TH AVE</b>	<b>1/8 - 1/4 W</b>	<b>L37</b>	<b>184</b>




## EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
CONSOLIDATED EDISON	MANIFEST
NYCDEP	MANIFEST
NYSDOT BIN 1076879	MANIFEST
SHELL OIL-ANGAMA AUTO CTR INC	FINDS, MANIFEST, RCRA-NonGen
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	MANIFEST
NYSDOT BRIDGE BIN 1077000	MANIFEST, RCRA-NonGen
NYSDOT BIN #1077010	RCRA-LQG, MANIFEST
NYCHA - RANGEL HOUSES	FINDS, MANIFEST, RCRA-NonGen
NYSDOT BIN #107701B	RCRA-LQG, MANIFEST
NYSDOT	RCRA-LQG, MANIFEST
HOSTOS COMMUNITY COLLEGE	LTANKS
CORNERSTONE SITE A	UST, AST
BRONX COUNTY RECYCLING LLC	UST
RALPH J. RANGEL HOUSES	UST
BRONX COUNTY RECYCLING LLC	AST
RALPH J. RANGEL HOUSES	AST
NYSDOT BIN 1066780	RCRA-LQG
NYSDOT BIN 106745C	RCRA-LQG
CON EDISON	RCRA-NonGen
CON EDISON	RCRA-NonGen
NYSDOT CONTRACT D253182	FINDS, RCRA-NonGen
EXCAVATION SITE	NY Spills
EXIT 7B ON RTE 95	NY Spills, NY Hist Spills
CONSTRUCTION SITE	NY Spills
EXTERIOR ST - LANDING RD	NY Spills, NY Hist Spills
VAULT #5137	NY Spills, NY Hist Spills
TRAFFIC ACCIDENT- 30 GAL DIESEL IN	NY Spills
IN SEWER OR VAULT	NY Spills, NY Hist Spills
BEDFORD PARK RD	NY Spills, NY Hist Spills
NEAR CITY BUS PARKING	NY Spills, NY Hist Spills
END OF WHITE PLAINS ROAD	NY Spills
RIVER AVE	NY Spills, NY Hist Spills
RIVER AVE/ 165ST	NY Spills
167TH STREET AND	NY Spills, NY Hist Spills
EAST RIVER	NY Spills, NY Hist Spills
HARLEM RIVER YARDS SITE	NY Spills
MANHOLE #7511	NY Spills
IFO TASK FORCE	NY Spills
MANHOLE # 9489	NY Spills
GATEWAY CENTER AT BRONX TERMINAL M	VCP
UNIVERSAL DEMOLITION & RCYCLNG	HIST UST
RALPH J. RANGEL	HIST UST

# OVERVIEW MAP - 2282321.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites


- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: LoCo Proposed Park Site  
 ADDRESS: 399 Exterior Street  
 Bronx NY 10451  
 LAT/LONG: 40.8173 / 73.9316

CLIENT: HDR/LMS  
 CONTACT: Terry Schneider  
 INQUIRY #: 2282321.2s  
 DATE: July 31, 2008 3:50 pm

# DETAIL MAP - 2282321.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- Indian Reservations BIA
- County Boundary
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: LoCo Proposed Park Site  
 ADDRESS: 399 Exterior Street  
 Bronx NY 10451  
 LAT/LONG: 40.8173 / 73.9316

CLIENT: HDR/LMS  
 CONTACT: Terry Schneider  
 INQUIRY #: 2282321.2s  
 DATE: July 31, 2008 3:50 pm

## MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b><u>FEDERAL RECORDS</u></b>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.500	0	0	0	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
RCRA-TSDF		0.500	0	0	0	NR	NR	0
RCRA-LQG		0.250	0	2	NR	NR	NR	2
RCRA-SQG		0.250	0	0	NR	NR	NR	0
RCRA-CESQG		0.250	0	4	NR	NR	NR	4
RCRA-NonGen		0.250	10	15	NR	NR	NR	25
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
ERNS	TP		NR	NR	NR	NR	NR	0
HMIRS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
LUCIS		0.500	0	0	0	NR	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
<b><u>STATE AND LOCAL RECORDS</u></b>								
HSWDS		0.500	0	0	0	NR	NR	0
SHWS		1.000	0	1	0	0	NR	1
DEL SHWS		1.000	0	0	0	0	NR	0
SWF/LF		0.500	1	1	0	NR	NR	2
SWTIRE		0.500	0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SWRCY		0.500	0	0	2	NR	NR	2
LTANKS		0.500	1	6	47	NR	NR	54
HIST LTANKS		0.500	1	6	36	NR	NR	43
UST	X	0.250	2	24	NR	NR	NR	26
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
HIST UST	X	0.250	4	21	NR	NR	NR	25
AST	X	0.250	2	14	NR	NR	NR	16
HIST AST	X	TP	NR	NR	NR	NR	NR	0
CBS AST		0.250	0	0	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
MANIFEST		0.250	3	17	NR	NR	NR	20
NY Spills	X	0.125	4	NR	NR	NR	NR	4
NY Hist Spills		0.125	1	NR	NR	NR	NR	1
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
DRYCLEANERS		0.250	0	1	NR	NR	NR	1
BROWNFIELDS		0.500	0	0	0	NR	NR	0
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
E DESIGNATION		0.125	0	NR	NR	NR	NR	0
MOSF		0.500	0	0	0	NR	NR	0
RES DECL		0.180	0	0	NR	NR	NR	0
CBS		0.250	0	0	NR	NR	NR	0
<b><u>TRIBAL RECORDS</u></b>								
INDIAN RESERV		1.000	0	0	0	0	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
INDIAN LUST		0.500	0	0	0	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
INDIAN VCP		0.500	0	0	0	NR	NR	0
<b><u>EDR PROPRIETARY RECORDS</u></b>								
Manufactured Gas Plants		1.000	0	0	0	0	NR	0

**NOTES:**

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)      EDR ID Number  
 EPA ID Number

**A1**            **METRO AFFILIATES**  
**Target**       **399 EXTERIOR STREET**  
**Property**     **BRONX, NY 10451**

**AST**        **U000411469**  
**HIST UST**    **N/A**  
**HIST AST**

**Site 1 of 3 in cluster A**

**Actual:**  
**3 ft.**

AST:  
 AST:  
 Region: STATE  
 Facility Id: 2-508675  
 Facility Type: Not reported  
 UTM X: 590161.81242  
 UTM Y: 4518927.17708  
 Expiration Date: 01/09/11  
 Renewal Date: / /  
 Total Capacity: 9950  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Trucking/Transportation/Fleet Operation  
 Site Type Status: Active  
 Mailing Company: AMBOY BUS COMPANY, INC.  
 Mailing Title: Not reported  
 Mailing Contact: WILLIAM B. MCVEIGH  
 Mailing Address: 46-81 METROPOLITAN AVENUE  
 Mailing Address 2: Not reported  
 Mailing City: RIDGEWOOD  
 Mailing State: NY  
 Mailing Zip Code: 11385  
 Mailing Phone No: (718) 416-7620  
 Mailing Email: Not reported  
 Owner Title: VICE PRESIDENT  
 Owner Name: WILLIAM B. MCVEIGH  
 Owner Address: 46-81 METROPOLITAN AVENUE  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 11385  
 Owner Phone: (718) 416-7620  
 Owner Company: METRO AFFILLIATES  
 Emergency Contact: WILLIAM B. MCVEIGH  
 Emergency Phone: (718) 416-7620  
 Operator: WILLIAM B. MCVEIGH  
 Operator Phone: (718) 585-8592  
 Owner City: RIDGEWOOD  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 003  
 Tank Location Name: Aboveground on crib, rack, or cradle  
 Tank Status: Closed - Removed  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Inactive  
 Install Date: 12/01/90  
 Capacity Gallons: 275  
 Material Name: Lube Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: None



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Modified Double-Walled (Aboveground)  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/02

Tank Number: 004  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 275  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Modified Double-Walled (Aboveground)  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/02

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Tank Number: 005  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 275  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Modified Double-Walled (Aboveground)  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/02

Tank Number: 006  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/02  
Capacity Gallons: 700  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Copper  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Modified Double-Walled (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Diking (Aboveground)  
Tank Leak Detection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 007  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/02  
Capacity Gallons: 700  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Copper  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Modified Double-Walled (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Diking (Aboveground)  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 008  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/02  
Capacity Gallons: 275  
Material Name: Waste Oil/Used Oil

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Copper  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Diking (Aboveground)  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 009  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/02  
Capacity Gallons: 275  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Copper  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Diking (Aboveground)  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Next Test Date: //  
Date Tank Closed: //

**HIST UST:**

PBS Number: 2-508675  
SPDES Number: Not reported  
Emergency Contact: MCVEIGH, WILLIAM  
Emergency Telephone: (718) 946-7100  
Operator: METRO AFFILIATES  
Operator Telephone: (718) 497-6523  
Owner Name: METRO AFFILIATES  
Owner Address: 46-81 METROPOLITAN AVENUE  
Owner City,St,Zip: RIDGEWOOD, NY 11385  
Owner Telephone: (718) 456-9530  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: ATLANTIC EXPRESS TRANSPORTATION GROUP, INC.  
Mailing Address: 1752 SHORE PARKWAY  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11214  
Mailing Contact: BILL MCVEIGH  
Mailing Telephone: (718) 946-7100  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 399 EXTERIOR STREET  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 01/05/2001  
Expiration Date: 01/09/2006  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 8825  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19980201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 12  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: 26  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm, Product Level Gauge  
Dispenser: Suction  
Date Tested: 07/13/2000  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19980201  
Capacity (gals): 4000  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 12  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: 26  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm, Product Level Gauge  
Dispenser: Suction  
Date Tested: 07/13/2000  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

**HIST AST:**

PBS Number: 2-508675  
SWIS Code: 6001  
Operator: METRO AFFILIATES  
Facility Phone: (718) 497-6523  
Facility Addr2: 399 EXTERIOR STREET  
Facility Type: OTHER  
Emergency: MCVEIGH, WILLIAM  
Emergency Tel: (718) 946-7100  
Old PBSNO: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: METRO AFFILIATES  
Owner Address: 46-81 METROPOLITAN AVENUE  
Owner City,St,Zip: RIDGEWOOD, NY 11385  
Federal ID: Not reported  
Owner Tel: (718) 456-9530  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: BILL MCVEIGH  
Mailing Name: ATLANTIC EXPRESS TRANSPORTATION GROUP, INC.  
Mailing Address: 1752 SHORE PARKWAY  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11214  
Mailing Telephone: (718) 946-7100  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 01/05/2001  
Expiration: 01/09/2006  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 8825  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City Code: 01  
Region: 2  
  
Tank ID: 003  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: Temporarily Out Of Service  
Install Date: 19901201  
Capacity (Gal): 275  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Not reported  
Leak Detection: 00  
Overfill Protection: 00  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 004  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: 19901201  
Capacity (Gal): 275  
Product Stored: USED OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Not reported  
Leak Detection: 00  
Overfill Protection: 00  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 005  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: 19901201  
Capacity (Gal): 275  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Not reported  
Leak Detection: 00  
Overfill Protection: 00  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**METRO AFFILIATES (Continued)**

**U000411469**

Test Method: Not reported  
 Deleted: False  
 Updated: True  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**A2  
 Target  
 Property**

**AMBOY BUS  
 399 EXTERIOR ST  
 BRONX, NY**

**NY Spills S106969386  
 N/A**

**Site 2 of 3 in cluster A**

**Actual:  
 3 ft.**

NY Spills:  
 Site ID: 348703  
 Facility Addr2: Not reported  
 Facility ID: 0503991  
 Spill Number: 0503991  
 Facility Type: ER  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: SFRAHMAN  
 Referred To: Not reported  
 Spill Date: 07/05/05  
 Reported to Dept: 07/05/05  
 CID: 16  
 Spill Cause: Equipment Failure  
 Water Affected: Not reported  
 Spill Source: Commercial Vehicle  
 Spill Notifier: Other  
 Cleanup Ceased: / /  
 Cleanup Meets Std: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 07/06/05  
 Remediation Phase: 0  
 Date Entered In Computer: 07/05/05  
 Spill Record Last Update: 07/11/05  
 Spiller Name: BARRY PANICOLA  
 Spiller Company: SPRAGUE ENERGY  
 Spiller Address: Not reported  
 Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
 Spiller Company: 001  
 Contact Name: MARCUS  
 Contact Phone: Not reported  
 DEC Region: 2  
 Program Number: 0503991  
 DER Facility ID: 295131  
 Site ID: 348703  
 Operable Unit ID: 1106354  
 Operable Unit: 01  
 Material ID: 1971278  
 Material Code: 0008  
 Material Name: Diesel  
 Case No.: Not reported  
 Material FA: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMBOY BUS (Continued)**

**S106969386**

Quantity: 5  
Units: Gallons  
Recovered: 5  
Resource Affected: Soil  
Oxygenate: False  
DEC Memo: 07/06/05-SR// SPoke with Barry panicola- he said it was cleaned up. Nothing went to sewer/soil. received manifest for Non Hazardous waste.  
Remarks: Caller reports a delivery fitting off the a tank popped off. Truck driver had stopped pumping. Spill was onto concrete. Callers company is cleaning up the spill.

**A3  
Target  
Property**

**METRO AFFILIATES  
399 EXTERIOR STREET  
BRONX, NY 10451**

**UST U004063535  
N/A**

**Site 3 of 3 in cluster A**

**Actual:  
3 ft.**

UST:  
UST:  
Facility Id: 2-508675  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 01/09/11  
Renewal Date: / /  
Total Capacity: 9950  
Mailing Company: AMBOY BUS COMPANY, INC.  
Mailing Title: Not reported  
Mailing Contact: WILLIAM B. MCVEIGH  
Mailing Address: 46-81 METROPOLITAN AVENUE  
Mailing Address 2: Not reported  
Mailing City: RIDGEWOOD  
Mailing State: NY  
Mailing Zip Code: 11385  
Mailing Phone No: (718) 416-7620  
Mailing Email: Not reported  
Owner Title: VICE PRESIDENT  
Owner Name: WILLIAM B. MCVEIGH  
Owner Address: 46-81 METROPOLITAN AVENUE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11385  
Owner Phone: (718) 416-7620  
Owner Company: METRO AFFILLIATES  
Emergency Contact: WILLIAM B. MCVEIGH  
Emergency Phone: (718) 416-7620  
Operator: WILLIAM B. MCVEIGH  
Operator Phone: (718) 585-8592  
Owner City: RIDGEWOOD  
Owner Sub Type: Corporate or Commercial  
UTM X: 590161.81242  
UTM Y: 4518927.17708  
Site Type Name: Trucking/Transportation/Fleet Operation  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U004063535**

Tank Number: 001  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 02/01/98  
Capacity Gallons: 4000  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: 01/30/06  
Next Test Date: 02/01/13  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 02/01/98  
Capacity Gallons: 4000  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO AFFILIATES (Continued)**

**U004063535**

Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: 01/30/06  
Next Test Date: 02/01/13  
Date Tank Closed: / /

**B4  
ENE  
< 1/8  
0.048 mi.  
255 ft.**

**PPG INDUSTRIES INC LOC #1834  
441 EXTERIOR ST  
BRONX, NY 10451**

**FINDS 1000119433  
RCRA-NonGen NYD981494818**

**Site 1 of 2 in cluster B**

**Relative:  
Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:  
8 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: PPG INDUSTRIES INC LOC #1834  
Facility address: 441 EXTERIOR ST  
BRONX, NY 104512008  
EPA ID: NYD981494818  
Mailing address: KAPPA DR  
PITTSBURGH, NY 15238  
Contact: -  
Contact address: KAPPA DR  
PITTSBURGH, NY 15238  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PPG INDUSTRIES INC LOC #1834 (Continued)**

**1000119433**

Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: PPG INDUSTRIES INC LOC #1834  
Classification: Not a generator, verified

Date form received by agency: 07/30/1986  
Facility name: PPG INDUSTRIES INC LOC #1834  
Classification: Small Quantity Generator

Violation Status: No violations found

**B5**  
**ENE**  
**< 1/8**  
**0.064 mi.**  
**339 ft.**

**101-165 W 146TH ST/BX**  
**1010165 WEST 146TH STREET**  
**NEW YORK CITY, NY**

**LTANKS** **S100167695**  
**HIST LTANKS** **N/A**

**Site 2 of 2 in cluster B**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**8 ft.**

Site ID: 245732  
Spill Date: 06/19/89  
Facility Addr2: Not reported  
Facility ID: 8902952  
Program Number: 8902952  
SWIS: 0301  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 06/21/89  
CID: Not reported  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Remediation Phase: 0  
Date Entered In Computer: 06/23/89  
Spill Record Last Update: 12/27/00  
Spille Namer: Not reported  
Spiller Company: NYC TRANSIT AUTHORITY  
Spiller Address: 101-165 WEST 146TH STREET  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101-165 W 146TH ST/BX (Continued)

S100167695

Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8902952  
DER Facility ID: 201789  
Site ID: 245732  
Operable Unit ID: 930362  
Operable Unit: 01  
Material ID: 450624  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE"  
11/15/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/15/94. transferred from  
Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Remarks: (2) 5K TANKS IN SYSTEM, TRIED HORNER EZY CHECK BUT STOPPED TEST WHEN VISIBLE  
LEAK WAS NOTICED ON TANK TOP OF ONE TANK.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8902952  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 06/19/1989  
Spill Time: 12:00  
Reported to Department Date: 06/21/89  
Reported to Department Time: 14:59  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC TRANSIT AUTHORITY  
Spiller Address: 101-165 WEST 146TH STREET

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101-165 W 146TH ST/BX (Continued)

S100167695

Spiller City,St,Zip: BRONX, NY  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/23/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/27/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: 11/15/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/15/94. transfered from  
Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Spill Cause: 2) 5K TANKS IN SYSTEM, TRIED HORNER EZY CHECK BUT STOPPED TEST WHEN VISIBLE  
LEAK WAS NOTICED ON TANK TOP OF ONE TANK.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

C6  
NE  
< 1/8  
0.074 mi.  
391 ft.

**COPAKE VALLEY FARM LLC**  
**475 EXTERIOR ST**  
**BRONX, NY 10451**

**Site 1 of 2 in cluster C**

**FINDS 1000547811**  
**RCRA-NonGen NYD099511974**

**Relative:  
Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:  
7 ft.**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: COPAKE VALLEY FARM LLC  
Facility address: 475 EXTERIOR ST  
BRONX, NY 10451  
EPA ID: NYD099511974  
Mailing address: EXTERIOR ST  
BRONX, NY 10451  
Contact: JAMES - SOLANO  
Contact address: EXTERIOR ST  
BRONX, NY 10451  
Contact country: US  
Contact telephone: (718) 585-4353  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: RIVER EDGE REALTY CORP  
Owner/operator address: 801 BARTHOLDI  
BRONX, NY 10457  
Owner/operator country: Not reported  
Owner/operator telephone: (718) 585-4353  
Legal status: Private

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**COPAKE VALLEY FARM LLC (Continued)**

**1000547811**

Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
 Mixed waste (haz. and radioactive): Unknown  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: Yes  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: Unknown  
 Furnace exemption: Unknown  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No  
 Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/05/1999  
 Facility name: COPAKE VALLEY FARM LLC  
 Classification: Not a generator, verified

Hazardous Waste Summary:

Waste code: NONE  
 Waste name: None

Violation Status: No violations found

**C7**  
**NE**  
 < 1/8  
 0.074 mi.  
 391 ft.

**EQUINOX X 149 ST OF DEGAN**  
**475 EXTERIOR STREET**  
 ??????????????????????, NY

**SWF/LF** 1006533366  
**NY Spills** N/A  
**NY Hist Spills**

**Site 2 of 2 in cluster C**

**Relative:**  
**Higher**

SWF/LF:  
 Flag: ACTIVE  
 Secondary Addr: Not reported  
 Region Code: 2  
 Phone Number: 7184018594  
 Owner Name: Bronx County Recycling  
 Owner Type: Private  
 Owner Address: 475 Exterior Street  
 Owner Addr2: Not reported  
 Owner City,St,Zip: Bronx, NY 10451-2008  
 Owner Email: Not reported  
 Owner Phone: Not reported  
 Contact Name: NORMAN PONDER  
 Contact Address: Not reported  
 Contact Addr2: Not reported  
 Contact City,St,Zip: Not reported  
 Contact Email: Not reported

**Actual:**  
**7 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EQUINOX X 149 ST OF DEGAN (Continued)**

**1006533366**

Contact Phone: Not reported  
Activity Desc: C&D processing - registered  
Activity Number: 03W87  
Active: Yes  
East Coordinate: 590100  
North Coordinate: 4519300  
Accuracy Code: 2.1 - NYSDEC 100 m grid collection  
Regulatory Status: Not reported  
Authorization #: 2-6004-00001  
Authorization Date: Not reported  
Expiration Date: 5/16/2000  
Waste Type: Not reported

Flag: INACTIVE  
Secondary Addr: Not reported  
Region Code: 2  
Phone Number: 7184012625  
Owner Name: Not reported  
Owner Type: Not reported  
Owner Address: Not reported  
Owner Addr2: Not reported  
Owner City,St,Zip: Not reported  
Owner Email: Not reported  
Owner Phone: Not reported  
Contact Name: RICHARD TUORTO; SITE MANAGER  
Contact Address: Not reported  
Contact Addr2: Not reported  
Contact City,St,Zip: Not reported  
Contact Email: Not reported  
Contact Phone: Not reported  
Activity Desc: C&D processing - registered  
Activity Number: 03W66  
Active: No  
East Coordinate: 590112  
North Coordinate: 4518642  
Accuracy Code: Not reported  
Regulatory Status: Permit  
Authorization #: None  
Authorization Date: Not reported  
Expiration Date: Not reported  
Waste Type: Not reported

**NY Spills:**

Site ID: 245003  
Facility Addr2: Not reported  
Facility ID: 9611101  
Spill Number: 9611101  
Facility Type: ER  
SWIS: 0301  
Region of Spill: 2  
Investigator: O'DOWD  
Referred To: Not reported  
Spill Date: 12/03/96  
Reported to Dept: 12/09/96  
CID: 16  
Spill Cause: Unknown  
Water Affected: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EQUINOX X 149 ST OF DEGAN (Continued)**

**1006533366**

Spill Source: Commercial/Industrial  
Spill Notifier: Local Agency  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release that creates a file or hazard. (Highly Improbable)  
Spill Closed Dt: 01/10/97  
Remediation Phase: 0  
Date Entered In Computer: 12/09/96  
Spill Record Last Update: 11/10/03  
Spiller Name: Not reported  
Spiller Company: SAME  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ -  
Spiller Company: 001  
Contact Name: UNK  
Contact Phone: Not reported  
DEC Region: 2  
Program Number: 9611101  
DER Facility ID: 201252  
Site ID: 245003  
Operable Unit ID: 1042642  
Operable Unit: 01  
Material ID: 343308  
Material Code: 0531A  
Material Name: LITHIUM  
Case No.: 07439932  
Material FA: Other  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Surface Water  
Oxygenate: False  
DEC Memo: Not reported  
Remarks: MATERIAL IS POSS LITHIUM BROMIDE - NON PUTRESSALE SOLID WASTE FACILITY - NYC  
DOS INSPECTOR MILURA OBSERVED AN UNKNOWN SUBSATNCE RUNNING FROM FACILITY INTO  
HARLEM RIVER - POSSIBLY LIHTIUM BROMIDE SPILL FAXED FROM REGION 2

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9611101  
Investigator: O'DOWD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 12/03/1996 12:00  
Reported to Dept Date/Time: 12/09/96 10:00  
SWIS: 60  
Spiller Name: SAME  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Contact: UNK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EQUINOX X 149 ST OF DEGAN (Continued)**

**1006533366**

Spiller Address: Not reported  
Spiller City,St,Zip: -  
Spill Cause: Unknown  
Reported to Dept: Surface Water  
Water Affected: Not reported  
Spill Source: 01  
Spill Notifier: Local Agency  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release that creates a file or hazard. (Highly Improbable)  
Spill Closed Dt: 01/10/97  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 12/09/96  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 01/10/97  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Hazardous Material  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: LITHIUM  
Class Type: LITHIUM  
Times Material Entry In File: 2  
CAS Number: 07439932  
Last Date: 19950815  
DEC Remarks: REFERRED TO NYCDEP. 1/10/97 DEC SOLID WASTE ISSUED VIOLATIONS AGAINST EQUINOX FOR ACCEPTING WASTE THEY WEREN T PERMITTED FOR, FACILITY WAS CLOSED, THEY WERE ALSO REQUIRED TO PROPERLY DISPOSE OF THE WASTE.  
Remark: MATERIAL IS POSS LITHIUM BROMIDE - NON PUTRESSALE SOLID WASTE FACILITY - NYC DOS INSPECTOR MILURA OBSERVED AN UNKNOWN SUBSATNCE RUNNING FROM FACILITY INTO HARLEM RIVER - POSSIBLY LIHTIUM BROMIDE SPILL FAXED FROM REGION 2

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**D8**  
**ESE**  
**< 1/8**  
**0.087 mi.**  
**461 ft.**

**PANORAMIC INDUSTRIES INC**  
**120 E 144TH ST**  
**BRONX, NY 10451**

**UST**    **U004076795**  
**N/A**

**Site 1 of 4 in cluster D**

**Relative:**  
**Higher**

UST:

UST:

**Actual:**  
**25 ft.**

Facility Id:	2-209775
Facility Type:	Not reported
Region:	STATE
Expiration Date:	08/24/97
Renewal Date:	/ /
Total Capacity:	10000
Mailing Company:	PANORAMIC INDUSTRIES INC
Mailing Title:	Not reported
Mailing Contact:	Not reported
Mailing Address:	120 E 144TH ST
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip Code:	10451
Mailing Phone No:	(212) 993-5100
Mailing Email:	Not reported
Owner Title:	Not reported
Owner Name:	Not reported
Owner Address:	120 E 144TH ST
Owner Address 2:	Not reported
Owner State:	NY
Owner Zip Code:	10451
Owner Phone:	(212) 993-5100
Owner Company:	PANORAMIC INDUSTRIES INC
Emergency Contact:	MALCOLM RODRIGUES
Emergency Phone:	(212) 733-3226
Operator:	PANORAMIC INDUSTRIES INC
Operator Phone:	(212) 993-5100
Owner City:	BRONX
Owner Sub Type:	Corporate or Commercial
UTM X:	590280.85360
UTM Y:	4519003.27338
Site Type Name:	Other
Site Type Status:	Active
Accuracy:	Not reported
Accuracy Method:	Not reported
Comments:	Not reported
Program Type:	PBS
Tank Number:	001
Tank Location Name:	Underground, vaulted, with access
Tank Status:	In Service
Tank Model:	Not reported
Pipe Model:	Not reported
Active Status:	Active
Install Date:	11/01/79
Capacity Gallons:	5000
Material Name:	#2 Fuel Oil
Percentage:	100.00
Tank Type Name:	Steel/Carbon Steel/Iron
Tank Internal Protection:	None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PANORAMIC INDUSTRIES INC (Continued)**

**U004076795**

Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground, vaulted, with access  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 11/01/79  
Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**D9**  
**ESE**  
**< 1/8**  
**0.087 mi.**  
**461 ft.**

**PANORAMIC INDUSTRIES INC**  
**120 E 144TH ST**  
**BRONX, NY 10451**

**HIST UST**    **U000403087**  
**N/A**

**Site 2 of 4 in cluster D**

**Relative:**  
**Higher**

HIST UST:

**Actual:**  
**25 ft.**

PBS Number: 2-209775  
 SPDES Number: Not reported  
 Emergency Contact: MALCOLM RODRIGUES  
 Emergency Telephone: (212) 733-3226  
 Operator: PANORAMIC INDUSTRIES INC  
 Operator Telephone: (212) 993-5100  
 Owner Name: PANORAMIC INDUSTRIES INC  
 Owner Address: 120 E 144TH ST  
 Owner City,St,Zip: BRONX, NY 10451  
 Owner Telephone: (212) 993-5100  
 Owner Type: Corporate/Commercial  
 Owner Subtype: Not reported  
 Mailing Name: PANORAMIC INDUSTRIES INC  
 Mailing Address: 120 E 144TH ST  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: BRONX, NY 10451  
 Mailing Contact: Not reported  
 Mailing Telephone: (212) 993-5100  
 Owner Mark: First Owner  
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
 Facility Addr2: 120 E 144TH ST  
 SWIS ID: 6001  
 Old PBS Number: Not reported  
 Facility Type: OTHER  
 Inspected Date: Not reported  
 Inspector: Not reported  
 Inspection Result: Not reported  
 Federal ID: Not reported  
 Certification Flag: False  
 Certification Date: 08/21/1992  
 Expiration Date: 08/24/1997  
 Renew Flag: False  
 Renewal Date: Not reported  
 Total Capacity: 10000  
 FAMT: True  
 Facility Screen: No Missing Data  
 Owner Screen: No Missing Data  
 Tank Screen: Minor Data Missing  
 Dead Letter: False  
 CBS Number: Not reported  
 Town or City: NEW YORK CITY  
 County Code: 60  
 Town or City: 01  
 Region: 2  
 Tank Id: 001  
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
 Tank Status: In Service  
 Install Date: 19791101  
 Capacity (gals): 5000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PANORAMIC INDUSTRIES INC (Continued)**

**U000403087**

Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: In Service  
Install Date: 19791101  
Capacity (gals): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**E10**  
**SE**  
 < 1/8  
 0.092 mi.  
 486 ft.

**VS 2773**  
**385 GERARD AVENUE**  
**BRONX, NY**  
 Site 1 of 8 in cluster E

**NY Spills** **S108058854**  
 N/A

**Relative:**  
**Higher**

NY Spills:

**Actual:**  
 20 ft.

Site ID: 367628  
 Facility Addr2: AT EAST 144 STREET  
 Facility ID: 0604618  
 Spill Number: 0604618  
 Facility Type: ER  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: GDBREEN  
 Referred To: Not reported  
 Spill Date: 07/25/06  
 Reported to Dept: 07/25/06  
 CID: 16  
 Spill Cause: Equipment Failure  
 Water Affected: Not reported  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: / /  
 Cleanup Meets Std: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 03/19/07  
 Remediation Phase: 0  
 Date Entered In Computer: 07/25/06  
 Spill Record Last Update: 03/19/07  
 Spiller Name: ERT DESK  
 Spiller Company: CON EDISON  
 Spiller Address: 3885 GERRARD AVE/E 144TH  
 Spiller City,St,Zip: BRONX, NY  
 Spiller Company: 001  
 Contact Name: ERT DESK  
 Contact Phone: (212) 580-8383  
 DEC Region: 2  
 Program Number: 0604618  
 DER Facility ID: 317609  
 Site ID: 367628  
 Operable Unit ID: 1125530  
 Operable Unit: 01  
 Material ID: 2115046  
 Material Code: 0020A  
 Material Name: TRANSFORMER OIL  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 2  
 Units: Gallons  
 Recovered: No  
 Resource Affected: Soil  
 Oxygenate: False  
 DEC Memo: 03/19/07 - See e-docs for Con Ed report detailing cleanup and closure. 201385. see eDocs



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VS 2773 (Continued)**

**S108058854**

Remarks: cleanup is pending - ongoing fire in the vault Ref 201385 NRC 805383

**E11  
SE  
< 1/8  
0.092 mi.  
486 ft.**

**SPORT SCREEN INC  
385 GERARD AVE 2ND FLOOR  
BRONX, NY 10451**

**RCRA-NonGen 1000842790  
NYD987011434**

**Site 2 of 8 in cluster E**

**Relative:  
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2006

Facility name: SPORT SCREEN INC

Facility address: 385 GERARD AVE 2ND FLOOR  
BRONX, NY 10451441

EPA ID: NYD987011434

Mailing address: GERARD AVE 2ND FLOOR  
BRONX, NY 10451

Contact: -

Contact address: GERARD AVE 2ND FLOOR  
BRONX, NY 10451

Contact country: US

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 02

Land type: Facility is not located on Indian land. Additional information is not known.

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: Unknown

Furnace exemption: Unknown

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

Off-site waste receiver: Commercial status unknown

**Historical Generators:**

Date form received by agency: 07/08/1999

Facility name: SPORT SCREEN INC

Classification: Not a generator, verified

Date form received by agency: 08/10/1992

Facility name: SPORT SCREEN INC

Classification: Small Quantity Generator

Violation Status: No violations found

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPORT SCREEN INC (Continued)**

**1000842790**

Evaluation Action Summary:

Evaluation date: 07/10/1996  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

**E12**  
**SE**  
**< 1/8**  
**0.092 mi.**  
**486 ft.**

**BARKLEY BUILDING**  
**385 GERARD AVE - 5TH & 6TH FL**  
**BRONX, NY 10451**  
**Site 3 of 8 in cluster E**

**FINDS 1000871755**  
**RCRA-NonGen NY0000095927**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**20 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: BARKLEY BUILDING  
Facility address: 385 GERARD AVE - 5TH & 6TH FL  
BRONX, NY 10451  
EPA ID: NY0000095927  
Mailing address: YORK AVE - MEMORIAL SLOAN  
KETTERING CANCER CENTER  
NEW YORK, NY 10021  
Contact: -  
Contact address: YORK AVE - MEMORIAL SLOAN  
NEW YORK, NY 10021  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Private  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARKLEY BUILDING (Continued)**

**1000871755**

Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 12/05/1996  
Facility name: BARKLEY BUILDING  
Classification: Not a generator, verified

Date form received by agency: 12/21/1993  
Facility name: BARKLEY BUILDING  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/21/1996  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

Evaluation date: 07/10/1996  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

E13  
SE  
< 1/8  
0.092 mi.  
486 ft.

**S & S INDUSTRIES INC-385 GERARD AVE  
385 GERARD AVENUE  
BRONX, NY 10451**

**FINDS 1000130658  
MANIFEST NYD052801990  
RCRA-NonGen**

**Site 4 of 8 in cluster E**

**Relative:  
Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:  
20 ft.**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AFS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

their precursors, as well as hazardous air pollutants (HAPs).

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID:	NYO2840508
Manifest Status:	Completed copy
Trans1 State ID:	NY2A074
Trans2 State ID:	Not reported
Generator Ship Date:	830404
Trans1 Recv Date:	830404
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	830404
Part A Recv Date:	030411
Part B Recv Date:	030411
Generator EPA ID:	NYD052801990
Trans1 EPA ID:	NYD000824334
Trans2 EPA ID:	Not reported
TSD ID:	NYD000824334
Waste Code:	F001 - UNKNOWN
Quantity:	00330
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	006
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	83
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD052801990
Facility Name:	S & S INDUSTRIES
Facility Address:	385 GERARD AVENUE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	S & S INDUSTRIES
Mailing Contact:	P. JAMES

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NJA1221020  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910924  
Trans1 Recv Date: 910924  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910926  
Part A Recv Date: 911008  
Part B Recv Date: 911010  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 02975  
Units: P - Pounds  
Number of Containers: 005  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NJA1332787  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS103  
Generator Ship Date: 911113  
Trans1 Recv Date: 911113  
Trans2 Recv Date: 911115  
TSD Site Recv Date: 911115  
Part A Recv Date: Not reported  
Part B Recv Date: 911204  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: NJD000813477  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 01190  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NJA1143262  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: NJDEPS869

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Trans2 State ID: NJDEPS869  
Generator Ship Date: 911206  
Trans1 Recv Date: 911206  
Trans2 Recv Date: 911211  
TSD Site Recv Date: 911211  
Part A Recv Date: Not reported  
Part B Recv Date: 920103  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: ILD051060408  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 01191  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333  
  
Document ID: NJA1216553  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910906  
Trans1 Recv Date: 910906  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910911  
Part A Recv Date: 910919

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Part B Recv Date: 910925  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 04165  
Units: P - Pounds  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333  
  
Document ID: NJA1320942  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911018  
Trans1 Recv Date: 911018  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911023  
Part A Recv Date: Not reported  
Part B Recv Date: 911108  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Quantity: 03570  
Units: P - Pounds  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333  
  
Document ID: NYC1480959  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: 10214PNY  
Generator Ship Date: 920408  
Trans1 Recv Date: 920408  
Trans2 Recv Date: 920413  
TSD Site Recv Date: 920414  
Part A Recv Date: 920420  
Part B Recv Date: 920604  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: NYD980769947  
TSDf ID: KYD053348108  
Waste Code: F001 - UNKNOWN  
Quantity: 04169  
Units: P - Pounds  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333  
  
Document ID: NJA1436483  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920630  
Trans1 Recv Date: 920630  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920706  
Part A Recv Date: Not reported  
Part B Recv Date: 920720  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 00357  
Units: P - Pounds  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD052801990
Facility Name:	S & S INDUSTRIES
Facility Address:	385 GERARD AVENUE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	S & S INDUSTRIES
Mailing Contact:	P. JAMES
Mailing Address:	385 GERARD AVENUE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-585-1333
Document ID:	ALA0058067
Manifest Status:	Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID:	Not reported
Trans2 State ID:	VAD040158
Generator Ship Date:	961112
Trans1 Recv Date:	961112
Trans2 Recv Date:	961112
TSD Site Recv Date:	961121
Part A Recv Date:	Not reported
Part B Recv Date:	961218
Generator EPA ID:	NYD052801990
Trans1 EPA ID:	MOD095038998
Trans2 EPA ID:	VAD040159436
TSDf ID:	ALD070513767
Waste Code:	F001 - UNKNOWN
Quantity:	00770
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	014
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	96
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: ALA0048828  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: VAD040159  
Generator Ship Date: 960822  
Trans1 Recv Date: 960822  
Trans2 Recv Date: 960823  
TSD Site Recv Date: 960903  
Part A Recv Date: Not reported  
Part B Recv Date: 961009  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: MOD095038998  
Trans2 EPA ID: VAD040159436  
TSDf ID: ALD070513767  
Waste Code: F001 - UNKNOWN  
Quantity: 00440  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 008  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NYO3080259  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NY2A074  
Trans2 State ID: Not reported  
Generator Ship Date: 830812  
Trans1 Recv Date: 830812  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830812  
Part A Recv Date: 031004  
Part B Recv Date: 031004  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: NYD000824334  
Trans2 EPA ID: Not reported  
TSDf ID: NYD000824334  
Waste Code: F003 - UNKNOWN  
Quantity: 00660  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 012  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 83  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NYA6402213  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: 9082GF  
Generator Ship Date: 871223  
Trans1 Recv Date: 871223  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 871223  
Part A Recv Date: 880121  
Part B Recv Date: 880104  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: NYD000824334  
Trans2 EPA ID: Not reported  
TSDf ID: NYD000824334  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00990  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 018  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 87  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Document ID: NJA1341312  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911217  
Trans1 Recv Date: 911217  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911230  
Part A Recv Date: 920106  
Part B Recv Date: 920117  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 08338  
Units: P - Pounds  
Number of Containers: 014  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NJA1355144  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920211  
Trans1 Recv Date: 920211

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920219  
Part A Recv Date: 920227  
Part B Recv Date: 920306  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 05360  
Units: P - Pounds  
Number of Containers: 009  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333  
  
Document ID: NJA1501691  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPES28  
Trans2 State ID: Not reported  
Generator Ship Date: 921117  
Trans1 Recv Date: 921117  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 921117  
Part A Recv Date: Not reported  
Part B Recv Date: 921201  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: NJD002454544



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Trans2 EPA ID: Not reported  
TSDF ID: NJD002454544  
Waste Code: F001 - UNKNOWN  
Quantity: 00650  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 013  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333  
  
Document ID: INA1135802  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: T2U841NJ  
Trans2 State ID: Not reported  
Generator Ship Date: 970320  
Trans1 Recv Date: 970320  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970325  
Part A Recv Date: 970328  
Part B Recv Date: 970425  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: NJD054126164  
Trans2 EPA ID: Not reported  
TSDF ID: IND000646943  
Waste Code: F001 - UNKNOWN  
Quantity: 00550  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 011

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NYA6404868  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: 57745GB  
Generator Ship Date: 870820  
Trans1 Recv Date: 870820  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 870828  
Part A Recv Date: 870915  
Part B Recv Date: 870901  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: NYD000824334  
Trans2 EPA ID: Not reported  
TSDf ID: NYD000824334  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 01265  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 023  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 87  
Manifest Tracking Num: Not reported  
Import Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD052801990
Facility Name:	S & S INDUSTRIES
Facility Address:	385 GERARD AVENUE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	S & S INDUSTRIES
Mailing Contact:	P. JAMES
Mailing Address:	385 GERARD AVENUE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-585-1333
Document ID:	NJA1341738
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	920114
Trans1 Recv Date:	920114
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	920116
Part A Recv Date:	920203
Part B Recv Date:	920206
Generator EPA ID:	NYD052801990
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSD ID:	NJD002182897
Waste Code:	F001 - UNKNOWN
Quantity:	03573
Units:	P - Pounds
Number of Containers:	006
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	92
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NJA1418218  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920601  
Trans1 Recv Date: 920601  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920604  
Part A Recv Date: Not reported  
Part B Recv Date: 920619  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 05355  
Units: P - Pounds  
Number of Containers: 009  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES  
Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

Document ID: NJA1374646  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920310  
Trans1 Recv Date: 920310  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920319  
Part A Recv Date: 920320  
Part B Recv Date: 920407  
Generator EPA ID: NYD052801990  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD002182897  
Waste Code: F001 - UNKNOWN  
Quantity: 04169  
Units: P - Pounds  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD052801990  
Facility Name: S & S INDUSTRIES  
Facility Address: 385 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: S & S INDUSTRIES  
Mailing Contact: P. JAMES

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Mailing Address: 385 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-585-1333

[Click this hyperlink](#) while viewing on your computer to access  
69 additional NY\_MANIFEST: record(s) in the EDR Site Report.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: S & S INDUSTRIES INC  
Facility address: 385 GERARD AVE  
BRONX, NY 10451  
EPA ID: NYD052801990  
Mailing address: GERARD AVE  
BRONX, NY 10451  
Contact: JEROME - WESTON  
Contact address: GERARD AVE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: (718) 585-1333  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: Not reported  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 03/20/1998  
Facility name: S & S INDUSTRIES INC  
Site name: S & S INDUSTRIES, INC.  
Classification: Large Quantity Generator

Date form received by agency: 03/28/1996  
Facility name: S & S INDUSTRIES INC  
Classification: Large Quantity Generator

Date form received by agency: 03/31/1994  
Facility name: S & S INDUSTRIES INC  
Classification: Large Quantity Generator

Date form received by agency: 03/01/1992  
Facility name: S & S INDUSTRIES INC  
Site name: S&S INDUSTRIES  
Classification: Large Quantity Generator

Date form received by agency: 03/01/1990  
Facility name: S & S INDUSTRIES INC  
Site name: S & S INDUSTRIES  
Classification: Large Quantity Generator

Date form received by agency: 01/19/1981  
Facility name: S & S INDUSTRIES INC  
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: F001  
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 01/07/1999  
Date achieved compliance: 03/23/1999  
Violation lead agency: EPA  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 02/23/1999  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: LDR - General  
Date violation determined: 08/11/1993  
Date achieved compliance: 03/03/1994  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 08/11/1993  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 08/11/1993  
Date achieved compliance: 03/03/1994  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 08/11/1993  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 12/23/1987  
Date achieved compliance: 03/11/1988  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 02/02/1988  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Evaluation Action Summary:  
Evaluation date: 01/07/1999  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 03/23/1999  
Evaluation lead agency: EPA

Evaluation date: 07/07/1993  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 03/03/1994  
Evaluation lead agency: State



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**S & S INDUSTRIES INC-385 GERARD AVE (Continued)**

**1000130658**

Evaluation date: 07/07/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: LDR - General  
 Date achieved compliance: 03/03/1994  
 Evaluation lead agency: State

Evaluation date: 12/23/1987  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 03/11/1988  
 Evaluation lead agency: State

**E14  
 SE  
 < 1/8  
 0.092 mi.  
 486 ft.**

**MANHOLE 1676  
 385 GERARD AV  
 BRONX, NY  
 Site 5 of 8 in cluster E**

**NY Spills S106006943  
 N/A**

**Relative:  
 Higher**

NY Spills:

**Actual:  
 20 ft.**

Site ID: 288208  
 Facility Addr2: Not reported  
 Facility ID: 0205576  
 Spill Number: 0205576  
 Facility Type: ER  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: KMFOLEY  
 Referred To: Not reported  
 Spill Date: 08/27/02  
 Reported to Dept: 08/27/02  
 CID: 16  
 Spill Cause: Equipment Failure  
 Water Affected: Not reported  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: / /  
 Cleanup Meets Std: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 01/14/04  
 Remediation Phase: 0  
 Date Entered In Computer: 08/27/02  
 Spill Record Last Update: 01/21/04  
 Spiller Name: SAME  
 Spiller Company: CON EDISON  
 Spiller Address: 4 IRVING PLACE  
 Spiller City,St,Zip: NEW YORK, NY 10003  
 Spiller Company: 001  
 Contact Name: PETE MCGUIRE  
 Contact Phone: (212) 580-6763  
 DEC Region: 2  
 Program Number: 0205576  
 DER Facility ID: 233453  
 Site ID: 288208  
 Operable Unit ID: 857018  
 Operable Unit: 01

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHOLE 1676 (Continued)**

**S106006943**

Material ID: 519775  
Material Code: 0541A  
Material Name: DIELECTRIC FLUID  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 50  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False

DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "FOLEY" Con Ed e2mis #144758: Senior Field Operator D. Mullan #20275 reports that while trouble shooting 2X12 he found that fault at the transformer with 50 gallons of dielectricoil on 400 gallons of water in TM 1676. There is no smoke or fire, no sewers or waterways, and no private property affected. Clean up pending crews. Liquid sample has been taken for pcb's, Clean up will be treated as 50-499. Environmental tag numberis 37692, which fell into the oil, and was replaced with environmental tag number 37542. 20:41 tanker ordered. 20:50 flush crew dispatched. 27-AUG-2002 21:04 CIG McGuire # 61959 27-AUG-2002 21:45 DEP Rep on R. Diaz on location. 21:50 Flush Mech E. Henn on location. 22:00 ERT D. DUKE on location. Historic results are as follows: Distribution Area: Bronx Vault: 1676 - TRANSFORMER MANHOLE Location: 385 GERARD AV SWK NLY (L LEG) Sample Date, Analysis Date, Received Date, PCB(PPM),Lab Seq No 1/19/1987, 1/26/1987, 1/26/1987, 10ppm, 700908 Tanker scheduled for 23:30 tonight. 27-AUG-2002 23:00 Update: EPA ID # obtained at 21:00 from ERT D. Duke. 27-AUG-2002 23:30 Spring Scaffolding company was contacted due to scaffolding over part of the grating. The company was called and paged, but did not respond. Spring Scaffold Companies phone number is 718-392-4921, and pager # is 917-241-9443. 23:45 EH&S Rep S. Marotta is on location. 28-AUG-2002 02:00 Flush Mech E. Henn Reports that the Astoria tanker removed 400 gallons on non-haz oil, and the flush truck remove 300 pounds of debris. The transformer will be drained when the unit has been CFR. There is no oil leaking at this time. The sump pit was found sealedwith concrete. Clean up pending transformer removal. 29-August-2002 @ 06:36 hrs. Lab. results posted as follows: Page 1 of 1 8/27/2002 Consolidated Edison Environment, Health and Safety ChemLab NELAP NY Lab ID No: 10380 Lab Sequence Number:02-08018-001 Date Approved: 8/27/2002 E2 Incident Number: 144758 Date Received: 8/27/2002 Chain of Custody ID: CC05654 Date Sampled: 8/27/2002 PCB analysis by EPA 608/8082 Aroclor 1242 < 1.0 ppm EPA 608/8082 Aroclor 1254 < 1.0 ppm EPA 608/8082 Aroclor 1248 < 1.0 ppm EPA 608/8082 Aroclor 1260 < 1.0 ppm EPA 608/8082 21-OCT-2002 15:38 Environmental Flush Mech A O. Negron 18400 reports cleanup complete. 775 Gallons of NON-PCB oil and water was removed from the vault by tanker and 1200pounds of non-hazardous solids were removed by the flush truck. The liquid waste will be transported to Astoria WWTP and the solids will be transported to Hellgate Flush pit. The tanker removed 90 gallons of oil from the unit. The capacity of the unit is 205 gallons, making the spill 115 gallons. The addition spill volume was report to ERT W. Capune 85485 at 15:39. Vault was double washed and rinsed. Cleanup complete. As noted above the sump was sealed with concrete, the discrepancy was 65 gallons and was mis-estimated during the initial report recovered from the vault. 21-OCT-2002 15:53 CIG T. Marcinek 87549 notified of update 15:49 Update 1/14/04 Transformer removal confirmed as per 10/23/03 entry in e2mis report.

Remarks: PROBLEM WITH FEEDER. CONTAINED IN MANHOLE. 50 GALS ON 400 GALS OF WATER. CON ED 144758. CLEAN UP PENDING. UNK PCB 50-499 PPM.

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**E15**  
**SE**  
**< 1/8**  
**0.092 mi.**  
**486 ft.**

**385 GERARD AVE**  
**385 GERARD AVENUE**  
**BRONX, NY 10451**  
  
**Site 6 of 8 in cluster E**

**AST** **A100157589**  
**N/A**

**Relative:**  
**Higher**

AST:  
AST:

**Actual:**  
**20 ft.**

Region: STATE  
 Facility Id: 2-400319  
 Facility Type: Not reported  
 UTM X: 590237.63850  
 UTM Y: 4518959.00055  
 Expiration Date: 12/01/12  
 Renewal Date: 09/03/02  
 Total Capacity: 10000  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Other  
 Site Type Status: Active  
 Mailing Company: 385 GERARD AVE LLC, C/O R SQUARED MGT LLC  
 Mailing Title: MGR  
 Mailing Contact: MICHAEL P. CAMPBELL  
 Mailing Address: 555 MADISON AVE 12TH FLR  
 Mailing Address 2: Not reported  
 Mailing City: NEW YORK  
 Mailing State: NY  
 Mailing Zip Code: 10022  
 Mailing Phone No: (212) 527-3030  
 Mailing Email: Not reported  
 Owner Title: MGR  
 Owner Name: MICHAEL P. CAMPBELL  
 Owner Address: 555 MADISON AVE 12TH FLR  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10022  
 Owner Phone: (212) 527-3030  
 Owner Company: 385 GERARD AVE LLC, C/O R SQUARED MGT LLC  
 Emergency Contact: RAUL VASQUEZ  
 Emergency Phone: (917) 232-4807  
 Operator: RAUL VASQUEZ  
 Operator Phone: (718) 665-2551  
 Owner City: NEW YORK  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 001  
 Tank Location Name: Aboveground - in contact with soil  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: 04/10/41  
 Capacity Gallons: 10000  
 Material Name: #6 Fuel Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**385 GERARD AVE (Continued)**

**A100157589**

Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Vent Whistle  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**E16**  
**SE**  
**< 1/8**  
**0.092 mi.**  
**486 ft.**

**NORTHEAST LAMP RECYCLING INC**  
**385 GERARD AVE - MAIN FLOOR**  
**BRONX, NY 10451**  
**Site 7 of 8 in cluster E**

**RCRA-NonGen 1007880968**  
**NYR000128769**

**Relative:**  
**Higher**

RCRA-NonGen:  
Date form received by agency: 01/01/2006  
Facility name: NORTHEAST LAMP RECYCLING INC  
Facility address: 385 GERARD AVE - MAIN FLOOR  
BRONX, NY 10451  
EPA ID: NYR000128769  
Mailing address: MAIN ST - PO BOX 680  
EAST WINDSOR, NY 060880680  
Contact: RAYMOND W GRACZYK  
Contact address: MAIN ST - PO BOX 680  
EAST WINDSOR, NY 060880680  
Contact country: US  
Contact telephone: (860) 292-1992  
Telephone ext.: 104  
Contact email: RAY@NLRLAMP.COM  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:**  
**20 ft.**

Owner/Operator Summary:  
Owner/operator name: EDGE MANAGEMENT LLC  
Owner/operator address: 5TH AVE  
NEW YORK, NY 10017  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 11/04/2004  
Owner/Op end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NORTHEAST LAMP RECYCLING INC (Continued)**

**1007880968**

Owner/operator name: RAYMOND GRACZYK  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 11/04/2004  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries  
Accumulated waste on-site: Yes  
Generated waste on-site: No

Waste type: Lamps  
Accumulated waste on-site: Yes  
Generated waste on-site: No

Waste type: Thermostats  
Accumulated waste on-site: Yes  
Generated waste on-site: No

Historical Generators:

Date form received by agency: 11/09/2004  
Facility name: NORTHEAST LAMP RECYCLING INC  
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

E17  
SE  
< 1/8  
0.092 mi.  
486 ft.

**SPORT SCREEN INC**  
**385 GERARD AVE**  
**BRONX, NY 10451**  
**Site 8 of 8 in cluster E**

**FINDS 1000446217**  
**RCRA-NonGen NYD986905537**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**20 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: SPORT SCREEN INC  
Facility address: 385 GERARD AVE  
BRONX, NY 10451  
EPA ID: NYD986905537  
Mailing address: GERARD AVE  
BRONX, NY 10451  
Contact: -  
Contact address: GERARD AVE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 12/17/1996  
Facility name: SPORT SCREEN INC

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPORT SCREEN INC (Continued)**

**1000446217**

Classification: Not a generator, verified

Date form received by agency: 06/04/1990  
Facility name: SPORT SCREEN INC  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/21/1996  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

Evaluation date: 07/10/1996  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

**F18**  
**East**  
**< 1/8**  
**0.095 mi.**  
**500 ft.**

**STONE SERVICES INC**  
**445 GERARD AVE**  
**BRONX, NY 10451**  
**Site 1 of 2 in cluster F**

**FINDS 1000311747**  
**MANIFEST NYD012261244**  
**RCRA-NonGen**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**25 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: NYC4180094  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NYAP6277  
Trans2 State ID: Not reported  
Generator Ship Date: 961010  
Trans1 Recv Date: 961010  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961016  
Part A Recv Date: 961023  
Part B Recv Date: 961107  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: KYD053348108  
Waste Code: F005 - UNKNOWN  
Quantity: 00458  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA1374650  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920211  
Trans1 Recv Date: 920211  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920219  
Part A Recv Date: 920221  
Part B Recv Date: 920306  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00844  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD012261244
Facility Name:	STONE SERVICE
Facility Address:	445 GERRARD AVE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	STONE SERVICE
Mailing Contact:	STONE SERVICE
Mailing Address:	445 GERRARD AVE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-292-5000
Document ID:	NJA1436479
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	920630
Trans1 Recv Date:	920630
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	920706
Part A Recv Date:	Not reported
Part B Recv Date:	920717
Generator EPA ID:	NYD012261244
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSD ID:	NJD002182897
Waste Code:	F005 - UNKNOWN
Quantity:	00422
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	92
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA1343348  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920601  
Trans1 Recv Date: 920601  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920604  
Part A Recv Date: Not reported  
Part B Recv Date: 920619  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00422  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA1409615  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 921202  
Trans1 Recv Date: 921202  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 921204  
Part A Recv Date: 921214  
Part B Recv Date: 921217  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00458  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA2710635  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 970814  
Trans1 Recv Date: 970814  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970819  
Part A Recv Date: 970828  
Part B Recv Date: 970916  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00844  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Mailing Phone: 212-292-5000

Document ID: NJA2640845  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 970403  
Trans1 Recv Date: 970403  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970409  
Part A Recv Date: 970411  
Part B Recv Date: 970430  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00844  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA1627407  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS869

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Generator Ship Date: 930402  
Trans1 Recv Date: 930402  
Trans2 Recv Date: 930405  
TSD Site Recv Date: 930405  
Part A Recv Date: 930413  
Part B Recv Date: 930416  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: ILD051060408  
TSD ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00421  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 93  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000  
  
Document ID: NJA1413497  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920917  
Trans1 Recv Date: 920917  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920922  
Part A Recv Date: Not reported  
Part B Recv Date: 921002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00422  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000  
  
Document ID: NJA1648557  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 930311  
Trans1 Recv Date: 930311  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 930316  
Part A Recv Date: 930323  
Part B Recv Date: 930329  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00422

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 93  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000  
  
Document ID: NJA2710524  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: Not reported  
Generator Ship Date: 07/16/1998  
Trans1 Recv Date: 07/16/1998  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 07/24/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: NJD002182897  
Trans2 EPA ID: Not reported  
TSD ID: 08690  
Waste Code: F005 - UNKNOWN  
Quantity: 00844  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 98



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000  
  
Document ID: NYC5063297  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 09/08/1998  
Trans1 Recv Date: 09/08/1998  
Trans2 Recv Date: 09/10/1998  
TSD Site Recv Date: 09/16/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: KYD053348108  
Trans2 EPA ID: Not reported  
TSDF ID: ILP248920  
Waste Code: F005 - UNKNOWN  
Quantity: 01374  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 98  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD012261244
Facility Name:	STONE SERVICE
Facility Address:	445 GERRARD AVE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	STONE SERVICE
Mailing Contact:	STONE SERVICE
Mailing Address:	445 GERRARD AVE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-292-5000
Document ID:	NJA2800637
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCD987574647
Generator Ship Date:	12/11/1998
Trans1 Recv Date:	12/11/1998
Trans2 Recv Date:	12/16/1998
TSD Site Recv Date:	12/21/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012261244
Trans1 EPA ID:	NJD002182897
Trans2 EPA ID:	Not reported
TSD ID:	08690
Waste Code:	F005 - UNKNOWN
Quantity:	01688
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	98
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA2800655  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 12/29/1998  
Trans1 Recv Date: 12/29/1998  
Trans2 Recv Date: 01/06/1999  
TSD Site Recv Date: 01/08/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: NJD002182897  
Trans2 EPA ID: Not reported  
TSD ID: 08690  
Waste Code: F005 - UNKNOWN  
Quantity: 01688  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 98  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA2806909  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: Not reported  
Generator Ship Date: 06/01/1998  
Trans1 Recv Date: 06/01/1998  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 06/08/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: NJD002182897  
Trans2 EPA ID: Not reported  
TSD ID: 08690  
Waste Code: F005 - UNKNOWN  
Quantity: 01688  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 98  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA2819764  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: Not reported  
Generator Ship Date: 04/22/1998  
Trans1 Recv Date: 04/22/1998  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 05/01/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: NJD002182897  
Trans2 EPA ID: Not reported  
TSD ID: 08699  
Waste Code: F005 - UNKNOWN  
Quantity: 01266  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 98  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA1542192

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 930714  
Trans1 Recv Date: 930714  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 930715  
Part A Recv Date: Not reported  
Part B Recv Date: 930729  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 01249  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 93  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA0564301  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS869  
Generator Ship Date: 890622  
Trans1 Recv Date: 890622  
Trans2 Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

TSD Site Recv Date: 890627  
Part A Recv Date: 890628  
Part B Recv Date: 890707  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00550  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 89  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA0639773  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS869  
Generator Ship Date: 890504  
Trans1 Recv Date: 890504  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 890505  
Part A Recv Date: 890509  
Part B Recv Date: 890512  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

TSDF ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00845  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 89  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

Document ID: NJA9628377  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS086  
Generator Ship Date: 891018  
Trans1 Recv Date: 891018  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 891019  
Part A Recv Date: 891024  
Part B Recv Date: 891030  
Generator EPA ID: NYD012261244  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD002182897  
Waste Code: F005 - UNKNOWN  
Quantity: 00422  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

**1000311747**

Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 89  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD012261244  
Facility Name: STONE SERVICE  
Facility Address: 445 GERRARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: STONE SERVICE  
Mailing Contact: STONE SERVICE  
Mailing Address: 445 GERRARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-5000

[Click this hyperlink](#) while viewing on your computer to access  
30 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: STONE SERVICES INC  
Facility address: 445 GERARD AVE  
BRONX, NY 10451  
EPA ID: NYD012261244  
Mailing address: GERARD AVE  
BRONX, NY 10451  
Contact: -  
Contact address: GERARD AVE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONE SERVICES INC (Continued)**

1000311747

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/14/1999  
Facility name: STONE SERVICES INC  
Classification: Small Quantity Generator

Date form received by agency: 04/28/1989  
Facility name: STONE SERVICES INC  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/28/1993  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA Contractor/Grantee

G19  
SSE  
< 1/8  
0.104 mi.  
551 ft.

**LUIGI RENALDO AUTO CENTER**  
**325 EXTERIOR ST**  
**BRONX, NY 10451**

RCRA-NonGen 1000235176  
NYD161125372

**Site 1 of 3 in cluster G**

Relative:  
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: LUIGI RENALDO AUTO CENTER  
Facility address: 325 EXTERIOR ST  
BRONX, NY 104512012

Actual:  
11 ft.

EPA ID: NYD161125372  
Mailing address: EXTERIOR ST  
BRONX, NY 10451

Contact: -  
Contact address: EXTERIOR ST  
BRONX, NY 10451

Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported

EPA Region: 02  
Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LUIGI RENALDO AUTO CENTER (Continued)**

**1000235176**

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: LUIGI RENALDO AUTO CENTER  
Classification: Not a generator, verified

Date form received by agency: 10/13/1988  
Facility name: LUIGI RENALDO AUTO CENTER  
Classification: Small Quantity Generator

Violation Status: No violations found

**G20  
SSE  
< 1/8  
0.104 mi.  
551 ft.**

**VERIZON BUILDING  
325 EXTERIOR STREET  
BRONX, NY**

**NY Spills S107522129  
N/A**

**Site 2 of 3 in cluster G**

**Relative:  
Higher**

NY Spills:  
Site ID: 358298  
Facility Addr2: Not reported  
Facility ID: 0512042  
Spill Number: 0512042  
Facility Type: ER  
SWIS: 0301  
Region of Spill: 2  
Investigator: rmpiper  
Referred To: Not reported  
Spill Date: 01/19/06  
Reported to Dept: 01/19/06  
CID: 16  
Spill Cause: Other  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False

**Actual:  
11 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VERIZON BUILDING (Continued)**

**S107522129**

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 02/21/07  
Remediation Phase: 0  
Date Entered In Computer: 01/19/06  
Spill Record Last Update: 02/21/07  
Spiller Name: JEFF BOHLEN  
Spiller Company: VERIZON BUILDING  
Spiller Address: 325 EXTERIOR STREET  
Spiller City,St,Zip: BRONX, NY  
Spiller Company: 001  
Contact Name: JEFF BOHLEN  
Contact Phone: (631) 471-1500  
DEC Region: 2  
Program Number: 0512042  
DER Facility ID: 308314  
Site ID: 358298  
Operable Unit ID: 1115548  
Operable Unit: 01  
Material ID: 2105622  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
DEC Memo: 3/17/06- DEC Piper reviewed tank closure report. As per analytical, GW has 4760 ppb of MtBE and 8 ppb of Toluene. All other constituents, SVOC and VOC, non-detect. Subsurface investigation warranted. Site abuts Harlem River. Referred to remediation. 7/11/06- DEC Piper received subsurface investigation report to delineate gw contamination. Five borings were completed on property. All locations revealed contamination below TAGMs. 2/20/07- DEC Piper reviewed report dated Jan 29, 2007, As per report, No VOC's or SVOC's above Tagm. This case is closed. See E-docs if warranted./  
Remarks: found soil sample in groundwater defective:

G21  
SSE  
< 1/8  
0.104 mi.  
551 ft.

**GAINES LEASING CORP**  
**325 EXTERIA ST**  
**BRONX, NY 10451**  
**Site 3 of 3 in cluster G**

**FINDS 1000313559**  
**HIST UST NYD982271272**  
**MANIFEST**  
**HIST AST**  
**RCRA-NonGen**

**Relative:**  
**Higher**

FINDS:  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**11 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HIST UST:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GAINES LEASING CORP (Continued)**

**1000313559**

PBS Number: 2-602947  
SPDES Number: Not reported  
Emergency Contact: BELL ATLANTIC  
Emergency Telephone: (800) 386-9639  
Operator: BELL ATLANTIC  
Operator Telephone: (800) 339-6144  
Owner Name: BELL ATLANTIC  
Owner Address: 221 EAST 37TH STREET  
Owner City,St,Zip: NEW YORK, NY 10016  
Owner Telephone: (800) 339-6144  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: BELL ATLANTIC  
Mailing Address: 221 EAST 37TH STREET, 4TH FLOOR  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10016  
Mailing Contact: MS. KATHLEEN TOBIN  
Mailing Telephone: (212) 338-6731  
Owner Mark: Second Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 05/27/1999  
Expiration Date: 02/16/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 5280  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19870301  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GAINES LEASING CORP (Continued)**

**1000313559**

Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: Electronic  
Overfill Prot: High Level Alarm, Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**NY MANIFEST:**

No Manifest Records Available

**HIST AST:**

PBS Number: 2-602947  
SWIS Code: 6001  
Operator: BELL ATLANTIC  
Facility Phone: (800) 339-6144  
Facility Addr2: Not reported  
Facility Type: OTHER  
Emergency: BELL ATLANTIC  
Emergency Tel: (800) 386-9639  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: BELL ATLANTIC  
Owner Address: 221 EAST 37TH STREET  
Owner City,St,Zip: NEW YORK, NY 10016  
Federal ID: Not reported  
Owner Tel: (800) 339-6144  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: MS. KATHLEEN TOBIN  
Mailing Name: BELL ATLANTIC  
Mailing Address: 221 EAST 37TH STREET, 4TH FLOOR  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10016  
Mailing Telephone: (212) 338-6731  
Owner Mark: Second Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 05/27/1999  
Expiration: 02/16/2004  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 5280  
FAMT: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GAINES LEASING CORP (Continued)**

**1000313559**

Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City Code: 01  
Region: 2

Tank ID: 002  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: 19970101  
Capacity (Gal): 1000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Stainless steel alloy  
Tank Internal: 0  
Tank External: 01  
Pipe Location: Aboveground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: 04  
Tank Containment: Vault (w/access)  
Leak Detection: 01  
Overfill Protection: 25  
Dispenser Method: 0  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 003  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 280  
Product Stored: USED OIL  
Tank Type: Stainless steel alloy  
Tank Internal: 9  
Tank External: 05  
Pipe Location: None  
Pipe Type: NONE  
Pipe Internal: None  
Pipe External: 00  
Tank Containment: Vault (w/access)  
Leak Detection: 00  
Overfill Protection: 05  
Dispenser Method: Not reported  
Date Tested: Not reported  
Next Test Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GAINES LEASING CORP (Continued)**

**1000313559**

Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: GAINES LEASING CORP  
Facility address: 325 EXTERIA ST  
BRONX, NY 10451  
EPA ID: NYD982271272  
Mailing address: EXTERIA ST  
BRONX, NY 10451  
Contact: -  
Contact address: EXTERIA ST  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

**Historical Generators:**

Date form received by agency: 07/08/1999  
Facility name: GAINES LEASING CORP  
Classification: Not a generator, verified

Date form received by agency: 08/05/1987  
Facility name: GAINES LEASING CORP  
Classification: Large Quantity Generator

Violation Status: No violations found



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**D22**  
**ESE**  
**< 1/8**  
**0.105 mi.**  
**557 ft.**

**ROCKET JEWELRY BOX INC**  
**125 EAST 144TH STREET**  
**BRONX, NY 10451**

**UST**    **U004077060**  
           **N/A**

**Site 3 of 4 in cluster D**

**Relative:**  
**Higher**

UST:

UST:

**Actual:**  
**30 ft.**

Facility Id:	2-207209
Facility Type:	Not reported
Region:	STATE
Expiration Date:	01/07/08
Renewal Date:	09/03/02
Total Capacity:	3000
Mailing Company:	ROCKET JEWELRY BOX INC.
Mailing Title:	Not reported
Mailing Contact:	RICHARD S. PARDO
Mailing Address:	125 EAST 144TH STREET
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip Code:	10451
Mailing Phone No:	(718) 292-5370
Mailing Email:	Not reported
Owner Title:	SECRETARY
Owner Name:	MICHAEL KAPLAN
Owner Address:	125 EAST 144TH STREET
Owner Address 2:	Not reported
Owner State:	NY
Owner Zip Code:	10451
Owner Phone:	(718) 292-5370
Owner Company:	M&N PARTNERSHIP LTD
Emergency Contact:	MICHAEL KAPLAN
Emergency Phone:	(718) 292-5370
Operator:	TIMOTHY CLARK
Operator Phone:	(718) 292-5370
Owner City:	BRONX
Owner Sub Type:	Corporate or Commercial
UTM X:	590288.28488
UTM Y:	4519000.44334
Site Type Name:	Manufacturing (Other than Chemical)/Processing
Site Type Status:	Active
Accuracy:	Not reported
Accuracy Method:	Not reported
Comments:	Not reported
Program Type:	PBS
Tank Number:	001
Tank Location Name:	Underground, vaulted, with access
Tank Status:	In Service
Tank Model:	Not reported
Pipe Model:	Not reported
Active Status:	Active
Install Date:	07/01/53
Capacity Gallons:	3000
Material Name:	#2 Fuel Oil
Percentage:	100.00
Tank Type Name:	Steel/Carbon Steel/Iron
Tank Internal Protection:	None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ROCKET JEWELRY BOX INC (Continued)**

**U004077060**

Tank Internal Protection 1: Other  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Alert Model 1000 plus 1050 (Formerly Gilbarco Precision)  
Date Tested: 03/14/00  
Next Test Date: / /  
Date Tank Closed: / /

**D23**  
**ESE**  
**< 1/8**  
**0.105 mi.**  
**557 ft.**

**ROCKET JEWELRY BOX INC**  
**125 EAST 144TH STREET**  
**BRONX, NY 10451**  
**Site 4 of 4 in cluster D**

**HIST UST** **U001838312**  
**N/A**

**Relative:**  
**Higher**

HIST UST:

**Actual:**  
**30 ft.**

PBS Number: 2-207209  
SPDES Number: Not reported  
Emergency Contact: MICHAEL KAPLAN  
Emergency Telephone: (914) 273-9817  
Operator: TEDDY MARTIN  
Operator Telephone: (718) 292-5370  
Owner Name: M&N PARTNERSHIP LTD  
Owner Address: 125 EAST 144TH STREET  
Owner City,St,Zip: BRONX, NY 10451  
Owner Telephone: (718) 292-5370  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: M&N PARTNERSHIP LTD  
Mailing Address: 125 EAST 144TH STREET  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451  
Mailing Contact: MIKE KAPLAN  
Mailing Telephone: (718) 292-5370  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 12E EAST 144TH STREET  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**ROCKET JEWELRY BOX INC (Continued)**

**U001838312**

Federal ID: Not reported  
 Certification Flag: False  
 Certification Date: 05/15/2000  
 Expiration Date: 01/07/2003  
 Renew Flag: False  
 Renewal Date: Not reported  
 Total Capacity: 3000  
 FAMT: True  
 Facility Screen: No Missing Data  
 Owner Screen: No Missing Data  
 Tank Screen: Minor Data Missing  
 Dead Letter: False  
 CBS Number: Not reported  
 Town or City: NEW YORK CITY  
 County Code: 60  
 Town or City: 01  
 Region: 2

Tank Id: 001  
 Tank Location: UNDERGROUND  
 Tank Status: In Service  
 Install Date: 19530701  
 Capacity (gals): 3000  
 Product Stored: NOS 1,2, OR 4 FUEL OIL  
 Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Not reported  
 Pipe Type: STEEL/IRON  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Second Containment: Diking  
 Leak Detection: None  
 Overfill Prot: Product Level Gauge  
 Dispenser: Suction  
 Date Tested: 03/14/2000  
 Next Test Date: 03/14/2005  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Gilbarco Precision  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

24  
 ENE  
 < 1/8  
 0.111 mi.  
 587 ft.

**A.C. AUTO WRECKING CO. INC**  
**475 GERARD AVE**  
**BRONX, NY 10451**

AST S107784291  
 HIST AST N/A

Relative:  
 Higher

AST:  
 AST:

Actual:  
 24 ft.

Region: STATE  
 Facility Id: 2-605476  
 Facility Type: Not reported  
 UTM X: 590276.37607  
 UTM Y: 4519100.69558

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A.C. AUTO WRECKING CO. INC (Continued)**

**S107784291**

Expiration Date: 03/26/06  
Renewal Date: / /  
Total Capacity: 0  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: Other  
Site Type Status: Unregulated  
Mailing Company: A.C. AUTO WRECKING CO INC  
Mailing Title: Not reported  
Mailing Contact: HENRY KESSLER  
Mailing Address: 54 LARCH HILL ROAD  
Mailing Address 2: Not reported  
Mailing City: LAWRENCE  
Mailing State: NY  
Mailing Zip Code: 11559  
Mailing Phone No: (516) 239-8683  
Mailing Email: Not reported  
Owner Title: MANAGER  
Owner Name: HENRY KESSLER  
Owner Address: 11 DEB ST  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11803  
Owner Phone: (516) 433-7645  
Owner Company: HOWARD SHOMSKY  
Emergency Contact: HOWARD SHOMSKY  
Emergency Phone: (516) 433-7645  
Operator: HOWARD SHOMSKY  
Operator Phone: (718) 292-3274  
Owner City: PLAINVIEW  
Owner Sub Type: Corporate or Commercial  
Program Type: PBS

Tank Number: 1  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 01/01/01  
Capacity Gallons: 250  
Material Name: Waste Oil/Used Oil (Heating)  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A.C. AUTO WRECKING CO. INC (Continued)**

**S107784291**

Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 01/01/02

Tank Number: 2  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 01/01/01  
Capacity Gallons: 250  
Material Name: Waste Oil/Used Oil (Heating)  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 01/01/02

**HIST AST:**

PBS Number: 2-605476  
SWIS Code: 6001  
Operator: HOWARD SHOMSKY  
Facility Phone: (718) 292-3274  
Facility Addr2: 475 GERARD AVE  
Facility Type: OTHER  
Emergency: HOWARD SHOMSKY  
Emergency Tel: (516) 433-7645  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A.C. AUTO WRECKING CO. INC (Continued)**

**S107784291**

Result of Inspection: Not reported  
Owner Name: HOWARD SHOMSKY  
Owner Address: 11 DEB ST  
Owner City,St,Zip: PLAINVIEW, NY 11803  
Federal ID: Not reported  
Owner Tel: (516) 433-7645  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: HOWARD SHOMSKY  
Mailing Name: A.C. AUTO WRECKING CO INC  
Mailing Address: 475 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451  
Mailing Telephone: (718) 292-3274  
Owner Mark: First Owner  
Facility Status: 4 - Subpart 360-14 only (active)  
Certification Flag: False  
Certification Date: 04/02/2001  
Expiration: 03/26/2006  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 500  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City Code: 01  
Region: 2

Tank ID: 1  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: 20010101  
Capacity (Gal): 250  
Product Stored: USED OIL (FUEL)  
Tank Type: Steel/carbon steel  
Tank Internal: 0  
Tank External: 00  
Pipe Location: None  
Pipe Type: NONE  
Pipe Internal: None  
Pipe External: 00  
Tank Containment: 8  
Leak Detection: 0  
Overfill Protection: 5  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**A.C. AUTO WRECKING CO. INC (Continued)**

**S107784291**

SPDES Number: Not reported  
 Lat/Long: Not reported

Tank ID: 2  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Tank Status: In Service  
 Install Date: 20010101  
 Capacity (Gal): 250  
 Product Stored: USED OIL (FUEL)  
 Tank Type: Steel/carbon steel  
 Tank Internal: 0  
 Tank External: 0  
 Pipe Location: None  
 Pipe Type: NONE  
 Pipe Internal: None  
 Pipe External: 0  
 Tank Containment: 8  
 Leak Detection: 0  
 Overfill Protection: 5  
 Dispenser Method: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: No Missing Data  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**F25**  
**ENE**  
 < 1/8  
 0.116 mi.  
 614 ft.

**PAY TV OF GREATER NY**  
**140 E 146TH ST**  
**BRONX, NY 10451**  
 Site 2 of 2 in cluster F

**HIST UST** **U001837161**  
**N/A**

**Relative:**  
**Higher**

HIST UST:  
 PBS Number: 2-333484  
 SPDES Number: Not reported  
 Emergency Contact: ROBERT FRANK  
 Emergency Telephone: (201) 729-9795  
 Operator: PAY TV OF GREATER NY  
 Operator Telephone: (212) 665-9323  
 Owner Name: PAY TV OF GREATER NY  
 Owner Address: 411 WALTON AVE  
 Owner City,St,Zip: BX, NY 10451  
 Owner Telephone: (212) 665-9323  
 Owner Type: Not reported  
 Owner Subtype: Not reported  
 Mailing Name: PAY TV OF GREATER NY  
 Mailing Address: 411 WALTON AVE  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: BX, NY 10451  
 Mailing Contact: Not reported  
 Mailing Telephone: (212) 665-9323  
 Owner Mark: First Owner  
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

**Actual:**  
 29 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PAY TV OF GREATER NY (Continued)**

**U001837161**

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 140 E 146TH ST  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 10/02/1987  
Expiration Date: 10/02/1992  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 4080  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 1080  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PAY TV OF GREATER NY (Continued)**

**U001837161**

Install Date: Not reported  
 Capacity (gals): 3000  
 Product Stored: UNLEADED GASOLINE  
 Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Not reported  
 Pipe Type: Not reported  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Second Containment: None  
 Leak Detection: None  
 Overfill Prot: Not reported  
 Dispenser: Gravity  
 Date Tested: Not reported  
 Next Test Date: 12/27/1987  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: False  
 Lat/long: Not reported

**H26**  
**ESE**  
**1/8-1/4**  
**0.136 mi.**  
**716 ft.**

**BARBOUR THREADS, INC.**  
**135 EAST 144TH STREET**  
**BRONX, NY 10451**

**Site 1 of 3 in cluster H**

**AST U003396364**  
**HIST AST N/A**

**Relative:**  
**Higher**

AST:  
 AST:

**Actual:**  
**36 ft.**

Region: STATE  
 Facility Id: 2-601909  
 Facility Type: Not reported  
 UTM X: 590328.53765  
 UTM Y: 4518985.11396  
 Expiration Date: 03/05/07  
 Renewal Date: 11/13/01  
 Total Capacity: 3000  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Manufacturing (Other than Chemical)/Processing  
 Site Type Status: Active  
 Mailing Company: COATS NORTH AMERICA  
 Mailing Title: Not reported  
 Mailing Contact: MIKE BELL  
 Mailing Address: P.O. BOX 670  
 Mailing Address 2: Not reported  
 Mailing City: TOCCOA  
 Mailing State: GA  
 Mailing Zip Code: 30577  
 Mailing Phone No: (706) 886-2141  
 Mailing Email: Not reported  
 Owner Title: DIRECTOR, ENVIRONMENTAL ENGINEERING  
 Owner Name: MIKE BELL  
 Owner Address: 3430 TORINGDON WAY  
 Owner Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARBOUR THREADS, INC. (Continued)**

**U003396364**

Owner State: NC  
Owner Zip Code: 28277  
Owner Phone: (704) 329-5800  
Owner Company: COATS NORTH AMERICA  
Emergency Contact: FRED MOORE  
Emergency Phone: (212) 794-0070  
Operator: COATS NORTH AMERICA  
Operator Phone: (718) 585-6413  
Owner City: CHARLOTTE  
Owner Sub Type: Corporate or Commercial  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Aboveground - in contact with soil  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 03/01/88  
Capacity Gallons: 3000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**HIST AST:**

PBS Number: 2-601909  
SWIS Code: 6001  
Operator: BARBOUR THREADS  
Facility Phone: (718) 585-6413  
Facility Addr2: Not reported  
Facility Type: MANUFACTURING  
Emergency: R.S. HEGAN  
Emergency Tel: (860) 379-0786  
Old PBSNO: Not reported  
Date Inspected: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARBOUR THREADS, INC. (Continued)**

**U003396364**

Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: HICKING PENTECOST LLC (SEE ZIP FOR PHONE CODES)  
Owner Address: 19 STANWELL ROAD, PENARTH  
Owner City,St,Zip: SOUTH GLAMORGAN CF64 2EZ, UK 01144  
Federal ID: Not reported  
Owner Tel: (256) 237-9461  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: DAVE SUNDSTROM  
Mailing Name: BARBOUR INDUSTRIES, INC.  
Mailing Address: 20 BLUE MOUNTAIN AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: ANNISTEN, AL 36201  
Mailing Telephone: (256) 237-9461  
Owner Mark: Second Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 03/23/1999  
Expiration: 03/05/2002  
Renew Flag: False  
Renew Date: 20011113  
Total Capacity: 3000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND  
Tank Status: In Service  
Install Date: 19880301  
Capacity (Gal): 3000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: 0  
Tank External: 00  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Not reported  
Leak Detection: Not reported  
Overfill Protection: Not reported  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARBOUR THREADS, INC. (Continued)**

**U003396364**

Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

**I27  
SE  
1/8-1/4  
0.138 mi.  
728 ft.**

**WEDTECH CORP  
350 GERARD AVE  
BRONX, NY 10451**

**Site 1 of 2 in cluster I**

**FINDS 1000398024  
MANIFEST NYD982273757  
RCRA-NonGen**

**Relative:  
Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:  
29 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: NJA0398855  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS226  
Trans2 State ID: Not reported  
Generator Ship Date: 880104  
Trans1 Recv Date: 880104  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880104  
Part A Recv Date: 880303  
Part B Recv Date: 880112  
Generator EPA ID: NYD982273757  
Trans1 EPA ID: NJD054126164  
Trans2 EPA ID: Not reported  
TSDf ID: NJD065825341  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00165  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 88  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WEDTECH CORP (Continued)**

**1000398024**

Mgmt Method Type Code: Not reported  
EPA ID: NYD982273757  
Facility Name: WEB TECH CORPORATION  
Facility Address: 350 GERARD AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: WEB TECH CORPORATION  
Mailing Contact: WEB TECH CORPORATION  
Mailing Address: 350 GERARD AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-0756

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: WEDTECH CORP  
Facility address: 350 GERARD AVE  
BRONX, NY 104515432  
EPA ID: NYD982273757  
Mailing address: GERARD AVE  
BRONX, NY 10451  
Contact: -  
Contact address: GERARD AVE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**WEDTECH CORP (Continued)**

**1000398024**

Historical Generators:

Date form received by agency: 07/08/1999  
 Facility name: WEDTECH CORP  
 Classification: Not a generator, verified

Date form received by agency: 10/01/1987  
 Facility name: WEDTECH CORP  
 Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 07/10/1996  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: EPA

**I28**  
**SE**  
**1/8-1/4**  
**0.138 mi.**  
**728 ft.**

**350 GERARD CORPORATION**  
**350 GERARD AVENUE**  
**BRONX, NY 10464**

**UST** **U002223012**  
**HIST UST** **N/A**

**Site 2 of 2 in cluster I**

**Relative:**  
**Higher**

UST:

**Actual:**  
**29 ft.**

UST:

Facility Id: 2-602280  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 06/15/00  
 Renewal Date: / /  
 Total Capacity: 0  
 Mailing Company: 350 GERARD CORPORATION  
 Mailing Title: Not reported  
 Mailing Contact: MR. DAVID HOLAND  
 Mailing Address: 259 BRUCKNER BOULEVARD  
 Mailing Address 2: Not reported  
 Mailing City: BRONX  
 Mailing State: NY  
 Mailing Zip Code: 10454  
 Mailing Phone No: (718) 585-8787  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 259 BRUCKNER BOULEVARD  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10454  
 Owner Phone: (718) 585-8787  
 Owner Company: 350 GERARD CORPORATION  
 Emergency Contact: DAVID HOLAND  
 Emergency Phone: (718) 292-2275  
 Operator: DAVID HOLAND  
 Operator Phone: (718) 292-2275  
 Owner City: BRONX  
 Owner Sub Type: Corporate or Commercial  
 UTM X: 590216.99764

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**350 GERARD CORPORATION (Continued)**

**U002223012**

UTM Y: 4518890.07825  
Site Type Name: Manufacturing (Other than Chemical)/Processing  
Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 1  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: #6 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Vent Whistle  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 05/16/95

Tank Number: 2  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: #6 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**350 GERARD CORPORATION (Continued)**

**U002223012**

Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Vent Whistle  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 05/16/95

**HIST UST:**

PBS Number: 2-602280  
SPDES Number: Not reported  
Emergency Contact: DAVID HOLLAND  
Emergency Telephone: (718) 585-8787  
Operator: DAVID HOLLAND  
Operator Telephone: (718) 292-2275  
Owner Name: 350 GERARD CORPORATION  
Owner Address: 259 BRUCKNER BOULEVARD  
Owner City,St,Zip: BRONX, NY 10454  
Owner Telephone: (718) 585-8787  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: 350 GERARD CORPORATION  
Mailing Address: 259 BRUCKNER BOULEVARD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10454  
Mailing Contact: MR. DAVID HOLLAND  
Mailing Telephone: (718) 585-8787  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: MANUFACTURING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 06/16/1995  
Expiration Date: 06/15/2000  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**350 GERARD CORPORATION (Continued)**

**U002223012**

Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 10000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Vent Whistle  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 05/16/1995  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 2  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 10000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Vent Whistle  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**350 GERARD CORPORATION (Continued)**

**U002223012**

Date Closed: 05/16/1995  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**29  
NNW  
1/8-1/4  
0.144 mi.  
759 ft.**

**NYCDOT/145 STREET BRIDGE  
OVER HARLEM RIVER  
NEW YORK, NY 10451**

**FINDS 1000872735  
RCRA-LQG NYD987039534  
MANIFEST  
MANIFEST**

**Relative:  
Lower**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:  
0 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-LQG:**

Date form received by agency: 02/16/2006  
Facility name: NYCDOT/145 STREET BRIDGE  
Facility address: OVER HARLEM RIVER  
NEW YORK, NY 10451  
EPA ID: NYD987039534  
Mailing address: RECTOR STREET  
NEW YORK, NY 10006  
Contact: ALEX BEZCHASTNOR  
Contact address: Not reported  
Not reported  
Contact country: Not reported  
Contact telephone: (212) 788-2091  
Telephone ext.: BEZCHA  
Contact email: A.BEZCHASTNOR@NYCDOT.GOV  
EPA Region: 02  
Land type: Municipal  
Classification: Large Quantity Generator  
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

**Owner/Operator Summary:**

Owner/operator name: NYC DOT  
Owner/operator address: RECTOR STREET

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

NEW YORK, NY 10006  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: 12/31/1979  
Owner/Op end date: Not reported

Owner/operator name: NYCDOT  
Owner/operator address: 2 RECTOR ST  
NEW YORK, NY 10006  
Owner/operator country: Not reported  
Owner/operator telephone: (212) 788-1721  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NYC DOT  
Owner/operator address: Not reported  
Not reported

Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: 12/31/1979  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries  
Accumulated waste on-site: No  
Generated waste on-site: No

Waste type: Lamps  
Accumulated waste on-site: No  
Generated waste on-site: No

Waste type: Pesticides

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Accumulated waste on-site: No  
Generated waste on-site: No

Waste type: Thermostats  
Accumulated waste on-site: No  
Generated waste on-site: No

Historical Generators:

Date form received by agency: 02/15/2006  
Facility name: NYCDOT/145 STREET BRIDGE  
Classification: Large Quantity Generator

Date form received by agency: 07/14/1999  
Facility name: NYCDOT/145 STREET BRIDGE  
Site name: NYCDOT - 145TH STREET BRIDGE  
Classification: Small Quantity Generator

Date form received by agency: 08/19/1993  
Facility name: NYCDOT/145 STREET BRIDGE  
Site name: NYCDOT - 145TH STREET BRIDGE  
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008  
Waste name: LEAD

Waste code: D008  
Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2005

Annual Waste Handled:

Waste code: D008  
Waste name: LEAD  
Amount (Lbs): 35400

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 05/18/2006  
Evaluation: CASE DEVELOPMENT INSPECTION  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

NY MANIFEST:

Document ID: 06  
Manifest Status: 000081525JJK  
Trans1 State ID: NYD987039534  
Trans2 State ID: Not reported  
Generator Ship Date: MID980991566  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: NJD054126164  
TSD Site Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSDf ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	6
Number of Containers:	DM
Container Type:	2400
Handling Method:	P
Specific Gravity:	1
Waste Code:	T
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD987039534
Facility Name:	NEW YORK CITY OF
Facility Address:	145TH ST
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	NEW YORK CITY OF
Mailing Contact:	JOHN T ANZALOE
Mailing Address:	2 RECTOR ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10006
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	718-963-9213
Document ID:	06
Manifest Status:	MIA0148119
Trans1 State ID:	NYD987039534
Trans2 State ID:	Not reported
Generator Ship Date:	MID980991566
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	NJD054126164

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

TSD Site Recv Date: Not reported  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 300  
Handling Method: P  
Specific Gravity: 1  
Waste Code: T  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213  
  
Document ID: 07  
Manifest Status: 002771257JJK  
Trans1 State ID: NYD987039534  
Trans2 State ID: Not reported  
Generator Ship Date: MID980991566  
Trans1 Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Trans2 Recv Date: NJD054126164  
TSD Site Recv Date: Not reported  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 8  
Number of Containers: DM  
Container Type: 1600  
Handling Method: P  
Specific Gravity: 1  
Waste Code: T  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213  
  
Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 2007-03-08

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Trans1 Recv Date: 2007-03-08  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2007-03-22  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: MID980991566  
Waste Code: Not reported  
Quantity: 1600.0  
Units: P - Pounds  
Number of Containers: 8.0  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 002771257JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213  
  
Document ID: MIA9109787  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 01/06/2005  
Trans1 Recv Date: 01/06/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 01/17/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Trans1 EPA ID: 1646839ME  
Trans2 EPA ID: Not reported  
TSDF ID: MID980991566  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00500  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213  
  
Document ID: NYG0472869  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: 40317AENY  
Trans2 State ID: Not reported  
Generator Ship Date: 970827  
Trans1 Recv Date: 970827  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970829  
Part A Recv Date: Not reported  
Part B Recv Date: 970923  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: NY0001031814  
Trans2 EPA ID: Not reported  
TSDF ID: NYD057770109  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00942  
Units: P - Pounds

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 3/8/2007  
Trans1 Recv Date: 3/8/2007  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 3/22/2007  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: MID980991566  
Waste Code: Not reported  
Quantity: 1600  
Units: P - Pounds  
Number of Containers: 8  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1  
Year: 07  
Manifest Tracking Num: 002771257JJK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: NJA5243221  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 09/21/2005  
Trans1 Recv Date: 09/21/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 09/21/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: S5811  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00110  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD987039534
Facility Name:	NEW YORK CITY OF
Facility Address:	145TH ST
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	NEW YORK CITY OF
Mailing Contact:	JOHN T ANZALOE
Mailing Address:	2 RECTOR ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10006
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	718-963-9213
Document ID:	NJA5222993
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Trans2 State ID:	Not reported
Generator Ship Date:	01/28/2005
Trans1 Recv Date:	01/28/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/28/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987039534
Trans1 EPA ID:	S8424
Trans2 EPA ID:	Not reported
TSD ID:	NJD991291105
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00020
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	CM - Metal boxes, cases, roll-offs
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD987039534

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: MIA3014012  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: Not reported  
Generator Ship Date: 940317  
Trans1 Recv Date: 940317  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940322  
Part A Recv Date: 940329  
Part B Recv Date: 940503  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: NJD096839154  
Trans2 EPA ID: Not reported  
TSDf ID: MID096963194  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00300  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 94  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: MIA9109787  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 01/06/2005  
Trans1 Recv Date: 01/06/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 01/17/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: 1646839ME  
Trans2 EPA ID: Not reported  
TSDF ID: MID980991566  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00500  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2005  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: NJA5243221  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 09/21/2005  
Trans1 Recv Date: 09/21/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 09/21/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: S5811  
Trans2 EPA ID: Not reported  
TSDF ID: NJD002200046  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00110  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 2005  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: NJA5222993  
Manifest Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Trans1 State ID: NYD046765574  
Trans2 State ID: Not reported  
Generator Ship Date: 01/28/2005  
Trans1 Recv Date: 01/28/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 01/28/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: S8424  
Trans2 EPA ID: Not reported  
TSDF ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2005  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

Document ID: MIA0148119  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 06/01/2006  
Trans1 Recv Date: 06/01/2006  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 06/08/2006



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987039534  
Trans1 EPA ID: 1637984ME  
Trans2 EPA ID: Not reported  
TSDf ID: MID980991566  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00300  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 06  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987039534  
Facility Name: NEW YORK CITY OF  
Facility Address: 145TH ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NEW YORK CITY OF  
Mailing Contact: JOHN T ANZALOE  
Mailing Address: 2 RECTOR ST  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10006  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9213

**NJ MANIFEST:**

Manifest Code: NJA5222993  
EPA ID: NYD987039534  
Date Shipped: 20050128  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NYD046765574  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 050128  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 050128  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 04250522  
Reference Manifest Number: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**NYCDOT/145 STREET BRIDGE (Continued)**

**1000872735**

Was Load Rejected (Y/N): No  
 Reason Load Was Rejected: Not reported  
 Waste Code: Not reported  
 Manifest Year: Not reported  
 Quantity: Not reported  
 Unit: Not reported  
 Hand Code: Not reported

**J30**  
**WNW**  
**1/8-1/4**  
**0.144 mi.**  
**761 ft.**

**NYS ARMORY**  
**2366 5TH AVE**  
**NEW YORK, NY 10037**  
**Site 1 of 2 in cluster J**

**HIST UST 1000912118**  
**HIST AST N/A**

**Relative:**  
**Lower**

**HIST UST:**

PBS Number: 2-392065  
 SPDES Number: Not reported  
 Emergency Contact: ROBERT S PEGUES  
 Emergency Telephone: (212) 283-4686  
 Operator: ROBERT S PEGUES  
 Operator Telephone: (212) 283-4686  
 Owner Name: NYS DIV MILITARY & NAVAL AFFAIRS  
 Owner Address: 330 OLD NISKAYUNA RD  
 Owner City,St,Zip: LATHAM, NY 12110  
 Owner Telephone: (518) 786-4548  
 Owner Type: State Government  
 Owner Subtype: NYS Division of Military Naval Affairs  
 Mailing Name: NYS DIV MILITARY & NAVAL AFFAIRS  
 Mailing Address: 330 OLD NISKAYUNA RD  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: LATHAM, NY 12110  
 Mailing Contact: Not reported  
 Mailing Telephone: (518) 786-4548  
 Owner Mark: First Owner  
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
 Facility Addr2: 2366 5TH AVE  
 SWIS ID: 6201  
 Old PBS Number: Not reported  
 Facility Type: OTHER  
 Inspected Date: Not reported  
 Inspector: Not reported  
 Inspection Result: Not reported  
 Federal ID: Not reported  
 Certification Flag: False  
 Certification Date: 11/03/1997  
 Expiration Date: 06/18/2002  
 Renew Flag: False  
 Renewal Date: Not reported  
 Total Capacity: 10000  
 FAMT: True  
 Facility Screen: No Missing Data  
 Owner Screen: Minor Data Missing  
 Tank Screen: Minor Data Missing  
 Dead Letter: False

**Actual:**  
**2 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

1000912118

CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 62  
Town or City: 01  
Region: 2  
  
Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 500  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 10/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 500  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 10/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

1000912118

Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 500  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 10/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**HIST AST:**

PBS Number: 2-392065  
SWIS Code: 6201  
Operator: ROBERT S PEGUES  
Facility Phone: (212) 283-4686  
Facility Addr2: 2366 5TH AVE  
Facility Type: OTHER  
Emergency: ROBERT S PEGUES  
Emergency Tel: (212) 283-4686  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: NYS DIV MILITARY & NAVAL AFFAIRS  
Owner Address: 330 OLD NISKAYUNA RD  
Owner City,St,Zip: LATHAM, NY 12110  
Federal ID: Not reported  
Owner Tel: (518) 786-4548  
Owner Type: State Government  
Owner Subtype: 14  
Mailing Contact: Not reported  
Mailing Name: NYS DIV MILITARY & NAVAL AFFAIRS  
Mailing Address: 330 OLD NISKAYUNA RD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LATHAM, NY 12110  
Mailing Telephone: (518) 786-4548  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1000912118**

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False  
Certification Date: 11/03/1997  
Expiration: 06/18/2002  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 10000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 62  
Town or City Code: 01  
Region: 2

Tank ID: 001  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: 01  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: 01  
Tank Containment: None  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 002  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: 01  
Pipe Location: Aboveground

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**NYS ARMORY (Continued)**

**1000912118**

Pipe Type: STEEL/IRON  
 Pipe Internal: Not reported  
 Pipe External: 01  
 Tank Containment: None  
 Leak Detection: 0  
 Overfill Protection: 4  
 Dispenser Method: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**J31**  
**WNW**  
**1/8-1/4**  
**0.144 mi.**  
**761 ft.**  
**NYS ARMORY**  
**5TH AVE**  
**NEW YORK, NY 10037**  
**Site 2 of 2 in cluster J**

**FINDS** 1004755825  
**RCRA-LQG** NY0000452995  
**UST**  
**AST**  
**MANIFEST**  
**MANIFEST**

**Relative:**  
**Lower**

**FINDS:**  
 Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**2 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-LQG:**

Date form received by agency: 01/01/2006  
 Facility name: NYS ARMORY  
 Facility address: 5TH AVE  
 NEW YORK, NY 100371028  
 EPA ID: NY0000452995  
 Mailing address: OLD NISKAYUNA RD  
 NYS DIV OF MILITARY & NAVAL AF  
 LATHAM, NY 121102224  
 Contact: HEIDI M GABEL  
 Contact address: OLD NISKAYUNA RD  
 LATHAM, NY 121102224  
 Contact country: US  
 Contact telephone: (518) 786-4347  
 Contact email: HEIDI.GABEL@NY.NGB.ARMY.MIL  
 EPA Region: 02  
 Classification: Large Quantity Generator  
 Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: NYS DIV MILITARY NAVAL AFFAIRS  
Owner/operator address: 330 OLD NISKAYUNA RD  
LATHAM, NY 12110  
Owner/operator country: Not reported  
Owner/operator telephone: (518) 786-4495  
Legal status: State  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NYS DIV MILITARY & NAVAL AFFAIRS  
Owner/operator address: OLD NISKAYUNA RD  
LATHAM, NY 12110  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Federal  
Owner/Operator Type: Operator  
Owner/Op start date: 12/31/1979  
Owner/Op end date: Not reported

Owner/operator name: NYS DIVISION OF MILITARY & NAVAL AFFAIRS  
Owner/operator address: OLD NISKAYUNA RD  
LATHAM, NY 12110  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Federal  
Owner/Operator Type: Owner  
Owner/Op start date: 12/31/1979  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries  
Accumulated waste on-site: No  
Generated waste on-site: No

Waste type: Lamps  
Accumulated waste on-site: No  
Generated waste on-site: No

Waste type: Pesticides  
Accumulated waste on-site: No  
Generated waste on-site: No

Waste type: Thermostats  
Accumulated waste on-site: No  
Generated waste on-site: No

Historical Generators:

Date form received by agency: 01/29/2004  
Facility name: NYS ARMORY  
Classification: Large Quantity Generator

Date form received by agency: 11/20/1995  
Facility name: NYS ARMORY  
Site name: NYS DIV MILITARY NAVAL AFFAIRS  
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001  
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

UST:

UST:

Facility Id: 2-392065  
Facility Type: NYS ARMORY  
Region: STATE  
Expiration Date: 06/18/12  
Renewal Date: 02/05/02  
Total Capacity: 10000  
Mailing Company: NYS DIV MILITARY & NAVAL AFFAIRS  
Mailing Title: Not reported  
Mailing Contact: HEIDI UNWIN (MNFE-EC)  
Mailing Address: 330 OLD NISKAYUNA RD



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Mailing Address 2: Not reported  
Mailing City: LATHAM  
Mailing State: NY  
Mailing Zip Code: 12110-2224  
Mailing Phone No: (518) 786-4347  
Mailing Email: HEIDI.UNWIN@NY.NGB.ARMY.MIL  
Owner Title: ENV. SPECIALIST II  
Owner Name: HEIDI M. UNWIN  
Owner Address: 330 OLD NISKAYUNA RD  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 12110  
Owner Phone: (518) 786-4347  
Owner Company: NYS DIV MILITARY & NAVAL AFFAIRS  
Emergency Contact: SUPER  
Emergency Phone: (917) 507-8700  
Operator: SUPER  
Operator Phone: (917) 507-8700  
Owner City: LATHAM  
Owner Sub Type: NYS DIV MILITARY NAVAL AFFAIRS (State Government)  
UTM X: 589878.80249  
UTM Y: 4519000.02424  
Site Type Name: Other  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 500  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 10/01/93

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 500  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 10/01/93

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 500  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 10/01/93

AST:

AST:

Region: STATE  
Facility Id: 2-392065  
Facility Type: NYS ARMORY  
UTM X: 589878.80249  
UTM Y: 4519000.02424  
Expiration Date: 06/18/12  
Renewal Date: 02/05/02  
Total Capacity: 10000  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: Other  
Site Type Status: Active  
Mailing Company: NYS DIV MILITARY & NAVAL AFFAIRS  
Mailing Title: Not reported  
Mailing Contact: HEIDI UNWIN (MNFE-EC)  
Mailing Address: 330 OLD NISKAYUNA RD  
Mailing Address 2: Not reported  
Mailing City: LATHAM  
Mailing State: NY  
Mailing Zip Code: 12110-2224  
Mailing Phone No: (518) 786-4347  
Mailing Email: HEIDI.UNWIN@NY.NGB.ARMY.MIL  
Owner Title: ENV. SPECIALIST II  
Owner Name: HEIDI M. UNWIN  
Owner Address: 330 OLD NISKAYUNA RD  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 12110  
Owner Phone: (518) 786-4347  
Owner Company: NYS DIV MILITARY & NAVAL AFFAIRS  
Emergency Contact: SUPER  
Emergency Phone: (917) 507-8700  
Operator: SUPER  
Operator Phone: (917) 507-8700  
Owner City: LATHAM

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Owner Sub Type: NYS DIV MILITARY NAVAL AFFAIRS (State Government)  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 02/03/69  
Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 02/03/69  
Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**NY MANIFEST:**

Document ID: NJA5258792  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: NY0001031814  
Generator Ship Date: 07/19/2005  
Trans1 Recv Date: 07/25/2005  
Trans2 Recv Date: 07/25/2005  
TSD Site Recv Date: 07/28/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: S5811  
Trans2 EPA ID: 18860PANY  
TSD ID: NJD002200046  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00020  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00900  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: Not reported  
Specific Gravity: 01.00  
Waste Code: Not reported  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NY0000452995
Facility Name:	NYS DIV MILITARY NAVAL AFFAIRS
Facility Address:	2366 5TH AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	NYS DIV MILITARY NAVAL AFFAIRS
Mailing Contact:	JOHN L MARSHALL
Mailing Address:	2366 5TH AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-234-9290
Document ID:	NJA5047302
Manifest Status:	Not reported
Trans1 State ID:	PAD085690592
Trans2 State ID:	PAD952661381
Generator Ship Date:	12/02/2003
Trans1 Recv Date:	12/02/2003
Trans2 Recv Date:	12/02/2003
TSD Site Recv Date:	12/04/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0000452995
Trans1 EPA ID:	NJD991291105
Trans2 EPA ID:	Not reported
TSD ID:	S06209
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00006
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	03
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047304  
Manifest Status: Not reported  
Trans1 State ID: PAD085690593  
Trans2 State ID: PAD952661381  
Generator Ship Date: 12/09/2003  
Trans1 Recv Date: 12/09/2003  
Trans2 Recv Date: 12/09/2003  
TSD Site Recv Date: 12/09/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 25020  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047305  
Manifest Status: Not reported  
Trans1 State ID: PAD952661381  
Trans2 State ID: PADD85690592  
Generator Ship Date: 12/11/2003  
Trans1 Recv Date: 12/11/2003  
Trans2 Recv Date: 12/11/2003  
TSD Site Recv Date: 12/11/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00006  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047306  
Manifest Status: Not reported  
Trans1 State ID: PAD085690592  
Trans2 State ID: PAD952661381  
Generator Ship Date: 12/09/2003  
Trans1 Recv Date: 12/09/2003  
Trans2 Recv Date: 12/09/2003  
TSD Site Recv Date: 12/10/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSDF ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00006  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Document ID: NJA5047307  
Manifest Status: Not reported  
Trans1 State ID: PAD085690592  
Trans2 State ID: PAD952661381  
Generator Ship Date: 12/05/2003  
Trans1 Recv Date: 12/05/2003  
Trans2 Recv Date: 12/05/2003  
TSD Site Recv Date: 12/08/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00008  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047308  
Manifest Status: Not reported  
Trans1 State ID: PAD085690592  
Trans2 State ID: PAD952661381  
Generator Ship Date: 12/04/2003  
Trans1 Recv Date: 12/04/2003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Trans2 Recv Date: 12/04/2003  
TSD Site Recv Date: 12/04/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00008  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290  
  
Document ID: NJA5047361  
Manifest Status: Not reported  
Trans1 State ID: PAD952661381  
Trans2 State ID: PADD85690592  
Generator Ship Date: 12/12/2003  
Trans1 Recv Date: 12/12/2003  
Trans2 Recv Date: 12/12/2003  
TSD Site Recv Date: 12/12/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Trans2 EPA ID: Not reported  
TSDF ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00007  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290  
  
Document ID: NJA5047362  
Manifest Status: Not reported  
Trans1 State ID: PAD085690592  
Trans2 State ID: PAD952661381  
Generator Ship Date: 12/15/2003  
Trans1 Recv Date: 12/15/2003  
Trans2 Recv Date: 12/15/2003  
TSD Site Recv Date: 12/15/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSDF ID: S06209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00006  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047363  
Manifest Status: Not reported  
Trans1 State ID: PAD085690592  
Trans2 State ID: PAD952661381  
Generator Ship Date: 12/16/2003  
Trans1 Recv Date: 12/16/2003  
Trans2 Recv Date: 12/16/2003  
TSD Site Recv Date: 12/16/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: 506209  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00012  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 03  
Manifest Tracking Num: Not reported  
Import Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

1004755825

Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NY0000452995
Facility Name:	NYS DIV MILITARY NAVAL AFFAIRS
Facility Address:	2366 5TH AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	NYS DIV MILITARY NAVAL AFFAIRS
Mailing Contact:	JOHN L MARSHALL
Mailing Address:	2366 5TH AVE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-234-9290
Document ID:	NJA5047364
Manifest Status:	Not reported
Trans1 State ID:	PAD085690592
Trans2 State ID:	PAD952661381
Generator Ship Date:	12/17/2003
Trans1 Recv Date:	12/17/2003
Trans2 Recv Date:	12/17/2003
TSD Site Recv Date:	12/17/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0000452995
Trans1 EPA ID:	NJD991291105
Trans2 EPA ID:	Not reported
TSD ID:	S06209
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00011
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	03
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: VTA0057757  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: ILP119303  
Trans2 State ID: Not reported  
Generator Ship Date: 940818  
Trans1 Recv Date: 940818  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940820  
Part A Recv Date: Not reported  
Part B Recv Date: 940913  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: ILD099202681  
Trans2 EPA ID: Not reported  
TSDF ID: VTD982766537  
Waste Code: F001 - UNKNOWN  
Quantity: 00110  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 94  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5009683  
Manifest Status: Not reported  
Trans1 State ID: NY18860PA  
Trans2 State ID: S5811  
Generator Ship Date: 03/25/2004  
Trans1 Recv Date: 03/25/2004  
Trans2 Recv Date: 03/29/2004  
TSD Site Recv Date: 03/31/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: NY0001031814  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00800  
Units: P - Pounds  
Number of Containers: 002  
Container Type: CF - Fiber or plastic boxes, cartons  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 04  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

1004755825

Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047484  
Manifest Status: Not reported  
Trans1 State ID: Not reported  
Trans2 State ID: S06209  
Generator Ship Date: 01/14/2004  
Trans1 Recv Date: 01/14/2004  
Trans2 Recv Date: 01/14/2004  
TSD Site Recv Date: 01/14/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: PAD085690592  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 09560  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 04  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047485  
Manifest Status: Not reported  
Trans1 State ID: Not reported  
Trans2 State ID: S06209  
Generator Ship Date: 01/12/2004  
Trans1 Recv Date: 01/12/2004  
Trans2 Recv Date: 01/12/2004  
TSD Site Recv Date: 01/12/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: PAD085690592  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 10360  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 04  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

Document ID: NJA5047486  
Manifest Status: Not reported  
Trans1 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Trans2 State ID: S06209  
Generator Ship Date: 01/09/2004  
Trans1 Recv Date: 01/09/2004  
Trans2 Recv Date: 01/09/2004  
TSD Site Recv Date: 01/09/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: PAD085690592  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 13640  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 04  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290  
  
Document ID: NJA5047487  
Manifest Status: Not reported  
Trans1 State ID: Not reported  
Trans2 State ID: S06209  
Generator Ship Date: 01/13/2004  
Trans1 Recv Date: 01/13/2004  
Trans2 Recv Date: 01/13/2004  
TSD Site Recv Date: 01/13/2004  
Part A Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: PAD085690592  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 06780  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 04  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290  
  
Document ID: NJA5047515  
Manifest Status: Not reported  
Trans1 State ID: Not reported  
Trans2 State ID: S06209  
Generator Ship Date: 01/15/2004  
Trans1 Recv Date: 01/15/2004  
Trans2 Recv Date: 01/15/2004  
TSD Site Recv Date: 01/15/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: PAD085690592  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291  
Waste Code: D008 - LEAD 5.0 MG/L TCLP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Quantity: 01840  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 04  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290  
  
Document ID: NJA5258792  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: NY0001031814  
Generator Ship Date: 07/19/2005  
Trans1 Recv Date: 07/25/2005  
Trans2 Recv Date: 07/25/2005  
TSD Site Recv Date: 07/28/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000452995  
Trans1 EPA ID: S5811  
Trans2 EPA ID: 18860PANY  
TSD ID: NJD002200046  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00020  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

1004755825

Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00900  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: Not reported  
Specific Gravity: 01.00  
Waste Code: Not reported  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: Not reported  
Year: 2005  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000452995  
Facility Name: NYS DIV MILITARY NAVAL AFFAIRS  
Facility Address: 2366 5TH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DIV MILITARY NAVAL AFFAIRS  
Mailing Contact: JOHN L MARSHALL  
Mailing Address: 2366 5TH AVE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-234-9290

**NJ MANIFEST:**

Manifest Code: NJA5047486  
EPA ID: NY0000452995  
Date Shipped: 20040109  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: PAD982661381  
Transporter 2 EPA ID: PAD085690592  
Date Trans1 Transported Waste: 040109  
Date Trans2 Transported Waste: 040109  
Date TSDf Received Waste: 040109  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 03120422

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5047485  
EPA ID: NY0000452995  
Date Shipped: 20040112  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: PAD982661381  
Transporter 2 EPA ID: PAD085690592  
Date Trans1 Transported Waste: 040112  
Date Trans2 Transported Waste: 040112  
Date TSDf Received Waste: 040112  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 04060422  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5047487  
EPA ID: NY0000452995  
Date Shipped: 20040113  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: PAD982661381  
Transporter 2 EPA ID: PAD085690592  
Date Trans1 Transported Waste: 040113  
Date Trans2 Transported Waste: 040113  
Date TSDf Received Waste: 040113  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 03220425  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Manifest Code: NJA5047484  
EPA ID: NY0000452995  
Date Shipped: 20040114  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: PAD982661381  
Transporter 2 EPA ID: PAD085690592  
Date Trans1 Transported Waste: 040114  
Date Trans2 Transported Waste: 040114  
Date TSDf Received Waste: 040114  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 04060422  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5047515  
EPA ID: NY0000452995  
Date Shipped: 20040115  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: PAD982661381  
Transporter 2 EPA ID: PAD085690592  
Date Trans1 Transported Waste: 040115  
Date Trans2 Transported Waste: 040115  
Date TSDf Received Waste: 040115  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 04060422  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5009683  
EPA ID: NY0000452995  
Date Shipped: 20040325  
TSDf EPA ID: NJD002200046  
Transporter EPA ID: NY0001031814  
Transporter 2 EPA ID: NJ0000027193  
Date Trans1 Transported Waste: 040325  
Date Trans2 Transported Waste: 040329  
Date TSDf Received Waste: 040331  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS ARMORY (Continued)**

**1004755825**

Data Entry Number: 04280422  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5258792  
EPA ID: NY0000452995  
Date Shipped: 20050719  
TSD EPA ID: NJD002200046  
Transporter EPA ID: NY0001031814  
Transporter 2 EPA ID: NJ0000027193  
Date Trans1 Transported Waste: 050719  
Date Trans2 Transported Waste: 050725  
Date TSD Received Waste: 050728  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 09020525  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

**H32  
East  
1/8-1/4  
0.144 mi.  
761 ft.**

**HOSTOS COMMUNITY COLLEGE - TRAILER #5  
427 WALTON AVE  
BRONX, NY 10451  
Site 2 of 3 in cluster H**

**MANIFEST 1009312355  
RCRA-NonGen NYR000137091  
MANIFEST**

**Relative:  
Higher**

NY MANIFEST:  
Document ID: 06  
Manifest Status: NJA5289719  
Trans1 State ID: NYR000137091  
Trans2 State ID: Not reported  
Generator Ship Date: NJD991291105  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: NJR000029967  
TSD Site Recv Date: Not reported  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported

**Actual:  
37 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE - TRAILER #5 (Continued)**

**1009312355**

Units: 1  
Number of Containers: DT  
Container Type: 20  
Handling Method: Y  
Specific Gravity: 1  
Waste Code: T  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYR000137091  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 500 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: N/S  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-4478  
  
Document ID: NJA5289719  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 03/01/2006  
Trans1 Recv Date: 03/01/2006  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 03/01/2006  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000137091  
Trans1 EPA ID: 084698  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE - TRAILER #5 (Continued)**

**1009312355**

Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 06  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYR000137091  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 500 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: N/S  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-4478  
  
Document ID: NJA5289719  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 03/01/2006  
Trans1 Recv Date: 03/01/2006  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 03/01/2006  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000137091  
Trans1 EPA ID: 084698  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE - TRAILER #5 (Continued)**

**1009312355**

Year: 06  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYR000137091  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 500 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: N/S  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-4478

**RCRA-NonGen:**

Date form received by agency: 06/06/2007  
Facility name: HOSTOS COMMUNITY COLLEGE - TRAILER #5  
Facility address: 427 WALTON AVE  
BRONX, NY 10451  
EPA ID: NYR000137091  
Mailing address: GRAND CONCOURSE  
BRONX, NY 10451  
Contact: FRANK VIRONE  
Contact address: GRAND CONCOURSE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: (718) 518-4476  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: DORMITORY AUTHORITY OF THE STATE OF NY  
Owner/operator address: PENN PLAZA 52ND FLOOR  
NEW YORK, NY 10119  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Other  
Owner/Operator Type: Owner

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE - TRAILER #5 (Continued)**

**1009312355**

Owner/Op start date: 07/01/1990  
Owner/Op end date: Not reported  
  
Owner/operator name: CUNY-HOSTOS COMMUNITY COLLEGE  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: 05/01/1999  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/13/2006  
Facility name: HOSTOS COMMUNITY COLLEGE - TRAILER #5  
Classification: Large Quantity Generator

Date form received by agency: 02/12/2006  
Facility name: HOSTOS COMMUNITY COLLEGE - TRAILER #5  
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

NJ MANIFEST:

Manifest Code: NJA5289719  
EPA ID: NYR000137091  
Date Shipped: 20060301  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NJR000029967  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 060301  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 060301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE - TRAILER #5 (Continued)**

**1009312355**

Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 05180621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

**H33**  
**East**  
**1/8-1/4**  
**0.144 mi.**  
**761 ft.**

**HOSTOS COMMUNITY COLLEGE**  
**427 WALTON AVENUE**  
**BRONX, NY 10451**  
**Site 3 of 3 in cluster H**

**UST U004047150**  
**N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**37 ft.**

Facility Id: 2-609953  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 06/02/10  
Renewal Date: / /  
Total Capacity: 0  
Mailing Company: HOSTOS COMMUNITY COLLEGE  
Mailing Title: Not reported  
Mailing Contact: FRANK VIRONE  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 518-4478  
Mailing Email: Not reported  
Owner Title: ADMINISTRATIVE SUPERINTENDENT  
Owner Name: FRANK VIRONE  
Owner Address: 535 EAST 80TH STREET  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10021  
Owner Phone: (212) 794-5571  
Owner Company: CITY UNIVERSITY OF NEW YORK  
Emergency Contact: FRANK VIRONE  
Emergency Phone: (718) 518-4476  
Operator: FRANK VIRONE  
Operator Phone: (718) 518-4476  
Owner City: NEW YORK  
Owner Sub Type: Local Government  
UTM X: 590324.49401  
UTM Y: 4518998.49859  
Site Type Name: School  
Site Type Status: Unregulated  
Accuracy: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U004047150**

Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 010  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 01/01/89  
Capacity Gallons: 2000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 05/04/05

Tank Number: 011  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 01/01/89  
Capacity Gallons: 2000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U004047150**

Tank Secondary Containment 1: Vault (w/access)  
 Tank Secondary Containment 2: Not reported  
 Pipe Secondary Containment: None  
 Tank Leak Detection 1: None  
 Tank Leak Detection 2: Not reported  
 Pipe Leak Detection 1: None  
 Pipe Leak Detection 2: Not reported  
 Type Of Overfill Prevention 1: None  
 Type Of Overfill Prevention 2: Not reported  
 Dispenser Method: Suction  
 Spill Prevention: None  
 Tightness Test Method: Unknown  
 Date Tested: / /  
 Next Test Date: / /  
 Date Tank Closed: 05/04/05

**K34**  
**SE**  
**1/8-1/4**  
**0.148 mi.**  
**779 ft.**

**U-HAUL CO OF METRO NY**  
**368 WALTON AVENUE**  
**BRONX, NY 10451**  
**Site 1 of 2 in cluster K**

**UST U000416592**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
 UST:

**Actual:**  
**34 ft.**

Facility Id: 2-084042  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 03/24/97  
 Renewal Date: / /  
 Total Capacity: 0  
 Mailing Company: U-HAUL CO OF METRO NEW YORK  
 Mailing Title: Not reported  
 Mailing Contact: SUPER FACILITY MANAGER  
 Mailing Address: 368 WALTON AVENUE  
 Mailing Address 2: Not reported  
 Mailing City: BRONX  
 Mailing State: NY  
 Mailing Zip Code: 10451  
 Mailing Phone No: (718) 402-9688  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 230 WEST 230TH STREET  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10463-9998  
 Owner Phone: (212) 562-8700  
 Owner Company: U-HAUL CO OF METRO NEW YORK  
 Emergency Contact: WILLIAM NEWTON  
 Emergency Phone: (718) 562-8700  
 Operator: JUANITA GILES  
 Operator Phone: (718) 402-9688  
 Owner City: BRONX  
 Owner Sub Type: Corporate or Commercial  
 UTM X: 590320.04772  
 UTM Y: 4518887.14960  
 Site Type Name: Other



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U-HAUL CO OF METRO NY (Continued)**

**U000416592**

Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Horner EZ Check I or II  
Date Tested: 01/01/94  
Next Test Date: / /  
Date Tank Closed: 06/01/97

**HIST UST:**

PBS Number: 2-084042  
SPDES Number: Not reported  
Emergency Contact: WILLIAM NEWTON  
Emergency Telephone: (718) 562-8700  
Operator: JUANITA GILES  
Operator Telephone: (718) 402-9688  
Owner Name: U-HAUL CO OF METRO NEW YORK  
Owner Address: 230 WEST 230TH STREET  
Owner City,St,Zip: BRONX, NY 10463-9998  
Owner Telephone: (212) 562-8700  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: U-HAUL CO OF METRO NEW YORK  
Mailing Address: 368 WALTON AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U-HAUL CO OF METRO NY (Continued)**

**U000416592**

Mailing Contact: SUPER FACILITY MANAGER  
Mailing Telephone: (718) 402-9688  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: 368 WALTON AVENUE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 12/14/1993  
Expiration Date: 03/24/1997  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Gravity  
Date Tested: 01/01/1994  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 06/01/1997  
Test Method: Horner EZ Check  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**K35**  
**SE**  
**1/8-1/4**  
**0.156 mi.**  
**823 ft.**

**U HAUL CENTER**  
**350 WALTON AVE**  
**BRONX, NY 10451**  
  
**Site 2 of 2 in cluster K**

**FINDS** 1000871628  
**MANIFEST** NY0000079277  
**RCRA-NonGen**  
**MANIFEST**

**Relative:**  
**Higher**

**FINDS:**  
 Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**33 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: NYC4435356  
 Manifest Status: Completed copy  
 Trans1 State ID: NYJU4819  
 Trans2 State ID: Not reported  
 Generator Ship Date: 970107  
 Trans1 Recv Date: 970107  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 970110  
 Part A Recv Date: Not reported  
 Part B Recv Date: 970123  
 Generator EPA ID: NY0000079277  
 Trans1 EPA ID: ILD984908202  
 Trans2 EPA ID: Not reported  
 TSD ID: NYD000708198  
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
 Quantity: 00045  
 Units: G - Gallons (liquids only)\* (8.3 pounds)  
 Number of Containers: 003  
 Container Type: DM - Metal drums, barrels  
 Handling Method: R Material recovery of more than 75 percent of the total material.  
 Specific Gravity: 100  
 Waste Code: Not reported  
 Quantity: 00005  
 Units: G - Gallons (liquids only)\* (8.3 pounds)  
 Number of Containers: 001  
 Container Type: DF - Fiberboard or plastic drums (glass)  
 Handling Method: R Material recovery of more than 75 percent of the total material.  
 Specific Gravity: 100  
 Year: 97  
 Manifest Tracking Num: Not reported  
 Import Ind: Not reported  
 Export Ind: Not reported  
 Discr Quantity Ind: Not reported  
 Discr Type Ind: Not reported  
 Discr Residue Ind: Not reported  
 Discr Partial Reject Ind: Not reported  
 Discr Full Reject Ind: Not reported  
 Manifest Ref Num: Not reported  
 Alt Fac RCRA Id: Not reported  
 Alt Fac Sign Date: Not reported  
 Mgmt Method Type Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHU SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: CTF0961215  
Manifest Status: Not reported  
Trans1 State ID: CTD021816889  
Trans2 State ID: Not reported  
Generator Ship Date: 03/30/2001  
Trans1 Recv Date: 03/30/2001  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 03/30/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: CTD002593887  
Trans2 EPA ID: Not reported  
TSDF ID: CT18028A  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00350  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 01  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Mailing Name: U HAUL  
Mailing Contact: BAHJ SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4479963  
Manifest Status: Completed copy  
Trans1 State ID: ILLP22335  
Trans2 State ID: Not reported  
Generator Ship Date: 970603  
Trans1 Recv Date: 970603  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970606  
Part A Recv Date: Not reported  
Part B Recv Date: 970617  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00032  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHU SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4672337  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 970307  
Trans1 Recv Date: 970307  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970312  
Part A Recv Date: Not reported  
Part B Recv Date: 970321  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHU SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4249157  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 961115  
Trans1 Recv Date: 961115  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961120  
Part A Recv Date: Not reported  
Part B Recv Date: 961209  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00068  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHJ SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC3994108  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NYJU4819  
Trans2 State ID: Not reported  
Generator Ship Date: 970107  
Trans1 Recv Date: 970107  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970115  
Part A Recv Date: Not reported  
Part B Recv Date: 970203  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHJ SENNY  
Mailing Address: 350 WALTON AVE



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4714503  
Manifest Status: Completed copy  
Trans1 State ID: NYGE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 970505  
Trans1 Recv Date: 970505  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970508  
Part A Recv Date: Not reported  
Part B Recv Date: 970515  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00047  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHY SENNY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4479276  
Manifest Status: Completed copy  
Trans1 State ID: NY615256  
Trans2 State ID: Not reported  
Generator Ship Date: 970430  
Trans1 Recv Date: 970430  
Trans2 Recv Date: 970509  
TSD Site Recv Date: 970510  
Part A Recv Date: Not reported  
Part B Recv Date: 970521  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: MOD095038998  
TSD ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00600  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHU SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4353142  
Manifest Status: Completed copy  
Trans1 State ID: Not reported  
Trans2 State ID: Not reported  
Generator Ship Date: 970307  
Trans1 Recv Date: 970307  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970319  
Part A Recv Date: Not reported  
Part B Recv Date: 970327  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00150  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAH I SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC3543570  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: DL8162

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Trans2 State ID: A40400  
Generator Ship Date: 950613  
Trans1 Recv Date: 950613  
Trans2 Recv Date: 950623  
TSD Site Recv Date: 950625  
Part A Recv Date: Not reported  
Part B Recv Date: 950717  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: ARD981908551  
TSD ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00160  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHU SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300  
  
Document ID: NYC4300290  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 961004  
Trans1 Recv Date: 961004  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961009  
Part A Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Part B Recv Date: 961024  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00052  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHU SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300  
  
Document ID: NYC3543625  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: DL7754  
Trans2 State ID: Not reported  
Generator Ship Date: 960105  
Trans1 Recv Date: 960105  
Trans2 Recv Date: 960112  
TSD Site Recv Date: 960114

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Part A Recv Date: Not reported  
Part B Recv Date: 960205  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: ARD981908551  
TSD ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00290  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAH I SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300  
  
Document ID: NYC4137570  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 960618  
Trans1 Recv Date: 960618  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960621  
Part A Recv Date: Not reported  
Part B Recv Date: 960703  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD000708198

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00051  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHJ SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4249135  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 961115  
Trans1 Recv Date: 961115  
Trans2 Recv Date: 961122  
TSD Site Recv Date: 961123  
Part A Recv Date: Not reported  
Part B Recv Date: 961213  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: MOD095038998

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

TSDF ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00145  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHJ SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

Document ID: NYC4026881  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 960227  
Trans1 Recv Date: 960227  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960301  
Part A Recv Date: Not reported  
Part B Recv Date: 960312  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00052  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAH I SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300  
  
Document ID: NYC4064466  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 960422  
Trans1 Recv Date: 960422  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960424  
Part A Recv Date: Not reported  
Part B Recv Date: 960503  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00051  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAH I SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300  
  
Document ID: NYC4196935  
Manifest Status: Completed copy  
Trans1 State ID: NYJV4819  
Trans2 State ID: Not reported  
Generator Ship Date: 960815  
Trans1 Recv Date: 960815  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960821  
Part A Recv Date: Not reported  
Part B Recv Date: 960906  
Generator EPA ID: NY0000079277  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD000708198  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00051  
Units: G - Gallons (liquids only)\* (8.3 pounds)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000079277  
Facility Name: U HAUL  
Facility Address: 350 WALTON AE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: U HAUL  
Mailing Contact: BAHY SENNY  
Mailing Address: 350 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-993-4300

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: U-HAUL  
Facility address: 350 WALTON AVE  
BRONX, NY 104515413  
EPA ID: NY0000079277  
Mailing address: WALTON AVE  
BRONX, NY 10451  
Contact: -  
Contact address: WALTON AVE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: U-HAUL  
Classification: Not a generator, verified

Date form received by agency: 12/15/1993  
Facility name: U-HAUL  
Classification: Small Quantity Generator

Violation Status: No violations found

CT MANIFEST:

Manifest No: Not reported  
Waste Occurrence: Not reported  
UNNA: Not reported  
Hazard Class: Not reported  
US Dot Description: Not reported  
No of Containers: Not reported  
Container Type: Not reported  
Quantity: Not reported  
Weight/Volume: Not reported  
Additional Description: Not reported  
Handling Code: Not reported  
Date Record Was Last Modified: Not reported  
DEO Who Last Modified Record: Not reported  
Manifest No: Not reported  
Waste Occurrence: Not reported  
EPA Waste Code: Not reported  
Recycled Waste?: Not reported  
Date Record Was Last Modified: Not reported  
DEO Who Last Modified Record: Not reported  
Year: 2001  
Manifest ID: CTF0961215  
TSDf EPA ID: CTD002593887  
TSDf Name: BRIDGEPORT UNITED RECYCLE (FORMERLY HITCHCOCK GAS)  
TSDf Address: 50 CROSS STREET

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**U HAUL CENTER (Continued)**

**1000871628**

TSDf City,St,Zip: BRIDGEPORT, CT 06608  
 TSDf Country: USA  
 TSDf Telephone: Not reported  
 Transport Date: 03/30/01  
 Transporter EPA ID: CTD021816889  
 Transporter Name: UNITED OIL RECOVERY INC  
 Transporter Country: USA  
 Transporter Phone: Not reported  
 Trans 2 Date: / /  
 Trans 2 EPA ID: Not reported  
 Trans 2 Name: Not reported  
 Trans 2 Address: Not reported  
 Trans 2 City,St,Zip: CT  
 Trans 2 Country: USA  
 Trans 2 Phone: Not reported  
 Generator EPA ID: NY0000079277  
 Generator Phone: 7185628700  
 Generator Address: Not reported  
 Generator City,State,Zip: Not reported  
 Generator Country: Not reported  
 Special Handling: Not reported  
 Discrepancies: No  
 Date Shipped: 03/30/01  
 Date Received: 03/30/01  
 Last modified date: 04/27/04  
 Last modified by: IG  
 Comments: Not reported

**L36**  
**West**  
**1/8-1/4**  
**0.156 mi.**  
**826 ft.**

**BUDGE-WOOD LAUNDRY SERVICE INC**  
**2350 FIFTH AVENUE**  
**NEW YORK, NY 10037**  
**Site 1 of 3 in cluster L**

**UST U000413895**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
 UST:

**Actual:**  
**4 ft.**

Facility Id: 2-600447  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 12/04/96  
 Renewal Date: / /  
 Total Capacity: 0  
 Mailing Company: BUDGE-WOOD LAUNDRY SERVICE INC  
 Mailing Title: Not reported  
 Mailing Contact: JOSEPH KARTEN  
 Mailing Address: 2350 FIFTH AVENUE  
 Mailing Address 2: Not reported  
 Mailing City: NEW YORK  
 Mailing State: NY  
 Mailing Zip Code: 10037  
 Mailing Phone No: (212) 234-5000  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 2350 FIFTH AVE  
 Owner Address 2: Not reported  
 Owner State: NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUDGE-WOOD LAUNDRY SERVICE INC (Continued)**

**U000413895**

Owner Zip Code: 10037  
Owner Phone: (212) 368-3000  
Owner Company: 2350 FIFTH AVE CORP  
Emergency Contact: JOSEPH KARTEN  
Emergency Phone: (914) 698-3169  
Operator: JOSEPH KARTEN  
Operator Phone: (212) 234-5000  
Owner City: NEW YORK  
Owner Sub Type: Corporate or Commercial  
UTM X: 589860.26489  
UTM Y: 4518963.71623  
Site Type Name: Manufacturing (Other than Chemical)/Processing  
Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 5000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 01/01/96

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUDGE-WOOD LAUNDRY SERVICE INC (Continued)**

**U000413895**

Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 20000  
Material Name: #6 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/01/92

**HIST UST:**

PBS Number: 2-600447  
SPDES Number: Not reported  
Emergency Contact: JOSEPH KARTEN  
Emergency Telephone: (914) 698-3169  
Operator: JOSEPH KARTEN  
Operator Telephone: (212) 234-5000  
Owner Name: 2350 FIFTH AVE CORP  
Owner Address: 2350 FIFTH AVE  
Owner City,St,Zip: NEW YORK, NY 10037  
Owner Telephone: (212) 368-3000  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: BUDGE-WOOD LAUNDRY SERVICE INC  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10037  
Mailing Contact: JOSEPH KARTEN  
Mailing Telephone: (212) 234-5000  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: 2350 5TH AVENUE  
SWIS ID: 6201  
Old PBS Number: Not reported  
Facility Type: MANUFACTURING  
Inspected Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUDGE-WOOD LAUNDRY SERVICE INC (Continued)**

**U000413895**

Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 12/04/1991  
Expiration Date: 12/04/1996  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 62  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 5000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Epoxy Liner  
Tank External: None  
Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Not reported  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 01/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 20000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Epoxy Liner  
Tank External: None  
Pipe Location: Aboveground/Underground Combination



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BUDGE-WOOD LAUNDRY SERVICE INC (Continued)**

**U000413895**

Pipe Type: STEEL/IRON  
 Pipe Internal: None  
 Pipe External: None  
 Second Containment: None  
 Leak Detection: None  
 Overfill Prot: None  
 Dispenser: Not reported  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: 12/01/1992  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**L37**  
**West**  
**1/8-1/4**  
**0.156 mi.**  
**826 ft.**

**2350 FIFTH AVENUE CORP**  
**2350 5TH AVE**  
**NEW YORK, NY 10037**  
**Site 2 of 3 in cluster L**

**SHWS 1000108749**  
**FINDS NYD071026173**  
**DRYCLEANERS**  
**MANIFEST**  
**RCRA-CESQG**

**Relative:**  
**Higher**

SHWS:

Program: HW  
 Site Code: 57691  
 Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.

**Actual:**  
**4 ft.**

Region: 2  
 Acres: 1.700  
 HW Code: 231004  
 Record Add: 11/18/1999 12:00:00 PM  
 Record Upd: 5/22/2008 9:24:00 AM  
 Updated By: JHOCONNE  
 Site Description:

The site is located on the west side of Fifth Avenue between 141st Street and 142nd Street in Manhattan. The entire site is occupied by a building comprised of three connected sections. The site is at an elevation of about 10 feet or less above mean sea level. Surrounding the Site are multi-story residential buildings on the west, south and southeast; the Harlem River Drive and the Harlem River on the east; and the 369th Regiment Armory to the north. From 1970 to 1994 the Site was occupied by an industrial laundry with a dry cleaning operation utilizing tetrachloroethylene (PCE) as a cleaning solvent. A portion of the building was renovated for use as a public school, but such use was discontinued. A Soil Vapor Extraction system(SVE) was installed as part of the Interim Remedial Measures (IRM) to remove PCE. The SVE has been operated continuously since 1997, and was renovated in 2002. April 2005, the SVE was shut off to evaluate the performance of the remedy. During one of the subsequent indoor air quality monitoring events TCE concentration were found to be above the DOH guidance value. The SVE system was re-activated on December 18, 2006. Additional Investigation to delineate the full extent of contamination was proposed under a Remedial Investigation Work Plan(RIWP). As of this update the approved RIWP is underway.

Environmental Problems:

From 1970 to 1994 the Site was occupied by an industrial laundry with a dry cleaning operation utilizing tetrachloroethylene (PCE) as a cleaning solvent. Soils beneath the site, and on-site and off-site groundwater are contaminated with PCE. Additional investigation is underway to fully delineate the contamination. There have been documented exceedances of the NYSDOH indoor air guidance values for TCE and PCE in the former basement boiler room (below Room 112).

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Health Problems Assessment: During renovations to the building in 1996-1997, several rounds of indoor air testing were conducted and on one occasion the data indicated the presence of tetrachloroethene (PCE) above the NYSDOH residential indoor air guideline of 15 parts per billion (ppb). Interim remedial measures initiated during 1997 to address the source of the contamination included the installation and operation of a shallow soil vapor extraction system. These measures have generally resulted in reducing the levels of tetrachloroethene in indoor air to levels below the 15 ppb guideline. Indoor air sampling conducted in April 2002 only detected trace concentrations of PCE. Exposure to contaminated groundwater is unlikely as public drinking water is supplied to the entire community. Exposure to contaminated soils is unlikely as the affected areas are covered by buildings or pavement.

Dump: FALSE  
Structure: TRUE  
Lagoon: FALSE  
Landfill: FALSE  
Pond: FALSE  
Disp Start: 1970  
Disp Term: 1994  
Lat/Long: 40:49:02:0 / 73:56:07:0  
Dell: FALSE  
Record Add: 11/18/1999  
Record Upd: 1/4/2008  
Updated By: yywong  
Own Op: 03  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: INNER CITY REDEVELOPMENT CORPORATION  
Owner Address: Not reported  
Owner Addr2: Not reported  
Owner City,St,Zip: ZZ  
Owner Country: United States of America  
Own Op: 01  
Sub Type: E  
Owner Name: Not reported  
Owner Company: INNER CITY REDEVELOPMENT CORPORATION  
Owner Address: 2350 FIFTH AVE.  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY 10037  
Owner Country: United States of America  
Own Op: 04  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: Inner City Redevelopment Corporation  
Owner Address: 23050 Fifth Avenue  
Owner Addr2: Not reported  
Owner City,St,Zip: New York, NY 10037  
Owner Country: United States of America  
Own Op: 04  
Sub Type: E  
Owner Name: Not reported  
Owner Company: INNER CITY REDEVELOPMENT CORPORATION  
Owner Address: 2350 FIFTH AVE  
Owner Addr2: Not reported  
Owner City,St,Zip: NEW YORK, NY  
Owner Country: United States of America  
Own Op: 01

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Sub Type: NNN  
Owner Name: Not reported  
Owner Company: Inner City Redevelopment Corporation  
Owner Address: 2350 Fifth Avenue  
Owner Addr2: Not reported  
Owner City,St,Zip: New York, NY 10037  
Owner Country: United States of America  
HW Code: 231004  
Waste Type: TETRACHLOROETHYLENE (PCE)  
Waste Quantity: UNKNOWN  
Waste Code: Not reported  
HW Code: 231004  
Waste Type: TETRACHLOROETHYLENE (PCE)  
Waste Quantity: UNKNOWN  
Waste Code: Not reported  
HW Code: 231004  
Waste Type: BENZO(A)PYRENE  
Waste Quantity: UNKNOWN  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

**FINDS:**

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**DRYCLEANERS:**

Facility ID: 2-6203-00165  
Region: NY

**NY MANIFEST:**

Document ID: NJA0223426  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 861017  
Trans1 Recv Date: 861017  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 861017  
Part A Recv Date: 861027  
Part B Recv Date: 861028  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD000805911  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00800  
Units: P - Pounds  
Number of Containers: 008  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00480  
Units: P - Pounds  
Number of Containers: 008  
Container Type: CF - Fiber or plastic boxes, cartons  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1326315  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911226  
Trans1 Recv Date: 911226  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911226  
Part A Recv Date: 920106  
Part B Recv Date: 920114  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00101  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00640  
Units: P - Pounds  
Number of Containers: 011  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1332596  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911113

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

2350 FIFTH AVENUE CORP (Continued)

1000108749

Trans1 Recv Date: 911113  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911113  
Part A Recv Date: Not reported  
Part B Recv Date: 911120  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1320752  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: 62778  
Generator Ship Date: 910930  
Trans1 Recv Date: 910930  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910930  
Part A Recv Date: Not reported  
Part B Recv Date: 911016  
Generator EPA ID: NYD071026173

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1323948  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911016  
Trans1 Recv Date: 911016  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911016  
Part A Recv Date: 911101  
Part B Recv Date: 911105  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 01060  
Units: P - Pounds  
Number of Containers: 017  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1338378  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911114  
Trans1 Recv Date: 911114  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911114  
Part A Recv Date: Not reported  
Part B Recv Date: 911120  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00640



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Units: P - Pounds  
Number of Containers: 011  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00390  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1224077  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910910  
Trans1 Recv Date: 910910  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910910  
Part A Recv Date: Not reported  
Part B Recv Date: 910925  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Quantity: 00045  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1127486  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910919  
Trans1 Recv Date: 910919  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910919  
Part A Recv Date: 910926  
Part B Recv Date: 910927  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 01140  
Units: P - Pounds  
Number of Containers: 018  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA1221159  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910821  
Trans1 Recv Date: 910821  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910821  
Part A Recv Date: 910912  
Part B Recv Date: 911008  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00340  
Units: P - Pounds  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA1349264  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911218  
Trans1 Recv Date: 911218  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911218  
Part A Recv Date: Not reported  
Part B Recv Date: 920109  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA1330736  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911212  
Trans1 Recv Date: 911212  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911212  
Part A Recv Date: Not reported  
Part B Recv Date: 920103  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00135  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00416  
Units: P - Pounds  
Number of Containers: 011

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1346250  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911024  
Trans1 Recv Date: 911024  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911024  
Part A Recv Date: Not reported  
Part B Recv Date: 911108  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: P - Pounds

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA1327056  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920305  
Trans1 Recv Date: 920305  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920305  
Part A Recv Date: 920313  
Part B Recv Date: 920318  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00550

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Units: P - Pounds  
Number of Containers: 011  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517  
  
Document ID: NJA1460450  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920407  
Trans1 Recv Date: 920407  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920407  
Part A Recv Date: Not reported  
Part B Recv Date: 920422  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD071026173
Facility Name:	2350 LAUNDRY & DRY CLNG CORP
Facility Address:	2350 FIFTH AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	2350 LAUNDRY & DRY CLNG CORP
Mailing Contact:	2350 LAUNDRY & DRY CLNG CORP
Mailing Address:	2350 FIFTH AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-862-5517
Document ID:	NJA0215009
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	860630
Trans1 Recv Date:	860630
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	860630
Part A Recv Date:	860715
Part B Recv Date:	860708
Generator EPA ID:	NYD071026173
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSD ID:	NJD000768093
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00320
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	86
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA0349586  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 870924  
Trans1 Recv Date: 870924  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 870924  
Part A Recv Date: 871005  
Part B Recv Date: 871023  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: NJD000768093  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00960  
Units: P - Pounds  
Number of Containers: 012  
Container Type: CF - Fiber or plastic boxes, cartons  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 01170  
Units: P - Pounds  
Number of Containers: 006  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00210  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Specific Gravity: 100  
Year: 87  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA1119109  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911003  
Trans1 Recv Date: 911003  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911003  
Part A Recv Date: 911010  
Part B Recv Date: 911018  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00690  
Units: P - Pounds  
Number of Containers: 011  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

Document ID: NJA1437678  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920501  
Trans1 Recv Date: 920501  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920501  
Part A Recv Date: Not reported  
Part B Recv Date: 920602  
Generator EPA ID: NYD071026173  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00045  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD071026173
Facility Name:	2350 LAUNDRY & DRY CLNG CORP
Facility Address:	2350 FIFTH AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	2350 LAUNDRY & DRY CLNG CORP
Mailing Contact:	2350 LAUNDRY & DRY CLNG CORP
Mailing Address:	2350 FIFTH AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-862-5517
Document ID:	NJA1432758
Manifest Status:	Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	920416
Trans1 Recv Date:	920416
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	920416
Part A Recv Date:	920423
Part B Recv Date:	920601
Generator EPA ID:	NYD071026173
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDf ID:	NJD000768093
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00270
Units:	P - Pounds
Number of Containers:	006
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00390
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	92
Manifest Tracking Num:	Not reported
Import Ind:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD071026173
Facility Name:	2350 LAUNDRY & DRY CLNG CORP
Facility Address:	2350 FIFTH AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	2350 LAUNDRY & DRY CLNG CORP
Mailing Contact:	2350 LAUNDRY & DRY CLNG CORP
Mailing Address:	2350 FIFTH AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-862-5517
Document ID:	NJA1328150
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	920220
Trans1 Recv Date:	920220
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	920220
Part A Recv Date:	920228
Part B Recv Date:	920303
Generator EPA ID:	NYD071026173
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSD ID:	NJD000768093
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00270
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00480
Units:	P - Pounds
Number of Containers:	011
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD071026173  
Facility Name: 2350 LAUNDRY & DRY CLNG CORP  
Facility Address: 2350 FIFTH AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Contact: 2350 LAUNDRY & DRY CLNG CORP  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5517

[Click this hyperlink](#) while viewing on your computer to access  
292 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**RCRA-CESQG:**

Date form received by agency: 01/01/2006  
Facility name: 2350 FIFTH AVENUE CORP  
Facility address: 2350 5TH AVE  
NEW YORK, NY 100371101  
EPA ID: NYD071026173  
Mailing address: 5TH AVE  
NEW YORK, NY 10037  
Contact: -  
Contact address: 5TH AVE  
NEW YORK, NY 10037  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Private  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar  
month, and accumulates 1000 kg or less of hazardous waste at any time;

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: 2350 FIFTH AVENUE CORP  
Classification: Not a generator, verified

Date form received by agency: 04/24/1998  
Facility name: 2350 FIFTH AVENUE CORP  
Site name: 2350 FIFTH AVE CORP  
Classification: Large Quantity Generator

Date form received by agency: 06/06/1997  
Facility name: 2350 FIFTH AVENUE CORP  
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 08/03/1989  
Date achieved compliance: 08/03/1989  
Violation lead agency: State  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2350 FIFTH AVENUE CORP (Continued)**

**1000108749**

Enforcement lead agency: Not reported  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 01/05/1988  
Date achieved compliance: 01/05/1988  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 01/05/1988  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/13/1990  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 06/01/1990  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 08/03/1989  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - Records/Reporting  
Date achieved compliance: 08/03/1989  
Evaluation lead agency: State

Evaluation date: 01/05/1988  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - Records/Reporting  
Date achieved compliance: 01/05/1988  
Evaluation lead agency: State

**L38**  
**West**  
**1/8-1/4**  
**0.156 mi.**  
**826 ft.**

**VAN GOGH CLEANERS**  
**2350 FIFTH AVE**  
**NEW YORK, NY 10014**  
**Site 3 of 3 in cluster L**

**MANIFEST 1000116068**  
**RCRA-NonGen NYD981081649**

**Relative:**  
**Higher**

NY MANIFEST:  
Document ID: MNA5030411  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 861105  
Trans1 Recv Date: 861105  
Trans2 Recv Date: Not reported

**Actual:**  
**4 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

TSD Site Recv Date: 861105  
Part A Recv Date: 861118  
Part B Recv Date: 861112  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: NJD000768093  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00420  
Units: P - Pounds  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515  
  
Document ID: MNA5047906  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 870331  
Trans1 Recv Date: 870331  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 870331  
Part A Recv Date: 870408  
Part B Recv Date: 870410  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: NJD000768093  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

TSDF ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 03600  
Units: P - Pounds  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 87  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA1323938  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911016  
Trans1 Recv Date: 911016  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911016  
Part A Recv Date: Not reported  
Part B Recv Date: 911105  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515  
  
Document ID: NJA1221149  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910817  
Trans1 Recv Date: 910817  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910817  
Part A Recv Date: 910827  
Part B Recv Date: 910828  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA1127476  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910913  
Trans1 Recv Date: 910913  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910913  
Part A Recv Date: 910920  
Part B Recv Date: 910925  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD981081649
Facility Name:	VAN GOGH CLEANERS
Facility Address:	2350 FIFTH AVENUE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	VAN GOGH CLEANERS
Mailing Contact:	VAN GOGH CLEANERS
Mailing Address:	2350 FIFTH AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-862-5515
Document ID:	NJA1330726
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	911211
Trans1 Recv Date:	911211
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	911211
Part A Recv Date:	Not reported
Part B Recv Date:	920103
Generator EPA ID:	NYD981081649
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NJD000768093
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00180
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	91
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA1436684  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920625  
Trans1 Recv Date: 920625  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920625  
Part A Recv Date: 920710  
Part B Recv Date: 920703  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00160  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA2524672  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 960528  
Trans1 Recv Date: 960528  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960528  
Part A Recv Date: 960611  
Part B Recv Date: 960618  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515  
  
Document ID: NJA2668895  
Manifest Status: Completed copy  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 961213  
Trans1 Recv Date: 961213  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961213  
Part A Recv Date: 970103  
Part B Recv Date: 970106  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD981081649
Facility Name:	VAN GOGH CLEANERS
Facility Address:	2350 FIFTH AVENUE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	VAN GOGH CLEANERS
Mailing Contact:	VAN GOGH CLEANERS
Mailing Address:	2350 FIFTH AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-862-5515
Document ID:	NJA2655564
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	961111
Trans1 Recv Date:	961111
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	961111
Part A Recv Date:	961203
Part B Recv Date:	961203
Generator EPA ID:	NYD981081649
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSD ID:	NJD000768093
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00120
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	96
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA1434010  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920427  
Trans1 Recv Date: 920427  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920427  
Part A Recv Date: Not reported  
Part B Recv Date: 920608  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA2643729  
Manifest Status: Completed copy  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 961016  
Trans1 Recv Date: 961016  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961016  
Part A Recv Date: 961031  
Part B Recv Date: 961106  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00240  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00390  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00120  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD981081649
Facility Name:	VAN GOGH CLEANERS
Facility Address:	2350 FIFTH AVENUE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	VAN GOGH CLEANERS
Mailing Contact:	VAN GOGH CLEANERS
Mailing Address:	2350 FIFTH AVENUE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10037
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-862-5515
Document ID:	NJA2684835
Manifest Status:	Completed copy
Trans1 State ID:	08690
Trans2 State ID:	Not reported
Generator Ship Date:	970505
Trans1 Recv Date:	970505
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970505
Part A Recv Date:	970515
Part B Recv Date:	970519
Generator EPA ID:	NYD981081649
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	NJD000768093
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00240
Units:	P - Pounds
Number of Containers:	004
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00195
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	97
Manifest Tracking Num:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA1362638  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920115  
Trans1 Recv Date: 920115  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920115  
Part A Recv Date: 920127  
Part B Recv Date: 920129  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA1376693  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920205  
Trans1 Recv Date: 920205  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920205  
Part A Recv Date: 920218  
Part B Recv Date: 920220  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA2671161  
Manifest Status: Completed copy  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 970311  
Trans1 Recv Date: 970311  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970311  
Part A Recv Date: 970320  
Part B Recv Date: 970402  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00120  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA2684408  
Manifest Status: Completed copy  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 970211  
Trans1 Recv Date: 970211  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970211  
Part A Recv Date: 970228  
Part B Recv Date: 970226  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00390  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA2693176  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 970411  
Trans1 Recv Date: 970411  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970411  
Part A Recv Date: 970424  
Part B Recv Date: 970508  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NJA2676160  
Manifest Status: Completed copy  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 970707  
Trans1 Recv Date: 970707  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970707  
Part A Recv Date: 970731  
Part B Recv Date: 970730  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported  
Mailing City: NEW YORK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

Document ID: NYC4863003  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 08690  
Trans2 State ID: MO001  
Generator Ship Date: 970925  
Trans1 Recv Date: 970925  
Trans2 Recv Date: 970930  
TSD Site Recv Date: 971001  
Part A Recv Date: 971016  
Part B Recv Date: 971029  
Generator EPA ID: NYD981081649  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: MOD095038998  
TSDf ID: OHD980587364  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD981081649  
Facility Name: VAN GOGH CLEANERS  
Facility Address: 2350 FIFTH AVENUE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: VAN GOGH CLEANERS  
Mailing Contact: VAN GOGH CLEANERS  
Mailing Address: 2350 FIFTH AVENUE  
Mailing Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-862-5515

[Click this hyperlink](#) while viewing on your computer to access  
115 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: VAN GOGH CLEANERS  
Facility address: 2350 FIFTH AVE  
NEW YORK, NY 10014  
EPA ID: NYD981081649  
Mailing address: FIFTH AVE  
NEW YORK, NY 10037  
Contact: -  
Contact address: FIFTH AVE  
NEW YORK, NY 10037  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

**Historical Generators:**

Date form received by agency: 08/11/1997  
Facility name: VAN GOGH CLEANERS  
Classification: Not a generator, verified  
  
Date form received by agency: 05/06/1985  
Facility name: VAN GOGH CLEANERS  
Classification: Large Quantity Generator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAN GOGH CLEANERS (Continued)**

**1000116068**

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 08/13/1990  
Date achieved compliance: 08/13/1990  
Violation lead agency: State  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 09/21/1989  
Date achieved compliance: 09/21/1989  
Violation lead agency: State  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/13/1990  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - General  
Date achieved compliance: 08/13/1990  
Evaluation lead agency: State

Evaluation date: 09/21/1989  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - General  
Date achieved compliance: 09/21/1989  
Evaluation lead agency: State

**M39**  
**NNE**  
**1/8-1/4**  
**0.161 mi.**  
**849 ft.**

**MOBIL S/S 17-KRQ BRONX TERMINA**  
**99 EAST 149TH STREET**  
**BRONX, NY 10451**

**Site 1 of 6 in cluster M**

**UST U000407670**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:

UST:

**Actual:**  
**5 ft.**

Facility Id: 2-156590  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 10/29/92  
Renewal Date: / /  
Total Capacity: 0  
Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER  
Mailing Address 2: Not reported  
Mailing City: FAIRFAX  
Mailing State: VA  
Mailing Zip Code: 22037  
Mailing Phone No: (703) 849-5862  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER  
Owner Address 2: Not reported  
Owner State: VA  
Owner Zip Code: 22037  
Owner Phone: (703) 849-5862  
Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE  
Emergency Contact: D SHAPIRIO  
Emergency Phone: (212) 292-4400  
Operator: D SHAPIRIO  
Operator Phone: (212) 292-4400  
Owner City: FAIRFAX  
Owner Sub Type: Corporate or Commercial  
UTM X: 590232.98255  
UTM Y: 4519246.68835  
Site Type Name: Unknown  
Site Type Status: Administratively Closed  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: 06/09/2000 - This site has been declared ADMINISTRATIVELY CLOSED. It has been removed from active status. (Please specify why below) duplication with 2-600626 pyh  
Program Type: PBS  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/01/91

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/01/91

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/01/91

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Date Tank Closed: 09/01/91

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/01/91

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: Tank Converted to Non-Regulated Use  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 550  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/01/91

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: Administratively Closed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/71  
Capacity Gallons: 550  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 06/09/00

**HIST UST:**

PBS Number: 2-156590  
SPDES Number: Not reported  
Emergency Contact: D SHAPIRIO  
Emergency Telephone: (212) 292-4400  
Operator: D SHAPIRIO  
Operator Telephone: (212) 292-4400

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE  
Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER  
Owner City,St,Zip: FAIRFAX, VA 22037  
Owner Telephone: (703) 849-5862  
Owner Type: Not reported  
Owner Subtype: Mobil Oil Company  
Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE  
Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER  
Mailing Address 2: Not reported  
Mailing City,St,Zip: FAIRFAX, VA 22037  
Mailing Contact: Not reported  
Mailing Telephone: (703) 849-5862  
Owner Mark: First Owner  
Facility Status: 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).  
  
Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 10/29/1987  
Expiration Date: 10/29/1992  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19711201  
Capacity (gals): 4000  
Product Stored: LEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19711201  
Capacity (gals): 4000  
Product Stored: LEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19711201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19711201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19711201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1991  
Test Method: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S 17-KRQ BRONX TERMINA (Continued)**

**U000407670**

Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Tank Converted To Non-Regulated Use  
Install Date: 19711201  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Undefined  
Install Date: 19711201  
Capacity (gals): 550  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 06/09/2000  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**M40**  
**NNE**  
**1/8-1/4**  
**0.161 mi.**  
**849 ft.**

**AMOCO SERVICE STATION**  
**99-113 149TH STREET**  
**BRONX, NY 10451**  
  
**Site 2 of 6 in cluster M**

**AST**    **U001841552**  
**HIST UST**    **N/A**  
**HIST AST**

**Relative:**  
**Higher**

AST:  
AST:

**Actual:**  
**5 ft.**

Region: STATE  
 Facility Id: 2-600626  
 Facility Type: Not reported  
 UTM X: 590232.98255  
 UTM Y: 4519246.68835  
 Expiration Date: 01/22/12  
 Renewal Date: / /  
 Total Capacity: 25375  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Retail Gasoline Sales  
 Site Type Status: Active  
 Mailing Company: SPARTAN PETROLEUM CORPORATION  
 Mailing Title: Not reported  
 Mailing Contact: JAY SEMELMACHER  
 Mailing Address: 3333 NEW HYDE PARK ROAD  
 Mailing Address 2: SUITE 201  
 Mailing City: NEW HYDE PARK  
 Mailing State: NY  
 Mailing Zip Code: 11042  
 Mailing Phone No: (516) 365-8700  
 Mailing Email: Not reported  
 Owner Title: PROPERTY MGR  
 Owner Name: JAY SEMEIMACHER  
 Owner Address: 3333 NEW HYDE PARK ROAD, SUITE 201  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 11042  
 Owner Phone: (516) 365-8700  
 Owner Company: CROSS DEEGAN REALTY CORPORATION  
 Emergency Contact: JAY SEMELMACHER  
 Emergency Phone: (516) 365-8700  
 Operator: BILLY FARACI  
 Operator Phone: (718) 585-2526  
 Owner City: NEW HYDE PARK  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 10  
 Tank Location Name: Aboveground - in contact with soil  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: 02/01/95  
 Capacity Gallons: 275  
 Material Name: #2 Fuel Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: Painted/Asphalt Coating



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**HIST UST:**

PBS Number: 2-600626  
SPDES Number: Not reported  
Emergency Contact: JAY SEMELMACHER  
Emergency Telephone: (516) 365-8700  
Operator: BILLY FARACI  
Operator Telephone: (718) 585-2526  
Owner Name: CROSS DEEGAN REALTY CORPORATION  
Owner Address: 333 NEW HYDE PARK ROAD, SUITE 201  
Owner City,St,Zip: NEW HYDE PARK, NY 11042  
Owner Telephone: (516) 365-8700  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: SPORTAN PETROLEUM CORPORATION  
Mailing Address: 3333 NEW HYDE PARK ROAD  
Mailing Address 2: SUITE 201  
Mailing City,St,Zip: NEW HYDE PARK, NY 11042  
Mailing Contact: JAY SEMELMACHER  
Mailing Telephone: (516) 365-8700  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 11/30/2001  
Expiration Date: 01/22/2007  
Renew Flag: False  
Renewal Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Total Capacity: 25375  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 01  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900901  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Submersible  
Date Tested: 11/01/1999  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 02  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900901  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Submersible  
Date Tested: 11/01/1999

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 03  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900901  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Submersible  
Date Tested: 11/01/1999  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 04  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900901  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Submersible  
Date Tested: 11/01/1999  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 05  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900901  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Submersible  
Date Tested: 11/01/1999  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 06  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19950201  
Capacity (gals): 2500  
Product Stored: UNKNOWN  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: None  
Overfill Prot: Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 02/01/2010  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Lat/long: Not reported

Tank Id: 07  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19950201  
Capacity (gals): 1000  
Product Stored: UNKNOWN  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: None  
Overfill Prot: Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 08  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19950201  
Capacity (gals): 1000  
Product Stored: UNKNOWN  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: None  
Overfill Prot: Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Tank Id: 09  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19950201  
Capacity (gals): 600  
Product Stored: UNKNOWN  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: None  
Overfill Prot: Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**HIST AST:**

PBS Number: 2-600626  
SWIS Code: 6001  
Operator: BILLY FARACI  
Facility Phone: (718) 585-2526  
Facility Addr2: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Emergency: JAY SEMELMACHER  
Emergency Tel: (516) 365-8700  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: CROSS DEEGAN REALTY CORPORATION  
Owner Address: 333 NEW HYDE PARK ROAD, SUITE 201  
Owner City,St,Zip: NEW HYDE PARK, NY 11042  
Federal ID: Not reported  
Owner Tel: (516) 365-8700  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: JAY SEMELMACHER  
Mailing Name: SPORTAN PETROLEUM CORPORATION  
Mailing Address: 3333 NEW HYDE PARK ROAD  
Mailing Address 2: SUITE 201  
Mailing City,St,Zip: NEW HYDE PARK, NY 11042  
Mailing Telephone: (516) 365-8700  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Certification Flag: False

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U001841552**

Certification Date: 11/30/2001  
 Expiration: 01/22/2007  
 Renew Flag: False  
 Renew Date: Not reported  
 Total Capacity: 25375  
 FAMS: True  
 Facility Screen: No Missing Data  
 Owner Screen: No Missing Data  
 Tank Screen: No Missing Data  
 Dead Letter: False  
 CBS Number: Not reported  
 Town or City: NEW YORK CITY  
 County Code: 60  
 Town or City Code: 01  
 Region: 2  
  
 Tank ID: 10  
 Tank Location: ABOVEGROUND  
 Tank Status: In Service  
 Install Date: 19950201  
 Capacity (Gal): 275  
 Product Stored: NOS 1,2, OR 4 FUEL OIL  
 Tank Type: Steel/carbon steel  
 Tank Internal: 0  
 Tank External: 1  
 Pipe Location: None  
 Pipe Type: NONE  
 Pipe Internal: None  
 Pipe External: 0  
 Tank Containment: Vault (w/access)  
 Leak Detection: 9  
 Overfill Protection: 5  
 Dispenser Method: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: No Missing Data  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**M41**  
**NNE**  
**1/8-1/4**  
**0.161 mi.**  
**849 ft.**

**AMOCO**  
**99 EAST 149TH ST**  
**BRONX, NY**  
**Site 3 of 6 in cluster M**

**LTANKS** **S104278682**  
**NY Spills** **N/A**  
**HIST LTANKS**

**Relative:**  
**Higher**

LTANKS:  
 Site ID: 268763  
 Spill Date: 11/09/99  
 Facility Addr2: Not reported  
 Facility ID: 9909670  
 Program Number: 9909670  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: jamaison

**Actual:**  
**5 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO (Continued)**

**S104278682**

Referred To: SVE  
Reported to Dept: 11/09/99  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Tank Tester  
Cleanup Ceased: 02/11/04  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
  
Spill Closed Dt: / /  
Remediation Phase: 5  
Date Entered In Computer: 11/09/99  
Spill Record Last Update: 05/21/08  
Spiller Namer: HANK ALPERT  
Spiller Company: SPARTAN PETROLEUM  
Spiller Address: 3333 NEW HYDE PARK ROAD  
Spiller City,St,Zip: NEW HYDE PARK, NY 11042-  
001  
Spiller County: 001  
Spiller Contact: JAY SEMMELMACHER  
Spiller Phone: (516) 295-3400  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9909670  
DER Facility ID: 218930  
Site ID: 268763  
Operable Unit ID: 1084425  
Operable Unit: 01  
Material ID: 298747  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: True  
Site ID: 268763  
Operable Unit ID: 1084425  
Operable Unit: 01  
Material ID: 2106716  
Material Code: 1213A  
Material Name: MTBE (METHYL-TERT-BUTYL ETHER)  
Case No.: 01634044  
Material FA: Hazardous Material  
Quantity: 0  
Units: Not reported  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: True  
Site ID: 268763  
Spill Tank Test: 1547826



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

Tank Number: Not reported  
Tank Size: 4000  
Test Method: 20  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: USTest 2000/P/LL plus USTest 2000/U  
DEC Memo: PBS 2-156590 1/20/04 File review (Foley): Prior to divesting this site in March 1990, a site assessment was performed by Roux (hired by Mobil) which indicated elevated BTEX existed in both groundwater and soil, but no free product was found. Upon transfer of property (8/90), the new owner began to install new USTs. During tank replacement, 875 tons of contaminated soil was removed and disposed of. During construction, two upgradient wells were destroyed. Three downgradient wells remained intact. The two wells which were destroyed showed ND for BTEX during sampling. In May 1991, there was an apparent vapor problem in the kiosk at the now active Amoco station. Amoco installed a venting system to alleviate the problem. Based on this, Mobil installed two borings and one well in the vicinity of the kiosk. The report indicated that the soils surrounding the kiosk did not contain very high levels of BTEX in soil. The monitoring well installed contained 0.01' of product. This well is upgradient of all former Mobil tank areas. Additional construction at the site for a car wash has destroyed three downgradient wells. Thus, only one well remains on the property. However, upon completion of the construction, up to ten additional wells shall be installed at the site. Wells will be installed after construction is completed. 11/91 Eleven monitoring wells and a sparge point were installed. 12/9/91 MW-11 had 0.84' of product. 1/22/92 MW-11 had 0.21' of product. 2/20/92 MW-11 had 7.16' of product. A vac truck has been scheduled on a biweekly basis to extract LNAPL from MW-11. 3/92 LNAPL was detected in MW-11 (0.07-3.02'). Approx 70gal was extracted from MW-11 on 3/4, 3/13, 3/16 using vac truck. Trace amounts of LNAPL were hand-bailed from MW-11 on 3/18 & 3/27. Water sample from car wash well was collected by Tyree, analyzed by Method 602, and returned ND. 4/92 MW-11 had 0.08-0.18' of LNAPL and approx 2.5gal LNAPL bailed. 6/8/92 An EZY Skimmer was installed in MW-11. 7/92-6/93 No LNAPL was detected in any wells. 1/94-3/94 MW-10 had 0.28' product. MW-11 had 0.01' product. 5/94 MW-11 had trace amount of product. 7/11/94 SVE started. DTW 16' bgs. 6 combination SVE/AS points. Will sample all MWs before sparge system started. 2/8/95 0.01' product in BD-1. BTEX from ND(MW-1) to 30,000ppb(MW-5). 10/27/99 Cross Deegan Realty notified by station operator of possible inventory loss. Alvin Petroleum exposed portions of system over next two weeks. No system leaks were detected. 11/9/99 Alvin Petro. requests a tightness test be performed. Crompco detected a leak in one of the four tanks and reported the failure. 11/10/99 Alvin Petro. exposed and removed remote fill box on the tank that failed test. A coupling that connects the piping to the overflow box was found cracked. The coupling was replaced and system retested tight. 11/16/99 Crompco retested system with FDNY and passed. 11/22/99 Impact Environmental performed a limited subsurface investigation of soil adjacent to coupling and concluded that gasoline had impacted soil/GW. Report states that current owner only intends on addressing contamination from 10/99 spill and not the 1992 spill. 10/31/00 Three wells sampled and gauged. SVE system removed from service. ORC socks in wells MW-1 and MW-5. BTEX from 15ppb(MW-12) to 868ppb(MW-1). MTBE from 31ppb(MW-11) to 49,000ppb(MW-1). 2/5/01 Seven wells sampled. BTEX from ND(MW-12) to 240ppb(MW-1). MTBE from <1ppb(MW-12) to 64,000ppb(MW-7). 4/26/01 Seven wells sampled. MTBE has increased in monitoring wells hydraulically downgradient from the current dispenser island and USTs. MTBE ranged from 14ppb(MW-11) to 920,000ppb(MW-10). BTEX ranged

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

from 12.8ppb(MW-11) to 6,080ppb(MW-10). 10/23/01 Eight wells sampled. BTEX from 14ppb(MW-6) to 4,750ppb(MW-10). MTBE from 18ppb(MW-11) to 270,000ppb(MW-10). 1/17/02 Eight wells sampled. BTEX from ND(MW-5) to 1,794ppb(MW-10). MTBE from 29(MW-5) to 65,000ppb(MW-7). 4/30/02 Six wells sampled. BTEX from ND(MW-5 & MW-6) to 1173ppb (MW-10). MTBE from 7.6ppb(MW-1) to 24,000ppb(MW-5). 5/15/02 Sensitive Receptor survey identified PS 31 approx 850' to the southeast. There are residential and commercial buildings with basements immediately adjacent to the site to the north. A subway tunnel is located beneath E 149th St.

----- 03/17/03  
REASSIGNED FROM ROMMEL TO VOUGHT. 11/18/03 Received CAP/Remediation Plan, 3rd Quarter 2003 monitoring report, and tank test results(pass). 12/10/03 Reassigned from Vought to Foley. See closed spills #0307681, 9208906. Review of Remediation Plan:A SVE/AS system was installed by Handex and operated on the property to address spill #9208906. The system is comprised of four soil vapor extraction wells and six air sparge points. At this time, the system is not operational. A monitoring program is being performed. 11/9/99 Tank system tightness test performed by Crompco indicated a leak near the remote fill box. The leak was repaired. Soil staining and petroleum odor was noted below the fill box. Spill 9909670 was reported. 11/22/99 Impact Environmental started subsurface investigation. Groundwater results exceeded standards. 7/7, 7/25, 10/23/00 Enhanced fluid recovery performed on MW-2 as an IRM. Impact Environmental proposes 1) monthly EFR on hottest wells for 6 months, 2) replacement/upgrade of air sparge equipment installed to address #9208906, 3) SVES to be modified to include MW-2. 9/3/03 Impact Environmental sampling data (for Amoco): BTEX levels range from ND(MW-5, 11, 12) to 1606ppb(MW-6). MTBE ranges from ND(MW-12) to 650,070ppb(MW-6). 10/6/03 GSC sampling data (for Mobil): BTEX ranged from ND(MW-2) to 3800ppb(MW-6). MTBE ranges from 9.8ppb(MW-11) to 1,240,000ppb(MW-6). 11/26/03 Impact Environmental data from 4Q2003 report shows MW-6and MW-2 to be hot spots. BTEX ranges from ND(MW-12) to 6923ppb(MW-6). MTBE ranges from ND(MW-12) to 869,600ppb(MW-6). 2/2/04 Faxed stip to Mr. Hank Alpert, Cross Deegan Realty. Due back 2/23/04. (FAX 516-365-1606) 2/11/04 STIP returned. Cover letter states that a previous CAP for spill #9909670 was already approved by DEC and was authorized to develop CAP for spill #0307681 (dated 11/13/03). 2/13/04 STIP fully executed. 3/4/04 Letter received from DDC(Bruce Rottner) to J. Semelmacher. Requests Amoco's participation in DOT reconstruction project instead of reimbursement of cleanup costs. 3/15/04 Called B. Rottner. He explained that he recieved a phonecall from the owners attorney who stated that contamination was from aDept of Sanitation garage. However, monitoring well on that property was installed and was clean. Spartan will be sending another letter to DDC at which time B. Rottner will forward a copy to me. 3/10/04 Received 1Q04 monitoring report. Needto delineate around MW-6 and MW-2. 6/18/04 Received 2Q2004 monitoring report. 6/30/04 Met with Spartan Petroleum (H. Alpert) and Impact Env. Received hand-delivered letter dated 6/28/04. Site is located on 149th St between Gerard and River Avenues. The site was impacted by a release detected in 1992 while under lease to Mobil Oil. Mobil installed an SVE/AS system. A new release was confirmed and Spartan released Mobil from contractual obligations. As an IRM, EFR was performed on MW-2. Approx 1075gal GW was extracted. An enhanced SVE/AS was run from July 12, 2001 to the present. During the period from 11/9/99 to 3/3/03, there was a steady decline in contaminant concentrations. In May 2003, BTEX concentrations began to increase unexpectedly. A system test was performed and all lines and tanks tested tight. An off-site source was suspected. Identified a NYCDOS truck terminal upgradient. Also found many monitoring wells on the NYSDOS site. Thru a FOIL request, review of the NYSDEC files incidate that the NYCDOS site is impacting 99 E 149th St. Request closure. 10/4/04 Received 3Q04 monitoring report.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

11/19/04 Met with K. Kleaka and K. Scroope, Impact Env. NYCDOS property on eastside of Gerard Avenue (DOS Manhattan West 9). See spill #s 9513870, 9910856. 11/23/04 Email from J. Kolleeny- City's consultant, LiRo, had been performing EFR on wells with free product for several years until last year when a multi-phase extraction system went on line. A MW along E 149th St has had product in it which LiRo identified as weathered #2FO. Although they have been willing to vac out this well, and the remedial system now has extraction wells near it, LiRo has argued that the product in the well was likely coming from off-site because they claimed there was no DOS tanks at that end of their site. However, the PBS list an old 2000gal heating oil tank and a new (4/03) tank at the site. Asked LiRo to locate these tanks. Will keep me updated.

4/13/05 Spoke to K. Kleaka, Impact Env. Will be proposing to shutdown system soon as recovery is decreasing. Still concerned about DOS site having impacts on property. Proposal will include confirmatory soil sampling. 5/6/05 1Q05-GW sample collected on 3/14/05 from MW-8 did not detect any VOCs. Samples from MW-1 and MW-5 detected concentrations of VOCs but not above GWQS. MW-12 was paved over. Several detected concentrations from MW-2,6,7,9,10 & 11 exceeded GWQS. These concentrations are within ROI of system. Told H. Benjamin that it was not necessary to reinstall MW-12. 5/23/05 Sent email to K. Kleaka, Impact Env. After reviewing the July 2004-Sept 2004 and Jan 2005-March 2005 quarterly reports for Manhattan West 9 (operated by NYCDOS at 125 East 149th St, Bronx), it is not clear that the contamination detected at MW-2 is due to impacts from the NYCDOS facility. Historical data for 99 E 149th St shows a significant spike of MTBE at MW-6(869.6ppm) and at MW-2(191.2ppm). The historical data for the NYCDOS facility, dating back to 2000(with some data gaps), does not indicate that the facility is acting as a source of off-site contamination. The only MTBE detection in the NYCDOS wells was in the NW corner of the property(170ppb in 1/00). NYSDOS has been operating a MPE system since 11/12/03. 11/8/05 3Q05 report - Total of 537.84lbs of hydrocarbons removed. Approx 9lbs recovered in last 22 day period. Groundwater concentrations highest in MW-2 at 1420ppb totalBTEX and 1500ppb MTBE. MW-6 at 100ppb BTEX and 53ppb MTBE. MW-7 at 10ppb BTEX and 56ppb MTBE. 1/11/06 Met with K. Kleaka and H. Benjamin, Impact. To submit 4Q05 report. Redeveloped sparge points to try and increase efficiency of system which continues to operate. 2/17/06 4Q05 report submitted. SVE continues to operate. Lab analysis from 11/28/05 did not detect VOCs in MW-8. Wells MW-5 and MW-11 had concentrations which did not exceed GWQS. Samples from MW-1,2,6,9, and 10 did exceed GWQS. 3/30/06 1Q06 report submitted. BTEX from ND(MW-1,5,6,8,9,11) to 970ppb(MW-2). MTBE from ND(MW-5,6,8) to 980ppb(MW-2). SVE continues to operate. Total estimated hydrocarbons recovered is 538lbs. 6/30/06 DEC lead transferred from K. Foley to J.A. Maisonave. - JAM 11/27/06 Reviewed 2nd and 3rd Qtr 2006 Monitoring Reports. Groundwater contamination persists in the area of monitoring well MW-2 (4000ppb). H. Benjamin of Impact Env. proposed performing a pulse test on the system to see if rebound will occur since the system appears to have reached asymptotic conditions. I sent an email to Mr. Benjamin requesting a map showing the radius of influence for each air sparge and SVE point and that GW contamination at MW-2 must be addressed. I also asked if there was soil contamination at the site. If so, has the SVE system effectively treated it? Must prove by confirmatory soil sampling. Email is in the file. - JAM 02/13/07 Reviewed a letter submitted by Impact Env. and dated January 17, 2007. The letter proposes: 1. All monitoring wells will be redeveloped utilizing a surge block and vacuum truck. 2. Monthly Enhanced Fluid Recovery (EFR) events will be performed on MW-2 to reduce the contaminant concentrations in the surrounding area. Said events will be performed utilizing a 2X4 inch diameter K-Packer on a 2-inch diameter drop pipe to maximize liquid and vapor capture. 3. Groundwater sampling will continue on a quarterly schedule. 4. SVE & Sparge operations will continue with the

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

existing system. I sent an email approving these proposals. Groundwater sampling data and recommendations will be submitted in the next quarterly report. A hard copy of the email will be in the file. - JAM 3/29/07  
Reviewed 4th Qtr 2006 Monitoring Report submitted by Impact Env. and dated March 6, 2007. All wells were sampled on November 29, 2006. Results were non-detect for total VOCs except for MW-2, which shows persistent levels of VOCs (2,675ppb Total VOCs). The SVE/AS system continues to operate at the site. According to the report, monthly EFR events on MW-2 should have begun in February 2007 and results will be included in the next Monitoring Report. - JAM 6/21/07  
Reviewed 1st Qtr 2007 Monitoring Report submitted by Impact Env and dated May 30, 2007. On February 28, 2007, all wells were redeveloped and EFR events commenced on MW-2. All wells were then sampled on March 1, 2007. Wells MW-1, MW-6, and MW-9 showed non-detect results for total VOCs. Wells MW-5, MW-7, MW-8, MW-10 and MW-11 had slight exceedences for Napthalene (ranging from 68ppb to 100ppb). MW-2 showed a decrease of total VOCs from last monitoring round to 1,936ppb. The SVE/AS system continues to operate. - JAM 12/04/07  
Reviewed 2nd Qtr 2007 Monitoring Report submitted by Impact Env and dated Sept 18, 2007. All wells were sampled on June 14, 2007 and monthly EFR events continue on MW-2. Wells MW-1, MW-2, MW-9, MW-10 and MW-11 showed exceedences for total VOCs. Wells MW-5, MW-6 were not sampled because they were dry. MW-2 still has the highest level of VOCs, however, it showed a decrease from the last monitoring round to 857ppb from 1,936ppb. The SVE/AS system continues to operate. - JAM  
Reviewed 3rd Qtr 2007 Monitoring Report submitted by Impact Env and dated Oct 30, 2007. All wells were sampled on Sept 6, 2007 and monthly EFR events continue on MW-2. Results from wells MW-1, MW-2, MW-5, MW-6, MW-7, MW-8 and MW-9 showed non-detect levels for total VOCs. Wells MW-10, MW-11 showed minor exceedences for MTBE (44ppb and 50ppb respectively). Based on the latest result, monthly EFR events appear to have effectively reduced contaminants in MW-2. The SVE/AS system continues to operate. - JAM 4/14/08  
Received a call from Hal Benjamin about the Exposure Assessment submitted in March 2008 by Impact Env. They are requesting spill closure and I will get back to him after I review the report. - JAM 5/1/08  
Reviewed Exposure Assessment Report. Based on the Exposure Assessment, Impact Env. concludes that the source of contamination has been effectively mitigated and small levels of residual groundwater contamination pose no threat to human health. Impact requests spill closure. I requested a summary of historic soil data associated with this spill. -JAM

Remarks: WILL REPAIR AND RE-TEST AS OF TOMMOROW'S DATE 11-10-99

NY Spills:

Site ID: 268760  
Facility Addr2: Not reported  
Facility ID: 0307681  
Spill Number: 0307681  
Facility Type: ER  
SWIS: 0301  
Region of Spill: 2  
Investigator: KMFOLEY  
Referred To: Not reported  
Spill Date: 10/21/03  
Reported to Dept: 10/21/03  
CID: 16  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Other  
Cleanup Ceased: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/10/03  
Remediation Phase: 0  
Date Entered In Computer: 10/21/03  
Spill Record Last Update: 06/01/04  
Spiller Name: Not reported  
Spiller Company: SPARTAN PETROLEUM & MOBIL  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller Company: 001  
Contact Name: IMPACT ENVIROMENTAL  
Contact Phone: (631) 269-8800  
DEC Region: 2  
Program Number: 0307681  
DER Facility ID: 218930  
Site ID: 268760  
Operable Unit ID: 874077  
Operable Unit: 01  
Material ID: 501206  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 268760  
Operable Unit ID: 874077  
Operable Unit: 01  
Material ID: 501207  
Material Code: 0066A  
Material Name: UNKNOWN PETROLEUM  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "K FOLEY"  
10/21/03 TJD @duty desk Soil contamination letter sent to Amoco. 11/7/03  
CALL FROM IMPACT ENV. //REQUESTING INFO// 11/18/03 Received CAP, 3rd Quarter  
2003 monitoring report, and tank test results(pass). 11/21/03 transferred from  
tipple to vought 12/10/03 Reassigned from Vought to Foley. To be  
investigated and remediated under spill #9909670.(KMF)  
Remarks: Ground water samples taken at above location reveal contamination. No further  
information available at time of call.

HIST LTANKS:

Region of Spill: 2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

Spill Number: 9909670  
Investigator: ROMMEL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 11/09/1999  
Spill Time: 13:30  
Reported to Department Date: 11/09/99  
Reported to Department Time: 14:34  
SWIS: 60  
Spiller Contact: JAY SEMMELMACHER  
Spiller Phone: (516) 295-3400  
Spiller Extention: Not reported  
Spiller Name: AMOCO  
Spiller Address: 99 EAST 149TH ST  
Spiller City,St,Zip: BRONX, NY 08080-  
Facility Contact: JAY SEMMELMACHER  
Facility Phone: (516) 295-3400  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Notifier: Tank Tester  
PBS Number: 2-600626  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/09/99  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/14/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 4000  
Test Method: USTest 2000  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO (Continued)

S104278682

Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: WILL REPAIR AND RE-TEST AS OF TOMMOROW S DATE 11-10-99

M42  
NNE  
1/8-1/4  
0.161 mi.  
849 ft.

99 E 149 ST  
99 E 149 ST  
BRONX, NY  
Site 4 of 6 in cluster M

LTANKS S102619068  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
5 ft.

Site ID: 268761  
Spill Date: 08/30/89  
Facility Addr2: Not reported  
Facility ID: 8905353  
Program Number: 8905353  
SWIS: 0301  
Region of Spill: 2  
Investigator: KMFOLEY  
Referred To: Not reported  
Reported to Dept: 08/30/89  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/04/03  
Remediation Phase: 0  
Date Entered In Computer: 09/01/89  
Spill Record Last Update: 06/01/04  
Spille Namer: Not reported  
Spiller Company: EXXON MOBIL  
Spiller Address: 99 E 149TH ST  
Spiller City,St,Zip: BRONX, ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8905353  
DER Facility ID: 218930  
Site ID: 268761  
Operable Unit ID: 933011  
Operable Unit: 01  
Material ID: 445790

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

99 E 149 ST (Continued)

S102619068

Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 268761  
Spill Tank Test: 1535936  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 0  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "K FOLEY" 3/04/2003 - Closed Due To The Nature / Extent Of The Spill Report 1/2/03 Reassigned From Sigona To Foley. Investigation Being Performed By Spartan Amoco Under Spill #9909670. Open Mobil #9208906.3/3/04 As Per The Closure Request Report Submitted For Mobil By Gsc, Spill #8905353 Initiated A Subsurface Investigation Conducted From 12/11/89-1/10/90 Which Included Installation Of 5 Mws (Mw-1A Thru Mw-5A). Vocs Were Above Groundwater Standards. This Was Summarized In The February 1990 Roux Subsurface Evaluation Report. Mw-1A Through Mw-5A Were Destroyed (4/90-11/91) Due To Construction Activities Conducted By Amoco. Five 4000Gal Gas Usts, One 550Gal Waste Oil Ust, And One 550Gal Fuel Oil Ust And Piping Were Removed From Site. A Subsurface Investigation Conducted In April 1991 Included Installation Of Two Soil Borings And One Monitoring Well (Mw-6). Results Were Summarized In 6/91 Roux Supplemental Subsurface Investigation Report. A Subsurface Investigation Conducted In November 1991 Included Installation Of 11 Monitoring Wells (Mw-1 Through Mw-5 And Mw-7 Through Mw-12) And One Air Sparge Well (Sp-1). Results Were Summarized In A Gti Report. Spill #9208906 Was Issued To The Site On 11/2/92 As A Result Of Contaminated Soil Observed During Amoco Site Construction Activities.

Remarks: 4K TANK FAILED PETRO-TITE. L R = 1 GAL / 30 MIN. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8905353  
Investigator: SULLIVAN  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 08/30/1989  
Spill Time: 14:20  
Reported to Department Date: 08/30/89  
Reported to Department Time: 14:48



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

99 E 149 ST (Continued)

S102619068

SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: SAME  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: 2-156590  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/01/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/13/92  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: 4K TANK FAILED PETRO-TITE. L R = 1 GAL / 30 MIN.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**M43**  
**NNE**  
**1/8-1/4**  
**0.161 mi.**  
**849 ft.**

**RIVER GAS CORP**  
**99 E 149TH ST**  
**BRONX, NY 10451**  
**Site 5 of 6 in cluster M**

**FINDS** **1000556230**  
**RCRA-NonGen** **NYD986987899**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**5 ft.**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: RIVER GAS CORP  
Facility address: 99 E 149TH ST  
BRONX, NY 104512029  
EPA ID: NYD986987899  
Mailing address: E 149TH ST  
BRONX, NY 10451  
Contact: -  
Contact address: E 149TH ST  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RIVER GAS CORP (Continued)**

**1000556230**

Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: RIVER GAS CORP  
Classification: Not a generator, verified

Date form received by agency: 12/13/1991  
Facility name: RIVER GAS CORP  
Classification: Large Quantity Generator

Violation Status: No violations found

**M44**  
**NNE**  
**1/8-1/4**  
**0.161 mi.**  
**849 ft.**

**AMOCO SERVICE STATION**  
**99-113 149TH STREET**  
**BRONX, NY 10451**  
**Site 6 of 6 in cluster M**

**UST U004061896**  
**N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**5 ft.**

Facility Id: 2-600626  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 01/22/12  
Renewal Date: / /  
Total Capacity: 25375  
Mailing Company: SPARTAN PETROLEUM CORPORATION  
Mailing Title: Not reported  
Mailing Contact: JAY SEMELMACHER  
Mailing Address: 3333 NEW HYDE PARK ROAD  
Mailing Address 2: SUITE 201  
Mailing City: NEW HYDE PARK  
Mailing State: NY  
Mailing Zip Code: 11042  
Mailing Phone No: (516) 365-8700  
Mailing Email: Not reported  
Owner Title: PROPERTY MGR  
Owner Name: JAY SEMEIMACHER  
Owner Address: 3333 NEW HYDE PARK ROAD, SUITE 201  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11042  
Owner Phone: (516) 365-8700  
Owner Company: CROSS DEEGAN REALTY CORPORATION  
Emergency Contact: JAY SEMELMACHER  
Emergency Phone: (516) 365-8700  
Operator: BILLY FARACI

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U004061896**

Operator Phone: (718) 585-2526  
Owner City: NEW HYDE PARK  
Owner Sub Type: Corporate or Commercial  
UTM X: 590232.98255  
UTM Y: 4519246.68835  
Site Type Name: Retail Gasoline Sales  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 01  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 11/01/99  
Next Test Date: 09/01/05  
Date Tank Closed: / /

Tank Number: 02  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U004061896**

Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 11/01/99  
Next Test Date: 09/01/05  
Date Tank Closed: / /

Tank Number: 03  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 11/01/99  
Next Test Date: 09/01/05

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO SERVICE STATION (Continued)

U004061896

Date Tank Closed: / /

Tank Number: 04  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 11/01/99  
Next Test Date: 09/01/05  
Date Tank Closed: / /

Tank Number: 05  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMOCO SERVICE STATION (Continued)

U004061896

Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 11/01/99  
Next Test Date: 09/01/05  
Date Tank Closed: / /

Tank Number: 06  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 02/01/95  
Capacity Gallons: 2500  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Not reported  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 02/01/10  
Date Tank Closed: / /

Tank Number: 07  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U004061896**

Install Date: 02/01/95  
Capacity Gallons: 1000  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Not reported  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 08  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 02/01/95  
Capacity Gallons: 1000  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Not reported  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AMOCO SERVICE STATION (Continued)**

**U004061896**

Spill Prevention: Catch Basin  
 Tightness Test Method: Testing Not Required  
 Date Tested: / /  
 Next Test Date: / /  
 Date Tank Closed: / /

Tank Number: 09  
 Tank Location Name: Underground  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: 02/01/95  
 Capacity Gallons: 600  
 Material Name: Other  
 Percentage: 100.00  
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
 Tank Internal Protection: Fiberglass Liner (FRP)  
 Tank Internal Protection 1: Fiberglass  
 Tank Internal Protection 2: Not reported  
 Pipe Location Name: Underground/On-ground  
 Pipe Type Name: Galvanized Steel  
 Pipe External Protection 1: Original Sacrificial Anode  
 Pipe External Protection 2: Not reported  
 Tank Secondary Containment 1: Double-Walled (Underground)  
 Tank Secondary Containment 2: Not reported  
 Pipe Secondary Containment: Not reported  
 Tank Leak Detection 1: None  
 Tank Leak Detection 2: Not reported  
 Pipe Leak Detection 1: Exempt Suction Piping  
 Pipe Leak Detection 2: Not reported  
 Type Of Overfill Prevention 1: Not reported  
 Type Of Overfill Prevention 2: Not reported  
 Dispenser Method: Suction  
 Spill Prevention: Catch Basin  
 Tightness Test Method: Testing Not Required  
 Date Tested: / /  
 Next Test Date: / /  
 Date Tank Closed: / /

**45**  
**ENE**  
**1/8-1/4**  
**0.163 mi.**  
**859 ft.**

**471 WALTON AV/WIRELESS**  
**471 WALTON AVE**  
**NEW YORK CITY, NY**

**LTANKS** **S100145072**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

LTANKS:  
 Site ID: 327563  
 Spill Date: 03/31/88  
 Facility Addr2: Not reported  
 Facility ID: 8800476  
 Program Number: 8800476  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: ADMIN. CLOSED  
 Referred To: Not reported  
 Reported to Dept: 04/14/88

**Actual:**  
**37 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

471 WALTON AV/WIRELESS (Continued)

S100145072

CID: Not reported  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: a3  
Spill Closed Dt: 03/04/03  
Remediation Phase: 0  
Date Entered In Computer: 04/21/88  
Spill Record Last Update: 03/04/03  
Spille Namer: Not reported  
Spiller Company: WIRELESS CABLE NY  
Spiller Address: 471 WALTON AVE  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8800476  
DER Facility ID: 263690  
Site ID: 327563  
Operable Unit ID: 916101  
Operable Unit: 01  
Material ID: 459659  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 327563  
Spill Tank Test: 1533658  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Not reported  
Remarks: 3K TANK (OR POSSIBLY 1K TANK) FAILED WITH A LEAK RATE OF -0.5GPH, WILLPUMP OUT TANK, FURTHER ACTION UNKNOWN. CONTACT: CHARLES RAY (212)-665-0426. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS.

HIST LTANKS:  
Region of Spill: 2  
Spill Number: 8800476

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**471 WALTON AV/WIRELESS (Continued)**

**S100145072**

Investigator: SULLIVAN  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/31/1988  
Spill Time: 14:00  
Reported to Department Date: 04/14/88  
Reported to Department Time: 15:06  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: WIRELESS CABLE NY  
Spiller Address: 471 WALTON AVE  
Spiller City,St,Zip: BRONX, NY  
Facility Contact: Not reported  
Facility Phone: (212) 665-0426  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: a3  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/21/88  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/13/92  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**471 WALTON AV/WIRELESS (Continued)**

**S100145072**

Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: 04/14/88: 1K TANK PASSED TEST WITH A LEAK RATE OF +.0210GPH, MEASURED MATERIAL IN TANK WHEN PUMPED OUT TO DETERMINE SIZE OF TANK.  
Spill Cause: 3K TANK OR POSSIBLY 1K TANK) FAILED WITH A LEAK RATE OF -0.5GPH, WILL PUMP OUT TANK, FURTHER ACTION UNKNOWN. CONTACT: CHARLES RAY 212-665-0426.

**N46**  
**South**  
**1/8-1/4**  
**0.176 mi.**  
**928 ft.**

**CON ED - EXTERIOR ST STORAGE YARD**  
**281 EXTERIOR ST**  
**BRONX, NY 10462**  
**Site 1 of 2 in cluster N**

**FINDS 1006810635**  
**MANIFEST NYR000114579**  
**RCRA-NonGen**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**9 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NYD006982359  
Trans2 State ID: Not reported  
Generator Ship Date: 2008-04-09  
Trans1 Recv Date: 2008-04-09  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2008-04-10  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000114579  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NYD077444263  
Waste Code: Not reported  
Quantity: 130.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 2.0  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 08  
Manifest Tracking Num: 001446935FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON ED - EXTERIOR ST STORAGE YARD (Continued)**

**1006810635**

Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYR000114579  
Facility Name: CON ED - EXTERIOR ST STORAGE YARD  
Facility Address: 281 EXTERIOR ST  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: CON ED - EXTERIOR ST STORAGE YARD  
Mailing Contact: FRANKLYN MURRAY  
Mailing Address: 4 IRVING PL RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: CON ED - EXTERIOR ST STORAGE YARD  
Facility address: 281 EXTERIOR ST  
BRONX, NY 10462  
EPA ID: NYR000114579  
Mailing address: MATTHEWS AVE  
BRONX, NY 10462  
Contact: ROSEMARIE - GIORDANO  
Contact address: MATTHEWS AVE  
BRONX, NY 10462  
Contact country: US  
Contact telephone: (718) 904-4648  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: CONSOLIDATED EDISON CO OF NY INC  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, NY  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 12/29/1926  
Owner/Op end date: Not reported  
Owner/operator name: CONSOLIDATED EDISON CO OF NY INC  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, NY  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON ED - EXTERIOR ST STORAGE YARD (Continued)**

**1006810635**

Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 12/29/1926  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 03/27/2003  
Facility name: CON ED - EXTERIOR ST STORAGE YARD  
Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

**N47**  
**South**  
**1/8-1/4**  
**0.176 mi.**  
**928 ft.**

**CON-EDISON @ SERVICE CENTER**  
**281 EXTERIOR STREET**  
**BRONX, NY 10451**  
**Site 2 of 2 in cluster N**

**SWF/LF** **S105841876**  
**N/A**

**Relative:**  
**Higher**

SWF/LF:  
Flag: INACTIVE  
Secondary Addr: Not reported  
Region Code: 2  
Phone Number: 2124604833  
Owner Name: Not reported  
Owner Type: Not reported  
Owner Address: Not reported  
Owner Addr2: Not reported  
Owner City,St,Zip: Not reported  
Owner Email: Not reported  
Owner Phone: Not reported  
Contact Name: HARRY A. COATES  
Contact Address: Not reported  
Contact Addr2: Not reported  
Contact City,St,Zip: Not reported

**Actual:**  
**9 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON-EDISON @ SERVICE CENTER (Continued)**

**S105841876**

Contact Email: Not reported  
Contact Phone: Not reported  
Activity Desc: C&D processing - registered  
Activity Number: 03W70  
Active: No  
East Coordinate: 590086  
North Coordinate: 4518544  
Accuracy Code: Not reported  
Regulatory Status: Not reported  
Authorization #: None  
Authorization Date: Not reported  
Expiration Date: Not reported  
Waste Type: Not reported

**O48**  
**SSE**  
**1/8-1/4**  
**0.180 mi.**  
**951 ft.**

**HIPPODROME SVCS**  
**310 WALTON AVE**  
**BRONX, NY 10451**  
**Site 1 of 7 in cluster O**

**MANIFEST 1009225499**  
**N/A**

**Relative:**  
**Higher**

NY MANIFEST:  
Document ID: NYC6386141  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: SCR000074591  
Generator Ship Date: 02/08/2001  
Trans1 Recv Date: 02/08/2001  
Trans2 Recv Date: 02/13/2001  
TSD Site Recv Date: 02/18/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD000002733  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: EH2705NY  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00390  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 01  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD000002733  
Facility Name: HIPPODROME SVCS  
Facility Address: 310 WALTON AVE

**Actual:**  
**31 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HIPPODROME SVCS (Continued)**

1009225499

Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HIPPODROME SVCS  
Mailing Contact: N/S  
Mailing Address: 310 WALTON AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-402-9092

**O49**  
**SSE**  
**1/8-1/4**  
**0.184 mi.**  
**969 ft.**

**B & M LINEN CORP**  
**310 WALTON AVE**  
**BRONX, NY 10451**  
**Site 2 of 7 in cluster O**

**FINDS** 1004755458  
**MANIFEST** NY0000002733  
**RCRA-NonGen**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**31 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: NYC6557793  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: NJD071629976  
Generator Ship Date: 09/19/2001  
Trans1 Recv Date: 09/19/2001  
Trans2 Recv Date: 09/21/2001  
TSD Site Recv Date: 09/25/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000002733  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: EH270TNY  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00180  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**B & M LINEN CORP (Continued)**

**1004755458**

Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 01  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000002733  
Facility Name: AMERICAN TELEPHONE & TELEGRAPH COMM  
Facility Address: 310 WATON AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: AMERICAN TELEPHONE & TELEGRAPH COMM  
Mailing Contact: J J O'TOOLE  
Mailing Address: 227 WEST MONROE SUITE 1004  
Mailing Address 2: Not reported  
Mailing City: CHICAGO  
Mailing State: IL  
Mailing Zip: 60606  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 516-424-3030

Document ID: NYB2767356  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS632  
Trans2 State ID: NJDEPS710  
Generator Ship Date: 940328  
Trans1 Recv Date: 940328  
Trans2 Recv Date: 940328  
TSD Site Recv Date: 940330  
Part A Recv Date: Not reported  
Part B Recv Date: 940407  
Generator EPA ID: NY0000002733  
Trans1 EPA ID: NJD991291584  
Trans2 EPA ID: NJD000692061  
TSD ID: NYD049836679  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00363  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: CF - Fiber or plastic boxes, cartons  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 94  
Manifest Tracking Num: Not reported  
Import Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**B & M LINEN CORP (Continued)**

1004755458

Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000002733  
Facility Name: AMERICAN TELEPHONE & TELEGRAPH COMM  
Facility Address: 310 WATON AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: AMERICAN TELEPHONE & TELEGRAPH COMM  
Mailing Contact: J J O'TOOLE  
Mailing Address: 227 WEST MONROE SUITE 1004  
Mailing Address 2: Not reported  
Mailing City: CHICAGO  
Mailing State: IL  
Mailing Zip: 60606  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 516-424-3030  
  
Document ID: NYB4723605  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS632  
Trans2 State ID: NJDEPS710  
Generator Ship Date: 940324  
Trans1 Recv Date: 940324  
Trans2 Recv Date: 940324  
TSD Site Recv Date: 940326  
Part A Recv Date: Not reported  
Part B Recv Date: 940414  
Generator EPA ID: NY0000002733  
Trans1 EPA ID: NJD991291584  
Trans2 EPA ID: NJD000692061  
TSD ID: KSD981506025  
Waste Code: B001 - PCB OIL (CONC) FROM TRANS, CAP, ETC  
Quantity: 00362  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**B & M LINEN CORP (Continued)**

1004755458

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NY0000002733  
Facility Name: AMERICAN TELEPHONE & TELEGRAPH COMM  
Facility Address: 310 WATON AVENUE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: AMERICAN TELEPHONE & TELEGRAPH COMM  
Mailing Contact: J J O'TOOLE  
Mailing Address: 227 WEST MONROE SUITE 1004  
Mailing Address 2: Not reported  
Mailing City: CHICAGO  
Mailing State: IL  
Mailing Zip: 60606  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 516-424-3030

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: B & M LINEN CORP  
Facility address: 310 WALTON AVE  
BRONX, NY 104515428  
EPA ID: NY0000002733  
Mailing address: WALTON AVE  
BRONX, NY 104515428  
Contact: MIRON - MARKUS  
Contact address: WALTON AVE  
BRONX, NY 104515428  
Contact country: US  
Contact telephone: (718) 585-3535  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**B & M LINEN CORP (Continued)**

**1004755458**

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/15/2001  
 Facility name: B & M LINEN CORP  
 Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 01/11/2000  
 Facility name: B & M LINEN CORP  
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

**O50**  
**SSE**  
**1/8-1/4**  
**0.184 mi.**  
**969 ft.**

**310 WALTON AVENUE**  
**310 WALTON AVENUE**  
**BRONX, NY**  
**Site 3 of 7 in cluster O**

**LTANKS** **S102672362**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

LTANKS:  
 Site ID: 79679  
 Spill Date: 02/02/94  
 Facility Addr2: Not reported  
 Facility ID: 9312938  
 Program Number: 9312938  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: SMMARTIN  
 Referred To: Not reported  
 Reported to Dept: 02/02/94  
 CID: 16  
 Spill Cause: Tank Overfill  
 Water Affected: Not reported  
 Spill Source: Tank Truck  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: 02/02/94  
 Cleanup Meets Standard: True  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 02/02/94  
 Remediation Phase: 0  
 Date Entered In Computer: 02/03/94  
 Spill Record Last Update: 03/12/03  
 Spille Namer: Not reported  
 Spiller Company: BAERENKLAU  
 Spiller Address: Not reported  
 Spiller City,St,Zip: ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 9312938  
 DER Facility ID: 73950  
 Site ID: 79679

**Actual:**  
**31 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**310 WALTON AVENUE (Continued)**

**S102672362**

Operable Unit ID: 991449  
Operable Unit: 01  
Material ID: 388342  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "MARTINKAT"  
Remarks: CONTAINED ON PAVEMENT - CLEAN UP IS DONE.

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9312938  
Investigator: MARTINKAT  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 02/02/1994  
Spill Time: 10:35  
Reported to Department Date: 02/02/94  
Reported to Department Time: 12:31  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: BAARENKLAU  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Tank Truck  
Spill Notifier: Responsible Party  
PBS Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

310 WALTON AVENUE (Continued)

S102672362

Cleanup Ceased: 02/02/94  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 02/02/94  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/03/94  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: CONTAINED ON PAVEMENT - CLEAN UP IS DONE.

O51  
SSE  
1/8-1/4  
0.184 mi.  
969 ft.

310 WALTON AVENUE  
310 WALTON AVENUE  
BRONX, NY 10451  
Site 4 of 7 in cluster O

UST U003790763  
HIST UST N/A

Relative:  
Higher

UST:  
UST:

Actual:  
31 ft.

Facility Id: 2-605572  
Facility Type: INDUSTRIAL  
Region: STATE  
Expiration Date: 04/05/11  
Renewal Date: / /  
Total Capacity: 5000  
Mailing Company: WESTROCK DEVELOPMENT  
Mailing Title: Not reported  
Mailing Contact: JASON FRIEDLAND  
Mailing Address: 656 CENTRAL PARK AVE  
Mailing Address 2: Not reported  
Mailing City: YANKERS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**310 WALTON AVENUE (Continued)**

**U003790763**

Mailing State: NY  
Mailing Zip Code: 10704  
Mailing Phone No: (914) 751-4000  
Mailing Email: JFRIEDLAND@WESTROCKDEVELOPMENT.COM  
Owner Title: PROPERTY MANAGER / OWNERS  
Owner Name: JASON FRIEDLAND  
Owner Address: 656 CENTRAL PARK AVE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10704  
Owner Phone: (914) 751-4000  
Owner Company: DOLED ASSOCIATES % WESTROCK DEVELOPMENT  
Emergency Contact: ROBERT FRIEDLAND  
Emergency Phone: (914) 968-8500  
Operator: JASON FRIEDLAND  
Operator Phone: (914) 751-4000  
Owner City: YANKERS  
Owner Sub Type: Corporate or Commercial  
UTM X: 590293.60345  
UTM Y: 4518770.30384  
Site Type Name: Other  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 01  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: / /  
Capacity Gallons: 5000  
Material Name: Waste Oil/Used Oil (Heating)  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: Not reported  
Tightness Test Method: Unknown

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**310 WALTON AVENUE (Continued)**

**U003790763**

Date Tested: / /  
Next Test Date: 12/27/87  
Date Tank Closed: / /

**HIST UST:**

PBS Number: 2-605572  
SPDES Number: Not reported  
Emergency Contact: ROBERT FRIEDLAND  
Emergency Telephone: (914) 968-8500  
Operator: KENNETH FRIEDLAND  
Operator Telephone: (212) 586-8800  
Owner Name: DOLED ASSOCIATES % THE GARTH ORGANIZATION  
Owner Address: 250 WEST 49TH STREET  
Owner City,St,Zip: NEW YORK, NY 10019  
Owner Telephone: (212) 586-8800  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: THE GARTH ORGANIZATION  
Mailing Address: 250 WEST 49TH STREET  
Mailing Address 2: SUITE 305  
Mailing City,St,Zip: NEW YORK, NY 10019  
Mailing Contact: KENNETH S. FRIEDLAND  
Mailing Telephone: (212) 586-8800  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 04/09/2001  
Expiration Date: 04/05/2006  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 5000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 01  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 5000



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**310 WALTON AVENUE (Continued)**

**U003790763**

Product Stored: USED OIL (FUEL)  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Not reported  
Date Tested: Not reported  
Next Test Date: 12/27/1987  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**P52  
NE  
1/8-1/4  
0.183 mi.  
968 ft.**

**MANHATTAN WEST 9  
125 E 149TH ST  
BRONX, NY 10013  
Site 1 of 3 in cluster P**

**MANIFEST 1009232100  
N/A**

**Relative:  
Higher**

NY MANIFEST:  
Document ID: NYA2073231  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 2A126  
Trans2 State ID: Not reported  
Generator Ship Date: 860418  
Trans1 Recv Date: 860418  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860429  
Part A Recv Date: 860528  
Part B Recv Date: 860722  
Generator EPA ID: NYP000858126  
Trans1 EPA ID: NYD980756753  
Trans2 EPA ID: Not reported  
TSDf ID: NYD981141872  
Waste Code: X722 - WASTE OIL RES FM TANK CLEANING (NJ)  
Quantity: 00410  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported

**Actual:  
17 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN WEST 9 (Continued)**

**1009232100**

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYP000858126  
Facility Name: MANHATTAN WEST 9  
Facility Address: 125 E 149TH ST  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: MANHATTAN WEST 9  
Mailing Contact: MANHATTAN WEST 9  
Mailing Address: 125 EAST 149TH STREET  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10013  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-292-7531

**P53**  
**NE**  
**1/8-1/4**  
**0.183 mi.**  
**968 ft.**

**MANHATTAN DISTRICT 9**  
**125 EAST 149TH STREET**  
**BRONX, NY 10451**

**UST U001840249**  
**HIST UST N/A**

**Site 2 of 3 in cluster P**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**17 ft.**

Facility Id: 2-455660  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 12/06/08  
Renewal Date: / /  
Total Capacity: 12550  
Mailing Company: NYC DEPT. OF SANITATION  
Mailing Title: Not reported  
Mailing Contact: EQUIPMENT AND FACILITIES  
Mailing Address: 125 WORTH STREET  
Mailing Address 2: ROOM 823  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip Code: 10013  
Mailing Phone No: (646) 885-4874  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 112-20 14TH AVENUE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11356  
Owner Phone: (718) 762-0001  
Owner Company: GERARD REALTY CO. % H. SIMPSON  
Emergency Contact: OPERATIONS DESK  
Emergency Phone: (646) 885-4860  
Operator: GARAGE SUPERVISOR  
Operator Phone: (718) 292-7531

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MANHATTAN DISTRICT 9 (Continued)

U001840249

Owner City: COLLEGE POINT  
Owner Sub Type: Corporate or Commercial  
UTM X: 590340.75102  
UTM Y: 4519226.13909  
Site Type Name: Other  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 04/01/03  
Capacity Gallons: 4000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Coated Steel  
Tank Internal Protection: None  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Automatic Shut-Off  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 001-A  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 4000  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MANHATTAN DISTRICT 9 (Continued)

U001840249

Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/01/98

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/94

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/94

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/94

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 1080  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/94

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 1080  
Material Name: Gasoline

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MANHATTAN DISTRICT 9 (Continued)

U001840249

Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 07/01/94

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 550  
Material Name: Kerosene  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MANHATTAN DISTRICT 9 (Continued)

U001840249

Next Test Date: / /  
Date Tank Closed: 07/01/94

Tank Number: 008  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 550  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/01/00

Tank Number: 009  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 550  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/01/00

Tank Number: 010  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/80  
Capacity Gallons: 2000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 11/01/99

Tank Number: 011/1  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MANHATTAN DISTRICT 9 (Continued)

U001840249

Active Status: Active  
Install Date: 12/01/98  
Capacity Gallons: 4000  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Jacketed  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: 12/01/13  
Date Tank Closed: / /

Tank Number: 012/2  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 12/01/00  
Capacity Gallons: 550  
Material Name: Waste Oil/Used Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Coated Steel  
Tank Internal Protection: None  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Jacketed  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Automatic Shut-Off

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MANHATTAN DISTRICT 9 (Continued)

U001840249

Dispenser Method: Gravity  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 013/3  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 12/01/00  
Capacity Gallons: 2000  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Coated Steel  
Tank Internal Protection: None  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Jacketed  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 014/4  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 12/01/00  
Capacity Gallons: 2000  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Coated Steel  
Tank Internal Protection: None  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Jacketed  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**HIST UST:**

PBS Number: 2-455660  
SPDES Number: Not reported  
Emergency Contact: BUREAU OF CLEANING &COLLECTION  
Emergency Telephone: (212) 566-5196  
Operator: NYC DEPT OF SANITATION, BCC  
Operator Telephone: (212) 292-7531  
Owner Name: GERARD REALTY CO. % H. SIMPSON  
Owner Address: 112-20 14TH AVENUE  
Owner City,St,Zip: COLLEGE POINT, NY 11356  
Owner Telephone: (718) 762-0001  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: NYC DSNY  
Mailing Address: 125 WORTH ST.  
Mailing Address 2: ROOM 823  
Mailing City,St,Zip: NEW YORK, NY 10013  
Mailing Contact: CHIEF OF FACILITIES  
Mailing Telephone: (212) 788-4077  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 125 EAST 149TH STREET  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 04/27/2001  
Expiration Date: 12/06/2003  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 8550

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 4000  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1998  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 550  
Product Stored: LEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Missing Data for Tank: Minor Data Missing  
Date Closed: 07/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 07/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 07/01/1994  
Test Method: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 1080  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 07/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 1080  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 07/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 550  
Product Stored: KEROSENE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 07/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 550  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/2000  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Install Date: 19801201  
Capacity (gals): 550  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/2000  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19801201  
Capacity (gals): 2000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 11/01/1999  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 011  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19981201  
Capacity (gals): 4000  
Product Stored: DIESEL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: None  
Pipe External: None  
Second Containment: Vault (w/access)  
Leak Detection: In-tank System  
Overfill Prot: High Level Alarm  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 012  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20001201  
Capacity (gals): 550  
Product Stored: USED OIL  
Tank Type: Fiberglass coated steel  
Tank Internal: Not reported  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm, Automatic Shut-Off  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 013  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20001201  
Capacity (gals): 2000  
Product Stored: UNKNOWN  
Tank Type: Fiberglass coated steel  
Tank Internal: Not reported  
Tank External: Fiberglass

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHATTAN DISTRICT 9 (Continued)**

**U001840249**

Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: 41  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/01/2015  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 014  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20001201  
Capacity (gals): 2000  
Product Stored: UNKNOWN  
Tank Type: Fiberglass coated steel  
Tank Internal: Not reported  
Tank External: Fiberglass  
Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: 41  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/01/2015  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**P54**  
**NE**  
**1/8-1/4**  
**0.183 mi.**  
**968 ft.**

**NYC SANITATION**  
**125 E 149TH ST**  
**BRONX, NY 10451**  
**Site 3 of 3 in cluster P**

**FINDS 1000110327**  
**RCRA-NonGen NYD981487069**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**17 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC SANITATION (Continued)**

**1000110327**

corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: NYC DEPT OF SANITATION  
Facility address: 125 E 149TH ST  
BRONX, NY 104515343  
EPA ID: NYD981487069  
Mailing address: 58TH ST  
WOODSIDE, NY 11377  
Contact: -  
Contact address: 58TH ST  
WOODSIDE, NY 11377  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC SANITATION (Continued)**

**1000110327**

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: NYC DEPT OF SANITATION  
Classification: Not a generator, verified

Date form received by agency: 05/14/1986  
Facility name: NYC DEPT OF SANITATION  
Classification: Small Quantity Generator

Violation Status: No violations found

**O55**  
**SSE**  
**1/8-1/4**  
**0.184 mi.**  
**972 ft.**

**BEN-GOMO REALTY, INC.**  
**301 WALTON AVENUE**  
**BRONX, NY 10454**

**AST A100129096**  
**N/A**

**Site 5 of 7 in cluster O**

**Relative:**  
**Higher**

AST:

AST:

**Actual:**  
**31 ft.**

Region: STATE  
Facility Id: 2-603762  
Facility Type: Not reported  
UTM X: 590289.36675  
UTM Y: 4518761.94561  
Expiration Date: 11/24/08  
Renewal Date: / /  
Total Capacity: 3500  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: Manufacturing (Other than Chemical)/Processing  
Site Type Status: Active  
Mailing Company: BEN GOMO REALTY, INC.  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 301 WALTON AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 585-1590  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 301 WALTON AVENUE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10454  
Owner Phone: (718) 585-1590  
Owner Company: BENNY GOMOLINSKI  
Emergency Contact: BENNY GOMOLINSKI  
Emergency Phone: (718) 585-1590  
Operator: BENNY GOMOLINSKI  
Operator Phone: (718) 585-1590  
Owner City: BRONX  
Owner Sub Type: Corporate or Commercial  
Program Type: PBS

Tank Number: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BEN-GOMO REALTY, INC. (Continued)**

**A100129096**

Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: / /  
Capacity Gallons: 3500  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Vent Whistle  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Horner EZ Check I or II  
Date Tested: 11/01/98  
Next Test Date: / /  
Date Tank Closed: / /

**Q56**  
**East**  
**1/8-1/4**  
**0.184 mi.**  
**972 ft.**

**PUBLIC SCHOOL 31 - BRONX**  
**425 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 1 of 5 in cluster Q**

**UST U004077572**  
**N/A**

**Relative:**  
**Higher**

UST:

**Actual:**  
**39 ft.**

UST:

Facility Id: 2-351555  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 06/08/08  
Renewal Date: / /  
Total Capacity: 10000  
Mailing Company: NEW YORK CITY DEPARTMENT OF EDUCATION  
Mailing Title: Not reported  
Mailing Contact: JAMES A. MERLO  
Mailing Address: FIELD OPERATIONS-FUEL DIVISION  
Mailing Address 2: 44-36 VERNON BOULEVARD  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip Code: 11101  
Mailing Phone No: (718) 349-5738  
Mailing Email: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PUBLIC SCHOOL 31 - BRONX (Continued)**

**U004077572**

Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 44-36 VERNON BOULEVARD  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11101  
Owner Phone: (718) 349-5738  
Owner Company: NEW YORK CITY DEPARTMENT OF EDUCATION  
Emergency Contact: SCHOOL SAFETY  
Emergency Phone: (718) 935-3300  
Operator: PLANT OPERATIONS  
Operator Phone: (718) 349-5400  
Owner City: LONG ISLAND CITY  
Owner Sub Type: Local Government  
UTM X: 590439.97771  
UTM Y: 4518976.92846  
Site Type Name: School  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground, vaulted, with access  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**Q57**  
**East**  
**1/8-1/4**  
**0.184 mi.**  
**972 ft.**

**P.S. 31**  
**425 GRAND CONCOURSE**  
**BRONX, NY 10451**

**HIST UST**    **U000418063**  
 N/A

**Site 2 of 5 in cluster Q**

**Relative:**  
**Higher**

HIST UST:

**Actual:**  
**39 ft.**

PBS Number: 2-351555  
 SPDES Number: Not reported  
 Emergency Contact: SCHOOL SAFETY  
 Emergency Telephone: (212) 979-3300  
 Operator: PLANT OPERATION  
 Operator Telephone: (718) 391-6000  
 Owner Name: CITY OF NEW YORK C/O BOARD OF EDUCATION  
 Owner Address: 28-11 QUEENS PLAZA NORTH  
 Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
 Owner Telephone: (718) 391-6832  
 Owner Type: Local Government  
 Owner Subtype: Not reported  
 Mailing Name: BOARD OF EDUCATION  
 Mailing Address: 28-11 QUEENS PLAZA NORTH  
 Mailing Address 2: 5 FLOOR  
 Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
 Mailing Contact: FRANK CARDELLO    NTROL  
 Mailing Telephone: (718) 391-6832  
 Owner Mark: First Owner  
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
 Facility Addr2: 425 GRAND CONCOURSE  
 SWIS ID: 6001  
 Old PBS Number: Not reported  
 Facility Type: SCHOOL  
 Inspected Date: Not reported  
 Inspector: Not reported  
 Inspection Result: Not reported  
 Federal ID: Not reported  
 Certification Flag: False  
 Certification Date: 09/25/1998  
 Expiration Date: 06/08/2003  
 Renew Flag: False  
 Renewal Date: Not reported  
 Total Capacity: 10000  
 FAMT: True  
 Facility Screen: No Missing Data  
 Owner Screen: Minor Data Missing  
 Tank Screen: Minor Data Missing  
 Dead Letter: False  
 CBS Number: Not reported  
 Town or City: NEW YORK CITY  
 County Code: 60  
 Town or City: 01  
 Region: 2  
  
 Tank Id: 001  
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
 Tank Status: In Service  
 Install Date: Not reported  
 Capacity (gals): 10000



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**P.S. 31 (Continued)**

**U000418063**

Product Stored: NOS 1,2, OR 4 FUEL OIL  
 Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Not reported  
 Pipe Type: STEEL/IRON  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Second Containment: Diking  
 Leak Detection: None  
 Overfill Prot: Product Level Gauge  
 Dispenser: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**Q58**  
**ESE**  
**1/8-1/4**  
**0.190 mi.**  
**1005 ft.**

**A J GRIFFEN CORP**  
**424 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 3 of 5 in cluster Q**

**AST** **U003393136**  
**HIST AST** **N/A**

**Relative:**  
**Higher**

AST:  
 AST:

**Actual:**  
**39 ft.**

Region: STATE  
 Facility Id: 2-304204  
 Facility Type: Not reported  
 UTM X: 590438.05917  
 UTM Y: 4518970.32569  
 Expiration Date: 10/23/92  
 Renewal Date: / /  
 Total Capacity: 0  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Unknown  
 Site Type Status: Administratively Closed  
 Mailing Company: THE COMMUNITY PRESERVATI  
 Mailing Title: Not reported  
 Mailing Contact: Not reported  
 Mailing Address: 5 W 57TH ST  
 Mailing Address 2: Not reported  
 Mailing City: NY  
 Mailing State: NY  
 Mailing Zip Code: 10019  
 Mailing Phone No: (914) 664-2100  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 200 NORTH COLUMBUS AVE  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10553

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A J GRIFFEN CORP (Continued)**

**U003393136**

Owner Phone: (914) 664-2100  
Owner Company: A J GRIFFEN CORP  
Emergency Contact: F WEISS  
Emergency Phone: (212) 585-4100  
Operator: MIKE LORENZO  
Operator Phone: (212) 292-7977  
Owner City: MT VERNON  
Owner Sub Type: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Aboveground - in contact with soil  
Tank Status: Administratively Closed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 5500  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**HIST AST:**

PBS Number: 2-304204  
SWIS Code: 6001  
Operator: MIKE LORENZO  
Facility Phone: (212) 292-7977  
Facility Addr2: 424 GRAND CONCOURSE  
Facility Type: Not reported  
Emergency: F WEISS  
Emergency Tel: (212) 585-4100  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A J GRIFFEN CORP (Continued)**

**U003393136**

Owner Name: A J GRIFFEN CORP  
Owner Address: 200 NORTH COLUMBUS AVE  
Owner City,St,Zip: MT VERNON, NY 10553  
Federal ID: Not reported  
Owner Tel: (914) 664-2100  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Contact: Not reported  
Mailing Name: THE COMMUNITY PRESERVATI  
Mailing Address: 5 W 57TH ST  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NY, NY 10019  
Mailing Telephone: (914) 664-2100  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 10/23/1987  
Expiration: 10/23/1992  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 5500  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 5500  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Diking  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**A J GRIFFEN CORP (Continued)**

**U003393136**

Updated: False  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**Q59**  
**ESE**  
**1/8-1/4**  
**0.190 mi.**  
**1005 ft.**

**424-430 GRAND CONCOURSE**  
**424-430 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 4 of 5 in cluster Q**

**AST** **U003394703**  
**HIST AST** **N/A**

**Relative:**  
**Higher**

AST:  
 AST:

**Actual:**  
**39 ft.**

Region: STATE  
 Facility Id: 2-472492  
 Facility Type: Not reported  
 UTM X: 590438.05917  
 UTM Y: 4518970.32569  
 Expiration Date: 02/20/09  
 Renewal Date: / /  
 Total Capacity: 5000  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Apartment Building/Office Building  
 Site Type Status: Active  
 Mailing Company: % LANGSAM PROPERTY SERVICES  
 Mailing Title: Not reported  
 Mailing Contact: WARREN HARR  
 Mailing Address: 1601 BRONXDALE AVENUE  
 Mailing Address 2: Not reported  
 Mailing City: BRONX  
 Mailing State: NY  
 Mailing Zip Code: 10462  
 Mailing Phone No: (718) 518-8000  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 1601 BRONXDALE AVE  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10462  
 Owner Phone: (718) 518-8000  
 Owner Company: 424 SHEVA REALTY ASSOC LLC  
 Emergency Contact: ANGEL GONZALEZ  
 Emergency Phone: (718) 518-8000  
 Operator: ANGEL GONZALEZ  
 Operator Phone: (718) 518-8000  
 Owner City: BRONX  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 001  
 Tank Location Name: Aboveground - in contact with soil  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**424-430 GRAND CONCOURSE (Continued)**

**U003394703**

Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**HIST AST:**

PBS Number: 2-472492  
SWIS Code: 6001  
Operator: ANGEL GONZALEZ  
Facility Phone: (718) 518-8000  
Facility Addr2: 424 GRAND CONCOURSE  
Facility Type: APARTMENT BUILDING  
Emergency: ANGEL GONZALEZ  
Emergency Tel: (718) 518-8000  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: SHEVA REALITY ASSOC.  
Owner Address: 1601 BRONXDALE AVENUE  
Owner City,St,Zip: BRONX, NY 10462  
Federal ID: Not reported  
Owner Tel: (718) 518-8000  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: Not reported  
Mailing Name: SHEVA REALITY ASSOC.  
Mailing Address: 1601 BRONXDALE AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10462  
Mailing Telephone: (718) 518-8000  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

424-430 GRAND CONCOURSE (Continued)

U003394703

Certification Flag: False  
Certification Date: 02/01/1999  
Expiration: 03/06/2004  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 5000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Diking  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
SPDES Number: Not reported  
Lat/Long: Not reported

O60  
SSE  
1/8-1/4  
0.191 mi.  
1008 ft.

287 WALTON AVE.  
287 WALTON AVENUE  
BRONX, NY 10451  
  
Site 6 of 7 in cluster O

HIST UST U003790765  
N/A

Relative:  
Higher

HIST UST:  
PBS Number: 2-605583  
SPDES Number: Not reported  
Emergency Contact: KEN RUTH  
Emergency Telephone: (718) 993-4000  
Operator: KEN RUTH  
Operator Telephone: (718) 993-4000  
Owner Name: 287 WALTON AVE ASSOCIATES

Actual:  
30 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**287 WALTON AVE. (Continued)**

**U003790765**

Owner Address: 287 WALTON AVENUE  
Owner City,St,Zip: BRONX, NY 10451  
Owner Telephone: (718) 993-4000  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: STANLEY RUTH CO. INC.  
Mailing Address: 287 WALTON AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451  
Mailing Contact: KEN RUTH  
Mailing Telephone: (718) 993-4000  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 04/09/2001  
Expiration Date: 04/06/2006  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 3000  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 3000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Jacketed  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Vent Whistle  
Dispenser: Gravity

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**287 WALTON AVE. (Continued)**

**U003790765**

Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**O61**  
**SSE**  
**1/8-1/4**  
**0.191 mi.**  
**1008 ft.**

**287 WALTON AVE.**  
**287 WALTON AVENUE**  
**BRONX, NY 10451**  
**Site 7 of 7 in cluster O**

**UST** **U004078456**  
**N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**30 ft.**

Facility Id: 2-605583  
Facility Type: FACTORY INDUSTRIAL BUILDING  
Region: STATE  
Expiration Date: 04/06/11  
Renewal Date: / /  
Total Capacity: 3000  
Mailing Company: STANLEY RUTH CO. INC.  
Mailing Title: Not reported  
Mailing Contact: KEN RUTH  
Mailing Address: 287 WALTON AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 993-4000  
Mailing Email: Not reported  
Owner Title: PLANT MANAGER  
Owner Name: KEN RUTH  
Owner Address: 287 WALTON AVENUE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: (718) 993-4000  
Owner Company: 287 WALTON AVE ASSOCIATES  
Emergency Contact: KEN RUTH  
Emergency Phone: (718) 993-4000  
Operator: KEN RUTH  
Operator Phone: (718) 993-4000  
Owner City: BRONX  
Owner Sub Type: Corporate or Commercial  
UTM X: 590282.01893  
UTM Y: 4518747.44968  
Site Type Name: Other  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS  
  
Tank Number: 001



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**287 WALTON AVE. (Continued)**

**U004078456**

Tank Location Name: Underground, vaulted, with access  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: / /  
 Capacity Gallons: 3000  
 Material Name: #2 Fuel Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: Jacketed  
 Tank Internal Protection 2: Not reported  
 Pipe Location Name: Aboveground  
 Pipe Type Name: Steel/Carbon Steel/Iron  
 Pipe External Protection 1: None  
 Pipe External Protection 2: Not reported  
 Tank Secondary Containment 1: Vault (w/o access)  
 Tank Secondary Containment 2: Not reported  
 Pipe Secondary Containment: Not reported  
 Tank Leak Detection 1: None  
 Tank Leak Detection 2: Not reported  
 Pipe Leak Detection 1: Not reported  
 Pipe Leak Detection 2: Not reported  
 Type Of Overfill Prevention 1: Vent Whistle  
 Type Of Overfill Prevention 2: Not reported  
 Dispenser Method: Not reported  
 Spill Prevention: Not reported  
 Tightness Test Method: Testing Not Required  
 Date Tested: / /  
 Next Test Date: / /  
 Date Tank Closed: / /

**Q62**  
**East**  
**1/8-1/4**  
**0.191 mi.**  
**1009 ft.**

**318 GRAND CONCOURSE/BX**  
**318 GRAND CONCOURSE**  
**NEW YORK CITY, NY**  
**Site 5 of 5 in cluster Q**

**LTANKS** **S102671419**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

LTANKS:  
 Site ID: 231267  
 Spill Date: 09/06/89  
 Facility Addr2: Not reported  
 Facility ID: 8905553  
 Program Number: 8905553  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: SIGONA  
 Referred To: Not reported  
 Reported to Dept: 09/06/89  
 CID: Not reported  
 Spill Cause: Tank Overfill  
 Water Affected: Not reported  
 Spill Source: Gasoline Station  
 Spill Notifier: Fire Department  
 Cleanup Ceased: 09/06/89  
 Cleanup Meets Standard: True  
 Last Inspection: / /

**Actual:**  
**41 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**318 GRAND CONCOURSE/BX (Continued)**

**S102671419**

Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Not reported  
Spill Closed Dt: 09/06/89  
Remediation Phase: 0  
Date Entered In Computer: 09/11/89  
Spill Record Last Update: 09/30/04  
Spille Namer: Not reported  
Spiller Company: I P T TRUCKING  
Spiller Address: 1 SHERIDAN BLVD  
Spiller City,St,Zip: INWOOD, NY 11696  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8905553  
DER Facility ID: 190593  
Site ID: 231267  
Operable Unit ID: 933207  
Operable Unit: 01  
Material ID: 445978  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1000  
Units: Gallons  
Recovered: No  
Resource Affected: Sewer  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: SPILL IN SUBWAY SYSTEM, NYCFD HAZMAT ON SCENE,

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 8905553  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 09/06/1989

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**318 GRAND CONCOURSE/BX (Continued)**

**S102671419**

Spill Time: 21:54  
Reported to Department Date: 09/06/89  
Reported to Department Time: 23:00  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: I P T TRUCKING  
Spiller Address: 1 SHERIDAN BLVD  
Spiller City,St,Zip: INWOOD, NY 11696  
Facility Contact: Not reported  
Facility Phone: (718) 327-8855  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: In Sewer  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Notifier: Fire Department  
PBS Number: Not reported  
Cleanup Ceased: 09/06/89  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Not reported  
Spill Closed Dt: 09/06/89  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/11/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 1000  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: 09/06/89: NYCFD HAZMAT, NYCPD ON SCENE, TYREE BROS CLEANED UP SPILL WITH A VAC TRUCK, NYSDEC (SIGONA) RESPONDED INSPECTED CLEAN UP.  
Spill Cause: SPILL IN SUBWAY SYSTEM, NYCFD HAZMAT ON SCENE,

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**63**  
**ESE**  
**1/8-1/4**  
**0.192 mi.**  
**1014 ft.**

**388-390 GRAND CONCOURSE**  
**388-390 GRAND CONCOURSE**  
**BRONX, NY 10451**

**AST** **A100175287**  
**N/A**

**Relative:**  
**Higher**

AST:

AST:

**Actual:**  
**35 ft.**

Region: STATE  
Facility Id: 2-601186  
Facility Type: Not reported  
UTM X: 590380.42324  
UTM Y: 4518777.22663  
Expiration Date: 10/22/12  
Renewal Date: 05/31/02  
Total Capacity: 2000  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: Apartment Building/Office Building  
Site Type Status: Active  
Mailing Company: NYC/HPD/DAMP  
Mailing Title: Not reported  
Mailing Contact: ASST. COMMISSIONER/DAMP  
Mailing Address: Not reported  
Mailing Address 2: 100 GOLD ST # 7L2  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip Code: 10038  
Mailing Phone No: (212) 863-7305  
Mailing Email: Not reported  
Owner Title: ASST COMM DAMP  
Owner Name: WILLA H. PADGETT  
Owner Address: 100 GOLD ST # 8;2  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10038  
Owner Phone: (212) 863-7305  
Owner Company: NYC/HPD/DAMP  
Emergency Contact: ASST. COMMISSIONER/DAMP  
Emergency Phone: (212) 863-7305  
Operator: ASST. COMMISSIONER/DAMO  
Operator Phone: (212) 863-7305  
Owner City: NEW YORK  
Owner Sub Type: Local Government  
Program Type: PBS

Tank Number: 1  
Tank Location Name: Aboveground - in contact with soil  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 01/01/05  
Capacity Gallons: 2000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**388-390 GRAND CONCOURSE (Continued)**

**A100175287**

Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Vent Whistle  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

64  
SSE  
1/8-1/4  
0.195 mi.  
1027 ft.

**METROPOLITAN ROOFING SUPPS CO**  
**355 MAJOR DEEGAN BLVD**  
**NEW YORK, NY 10451**

**UST U001831654**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**17 ft.**

Facility Id: 2-061441  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 01/14/92  
Renewal Date: / /  
Total Capacity: 0  
Mailing Company: METROPOLITAN ROOFING SUPPS CO  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 355 MAJOR DEEGAN BLVD  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (212) 665-3700  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 355 MAJOR DEEGAN BLVD  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: (212) 665-3700  
Owner Company: METROPOLITAN ROOFING SUPPS CO  
Emergency Contact: CARL J GEROSA JR  
Emergency Phone: (914) 834-7494  
Operator: METROPOLITAN ROOFING SUPPS CO  
Operator Phone: (212) 665-3700

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Owner City: NEW YORK  
Owner Sub Type: Not reported  
UTM X: 590104.88215  
UTM Y: 4518573.81116  
Site Type Name: Unknown  
Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground, vaulted, with access  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 04/01/91

Tank Number: 002  
Tank Location Name: Underground, vaulted, with access  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 04/01/91

Tank Number: 003  
Tank Location Name: Underground, vaulted, with access  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 04/01/91

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Tank Number: 004  
Tank Location Name: Underground, vaulted, with access  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: Other  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 04/01/91

Tank Number: 101  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/62  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/01/91

Tank Number: 102  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/62  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/01/91

Tank Number: 103  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/62  
Capacity Gallons: 550  
Material Name: Gasoline

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/01/91

**HIST UST:**

PBS Number: 2-061441  
SPDES Number: Not reported  
Emergency Contact: CARL J GEROSA JR  
Emergency Telephone: (914) 834-7494  
Operator: METROPOLITAN ROOFING SUPPS CO  
Operator Telephone: (212) 665-3700  
Owner Name: METROPOLITAN ROOFING SUPPS CO  
Owner Address: 355 MAJOR DEEGAN BLVD  
Owner City,St,Zip: NEW YORK, NY 10451  
Owner Telephone: (212) 665-3700  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: METROPOLITAN ROOFING SUPPS CO  
Mailing Address: 355 MAJOR DEEGAN BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10451  
Mailing Contact: Not reported  
Mailing Telephone: (212) 665-3700  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: 355 MAJOR DEEGAN BLVD  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 07/16/1991

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Expiration Date: 01/14/1992  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 10000  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 04/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 10000  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 04/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 10000  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 04/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 10000  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 04/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 101  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19621201  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 08/01/1991  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 102  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19621201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 08/01/1991

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**METROPOLITAN ROOFING SUPPS CO (Continued)**

**U001831654**

Test Method: Not reported  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

Tank Id: 103  
 Tank Location: UNDERGROUND  
 Tank Status: Closed-Removed  
 Install Date: 19621201  
 Capacity (gals): 550  
 Product Stored: UNLEADED GASOLINE  
 Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Not reported  
 Pipe Type: GALVANIZED STEEL  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Second Containment: Diking  
 Leak Detection: None  
 Overfill Prot: Not reported  
 Dispenser: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: 08/01/1991  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**65**  
**WSW**  
**1/8-1/4**  
**0.197 mi.**  
**1040 ft.**

**DELANO VILLAGE**  
**30 WEST 141 ST**  
**NEW YORK, NY 10037**

**AST U004046522**  
**N/A**

**Relative:**  
**Higher**

AST:  
 AST:

**Actual:**  
**8 ft.**

Region: STATE  
 Facility Id: 2-099740  
 Facility Type: Not reported  
 UTM X: 589817.74342  
 UTM Y: 4518964.42056  
 Expiration Date: 07/07/97  
 Renewal Date: / /  
 Total Capacity: 0  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Apartment Building/Office Building  
 Site Type Status: Administratively Closed  
 Mailing Company: DELANO VILLAGE COMPANIES  
 Mailing Title: Not reported  
 Mailing Contact: BERNARD M. AXELROD  
 Mailing Address: 45 W 139 ST  
 Mailing Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DELANO VILLAGE (Continued)**

**U004046522**

Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip Code: 10037  
Mailing Phone No: (212) 368-8110  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 45 W 139 ST  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10037  
Owner Phone: (212) 368-8110  
Owner Company: DELANO VILLAGE COMPANIES  
Emergency Contact: DAVID HENRYHAND  
Emergency Phone: (212) 862-7108  
Operator: AXELROD MANAGEMENT CO INC  
Operator Phone: (212) 368-8110  
Owner City: NEW YORK  
Owner Sub Type: Corporate or Commercial  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Aboveground - in contact with soil  
Tank Status: Administratively Closed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/57  
Capacity Gallons: 20000  
Material Name: #6 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 06/01/98

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**R66**  
**SE**  
**1/8-1/4**  
**0.199 mi.**  
**1051 ft.**

**MERIT GRAND CONCOURSE**  
**370 GRAND CONCOURSE**  
**BRONX, NY 10451**

**Site 1 of 2 in cluster R**

**UST U001839205**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:

UST:

**Actual:**  
**34 ft.**

Facility Id: 2-297437  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 11/16/02  
 Renewal Date: / /  
 Total Capacity: 0  
 Mailing Company: MERIT OIL OF NEW YORK INC.  
 Mailing Title: Not reported  
 Mailing Contact: ENGINEERING DEPARTMENT  
 Mailing Address: 551 W LANCASTER AVE  
 Mailing Address 2: Not reported  
 Mailing City: HAVERFORD  
 Mailing State: PA  
 Mailing Zip Code: 19041  
 Mailing Phone No: (610) 527-7900  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 551 W LANCASTER AVE  
 Owner Address 2: Not reported  
 Owner State: PA  
 Owner Zip Code: 19041  
 Owner Phone: (610) 527-7900  
 Owner Company: MERIT OIL OF NEW YORK INC  
 Emergency Contact: G STEININGER-DIVISION MANAGER  
 Emergency Phone: (516) 731-4100  
 Operator: MERIT OIL OF NEW YORK, INC  
 Operator Phone: (212) 590-7363  
 Owner City: HAVERFORD  
 Owner Sub Type: Corporate or Commercial  
 UTM X: 590362.90040  
 UTM Y: 4518733.27522  
 Site Type Name: Retail Gasoline Sales  
 Site Type Status: Unregulated  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Comments: Not reported  
 Program Type: PBS

Tank Number: 1  
 Tank Location Name: Underground  
 Tank Status: Closed - Removed  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Inactive  
 Install Date: 11/01/77  
 Capacity Gallons: 4000  
 Material Name: Gasoline  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 07/01/97  
Next Test Date: / /  
Date Tank Closed: 11/01/98

Tank Number: 2  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 11/01/77  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 07/01/97  
Next Test Date: / /  
Date Tank Closed: 11/01/98

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Tank Number: 3  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 11/01/77  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 07/01/97  
Next Test Date: / /  
Date Tank Closed: 11/01/98

Tank Number: 4  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 11/01/77  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 07/01/97  
Next Test Date: / /  
Date Tank Closed: 11/01/98

Tank Number: 5  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 11/01/77  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 07/01/97  
Next Test Date: / /  
Date Tank Closed: 11/01/98

Tank Number: 6  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 11/01/77  
Capacity Gallons: 550  
Material Name: Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U  
Date Tested: 07/01/97  
Next Test Date: / /  
Date Tank Closed: 11/01/98

**HIST UST:**

PBS Number: 2-297437  
SPDES Number: Not reported  
Emergency Contact: G STEININGER-DIVISION MANAGER  
Emergency Telephone: (516) 731-4100  
Operator: MERIT OIL OF NEW YORK, INC  
Operator Telephone: (212) 590-7363  
Owner Name: MERIT OIL OF NEW YORK INC  
Owner Address: 551 W LANCASTER AVE  
Owner City,St,Zip: HAVERFORD, PA 19041  
Owner Telephone: (610) 527-7900  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: MERIT OIL OF NEW YORK INC.  
Mailing Address: 551 W LANCASTER AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: HAVERFORD, PA 19041  
Mailing Contact: ENGINEERING DEPARTMENT  
Mailing Telephone: (610) 527-7900  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: 370 GRAND CONCOURSE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 10/02/1997

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Expiration Date: 11/16/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19771101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Float Vent Valve  
Dispenser: Suction  
Date Tested: 07/01/1997  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 2  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19771101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Overfill Prot: Float Vent Valve  
Dispenser: Suction  
Date Tested: 07/01/1997  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 3  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19771101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: None  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Float Vent Valve  
Dispenser: Suction  
Date Tested: 07/01/1997  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 11/01/1998  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 4  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19771101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Float Vent Valve  
Dispenser: Suction  
Date Tested: 07/01/1997

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 5  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19771101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Float Vent Valve  
Dispenser: Suction  
Date Tested: 07/01/1997  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: USTest 2000  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 6  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19771101  
Capacity (gals): 550  
Product Stored: UNKNOWN  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: NONE  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: Other  
Overfill Prot: Float Vent Valve  
Dispenser: 0  
Date Tested: 07/01/1997  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**MERIT GRAND CONCOURSE (Continued)**

**U001839205**

Test Method: USTest 2000  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**R67**  
**SE**  
**1/8-1/4**  
**0.199 mi.**  
**1051 ft.**

**MERIT OIL CORP**  
**370 GRAND CONCOURSE AVE**  
**BRONX, NY 10451**

**Site 2 of 2 in cluster R**

**FINDS 1000263797**  
**MANIFEST NYD982185928**  
**RCRA-CESQG**  
**MANIFEST**

**Relative:**  
**Higher**

**FINDS:**  
 Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**34 ft.**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: 06  
 Manifest Status: NJA5246515  
 Trans1 State ID: NYD982185928  
 Trans2 State ID: Not reported  
 Generator Ship Date: NJD991291105  
 Trans1 Recv Date: Not reported  
 Trans2 Recv Date: NJR000023036  
 TSD Site Recv Date: Not reported  
 Part A Recv Date: Not reported  
 Part B Recv Date: Not reported  
 Generator EPA ID: N  
 Trans1 EPA ID: N  
 Trans2 EPA ID: N  
 TSD ID: N  
 Waste Code: N  
 Quantity: Not reported  
 Units: 1  
 Number of Containers: DM



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Container Type: 200  
Handling Method: P  
Specific Gravity: 1  
Waste Code: T  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200

Document ID: 06  
Manifest Status: NJA5246558  
Trans1 State ID: NYD982185928  
Trans2 State ID: Not reported  
Generator Ship Date: NJD991291105  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: NJR000023036  
TSD Site Recv Date: Not reported  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Number of Containers:	DM
Container Type:	200
Handling Method:	P
Specific Gravity:	1
Waste Code:	T
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD982185928
Facility Name:	BP PRODUCTS MERIT OIL INC
Facility Address:	350 GRAND CONCOURSE AVE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	BP PRODUCTS MERIT OIL INC
Mailing Contact:	FRANK LO BELLO
Mailing Address:	PO BOX 80249
Mailing Address 2:	Not reported
Mailing City:	RANCHO SANTA MARGARITA
Mailing State:	CA
Mailing Zip:	92688
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	949-460-5200
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJR000023036
Trans2 State ID:	Not reported
Generator Ship Date:	2007-08-30
Trans1 Recv Date:	2007-08-30
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2007-08-30
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982185928
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD991291105
Waste Code:	Not reported
Quantity:	200.0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 001274618JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: Y  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200  
  
Document ID: NJA5246515  
Manifest Status: Not reported  
Trans1 State ID: NJR000023036  
Trans2 State ID: Not reported  
Generator Ship Date: 02/09/2006  
Trans1 Recv Date: 02/09/2006  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 02/09/2006  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD982185928  
Trans1 EPA ID: 56247  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 06

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200  
  
Document ID: NJA5246462  
Manifest Status: Not reported  
Trans1 State ID: NJR000023036  
Trans2 State ID: Not reported  
Generator Ship Date: 11/10/2005  
Trans1 Recv Date: 11/10/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 11/10/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD982185928  
Trans1 EPA ID: 56247  
Trans2 EPA ID: Not reported  
TSDF ID: NJD991291105  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200  
  
Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000023036  
Trans2 State ID: Not reported  
Generator Ship Date: 8/30/2007  
Trans1 Recv Date: 8/30/2007  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 8/30/2007  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD982185928  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSDF ID: NJD991291105  
Waste Code: Not reported  
Quantity: 200  
Units: P - Pounds  
Number of Containers: 1  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1  
Year: 07  
Manifest Tracking Num: 001274618JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: Y  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200

Document ID: NJA5246462  
Manifest Status: Not reported  
Trans1 State ID: NJR000023036  
Trans2 State ID: Not reported  
Generator Ship Date: 11/10/2005  
Trans1 Recv Date: 11/10/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 11/10/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD982185928  
Trans1 EPA ID: 56247  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2005  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200

Document ID: NJA5246558  
Manifest Status: Not reported  
Trans1 State ID: NJR000023036  
Trans2 State ID: Not reported  
Generator Ship Date: 06/28/2006  
Trans1 Recv Date: 06/28/2006  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 06/29/2006  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD982185928  
Trans1 EPA ID: S6247  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 06  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200

Document ID: NJA5246515  
Manifest Status: Not reported  
Trans1 State ID: NJR000023036  
Trans2 State ID: Not reported  
Generator Ship Date: 02/09/2006  
Trans1 Recv Date: 02/09/2006  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 02/09/2006  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD982185928  
Trans1 EPA ID: 56247  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 06  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982185928  
Facility Name: BP PRODUCTS MERIT OIL INC  
Facility Address: 350 GRAND CONCOURSE AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: BP PRODUCTS MERIT OIL INC  
Mailing Contact: FRANK LO BELLO  
Mailing Address: PO BOX 80249  
Mailing Address 2: Not reported  
Mailing City: RANCHO SANTA MARGARITA  
Mailing State: CA  
Mailing Zip: 92688  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 949-460-5200



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

RCRA-CESQG:

Date form received by agency: 01/01/2006  
Facility name: MERIT OIL CORP  
Facility address: 370 GRAND CONCOURSE AVE  
BRONX, NY 104515409  
EPA ID: NYD982185928  
Mailing address: W LANCASTER AVE  
HAVERFORD, NY 19041  
Contact: -  
Contact address: W LANCASTER AVE  
HAVERFORD, NY 19041  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: MERIT OIL CORP  
Classification: Not a generator, verified

Date form received by agency: 05/11/1987

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Facility name: MERIT OIL CORP  
Classification: Large Quantity Generator

Violation Status: No violations found

**NJ MANIFEST:**

Manifest Code: NJA5246462  
EPA ID: NYD982185928  
Date Shipped: 20051110  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NJR000023036  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 051110  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 051110  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 02240621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5246515  
EPA ID: NYD982185928  
Date Shipped: 20060209  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NJR000023036  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 060209  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 060209  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 04040621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5246558  
EPA ID: NYD982185928  
Date Shipped: 20060628  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NJR000023036  
Transporter 2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERIT OIL CORP (Continued)**

**1000263797**

Date Trans1 Transported Waste: 060628  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 060629  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 08220625  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: 001274618JJK  
EPA ID: NYD982185928  
Date Shipped: 20070830  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NJR000023036  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 070830  
Date Trans2 Transported Waste: Not reported  
Date TSDf Received Waste: 070830  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D018  
Manifest Year: 2007 New Jersey Manifest Data  
Quantity: 200  
Unit: P  
Hand Code: H14

**S68**  
**East**  
**1/8-1/4**  
**0.203 mi.**  
**1073 ft.**

**HOSTOS COMMUNITY COLLEGE**  
**475 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 1 of 3 in cluster S**

**HIST UST** **1000845235**  
**N/A**

**Relative:**  
**Higher**

HIST UST:  
PBS Number: 2-082856  
SPDES Number: Not reported  
Emergency Contact: JOE BRANCH  
Emergency Telephone: (914) 682-0196  
Operator: CITY UNIVERSITY OF NY  
Operator Telephone: (212) 518-6758  
Owner Name: NYS DORMITORY AUTHORITY  
Owner Address: 161 DELAWARE AVENUE  
Owner City,St,Zip: DELMAR, NY 12054  
Owner Telephone: (518) 475-3000  
Owner Type: State Government

**Actual:**  
**42 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000845235**

Owner Subtype: NYS Dormitory Authority  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451  
Mailing Contact: FRANK VIRONE-CHIEF ENG  
Mailing Telephone: (718) 518-6756  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 475 GRAND CONCOURSE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: SCHOOL  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 07/23/1998  
Expiration Date: 08/17/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 14000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: In Service  
Install Date: 19931101  
Capacity (gals): 7000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000845235**

Test Method: Not reported  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

Tank Id: 002  
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
 Tank Status: In Service  
 Install Date: 19931101  
 Capacity (gals): 7000  
 Product Stored: NOS 1,2, OR 4 FUEL OIL  
 Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Not reported  
 Pipe Type: STEEL/IRON  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Second Containment: Diking  
 Leak Detection: None  
 Overfill Prot: Product Level Gauge  
 Dispenser: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**S69**  
**East**  
**1/8-1/4**  
**0.203 mi.**  
**1073 ft.**

**HOSTOS COMMUNITY COLLEGE**  
**475 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 2 of 3 in cluster S**

**FINDS 1000872397**  
**UST NYD987036100**  
**MANIFEST**  
**RCRA-CESQG**  
**MANIFEST**

**Relative:**  
**Higher**

**FINDS:**  
 Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**42 ft.**

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

UST:

UST:

Facility Id: 2-082856  
 Facility Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Region: STATE  
Expiration Date: 06/05/07  
Renewal Date: 04/04/02  
Total Capacity: 14000  
Mailing Company: HOSTOS COMMUNITY COLLEGE  
Mailing Title: Not reported  
Mailing Contact: FRANK VIRONE-CHIEF ENG.  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 518-4476  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 475 GRAND CONCOURSE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: (212) 518-6758  
Owner Company: HOSTOS COMMUNITY COLLEGE  
Emergency Contact: JOE BRANCH  
Emergency Phone: (914) 682-0196  
Operator: CITY UNIVERSITY OF NY  
Operator Phone: (212) 518-6758  
Owner City: BRONX  
Owner Sub Type: SUNY (State Government)  
UTM X: 590466.95722  
UTM Y: 4519069.77988  
Site Type Name: School  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground, vaulted, with access  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 11/01/93  
Capacity Gallons: 7000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground, vaulted, with access  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 11/01/93  
Capacity Gallons: 7000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**NY MANIFEST:**

Document ID: 07  
Manifest Status: 000602458FLE  
Trans1 State ID: NYD987036100  
Trans2 State ID: Not reported  
Generator Ship Date: NCD000648451  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: MAD039322250

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-02-21  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 1  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: 07  
Manifest Status: 000602458FLE  
Trans1 State ID: NYD987036100  
Trans2 State ID: Not reported  
Generator Ship Date: NCD000648451  
Trans1 Recv Date: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Trans2 Recv Date: MAD039322250  
TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-02-21  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSDF ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 20  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: D008  
Units: D011  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: 07  
Manifest Status: 000602458FLE  
Trans1 State ID: NYD987036100  
Trans2 State ID: Not reported  
Generator Ship Date: NCD000648451

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Trans1 Recv Date: Not reported  
Trans2 Recv Date: MAD039322250  
TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-02-21  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 1  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: 07  
Manifest Status: 000948644FLE  
Trans1 State ID: NYD987036100  
Trans2 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Generator Ship Date: NCD000648451  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: MAD039322250  
TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-05-08  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 5  
Handling Method: P  
Specific Gravity: 1  
Waste Code: L  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: 07  
Manifest Status: 000948644FLE  
Trans1 State ID: NYD987036100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Trans2 State ID: Not reported  
Generator Ship Date: NCD000648451  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: MAD039322250  
TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-05-08  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 2  
Handling Method: P  
Specific Gravity: 1  
Waste Code: L  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: 07  
Manifest Status: 000948644FLE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Trans1 State ID: NYD987036100  
Trans2 State ID: Not reported  
Generator Ship Date: NCD000648451  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: MAD039322250  
TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-05-08  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 15  
Handling Method: P  
Specific Gravity: 1  
Waste Code: L  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: 07

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Manifest Status: 000948644FLE  
Trans1 State ID: NYD987036100  
Trans2 State ID: Not reported  
Generator Ship Date: NCD000648451  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: MAD039322250  
TSD Site Recv Date: Not reported  
Part A Recv Date: OHD009869825  
Part B Recv Date: 2007-05-08  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 4  
Handling Method: P  
Specific Gravity: 1  
Waste Code: L  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Document ID: NYH2712483  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD986607380  
Generator Ship Date: 03/28/2005  
Trans1 Recv Date: 03/28/2005  
Trans2 Recv Date: 03/29/2005  
TSD Site Recv Date: 04/01/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: NYM006  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: F003 - UNKNOWN  
Quantity: 00050  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00175  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: Not reported  
Specific Gravity: 01.00  
Waste Code: U169 - NITROBENZENE (L,T)  
Quantity: 00010  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00010  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: Not reported  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-02-20  
Trans1 Recv Date: 2007-02-20  
Trans2 Recv Date: 2007-02-21  
TSD Site Recv Date: 2007-02-26  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 1.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000602458FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-02-20  
Trans1 Recv Date: 2007-02-20  
Trans2 Recv Date: 2007-02-21  
TSD Site Recv Date: 2007-02-26  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 20.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000602458FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-02-20  
Trans1 Recv Date: 2007-02-20  
Trans2 Recv Date: 2007-02-21  
TSD Site Recv Date: 2007-02-26  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 1.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000602458FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009865825  
Generator Ship Date: 2007-09-04  
Trans1 Recv Date: 2007-09-04  
Trans2 Recv Date: 2007-09-05  
TSD Site Recv Date: 2007-09-11  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 4.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000932037FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-05-02  
Trans1 Recv Date: 2007-05-02  
Trans2 Recv Date: 2007-05-08  
TSD Site Recv Date: 2007-05-15  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 5.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000948644FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-05-02  
Trans1 Recv Date: 2007-05-02  
Trans2 Recv Date: 2007-05-08  
TSD Site Recv Date: 2007-05-15

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 2.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000948644FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-05-02  
Trans1 Recv Date: 2007-05-02  
Trans2 Recv Date: 2007-05-08  
TSD Site Recv Date: 2007-05-15  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Waste Code: Not reported  
Quantity: 15.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000948644FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2007-05-02  
Trans1 Recv Date: 2007-05-02  
Trans2 Recv Date: 2007-05-08  
TSD Site Recv Date: 2007-05-15  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 4.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: L Landfill.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 000948644FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: NYH2737611  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD986607380  
Generator Ship Date: 06/27/2005  
Trans1 Recv Date: 06/27/2005  
Trans2 Recv Date: 06/29/2005  
TSD Site Recv Date: 07/05/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: NYMA006  
Trans2 EPA ID: 50059  
TSD ID: NCD000648451  
Waste Code: U219 - THIOUREA  
Quantity: 00020  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: P024 - P-CHLOROANILINE  
Quantity: 00004  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Handling Method: Not reported  
Specific Gravity: 01.00  
Waste Code: P077 - P-NITROANILINE  
Quantity: 00004  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00003  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: Not reported  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: NYH2737611  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD986607380



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Generator Ship Date: 06/27/2005  
Trans1 Recv Date: 06/27/2005  
Trans2 Recv Date: 06/29/2005  
TSD Site Recv Date: 07/05/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: NYMA006  
Trans2 EPA ID: 50059  
TSDF ID: NCD000648451  
Waste Code: U190 - PHTHALIC ANHYDRIDE  
Quantity: 00004  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758  
  
Document ID: NYG5366439  
Manifest Status: Not reported  
Trans1 State ID: MAD985286988  
Trans2 State ID: Not reported  
Generator Ship Date: 10/18/2005  
Trans1 Recv Date: 10/18/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 10/21/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Generator EPA ID: NYD987036100  
Trans1 EPA ID: NY62758JS  
Trans2 EPA ID: Not reported  
TSDF ID: NYD077444263  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00080  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 00032  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: Not reported  
Specific Gravity: 01.00  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00102  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00052  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: Not reported  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: OHD009869825  
Generator Ship Date: 2/20/2007  
Trans1 Recv Date: 2/20/2007  
Trans2 Recv Date: 2/21/2007  
TSD Site Recv Date: 2/26/2007  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987036100  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NCD000648451  
Waste Code: Not reported  
Quantity: 1  
Units: P - Pounds  
Number of Containers: 1  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1  
Year: 07  
Manifest Tracking Num: 000602458FLE  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD987036100  
Facility Name: HOSTOS COMMUNITY COLLEGE  
Facility Address: 475 GRAND CONCOURSE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: HOSTOS COMMUNITY COLLEGE  
Mailing Contact: W LANIGAN  
Mailing Address: 475 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-518-6758

[Click this hyperlink](#) while viewing on your computer to access 30 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**RCRA-CESQG:**

Date form received by agency: 01/01/2006  
Facility name: HOSTOS COMMUNITY COLLEGE  
Facility address: 475 GRAND CONCOURSE  
BRONX, NY 104515307  
EPA ID: NYD987036100  
Mailing address: GRAND CONCOURSE  
BRONX, NY 10451  
Contact: -  
Contact address: GRAND CONCOURSE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**1000872397**

Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: HOSTOS COMMUNITY COLLEGE  
Classification: Not a generator, verified

Date form received by agency: 06/22/1993  
Facility name: HOSTOS COMMUNITY COLLEGE  
Classification: Large Quantity Generator

Violation Status: No violations found

NJ MANIFEST:

Manifest Code: NJA5264403  
EPA ID: NYD987036100  
Date Shipped: 20050817  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NYR000109645  
Transporter 2 EPA ID: NJD080631369  
Date Trans1 Transported Waste: 050817  
Date Trans2 Transported Waste: 050829  
Date TSDf Received Waste: 050829  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 11090521  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

**S70**  
**East**  
**1/8-1/4**  
**0.203 mi.**  
**1073 ft.**

**POWER TEST00129**  
**475 GRAND CONCOURSE**  
**BRONX, NY 10451**

**Site 3 of 3 in cluster S**

**UST U000396728**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**42 ft.**

Facility Id: 2-153583  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 03/28/93  
Renewal Date: / /  
Total Capacity: 6600  
Mailing Company: POWER TEST PETROLEUM DIST INC  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 125 JERICHO TURNPIKE  
Mailing Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Mailing City: JERICHO  
Mailing State: NY  
Mailing Zip Code: 11753  
Mailing Phone No: (212) 324-5110  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 125 JERICHO TURNPIKE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11753  
Owner Phone: (212) 324-5110  
Owner Company: POWER TEST PETROLEUM DIST INC  
Emergency Contact: TOM WRIGHT REGION ENG  
Emergency Phone: (516) 338-6000  
Operator: HECTOR CARRION  
Operator Phone: (212) 590-7040  
Owner City: JERICHO  
Owner Sub Type: Not reported  
UTM X: 590466.95722  
UTM Y: 4519069.77988  
Site Type Name: Unknown  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Visited this site for PBS inspection. This site is closed. The building (presently) occupying this site is (NYC) Hostos Community college. This site should be administratively closed. E.R. 7/5/05  
Program Type: PBS  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 005



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 008  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 009  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Date Tank Closed: / /

Tank Number: 010  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 011  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 012  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 07/01/69  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**HIST UST:**

PBS Number: 2-153583  
SPDES Number: Not reported  
Emergency Contact: TOM WRIGHT REGION ENG  
Emergency Telephone: (516) 338-6000  
Operator: HECTOR CARRION  
Operator Telephone: (212) 590-7040

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Owner Name: POWER TEST PETROLEUM DIST INC  
Owner Address: 125 JERICHO TURNPIKE  
Owner City,St,Zip: JERICHO, NY 11753  
Owner Telephone: (516) 576-9500  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: POWER TEST PETROLEUM DIST INC  
Mailing Address: 125 JERICHO TURNPIKE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: JERICHO, NY 11753  
Mailing Contact: Not reported  
Mailing Telephone: (516) 576-9500  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 475 GRAND CONCOURSE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 03/28/1988  
Expiration Date: 03/28/1993  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 6600  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: LEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Dispenser:	Suction
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	False
Lat/long:	Not reported
Tank Id:	002
Tank Location:	UNDERGROUND
Tank Status:	In Service
Install Date:	19690701
Capacity (gals):	550
Product Stored:	LEADED GASOLINE
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	GALVANIZED STEEL
Pipe Internal:	Not reported
Pipe External:	Not reported
Second Containment:	Diking
Leak Detection:	None
Overfill Prot:	Not reported
Dispenser:	Suction
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	Minor Data Missing
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	False
Lat/long:	Not reported
Tank Id:	003
Tank Location:	UNDERGROUND
Tank Status:	In Service
Install Date:	19690701
Capacity (gals):	550
Product Stored:	LEADED GASOLINE
Tank Type:	Steel/carbon steel
Tank Internal:	Not reported
Tank External:	Not reported
Pipe Location:	Not reported
Pipe Type:	GALVANIZED STEEL
Pipe Internal:	Not reported
Pipe External:	Not reported
Second Containment:	Diking
Leak Detection:	None
Overfill Prot:	Not reported
Dispenser:	Suction
Date Tested:	Not reported
Next Test Date:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: In Service

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 011  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Epoxy Liner  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 012  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19690701  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POWER TEST00129 (Continued)**

**U000396728**

Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

**T71**  
**SE**  
**1/8-1/4**  
**0.206 mi.**  
**1090 ft.**

**EAGLE AUTO REPAIR CORP**  
**341 GRAND CONCOURSE**  
**BRONX, NY 10451**

**AST A100293835**  
**N/A**

**Site 1 of 4 in cluster T**

**Relative:**  
**Higher**

AST:

**Actual:**  
**29 ft.**

AST:

Region: STATE  
Facility Id: 2-607912  
Facility Type: AUTOMOTIVE REPAIR SHOP  
UTM X: 590338.76521  
UTM Y: 4518810.81806  
Expiration Date: 07/08/12  
Renewal Date: / /  
Total Capacity: 275  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: Other  
Site Type Status: Waste Oil Storer  
Mailing Company: EAGLE AUTO REPAIR CORP.  
Mailing Title: Not reported  
Mailing Contact: ISREAL GONEN  
Mailing Address: 341 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 742-0114  
Mailing Email: Not reported  
Owner Title: OWNER/MANAGER  
Owner Name: ISRAEL GONEN  
Owner Address: 341 GRAND CONCOURSE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: (718) 742-0114

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**EAGLE AUTO REPAIR CORP (Continued)**

**A100293835**

Owner Company: EAGLE AUTO REPAIR CORP  
 Emergency Contact: ISREAL GONEN  
 Emergency Phone: (718) 742-0114  
 Operator: ISREAL GONEN  
 Operator Phone: (718) 742-0114  
 Owner City: BRONX  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 001  
 Tank Location Name: Aboveground on crib, rack, or cradle  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: 11/30/99  
 Capacity Gallons: 275  
 Material Name: Waste Oil/Used Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: None  
 Tank Internal Protection 2: Not reported  
 Pipe Location Name: No Piping  
 Pipe Type Name: No Piping  
 Pipe External Protection 1: None  
 Pipe External Protection 2: Not reported  
 Tank Secondary Containment 1: Impervious Underlayment  
 Tank Secondary Containment 2: Not reported  
 Pipe Secondary Containment: None  
 Tank Leak Detection 1: None  
 Tank Leak Detection 2: Not reported  
 Pipe Leak Detection 1: None  
 Pipe Leak Detection 2: Not reported  
 Type Of Overfill Prevention 1: None  
 Type Of Overfill Prevention 2: Not reported  
 Dispenser Method: None  
 Spill Prevention: None  
 Tightness Test Method: Testing Not Required  
 Date Tested: / /  
 Next Test Date: / /  
 Date Tank Closed: / /

**T72**  
**SE**  
**1/8-1/4**  
**0.210 mi.**  
**1111 ft.**

**BP SERVICE STATION #13510**  
**350 GRAND CONCOURSE**  
**BRONX, NY 10454**  
**Site 2 of 4 in cluster T**

**UST U003107160**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
 UST:

**Actual:**  
**30 ft.**

Facility Id: 2-600110  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 10/30/11  
 Renewal Date: / /  
 Total Capacity: 36000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Mailing Company: BP PRODUCTS NORTH AMERICA INC.  
Mailing Title: ENVIRONMENTAL COMPLIANCE SPECIALIST  
Mailing Contact: MARK OKAMOTO  
Mailing Address: P.O. BOX 6038  
Mailing Address 2: Not reported  
Mailing City: ARTESIA  
Mailing State: CA  
Mailing Zip Code: 90702  
Mailing Phone No: (732) 743-0901  
Mailing Email: MARK.OKAMOTO@BP.COM  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: P.O. BOX 6038  
Owner Address 2: Not reported  
Owner State: CA  
Owner Zip Code: 90702  
Owner Phone: (732) 743-0901  
Owner Company: BP PRODUCTS NORTH AMERICA, INC.  
Emergency Contact: MARK OKAMOTO  
Emergency Phone: (908) 227-1893  
Operator: BP PRODUCTS NORTH AMERICA, INC  
Operator Phone: (718) 401-0830  
Owner City: ARTESIA  
Owner Sub Type: Corporate or Commercial  
UTM X: 590348.91547  
UTM Y: 4518703.19379  
Site Type Name: Retail Gasoline Sales  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: 5/8/07 Faxed an Application for Information Change to Mark Okamoto of BP.  
(732)743-0834. bf  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Groundwater Well  
Tank Leak Detection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/01/01

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Groundwater Well  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: Sure Test plus U2 Ullage  
Date Tested: 02/07/01  
Next Test Date: / /  
Date Tank Closed: 12/01/01

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Groundwater Well  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: Sure Test plus U2 Ullage  
Date Tested: 02/07/01  
Next Test Date: / /  
Date Tank Closed: 12/01/01

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Groundwater Well  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: Sure Test plus U2 Ullage  
Date Tested: 02/07/01  
Next Test Date: / /



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Date Tank Closed: 12/01/01

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/90  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Groundwater Well  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: Sure Test plus U2 Ullage  
Date Tested: 02/07/01  
Next Test Date: / /  
Date Tank Closed: 12/01/01

Tank Number: 1  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: 104  
Pipe Model: E  
Active Status: Active  
Install Date: 12/01/01  
Capacity Gallons: 12000  
Material Name: Gasoline/Ethanol  
Percentage: 10.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Flexible Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Double-Walled (Underground)  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Pressurized Piping Leak Detector  
Pipe Leak Detection 2: Tank Top Sump  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Automatic Shut-Off  
Dispenser Method: Submersible  
Spill Prevention: Catch Basin  
Tightness Test Method: VacuTest  
Date Tested: 07/08/05  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 2  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: 104  
Pipe Model: E  
Active Status: Active  
Install Date: 12/01/01  
Capacity Gallons: 12000  
Material Name: Gasoline/Ethanol  
Percentage: 10.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Flexible Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Double-Walled (Underground)  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Pressurized Piping Leak Detector  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Automatic Shut-Off  
Dispenser Method: Submersible  
Spill Prevention: Catch Basin  
Tightness Test Method: VacuTest  
Date Tested: 07/08/05  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 3  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: 104  
Pipe Model: E  
Active Status: Active

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Install Date: 12/01/01  
Capacity Gallons: 12000  
Material Name: Gasoline/Ethanol  
Percentage: 10.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Flexible Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Double-Walled (Underground)  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Pressurized Piping Leak Detector  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Automatic Shut-Off  
Dispenser Method: Submersible  
Spill Prevention: Catch Basin  
Tightness Test Method: VacuTest  
Date Tested: 07/08/05  
Next Test Date: / /  
Date Tank Closed: / /

**HIST UST:**

PBS Number: 2-600110  
SPDES Number: Not reported  
Emergency Contact: KELLY ACKERMAN  
Emergency Telephone: (800) 892-6626  
Operator: KELLY ACKERMAN  
Operator Telephone: (800) 892-6626  
Owner Name: BP PRODUCTS NORTH AMERICA, INC.  
Owner Address: 300 INTERPACE PKWY.  
Owner City,St,Zip: PARSIPPANY, NJ 07054  
Owner Telephone: (973) 331-7000  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: BP PRODUCTS NORTH AMERICA, INC.  
Mailing Address: 300 INTERPACE PKWY.  
Mailing Address 2: Not reported  
Mailing City,St,Zip: PARSIPPANY, NJ 07054  
Mailing Contact: KELLY ACKERMAN  
Mailing Telephone: (973) 331-7000  
Owner Mark: Second Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 350 GRAND CONCOURSE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 11/05/2001  
Expiration Date: 10/30/2006  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 36000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19901201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Sacrificial Anode  
Pipe Location: None  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Vault (w/access)  
Leak Detection: Groundwater Well  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/01/2001  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19901201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Sacrificial Anode  
Pipe Location: None  
Pipe Type: STEEL/IRON

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Pipe Internal: None  
Pipe External: None  
Second Containment: Vault (w/access)  
Leak Detection: Groundwater Well  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 02/07/2001  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/01/2001  
Test Method: Proeco Sewer Test or U2 Ullage  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19901201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Sacrificial Anode  
Pipe Location: None  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Vault (w/access)  
Leak Detection: Groundwater Well  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 02/07/2001  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/01/2001  
Test Method: Proeco Sewer Test or U2 Ullage  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19901201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Sacrificial Anode  
Pipe Location: None  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Vault (w/access)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Leak Detection: Groundwater Well  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 02/07/2001  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/01/2001  
Test Method: Proeco Sewer Test or U2 Ullage  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19901201  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Sacrificial Anode  
Pipe Location: None  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Vault (w/access)  
Leak Detection: Groundwater Well  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 02/07/2001  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/01/2001  
Test Method: Proeco Sewer Test or U2 Ullage  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20011201  
Capacity (gals): 12000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm, Product Level Gauge  
Dispenser: Submersible

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 2  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20011201  
Capacity (gals): 12000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm, Product Level Gauge  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 3  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20011201  
Capacity (gals): 12000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: High Level Alarm, Product Level Gauge  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP SERVICE STATION #13510 (Continued)**

**U003107160**

Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**T73**  
**SE**  
**1/8-1/4**  
**0.210 mi.**  
**1111 ft.**

**A C A AMOCO #594**  
**350 GRAND CONCOURSE BLVD**  
**BRONX, NY 10451**

**FINDS 1000553884**  
**RCRA-NonGen NYD986963189**

**Site 3 of 4 in cluster T**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**30 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: A C A AMOCO #594  
Facility address: 350 GRAND CONCOURSE BLVD  
BRONX, NY 104515409  
EPA ID: NYD986963189  
Mailing address: GRAND CONCOURSE BLVD  
BRONX, NY 10454  
Contact: -  
Contact address: GRAND CONCOURSE BLVD  
BRONX, NY 10454  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

**Handler Activities Summary:**

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**A C A AMOCO #594 (Continued)**

**1000553884**

Used oil transporter: No  
 Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
 Facility name: A C A AMOCO #594  
 Classification: Not a generator, verified

Date form received by agency: 01/07/1992  
 Facility name: A C A AMOCO #594  
 Classification: Small Quantity Generator

Violation Status: No violations found

**U74**  
**WNW**  
 1/8-1/4  
 0.218 mi.  
 1151 ft.

**THE SHULTZ COMPANY INC**  
**44 W 143RD ST**  
**NEW YORK, NY 10037**  
**Site 1 of 4 in cluster U**

**UST U001831330**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
 UST:

**Actual:**  
**7 ft.**

Facility Id: 2-040525  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 08/26/92  
 Renewal Date: / /  
 Total Capacity: 11500  
 Mailing Company: THE SHULTZ COMPANY INC  
 Mailing Title: Not reported  
 Mailing Contact: Not reported  
 Mailing Address: 44 W 143RD ST  
 Mailing Address 2: Not reported  
 Mailing City: NEW YORK  
 Mailing State: NY  
 Mailing Zip Code: 10037  
 Mailing Phone No: (212) 368-8500  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 44 W 143RD ST  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10037  
 Owner Phone: (212) 368-8500  
 Owner Company: THE SHULTZ COMPANY INC  
 Emergency Contact: THE SHULTZ COMPANY INC  
 Emergency Phone: (212) 368-8500  
 Operator: THE SHULTZ COMPANY INC  
 Operator Phone: (212) 368-8500  
 Owner City: NEW YORK  
 Owner Sub Type: Not reported  
 UTM X: 589803.44202  
 UTM Y: 4519148.76749  
 Site Type Name: Unknown  
 Site Type Status: Active  
 Accuracy: Not reported  
 Accuracy Method: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE SHULTZ COMPANY INC (Continued)**

**U001831330**

Comments: Not reported  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 12/01/50  
Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 12/27/87  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 12/01/50  
Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE SHULTZ COMPANY INC (Continued)**

**U001831330**

Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 12/27/87  
Date Tank Closed: / /

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 12/01/53  
Capacity Gallons: 1500  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 12/27/87  
Date Tank Closed: / /

**HIST UST:**

PBS Number: 2-040525  
SPDES Number: Not reported  
Emergency Contact: THE SHULTZ COMPANY INC  
Emergency Telephone: (212) 368-8500  
Operator: THE SHULTZ COMPANY INC  
Operator Telephone: (212) 368-8500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE SHULTZ COMPANY INC (Continued)**

**U001831330**

Owner Name: THE SHULTZ COMPANY INC  
Owner Address: 44 W 143RD ST  
Owner City,St,Zip: NEW YORK, NY 10037  
Owner Telephone: (212) 368-8500  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: THE SHULTZ COMPANY INC  
Mailing Address: 44 W 143RD ST  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10037  
Mailing Contact: Not reported  
Mailing Telephone: (212) 368-8500  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 44 W 143RD ST  
SWIS ID: 6201  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 08/26/1987  
Expiration Date: 08/26/1992  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 11500  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 62  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19501201  
Capacity (gals): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE SHULTZ COMPANY INC (Continued)**

**U001831330**

Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/27/1987  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19501201  
Capacity (gals): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/27/1987  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19531201  
Capacity (gals): 1500  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/27/1987

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THE SHULTZ COMPANY INC (Continued)**

**U001831330**

Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

**U75**      **143RD STREET ASSOCIATES**  
**WNW**      **44-58 WEST 143RD ST.**  
**1/8-1/4**      **NEW YORK, NY 10037**  
**0.218 mi.**  
**1151 ft.**      **Site 2 of 4 in cluster U**

**UST**      **U003241881**  
**LTANKS**      **N/A**  
**HIST UST**  
**HIST LTANKS**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**7 ft.**

Facility Id: 2-603205  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 11/14/02  
Renewal Date: / /  
Total Capacity: 0  
Mailing Company: 143RD STREET ASSOCIATES  
Mailing Title: Not reported  
Mailing Contact: JAY PERETZKY  
Mailing Address: 216 EAST 45TH STREET SUITE 902  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip Code: 10017  
Mailing Phone No: (212) 370-1333  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 216 EAST 45TH STREET SUITE 902  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10017  
Owner Phone: (212) 370-1333  
Owner Company: 143RD STREET ASSOCIATES  
Emergency Contact: MR. LOUIS CHIRICHELLA  
Emergency Phone: (212) 925-6282  
Operator: MR. JAY PERETZKY  
Operator Phone: (212) 925-6282  
Owner City: NEW YORK  
Owner Sub Type: Corporate or Commercial  
UTM X: 589769.97300  
UTM Y: 4519149.40758  
Site Type Name: Manufacturing (Other than Chemical)/Processing  
Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

143RD STREET ASSOCIATES (Continued)

U003241881

Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Impervious Underlayment  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/01/97

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 1080  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Impervious Underlayment  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

143RD STREET ASSOCIATES (Continued)

U003241881

Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/01/97

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 1500  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Impervious Underlayment  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/01/97

LTANKS:

Site ID: 209289  
Spill Date: 09/04/97  
Facility Addr2: Not reported  
Facility ID: 9706699  
Program Number: 9706699  
SWIS: 3101  
Region of Spill: 2  
Investigator: Needs Reassignment  
Referred To: Not reported  
Reported to Dept: 09/04/97  
CID: 15  
Spill Cause: Tank Failure



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**143RD STREET ASSOCIATES (Continued)**

**U003241881**

Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 09/04/97  
Spill Record Last Update: 04/12/06  
Spille Namer: JAY PERETZKY  
Spiller Company: 143RD ST ASSOCIATES  
Spiller Address: 44-58 WEST 143RD ST  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: JAY PERETZKY  
Spiller Phone: (212) 370-1333  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9706699  
DER Facility ID: 173559  
Site ID: 209289  
Operable Unit ID: 1050063  
Operable Unit: 01  
Material ID: 332281  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: 04/12/06 - Hough - Next Step: Site visit is warranted to ascertain current conditions. Based upon this appropriate followup to prior activities may be required.  
Remarks: CALLER DID TANK REMOVAL AND FOUND SOIL CONTAMINATION - CALLER ALSO BELIEVES GROUNDWATER MAY HAVE BEEN AFFECTED ALSO  
  
HIST UST:  
PBS Number: 2-603205  
SPDES Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**143RD STREET ASSOCIATES (Continued)**

**U003241881**

Emergency Contact: MR. LOUIS CHIRICHELLA  
Emergency Telephone: (212) 925-6282  
Operator: MR. JAY PERETZKY  
Operator Telephone: (212) 925-6282  
Owner Name: 143RD STREET ASSOCIATES  
Owner Address: 216 EAST 45TH STREET SUITE 902  
Owner City,St,Zip: NEW YORK, NY 10017  
Owner Telephone: (212) 370-1333  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: 143RD STREET ASSOCIATES  
Mailing Address: 216 EAST 45TH STREET SUITE 902  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10017  
Mailing Contact: JAY PERETZKY  
Mailing Telephone: (212) 370-1333  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: 43-57 WEST 142ND STREET  
SWIS ID: 6201  
Old PBS Number: Not reported  
Facility Type: MANUFACTURING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: Not reported  
Expiration Date: 11/14/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 62  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**143RD STREET ASSOCIATES (Continued)**

**U003241881**

Second Containment: 55  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 08/01/1997  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 1080  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: 55  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 08/01/1997  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 1500  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: 55  
Leak Detection: None  
Overfill Prot: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

143RD STREET ASSOCIATES (Continued)

U003241881

Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 08/01/1997  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9706699  
Investigator: O'DOWD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 09/04/1997  
Spill Time: 14:00  
Reported to Department Date: 09/04/97  
Reported to Department Time: 16:22  
SWIS: 62  
Spiller Contact: JAY PERETZKY  
Spiller Phone: (212) 370-1333  
Spiller Extension: Not reported  
Spiller Name: 143RD ST ASSOCIATES  
Spiller Address: 44-58 WEST 143RD ST  
Spiller City,St,Zip: MANHATTAN, NY  
Facility Contact: JAY PERETZKY  
Facility Phone: (212) 370-1333  
Facility Extension: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/04/97  
Time Spill Entered In Computer Data File: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**143RD STREET ASSOCIATES (Continued)**

**U003241881**

Spill Record Last Update: 09/05/97  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: CALLER DID TANK REMOVAL AND FOUND SOIL CONTAMINATION - CALLER ALSO BELIEVES GROUNDWATER MAY HAVE BEEN AFFECTED ALSO

**U76**  
**WNW**  
**1/8-1/4**  
**0.218 mi.**  
**1151 ft.**

**SHULTZ INDUSTRIES**  
**44 WEST 143 STREET**  
**NEW YORK CITY, NY 10037**  
**Site 3 of 4 in cluster U**

**FINDS 1000292828**  
**MANIFEST NYD980779524**  
**RCRA-NonGen**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**7 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NY MANIFEST:  
Document ID: NYA2068659

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHULTZ INDUSTRIES (Continued)**

**1000292828**

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: PLATE#577  
Trans2 State ID: Not reported  
Generator Ship Date: 850522  
Trans1 Recv Date: 850522  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 850522  
Part A Recv Date: 850813  
Part B Recv Date: 850614  
Generator EPA ID: NYD980779524  
Trans1 EPA ID: NYD000824334  
Trans2 EPA ID: Not reported  
TSDF ID: NYD000824334  
Waste Code: F003 - UNKNOWN  
Quantity: 00275  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 005  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00055  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 85  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980779524  
Facility Name: D SCHULTZ COMPANY  
Facility Address: 44 WEST 143RD ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: D SCHULTZ COMPANY  
Mailing Contact: D SCHULTZ COMPANY  
Mailing Address: 44 WEST 143RD STREET  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-368-8500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHULTZ INDUSTRIES (Continued)**

**1000292828**

Document ID: NYA3809621  
Manifest Status: Completed copy  
Trans1 State ID: PLATE#826  
Trans2 State ID: Not reported  
Generator Ship Date: 860421  
Trans1 Recv Date: 860421  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860421  
Part A Recv Date: 860429  
Part B Recv Date: 860512  
Generator EPA ID: NYD980779524  
Trans1 EPA ID: NYD000824334  
Trans2 EPA ID: Not reported  
TSD ID: NYD000824334  
Waste Code: F003 - UNKNOWN  
Quantity: 00165  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00165  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980779524  
Facility Name: D SCHULTZ COMPANY  
Facility Address: 44 WEST 143RD ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: D SCHULTZ COMPANY  
Mailing Contact: D SCHULTZ COMPANY  
Mailing Address: 44 WEST 143RD STREET  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-368-8500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHULTZ INDUSTRIES (Continued)**

**1000292828**

Document ID: NYA2143314  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: PLATE#  
Trans2 State ID: Not reported  
Generator Ship Date: 850130  
Trans1 Recv Date: 850130  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 850130  
Part A Recv Date: 850807  
Part B Recv Date: 850214  
Generator EPA ID: NYD980779524  
Trans1 EPA ID: NYD000824334  
Trans2 EPA ID: Not reported  
TSDf ID: NYD000824334  
Waste Code: F005 - UNKNOWN  
Quantity: 00330  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00055  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 85  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980779524  
Facility Name: D SCHULTZ COMPANY  
Facility Address: 44 WEST 143RD ST  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: D SCHULTZ COMPANY  
Mailing Contact: D SCHULTZ COMPANY  
Mailing Address: 44 WEST 143RD STREET  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10037  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-368-8500



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHULTZ INDUSTRIES (Continued)**

**1000292828**

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: SHULTZ CO INC THE  
Facility address: 44 W 143RD ST  
NEW YORK, NY 100371029  
EPA ID: NYD980779524  
Mailing address: W 143RD ST  
NEW YORK, NY 10037  
Contact: -  
Contact address: W 143RD ST  
NEW YORK, NY 10037  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: SHULTZ CO INC THE  
Classification: Not a generator, verified  
Date form received by agency: 10/23/1984  
Facility name: SHULTZ CO INC THE  
Classification: Large Quantity Generator  
Violation Status: No violations found

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**T77**  
**SE**  
**1/8-1/4**  
**0.219 mi.**  
**1158 ft.**

**PEGUERO BROTHERS REPAIR SHOP**  
**338 GRAND CONCOURSE**  
**BRONX, NY 10451**

**AST** **A100304677**  
**N/A**

**Site 4 of 4 in cluster T**

**Relative:**  
**Higher**

AST:

**Actual:**  
**29 ft.**

AST:

Region: STATE  
 Facility Id: 2-610573  
 Facility Type: AUTO REPAIR SHOP  
 UTM X: 0.00000  
 UTM Y: 0.00000  
 Expiration Date: 05/18/12  
 Renewal Date: / /  
 Total Capacity: 150  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Other  
 Site Type Status: Waste Oil Storer  
 Mailing Company: PEGUERO BROTHERS REPAIR SHOP  
 Mailing Title: Not reported  
 Mailing Contact: LYSNETTE PEGUERO  
 Mailing Address: 340 GRAND CONCOURSE  
 Mailing Address 2: Not reported  
 Mailing City: BRONX  
 Mailing State: NY  
 Mailing Zip Code: 10451  
 Mailing Phone No: (718) 665-7151  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 2625 3RD AVE.  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10451  
 Owner Phone: (718) 665-9278  
 Owner Company: SOCRATES PEGUERO  
 Emergency Contact: SOCRATES PEGUERO  
 Emergency Phone: (917) 514-1628  
 Operator: LYSNETTE PEGUERO  
 Operator Phone: (718) 665-7151  
 Owner City: BRONX  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 060613  
 Tank Location Name: Aboveground on crib, rack, or cradle  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Active  
 Install Date: 08/01/99  
 Capacity Gallons: 150  
 Material Name: Waste Oil/Used Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PEGUERO BROTHERS REPAIR SHOP (Continued)**

**A100304677**

Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Flexible Piping  
Pipe External Protection 1: Not reported  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**V78**  
**SE**  
**1/8-1/4**  
**0.224 mi.**  
**1183 ft.**

**BOULEVARD CAR WASH OF N.Y. INC.**  
**315 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 1 of 4 in cluster V**

**UST U004078584**  
**N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**28 ft.**

Facility Id: 2-402877  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 02/08/10  
Renewal Date: / /  
Total Capacity: 7000  
Mailing Company: BOULEVARD CAR WASH OF N.Y. INC.  
Mailing Title: Not reported  
Mailing Contact: SERGIO SANTOS  
Mailing Address: 4391 BOSTON POST RD.  
Mailing Address 2: Not reported  
Mailing City: PELHAM MANOR  
Mailing State: NY  
Mailing Zip Code: 10803  
Mailing Phone No: (914) 637-3895  
Mailing Email: Not reported  
Owner Title: PRES.  
Owner Name: JOHN LAGE  
Owner Address: 4391 BOSTON POST RD.  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10803  
Owner Phone: (914) 637-3895  
Owner Company: JOHN LAGE  
Emergency Contact: SERGIO SANTOS  
Emergency Phone: (914) 637-3895  
Operator: ARI KAHALANI  
Operator Phone: (718) 585-9162

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**U004078584**

Owner City: PELHAM MANOR  
Owner Sub Type: Corporate or Commercial  
UTM X: 590360.02782  
UTM Y: 4518727.09633  
Site Type Name: Other Wholesale/Retail Sales  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 4000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 4000  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**U004078584**

Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**U004078584**

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**U004078584**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 550  
Material Name: Gasoline

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**U004078584**

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 12/17/01

Tank Number: 008  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 12/01/01  
Capacity Gallons: 550  
Material Name: Empty  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Other  
Tank Internal Protection 1: Original Sacrificial Anode  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Other  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Horner EZY3/EZY3 Locator Plus  
Date Tested: / /



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**U004078584**

Next Test Date: / /  
 Date Tank Closed: 12/17/01

**V79**  
**SE**  
 1/8-1/4  
 0.224 mi.  
 1183 ft.

**BOULEVARD CAR WASH OF N.Y. INC.**  
**315 GRAND CONCOURSE**  
**BRONX, NY 10451**

**AST A100293314**  
**N/A**

**Site 2 of 4 in cluster V**

**Relative:**  
**Higher**

AST:

AST:

**Actual:**  
**28 ft.**

Region: STATE  
 Facility Id: 2-402877  
 Facility Type: Not reported  
 UTM X: 590360.02782  
 UTM Y: 4518727.09633  
 Expiration Date: 02/08/10  
 Renewal Date: / /  
 Total Capacity: 7000  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Other Wholesale/Retail Sales  
 Site Type Status: Active  
 Mailing Company: BOULEVARD CAR WASH OF N.Y. INC.  
 Mailing Title: Not reported  
 Mailing Contact: SERGIO SANTOS  
 Mailing Address: 4391 BOSTON POST RD.  
 Mailing Address 2: Not reported  
 Mailing City: PELHAM MANOR  
 Mailing State: NY  
 Mailing Zip Code: 10803  
 Mailing Phone No: (914) 637-3895  
 Mailing Email: Not reported  
 Owner Title: PRES.  
 Owner Name: JOHN LAGE  
 Owner Address: 4391 BOSTON POST RD.  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10803  
 Owner Phone: (914) 637-3895  
 Owner Company: JOHN LAGE  
 Emergency Contact: SERGIO SANTOS  
 Emergency Phone: (914) 637-3895  
 Operator: ARI KAHALANI  
 Operator Phone: (718) 585-9162  
 Owner City: PELHAM MANOR  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 67  
 Tank Location Name: Aboveground - in contact with impervious barrier  
 Tank Status: In Service  
 Tank Model: 201  
 Pipe Model: A  
 Active Status: Active  
 Install Date: 01/01/03  
 Capacity Gallons: 1000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**A100293314**

Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Manual Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Manual Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Gravity  
Spill Prevention: Transfer Station Containment  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 68  
Tank Location Name: Aboveground - in contact with impervious barrier  
Tank Status: In Service  
Tank Model: 201  
Pipe Model: A  
Active Status: Active  
Install Date: 01/01/03  
Capacity Gallons: 1500  
Material Name: Waste Oil/Used Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Manual Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Manual Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Gravity  
Spill Prevention: Transfer Station Containment  
Tightness Test Method: Testing Not Required

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**A100293314**

Date Tested: //  
Next Test Date: //  
Date Tank Closed: //

Tank Number: 69  
Tank Location Name: Aboveground - in contact with impervious barrier  
Tank Status: In Service  
Tank Model: 201  
Pipe Model: A  
Active Status: Active  
Install Date: 01/01/03  
Capacity Gallons: 1500  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Manual Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Manual Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Gravity  
Spill Prevention: Transfer Station Containment  
Tightness Test Method: Testing Not Required  
Date Tested: //  
Next Test Date: //  
Date Tank Closed: //

Tank Number: 70  
Tank Location Name: Aboveground - in contact with impervious barrier  
Tank Status: In Service  
Tank Model: 201  
Pipe Model: A  
Active Status: Active  
Install Date: 01/01/03  
Capacity Gallons: 1500  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BOULEVARD CAR WASH OF N.Y. INC. (Continued)**

**A100293314**

Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Manual Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Manual Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Gravity  
Spill Prevention: Transfer Station Containment  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 71  
Tank Location Name: Aboveground - in contact with impervious barrier  
Tank Status: In Service  
Tank Model: 201  
Pipe Model: A  
Active Status: Active  
Install Date: 01/01/03  
Capacity Gallons: 1500  
Material Name: Lube Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Manual Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Manual Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Gravity  
Spill Prevention: Transfer Station Containment  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**V80**  
**SE**  
**1/8-1/4**  
**0.224 mi.**  
**1183 ft.**

**315 GRAND CONCOURSE**  
**315 GRAND CONCOURSE**  
**BRONX, NY 10451**

**HIST UST**    **U003065841**  
                   **N/A**

**Site 3 of 4 in cluster V**

**Relative:**  
**Higher**

HIST UST:

**Actual:**  
**28 ft.**

PBS Number: 2-402877  
 SPDES Number: Not reported  
 Emergency Contact: JOHN LAGE  
 Emergency Telephone: (914) 793-5200  
 Operator: JOHN LAGE  
 Operator Telephone: (914) 793-5200  
 Owner Name: MR. JOHN LAGE  
 Owner Address: 36-21 21ST STREET  
 Owner City,St,Zip: LONG ISLAND CITY, NY 11106  
 Owner Telephone: (718) 786-6228  
 Owner Type: Corporate/Commercial  
 Owner Subtype: Not reported  
 Mailing Name: MR. JOHN LAGE  
 Mailing Address: 36-21 21ST STREET  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: LONG ISLAND CITY, NY 11106  
 Mailing Contact: MR. JOHN LAGE  
 Mailing Telephone: (718) 786-6228  
 Owner Mark: Third Owner  
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
 Facility Addr2: 315 GRAND CONCOURSE  
 SWIS ID: 6001  
 Old PBS Number: Not reported  
 Facility Type: OTHER  
 Inspected Date: Not reported  
 Inspector: Not reported  
 Inspection Result: Not reported  
 Federal ID: Not reported  
 Certification Flag: False  
 Certification Date: Not reported  
 Expiration Date: 12/31/2006  
 Renew Flag: False  
 Renewal Date: Not reported  
 Total Capacity: 0  
 FAMT: True  
 Facility Screen: No Missing Data  
 Owner Screen: No Missing Data  
 Tank Screen: 0  
 Dead Letter: False  
 CBS Number: Not reported  
 Town or City: NEW YORK CITY  
 County Code: 60  
 Town or City: 01  
 Region: 2  
 Tank Id: 001  
 Tank Location: UNDERGROUND  
 Tank Status: Closed-Removed  
 Install Date: 20011201  
 Capacity (gals): 4000  
 Product Stored: UNLEADED GASOLINE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**315 GRAND CONCOURSE (Continued)**

**U003065841**

Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System  
Overfill Prot: High Level Alarm, Catch Basin  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/17/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 20011201  
Capacity (gals): 4000  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System  
Overfill Prot: High Level Alarm, Catch Basin  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/17/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 20011201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**315 GRAND CONCOURSE (Continued)**

**U003065841**

Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System  
Overfill Prot: Product Level Gauge, Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/17/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 20011201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System  
Overfill Prot: Product Level Gauge, Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/17/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 20011201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**315 GRAND CONCOURSE (Continued)**

**U003065841**

Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System  
Overfill Prot: Product Level Gauge, Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/17/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 20011201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System  
Overfill Prot: Product Level Gauge, Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 12/17/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 20011201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Other  
Tank External: Sacrificial Anode  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Sacrificial Anode  
Second Containment: None  
Leak Detection: In-tank System



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**315 GRAND CONCOURSE (Continued)**

**U003065841**

Overfill Prot: Product Level Gauge, Catch Basin  
 Dispenser: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: No Missing Data  
 Date Closed: 12/17/2001  
 Test Method: 21  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

Tank Id: 008  
 Tank Location: UNDERGROUND  
 Tank Status: Closed-Removed  
 Install Date: 20011201  
 Capacity (gals): 550  
 Product Stored: EMPTY  
 Tank Type: Steel/carbon steel  
 Tank Internal: Other  
 Tank External: Sacrificial Anode  
 Pipe Location: Underground  
 Pipe Type: STEEL/IRON  
 Pipe Internal: None  
 Pipe External: Sacrificial Anode  
 Second Containment: None  
 Leak Detection: In-tank System  
 Overfill Prot: Other  
 Dispenser: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: No Missing Data  
 Date Closed: 12/17/2001  
 Test Method: 21  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**V81  
 SE  
 1/8-1/4  
 0.224 mi.  
 1183 ft.**

**GRAND OPERATING CORP  
 315 GRAND CONCOURSE  
 BRONX, NY 10451**

**Site 4 of 4 in cluster V**

**FINDS 1001489342  
 RCRA-NonGen NYU005001326**

**Relative:  
 Higher**

**FINDS:**  
 Other Pertinent Environmental Activity Identified at Site

**Actual:  
 28 ft.**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AFS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND OPERATING CORP (Continued)**

**1001489342**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: GRAND OPERATING CORP  
Facility address: 315 GRAND CONCOURSE  
BRONX, NY 10451  
EPA ID: NYU005001326  
Mailing address: N HENRY ST  
BROOKLYN, NY 11222  
Contact: -  
Contact address: N HENRY ST  
BROOKLYN, NY 11222  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Private  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 05/10/1999  
Facility name: GRAND OPERATING CORP  
Classification: Not a generator, verified

Date form received by agency: 05/10/1999  
Facility name: GRAND OPERATING CORP  
Classification: Not a generator, verified

Violation Status: No violations found

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND OPERATING CORP (Continued)**

**1001489342**

Evaluation Action Summary:

Evaluation date: 04/06/1999  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

**W82**  
**ENE**  
**1/8-1/4**  
**0.227 mi.**  
**1197 ft.**

**HOSTOS COMMUNITY COLLEGE**  
**500 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 1 of 3 in cluster W**

**UST U004063142**  
**N/A**

**Relative:**  
**Higher**

UST:

**Actual:**  
**43 ft.**

UST:

Facility Id: 2-452319  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 03/21/10  
Renewal Date: / /  
Total Capacity: 66325  
Mailing Company: HOSTOS COMMUNITY COLLEGE  
Mailing Title: Not reported  
Mailing Contact: MR. FRANK VIRONE  
Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 518-4476  
Mailing Email: Not reported  
Owner Title: ADMINISTRATIVE SUPERINTENDENT  
Owner Name: FRANK VIRONE  
Owner Address: 535 EAST 80TH STREET  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10021  
Owner Phone: (212) 794-5571  
Owner Company: CITY UNIVERSITY OF NEW YORK  
Emergency Contact: FRANK VIRONE  
Emergency Phone: (718) 518-4476  
Operator: FRANK VIRONE  
Operator Phone: (718) 518-4476  
Owner City: NEW YORK  
Owner Sub Type: Local Government  
UTM X: 590481.34629  
UTM Y: 4519119.30065  
Site Type Name: School  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U004063142**

Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/88  
Capacity Gallons: 20000  
Material Name: #4 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Double-Walled (Underground)  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Electronic Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 09/01/98  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/88  
Capacity Gallons: 20000  
Material Name: #4 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Double-Walled (Underground)  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Electronic Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U004063142**

Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 09/01/98  
Date Tank Closed: / /

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 09/01/88  
Capacity Gallons: 2500  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Double-Walled (Underground)  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Interstitial - Electronic Monitoring  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: 09/01/98  
Date Tank Closed: / /

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 06/01/91  
Capacity Gallons: 10000  
Material Name: #6 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U004063142**

Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Excavation/Trench Liner System  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 010  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 01/01/89  
Capacity Gallons: 2000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 04/04/05

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U004063142**

Tank Number: 011  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 01/01/89  
Capacity Gallons: 2000  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground/Underground Combination  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 04/04/05

**W83**  
**ENE**  
**1/8-1/4**  
**0.227 mi.**  
**1197 ft.**

**HOSTOS COMMUNITY COLLEGE**  
**500 GRAND CONCOURSE**  
**BRONX, NY 10451**  
**Site 2 of 3 in cluster W**

**AST A100294416**  
**N/A**

**Relative:**  
**Higher**

AST:  
AST:

**Actual:**  
**43 ft.**

Region: STATE  
Facility Id: 2-452319  
Facility Type: Not reported  
UTM X: 590481.34629  
UTM Y: 4519119.30065  
Expiration Date: 03/21/10  
Renewal Date: / /  
Total Capacity: 66325  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: School  
Site Type Status: Active  
Mailing Company: HOSTOS COMMUNITY COLLEGE  
Mailing Title: Not reported  
Mailing Contact: MR. FRANK VIRONE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**A100294416**

Mailing Address: 500 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 518-4476  
Mailing Email: Not reported  
Owner Title: ADMINISTRATIVE SUPERINTENDENT  
Owner Name: FRANK VIRONE  
Owner Address: 535 EAST 80TH STREET  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10021  
Owner Phone: (212) 794-5571  
Owner Company: CITY UNIVERSITY OF NEW YORK  
Emergency Contact: FRANK VIRONE  
Emergency Phone: (718) 518-4476  
Operator: FRANK VIRONE  
Operator Phone: (718) 518-4476  
Owner City: NEW YORK  
Owner Sub Type: Local Government  
Program Type: PBS

Tank Number: 005  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 01/01/92  
Capacity Gallons: 6500  
Material Name: #4 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**A100294416**

Tank Number: 006  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 06/01/92  
Capacity Gallons: 6500  
Material Name: #4 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 007  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 06/01/92  
Capacity Gallons: 275  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: Interstitial - Electronic Monitoring

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**A100294416**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Product Level Gauge (A/G)  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 008  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 06/01/92  
Capacity Gallons: 275  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Other  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 009  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 06/01/88  
Capacity Gallons: 275  
Material Name: Diesel

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**A100294416**

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Diking (Aboveground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: High Level Alarm  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Other  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

**W84  
ENE  
1/8-1/4  
0.227 mi.  
1197 ft.**

**HOSTOS COMMUNITY COLLEGE  
500 GRAND CONCOURSE  
BRONX, NY 10451  
Site 3 of 3 in cluster W**

**HIST UST U000418104  
NY Spills N/A**

**Relative:  
Higher**

HIST UST:

**Actual:  
43 ft.**

PBS Number: 2-452319  
SPDES Number: Not reported  
Emergency Contact: CITY UNIVERSITY OF NEW YORK  
Emergency Telephone: (212) 794-5600  
Operator: CITY UNIVERSITY OF NEW YORK  
Operator Telephone: (212) 960-1070  
Owner Name: HOSTOS COMMUNITY COLLEGE  
Owner Address: 500 GRAND CONCOURSE  
Owner City,St,Zip: BRONX, NY 10451  
Owner Telephone: (718) 518-4476  
Owner Type: State Government  
Owner Subtype: NYS Dormitory Authority  
Mailing Name: DORMITORY AUTHORITY-NYS  
Mailing Address: 161 DELAWARE AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: DELMAR, NEW YORK, NY 12054  
Mailing Contact: JAMES GODFREY  
Mailing Telephone: (518) 475-3085  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 500 GRAND CONCOURSE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: OTHER

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U000418104**

Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 09/30/1999  
Expiration Date: 08/05/2003  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 53000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Temporarily Out Of Service  
Install Date: 19880901  
Capacity (gals): 20000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: 44  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: Electronic  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Temporarily Out Of Service  
Install Date: 19880901  
Capacity (gals): 20000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: 44

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U000418104**

Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: Electronic  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Temporarily Out Of Service  
Install Date: 19880901  
Capacity (gals): 3000  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 44  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: 40  
Second Containment: 20  
Leak Detection: 10  
Overfill Prot: Product Level Gauge, High Level Alarm  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19910601  
Capacity (gals): 10000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 11  
Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U000418104**

Pipe External: 10  
Second Containment: 30  
Leak Detection: None  
Overfill Prot: Product Level Gauge, High Level Alarm  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**NY Spills:**

Site ID: 396314  
Facility Addr2: CUNY SYSTEM  
Facility ID: 0800543  
Spill Number: 0800543  
Facility Type: ER  
SWIS: 0301  
Region of Spill: 2  
Investigator: jbvought  
Referred To: Not reported  
Spill Date: 04/14/08  
Reported to Dept: 04/14/08  
CID: 16  
Spill Cause: Other  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 04/14/08  
Spill Record Last Update: 05/30/08  
Spiller Name: DIAHANN MCFARLAND  
Spiller Company: HOSTOS COMMUNITY COLLEGE  
Spiller Address: 500 GRAND CONCOURSE  
Spiller City,St,Zip: BRONX, NY  
Spiller Company: 999  
Contact Name: MICHAEL VANDERHEIJDEN  
Contact Phone: (914) 448-2266  
DEC Region: 2  
Program Number: 0800543  
DER Facility ID: 345805  
Site ID: 396314  
Operable Unit ID: 1153258  
Operable Unit: 01  
Material ID: 2144038  
Material Code: 0003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOSTOS COMMUNITY COLLEGE (Continued)**

**U000418104**

Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
DEC Memo: CSL prepared and sent to Consultant: Woodard and Curran Attn: MICHAEL VANDERHEIJDEN 709 Westchester Ave White Plains, NY 10604 04/24/08-Vought-Called Michael VanDerheijden (Ph:914-448-2266 Fax:914-448-0147) and left message to return call to DEC. Owners contact as per PBS (Frank Virone 718-518-4476). Vought sent and faxed CSL with one month due date to mail address as per PBS #2-452319: Mr. Frank Virone Hostos Community College 500 Grand Concourse Bronx, NY 10451 DEC requires: 1)delineation of soil and groundwater contamination 2)collection of endpoint soil samples if excavation is performed 3)possible PBS update. 04/25/08-Vought-Received call from and spoke to Vanderheijden and data has not been received and product was present. Groundwater very shallow and some free product on groundwater. Depth to groundwater is one foot below grade. Sump five feet away and water in sump has been clean. Further action pending receipt of analyticals. Spill located in basement of building and spatial constraints may restrict excavation. Tank has been cleaned and filled with cement. Spill may be associated with an prior overfill. Tank that was abandoned was technically as UST in a vault in a two tier basement and only access to tank is via manholes. PBS will be changed from temporarily out of service to permanently closed and PBS registration was submitted as per Vanderheijden. Possible action may include additional borings once analyticals are received. Report will be received within two months and deadline extended till June 27, 2008. 05/02/08-Vought-Received call from and spoke to Vanderheijden and he received letter with one month due date and requested letter extending till 6/27/08. Vought sent email to Vanderheijden with above notes from 4/25/08 extending deadline. 05/29/08-Vought-Received fax from Woodward and Curran (Van Der Heijden) dated 5/29/08. 10,000-gallon #6 fuel oil UST located in a "very confined area surrounded by electrical and boiler equipment that services the entire building". UST was closed including removal of product and filling with concrete slurry to close in place on 3/25/08. Soil and groundwater samples collected adjacent to the tank and "droplets of oil were observed floating on top of the water". Groundwater analyticals showed no detections of VOCs or SVOCs. Proposal to install three additional borings and redrilling of original sample locations in floor and performance of a bail down test to examine product recharge into borings. "Once all reasonably recoverable petroleum product has been removed, CUNY will cease recovery backfill holes and notify the DEC". DEC requires: 1)site plan 2)backfill holes only upon approval from DEC and absence of free product as opposed to reasonably recovered. Vought called Van der Heijden and explained above requirements and requested site plan before approval can be provided.  
Remarks: DOING SOIL BORINGS CAME UPON CONTAMINATED SOIL

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**X85**  
**NNE**  
**1/8-1/4**  
**0.230 mi.**  
**1216 ft.**

**BRONX TERMINAL MARKET WATERFRONT PARK**  
**EXTERIOR STREET & EAST 150TH STREET**  
**BRONX, NY 10451**

**UST**    **U004079927**  
**N/A**

**Site 1 of 2 in cluster X**

**Relative:**  
**Higher**

UST:

**Actual:**  
**5 ft.**

UST:

Facility Id: 2-610368  
 Facility Type: HISTORIC USTS  
 Region: STATE  
 Expiration Date: 12/21/11  
 Renewal Date: / /  
 Total Capacity: 0  
 Mailing Company: LANGAN ENGINEERING & ENVIRONMENTAL SERVICES  
 Mailing Title: Not reported  
 Mailing Contact: JOEL LANDES  
 Mailing Address: 21 PENN PLAZA, 360 WEST 31ST STREET  
 Mailing Address 2: 8TH FLOOR  
 Mailing City: NEW YORK  
 Mailing State: NY  
 Mailing Zip Code: 10001  
 Mailing Phone No: (212) 479-5400  
 Mailing Email: Not reported  
 Owner Title: CHIEF ENGINEER  
 Owner Name: JOHN NATOLI  
 Owner Address: OLMSTED CENTER, FLUSHING MEADOWS-CORONA PARK  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 11368  
 Owner Phone: (718) 760-6725  
 Owner Company: NYC PARKS & RECREATION  
 Emergency Contact: JOHN NATOLI  
 Emergency Phone: (718) 760-6725  
 Operator: NYC PARK & RECREATION  
 Operator Phone: (718) 760-6725  
 Owner City: FLUSHING  
 Owner Sub Type: Local Government  
 UTM X: 0.00000  
 UTM Y: 0.00000  
 Site Type Name: Other  
 Site Type Status: Unregulated  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Comments: 11/28/2006: There is no deed, add'l fee of \$1,200 collected to have the up-to-date registration. slt. 1/22/2007: Additional tanks found during excavation (see eDocs) so additional back fees were sent in the amount of \$1,000. This along with the \$1,500 (incl. the aforementioned \$1,200) brings the total fess paid to \$2,500.  
 Program Type: PBS  
 Tank Number: 001  
 Tank Location Name: Underground  
 Tank Status: Closed - Removed  
 Tank Model: 101  
 Pipe Model: A  
 Active Status: Inactive  
 Install Date: 07/01/70  
 Capacity Gallons: 2000



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BRONX TERMINAL MARKET WATERFRONT PARK (Continued)**

**U004079927**

Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BRONX TERMINAL MARKET WATERFRONT PARK (Continued)**

**U004079927**

Date Tested: //  
Next Test Date: //  
Date Tank Closed: //

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: //  
Next Test Date: //  
Date Tank Closed: //

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BRONX TERMINAL MARKET WATERFRONT PARK (Continued)**

**U004079927**

Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BRONX TERMINAL MARKET WATERFRONT PARK (Continued)**

**U004079927**

Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 02/09/07

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BRONX TERMINAL MARKET WATERFRONT PARK (Continued)**

**U004079927**

Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 02/09/07

Tank Number: 008  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 02/09/07

Tank Number: 009  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: 101  
Pipe Model: A  
Active Status: Inactive  
Install Date: 07/01/70  
Capacity Gallons: 550  
Material Name: Diesel  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Not reported  
Tank Internal Protection 1: Painted/Asphalt Coating

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BRONX TERMINAL MARKET WATERFRONT PARK (Continued)**

**U004079927**

Tank Internal Protection 2: Original Sacrificial Anode  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Original Sacrificial Anode  
Pipe External Protection 2: Wrapped  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: None  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 02/09/07

86  
South  
1/8-1/4  
0.235 mi.  
1240 ft.

**255 EXTERIOR STREET, LLC**  
**255 EXTERIOR STREET**  
**BRONX, NY 10451**

**UST U004045301**  
**N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**8 ft.**

Facility Id: 2-610014  
Facility Type: WAREHOUSE/GARAGE  
Region: STATE  
Expiration Date: 08/31/10  
Renewal Date: / /  
Total Capacity: 0  
Mailing Company: STORAGE DELUXE  
Mailing Title: Not reported  
Mailing Contact: MR. MICHAEL JAYNE  
Mailing Address: 1880 BARTOW AVENUE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10469  
Mailing Phone No: (718) 862-3625  
Mailing Email: Not reported  
Owner Title: AGENT  
Owner Name: ROMEO SANTOS  
Owner Address: 26 WEST 17TH STREET, STE.801  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10011  
Owner Phone: (718) 862-3625  
Owner Company: 255 EXTERIOR STREET, LLC  
Emergency Contact: MICHAEL JAYNE  
Emergency Phone: (718) 862-3625  
Operator: MICHAEL JAYNE  
Operator Phone: (718) 862-3625

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**255 EXTERIOR STREET, LLC (Continued)**

**U004045301**

Owner City: NEW YORK  
Owner Sub Type: Corporate or Commercial  
UTM X: 590121.28918  
UTM Y: 4518639.51607  
Site Type Name: Other  
Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 01  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/15/05

Tank Number: 02  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**255 EXTERIOR STREET, LLC (Continued)**

**U004045301**

Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/15/05

Tank Number: 03  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: No Piping  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 08/15/05



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**Y87**  
**NE**  
**1/8-1/4**  
**0.240 mi.**  
**1268 ft.**

**585 GERARD AVENUE CORP.**  
**585 GERARD AVENUE**  
**BRONX, NY 10451**

**AST** **A100300589**  
**N/A**

**Site 1 of 5 in cluster Y**

**Relative:**  
**Higher**

AST:

**Actual:**  
**23 ft.**

AST:

Region: STATE  
 Facility Id: 2-070394  
 Facility Type: Not reported  
 UTM X: 590344.28472  
 UTM Y: 4519352.96709  
 Expiration Date: 10/09/08  
 Renewal Date: / /  
 Total Capacity: 0  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Site Type Name: Other  
 Site Type Status: Unregulated  
 Mailing Company: 585 GERARD AVENUE CORP.  
 Mailing Title: Not reported  
 Mailing Contact: HERBERT W. GLASER  
 Mailing Address: 50 EASE 153RD STREET  
 Mailing Address 2: Not reported  
 Mailing City: BRONX  
 Mailing State: NY  
 Mailing Zip Code: 10451  
 Mailing Phone No: (718) 292-9000  
 Mailing Email: Not reported  
 Owner Title: Not reported  
 Owner Name: Not reported  
 Owner Address: 50 EAST 153RD ST.  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10451  
 Owner Phone: (718) 292-9000  
 Owner Company: 585 GERARD AVENUE CORP.  
 Emergency Contact: HERBERT W. GLASER  
 Emergency Phone: (718) 292-9000  
 Operator: HERBERT W. GLASER  
 Operator Phone: (718) 292-9000  
 Owner City: BRONX  
 Owner Sub Type: Corporate or Commercial  
 Program Type: PBS

Tank Number: 001  
 Tank Location Name: Aboveground - in contact with soil  
 Tank Status: Closed - In Place  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Inactive  
 Install Date: / /  
 Capacity Gallons: 5000  
 Material Name: #2 Fuel Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None  
 Tank Internal Protection 1: Jacketed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**585 GERARD AVENUE CORP. (Continued)**

**A100300589**

Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Wrapped  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Other  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Submersible  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/26/94

**X88**  
**North**  
**1/8-1/4**  
**0.242 mi.**  
**1276 ft.**

**NYSDOT - CONTRACT D253704**  
**ADJACENT TO 725 EXTERIOR ST**  
**BRONX, NY 10451**

**Site 2 of 2 in cluster X**

**FINDS 1000554209**  
**MANIFEST NYD986966687**  
**RCRA-NonGen**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**5 ft.**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

Document ID: NJA1400643  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS727  
Trans2 State ID: Not reported  
Generator Ship Date: 920528  
Trans1 Recv Date: 920528  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920528  
Part A Recv Date: Not reported  
Part B Recv Date: 920616  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD986609949  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709869  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 3723A5NY  
Trans2 State ID: Not reported  
Generator Ship Date: 920423  
Trans1 Recv Date: 920423  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920427  
Part A Recv Date: Not reported  
Part B Recv Date: 920602  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSDf ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00018  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS DOT - CONTRACT D253704 (Continued)**

**1000554209**

Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYS DOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2365352  
Manifest Status: Completed copy  
Trans1 State ID: 34486  
Trans2 State ID: Not reported  
Generator Ship Date: 910926  
Trans1 Recv Date: 910926  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910930  
Part A Recv Date: Not reported  
Part B Recv Date: 911017  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: OHD068913409  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00018  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2365354  
Manifest Status: Completed copy  
Trans1 State ID: T96KAOK  
Trans2 State ID: Not reported  
Generator Ship Date: 910926  
Trans1 Recv Date: 910926  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910930  
Part A Recv Date: Not reported  
Part B Recv Date: 911017  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: OHD068913409  
Trans2 EPA ID: Not reported  
TSDF ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00018  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS DOT - CONTRACT D253704 (Continued)**

**1000554209**

Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DOT  
Mailing Contact: SOOBAH MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2365355  
Manifest Status: Completed copy  
Trans1 State ID: TJ76651PA  
Trans2 State ID: Not reported  
Generator Ship Date: 910926  
Trans1 Recv Date: 910926  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910930  
Part A Recv Date: Not reported  
Part B Recv Date: 911017  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: OHD009865825  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00015  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYS DOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DOT  
Mailing Contact: SOOBAH MOHAN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2365353  
Manifest Status: Completed copy  
Trans1 State ID: G72074ME  
Trans2 State ID: Not reported  
Generator Ship Date: 910926  
Trans1 Recv Date: 910926  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910930  
Part A Recv Date: Not reported  
Part B Recv Date: 911018  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: OHD009865825  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00015  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS DOT - CONTRACT D253704 (Continued)**

**1000554209**

Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709830  
Manifest Status: Completed copy  
Trans1 State ID: Not reported  
Trans2 State ID: Not reported  
Generator Ship Date: 920528  
Trans1 Recv Date: 920528  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920529  
Part A Recv Date: Not reported  
Part B Recv Date: 920616  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYS DOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709909  
Manifest Status: Completed copy  
Trans1 State ID: NY1A166



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Trans2 State ID: Not reported  
Generator Ship Date: 920113  
Trans1 Recv Date: 920113  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920114  
Part A Recv Date: Not reported  
Part B Recv Date: 920205  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD096839154  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00018  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077  
  
Document ID: MIA2709861  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: Not reported  
Generator Ship Date: 920420  
Trans1 Recv Date: 920420  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920421  
Part A Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS DOT - CONTRACT D253704 (Continued)**

**1000554209**

Part B Recv Date: 920603  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD096839154  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00015  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYS DOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077  
  
Document ID: MIA2709803  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: TT79329PA  
Trans2 State ID: Not reported  
Generator Ship Date: 920507  
Trans1 Recv Date: 920507  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920511  
Part A Recv Date: Not reported  
Part B Recv Date: 920608  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Quantity: 00019  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: NJA1400428  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS727  
Trans2 State ID: Not reported  
Generator Ship Date: 920501  
Trans1 Recv Date: 920501  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920501  
Part A Recv Date: 920522  
Part B Recv Date: 920929  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD986609949  
Trans2 EPA ID: Not reported  
TSDf ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709941  
Manifest Status: Completed copy  
Trans1 State ID: DZ5374  
Trans2 State ID: Not reported  
Generator Ship Date: 920113  
Trans1 Recv Date: 920113  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920116  
Part A Recv Date: Not reported  
Part B Recv Date: 920205  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00036  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709905  
Manifest Status: Completed copy  
Trans1 State ID: NYJA166  
Trans2 State ID: Not reported  
Generator Ship Date: 920121  
Trans1 Recv Date: 920121  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920122  
Part A Recv Date: Not reported  
Part B Recv Date: 920205  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD096839154  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00009  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS DOT - CONTRACT D253704 (Continued)**

**1000554209**

Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYS DOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYS DOT  
Mailing Contact: SOOB AH MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709932  
Manifest Status: Completed copy  
Trans1 State ID: 35684CNY  
Trans2 State ID: Not reported  
Generator Ship Date: 920113  
Trans1 Recv Date: 920113  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920117  
Part A Recv Date: Not reported  
Part B Recv Date: 920205  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSD ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00027  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYS DOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: NJA1400740  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS727  
Trans2 State ID: JA099  
Generator Ship Date: 920609  
Trans1 Recv Date: 920609  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920609  
Part A Recv Date: Not reported  
Part B Recv Date: 920623  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD986609949  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2709743  
Manifest Status: Completed copy  
Trans1 State ID: TT79329PA  
Trans2 State ID: Not reported  
Generator Ship Date: 920615  
Trans1 Recv Date: 920615  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920616  
Part A Recv Date: Not reported  
Part B Recv Date: 920703  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSDf ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00019  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Document ID: MIA2709802  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: TT79329PA  
Trans2 State ID: Not reported  
Generator Ship Date: 920515  
Trans1 Recv Date: 920515  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920518  
Part A Recv Date: Not reported  
Part B Recv Date: 920609  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSDf ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00019  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAH MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: NJA1400636  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS727  
Trans2 State ID: JA099  
Generator Ship Date: 920527  
Trans1 Recv Date: 920527

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920527  
Part A Recv Date: Not reported  
Part B Recv Date: 920616  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD986609949  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAH MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: MIA2772243  
Manifest Status: Completed copy  
Trans1 State ID: 65321VNY  
Trans2 State ID: Not reported  
Generator Ship Date: 921007  
Trans1 Recv Date: 921007  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 921008  
Part A Recv Date: Not reported  
Part B Recv Date: 921021  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NYD046765574

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Trans2 EPA ID: Not reported  
TSDF ID: MID000724831  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00022  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAN MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

Document ID: NJA1489574  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS727  
Trans2 State ID: Not reported  
Generator Ship Date: 920902  
Trans1 Recv Date: 920902  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920902  
Part A Recv Date: Not reported  
Part B Recv Date: 920921  
Generator EPA ID: NYD986966687  
Trans1 EPA ID: NJD986609949  
Trans2 EPA ID: Not reported  
TSDF ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00017  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYSDOT - CONTRACT D253704 (Continued)**

**1000554209**

Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD986966687  
Facility Name: NYSDOT  
Facility Address: #D 253704 MAJOR DEEGAW EXPWY  
Facility City: LONG ISLAND CITY  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYSDOT  
Mailing Contact: SOOBAH MOHAN  
Mailing Address: 47-40 21ST STREET HUNTER PLAZA  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-829-0077

[Click this hyperlink](#) while viewing on your computer to access  
4 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: NYSDOT - CONTRACT D253704  
Facility address: ADJACENT TO 725 EXTERIOR ST  
BENEATH RAMP A  
BRONX, NY 10451  
EPA ID: NYD986966687  
Mailing address: 21ST ST  
LONG ISLAND CITY, NY 11101  
Contact: JOHN - MORAVEK  
Contact address: 21ST ST  
LONG ISLAND CITY, NY 11101  
Contact country: US  
Contact telephone: (718) 829-7800  
Contact email: Not reported  
EPA Region: 02  
Land type: State  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYS DOT - CONTRACT D253704 (Continued)**

**1000554209**

Owner/Operator Summary:

Owner/operator name: NYS DOT  
Owner/operator address: 47-40 21ST ST  
LONG ISLAND CITY, NY 11101  
Owner/operator country: Not reported  
Owner/operator telephone: (718) 482-4801  
Legal status: State  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/27/1992  
Facility name: NYS DOT - CONTRACT D253704  
Site name: NYS DOT  
Classification: Large Quantity Generator

Date form received by agency: 08/08/1991  
Facility name: NYS DOT - CONTRACT D253704  
Classification: Not a generator, verified

Hazardous Waste Summary:

Waste code: D000  
Waste name: Not Defined

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 06/17/1993  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**U89**      **58 WEST 143RD STREET LLC - C-O VESTPRO**  
**WNW**      **58 W 143RD ST**  
**1/8-1/4**      **NEW YORK, NY 10017**  
**0.242 mi.**  
**1278 ft.**      **Site 4 of 4 in cluster U**

**FINDS**      **1001223500**  
**RCRA-NonGen**      **NYR000044172**

**Relative:**      FINDS:  
**Higher**      Other Pertinent Environmental Activity Identified at Site

**Actual:**      RCRAInfo is a national information system that supports the Resource  
**9 ft.**      Conservation and Recovery Act (RCRA) program through the tracking of  
events and activities related to facilities that generate, transport,  
and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA  
program staff to track the notification, permit, compliance, and  
corrective action activities required under RCRA.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: 58 WEST 143RD STREET LLC - C-O VESTPRO  
Facility address: 58 W 143RD ST  
NEW YORK, NY 10017  
EPA ID: NYR000044172  
Mailing address: W 143RD ST  
NEW YORK, NY 10017  
Contact: LOUIS - CHIRICHELLA  
Contact address: W 143RD ST  
NEW YORK, NY 10017  
Contact country: US  
Contact telephone: (212) 925-6282  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 58 WEST 143RD STREET LLC - C-O VESTPRO  
Owner/operator address: 216 E 45TH ST  
NEW YORK, NY 10017  
Owner/operator country: Not reported  
Owner/operator telephone: (212) 370-1333  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: Yes  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**58 WEST 143RD STREET LLC - C-O VESTPRO (Continued)**

**1001223500**

User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No  
 Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 08/26/1997  
 Facility name: 58 WEST 143RD STREET LLC - C-O VESTPRO  
 Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

**90**  
**ENE**  
**1/8-1/4**  
**0.242 mi.**  
**1277 ft.**

**MTA NYCT - 149TH ST GRAND CONCOURSE STA**  
**E 149TH ST & GRAND CONCOURSE**  
**BRONX, NY 10451**

**MANIFEST 1007571090**  
**RCRA-CESQG NYR000126490**

**Relative:**  
**Higher**

NY MANIFEST:

Document ID: NYH1309221  
 Manifest Status: Not reported  
 Trans1 State ID: NYAC92622  
 Trans2 State ID: Not reported  
 Generator Ship Date: 08/19/2004  
 Trans1 Recv Date: 08/19/2004  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 08/31/2004  
 Part A Recv Date: Not reported  
 Part B Recv Date: Not reported  
 Generator EPA ID: NYR000126490  
 Trans1 EPA ID: NYD986938645  
 Trans2 EPA ID: Not reported  
 TSD ID: NYD049836  
 Waste Code: B004 - PCB ARTICLES WITH 50 PPM BUT < 500 PPM  
 Quantity: 00200  
 Units: K - Kilograms (2.2 pounds)  
 Number of Containers: 002  
 Container Type: DM - Metal drums, barrels  
 Handling Method: B Incineration, heat recovery, burning.  
 Specific Gravity: 01.00  
 Year: 04  
 Manifest Tracking Num: Not reported  
 Import Ind: Not reported  
 Export Ind: Not reported  
 Discr Quantity Ind: Not reported  
 Discr Type Ind: Not reported

**Actual:**  
**43 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MTA NYCT - 149TH ST GRAND CONCOURSE STA (Continued)**

**1007571090**

Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYR000126490  
Facility Name: NYCTA CPM ENV ENG  
Facility Address: 149TH ST & GRAND CONCOURSE STA  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA CPM ENV ENG  
Mailing Contact: N/S  
Mailing Address: 2 BROADWAY 2ND FL  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10004  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 646-252-3500

**RCRA-CESQG:**

Date form received by agency: 01/01/2006  
Facility name: MTA NYCT - 149TH ST GRAND CONCOURSE STA  
Facility address: E 149TH ST & GRAND CONCOURSE  
2 & 5 LINE  
BRONX, NY 10451  
EPA ID: NYR000126490  
Mailing address: BROADWAY 2ND FLOOR  
NEW YORK, NY 10004  
Contact: THOMAS A ABDALLAH  
Contact address: BROADWAY 2ND FLOOR  
NEW YORK, NY 10004  
Contact country: US  
Contact telephone: (646) 252-3500  
Contact email: Not reported  
EPA Region: 02  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MTA NYCT - 149TH ST GRAND CONCOURSE STA (Continued)**

**1007571090**

Owner/Operator Summary:

Owner/operator name: MTA NYCT  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: State  
Owner/Operator Type: Owner  
Owner/Op start date: 03/01/1968  
Owner/Op end date: Not reported

Owner/operator name: MTA NYCT  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: State  
Owner/Operator Type: Operator  
Owner/Op start date: 03/01/1968  
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 08/11/2004  
Facility name: MTA NYCT - 149TH ST GRAND CONCOURSE STA  
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**Y91**  
**NE**  
**1/8-1/4**  
**0.245 mi.**  
**1295 ft.**

**580 GERARD AVENUE**  
**580 GERARD AVENUE**  
**BRONX, NY 10451**  
**Site 2 of 5 in cluster Y**

**UST U001840776**  
**HIST UST N/A**

**Relative:**  
**Higher**

UST:  
 UST:

**Actual:**  
**20 ft.**

Facility Id: 2-476021  
 Facility Type: Not reported  
 Region: STATE  
 Expiration Date: 01/31/11  
 Renewal Date: / /  
 Total Capacity: 2500  
 Mailing Company: C/O EMMES REALTY SERVICES LLC  
 Mailing Title: Not reported  
 Mailing Contact: ANGIE HELMS  
 Mailing Address: 420 LEXINGTON AVENUE  
 Mailing Address 2: SUITE 900  
 Mailing City: NEW YORK  
 Mailing State: NY  
 Mailing Zip Code: 10170-0002  
 Mailing Phone No: (212) 293-8826  
 Mailing Email: Not reported  
 Owner Title: V.P.  
 Owner Name: GARY M. TISCHLER  
 Owner Address: 420 LEXINGTON AVENUE  
 Owner Address 2: Not reported  
 Owner State: NY  
 Owner Zip Code: 10170-0002  
 Owner Phone: (212) 293-8900  
 Owner Company: NR PROPERTY 2 LLC  
 Emergency Contact: GARY WOLTZ  
 Emergency Phone: (917) 757-7759  
 Operator: NA  
 Operator Phone: Not reported  
 Owner City: NEW YORK  
 Owner Sub Type: Corporate or Commercial  
 UTM X: 590340.16852  
 UTM Y: 4519336.07791  
 Site Type Name: Trucking/Transportation/Fleet Operation  
 Site Type Status: Active  
 Accuracy: Not reported  
 Accuracy Method: Not reported  
 Comments: 09/06/2000 Duplicate with PBS 2-333212. jz  
 Program Type: PBS

Tank Number: 0010  
 Tank Location Name: Underground  
 Tank Status: Closed - Removed  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Active Status: Inactive  
 Install Date: 12/01/57  
 Capacity Gallons: 5000  
 Material Name: #2 Fuel Oil  
 Percentage: 100.00  
 Tank Type Name: Steel/Carbon Steel/Iron  
 Tank Internal Protection: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Vault (w/o access)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 02/01/93

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Next Test Date: //  
Date Tank Closed: //

Tank Number: 008  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: //  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: //  
Next Test Date: //  
Date Tank Closed: //

Tank Number: 009  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: //  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 010  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: 011  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

580 GERARD AVENUE (Continued)

U001840776

Active Status: Active  
Install Date: 02/01/93  
Capacity Gallons: 2500  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Reinforced Plastic (FRP)  
Tank Internal Protection: Fiberglass Liner (FRP)  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)  
Pipe External Protection 1: Fiberglass  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: In-Tank System (ATG)  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Catch Basin  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

HIST UST:

PBS Number: 2-476021  
SPDES Number: Not reported  
Emergency Contact: GARY WOLTZ  
Emergency Telephone: (917) 757-7759  
Operator: NA  
Operator Telephone: (000) 000-0000  
Owner Name: NEW ROCK ASSET MANAGEMENT  
Owner Address: 420 LEXINGTON AVENUE  
Owner City,St,Zip: NEW YORK, NY 01700-0002  
Owner Telephone: (212) 949-5055  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: NEW ROCK ASSET MANAGEMENT  
Mailing Address: 420 LEXINGTON AVENUE  
Mailing Address 2: SUITE 900  
Mailing City,St,Zip: NEW YORK, NY 10170-0002  
Mailing Contact: PUL CALLAHAN  
Mailing Telephone: (212) 949-5055  
Owner Mark: Second Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 580 GERARD AVENUE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: TRUCKING/TRANSPORTATION  
Inspected Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**580 GERARD AVENUE (Continued)**

**U001840776**

Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 02/02/2001  
Expiration Date: 01/31/2006  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 2500  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 0010  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19571201  
Capacity (gals): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: 0  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 02/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**580 GERARD AVENUE (Continued)**

**U001840776**

Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**580 GERARD AVENUE (Continued)**

**U001840776**

Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**580 GERARD AVENUE (Continued)**

**U001840776**

Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**580 GERARD AVENUE (Continued)**

**U001840776**

Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**580 GERARD AVENUE (Continued)**

**U001840776**

Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 011  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19930201  
Capacity (gals): 2500  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Fiberglass reinforced plastic [FRP]  
Tank Internal: Fiberglass Liner (FRP)  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Fiberglass Liner (FRP)  
Pipe External: Fiberglass  
Second Containment: Vault (w/access)  
Leak Detection: In-tank System  
Overfill Prot: Catch Basin  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**Y92**  
**NE**  
**1/8-1/4**  
**0.245 mi.**  
**1295 ft.**

**US POSTAL SERVICE - VMF**  
**580 GERARD AVENUE**  
**BRONX, NY 10451**

**MANIFEST 1000349040**  
**RCRA-NonGen NYD982727885**  
**MANIFEST**

**Site 3 of 5 in cluster Y**

**Relative:**  
**Higher**

NY MANIFEST:  
Document ID: NYC1319534  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Actual: 20 ft.  
Trans1 State ID: GF2859NY  
Trans2 State ID: Not reported  
Generator Ship Date: 911101  
Trans1 Recv Date: 911101  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911112  
Part A Recv Date: 920306  
Part B Recv Date: 911204  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NCD077840148  
Waste Code: F005 - UNKNOWN  
Quantity: 00123  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: NYC1140963  
Manifest Status: Completed copy  
Trans1 State ID: GF2859NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910814  
Trans1 Recv Date: 910814  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910820  
Part A Recv Date: 910830  
Part B Recv Date: 910828  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980753784  
Waste Code: F005 - UNKNOWN  
Quantity: 00027  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD982727885
Facility Name:	UNITED STATES POST OFFICE
Facility Address:	580 GERARD AVE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	UNITED STATES POST OFFICE
Mailing Contact:	UNITED STATES POST OFFICE
Mailing Address:	580 GERARD AVE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	5242
Mailing Country:	USA
Mailing Phone:	212-960-5036
Document ID:	NJA1199100
Manifest Status:	Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	910716
Trans1 Recv Date:	910716
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	910717
Part A Recv Date:	Not reported
Part B Recv Date:	911206
Generator EPA ID:	NYD982727885
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDf ID:	NJD002182897
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	02304
Units:	P - Pounds
Number of Containers:	006
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	91
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: NJA1216563  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910820  
Trans1 Recv Date: 910820  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910821  
Part A Recv Date: 910827  
Part B Recv Date: 910906  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01152  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US POSTAL SERVICE - VMF (Continued)

1000349040

Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: NYC1209633  
Manifest Status: Completed copy  
Trans1 State ID: GF2859NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910912  
Trans1 Recv Date: 910912  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910920  
Part A Recv Date: 910927  
Part B Recv Date: 910930  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980753784  
Waste Code: F005 - UNKNOWN  
Quantity: 00027  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US POSTAL SERVICE - VMF (Continued)

1000349040

Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: NYC1368088  
Manifest Status: Completed copy  
Trans1 State ID: GF2859NY  
Trans2 State ID: Not reported  
Generator Ship Date: 911202  
Trans1 Recv Date: 911202  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911209  
Part A Recv Date: Not reported  
Part B Recv Date: 911219  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NCD077840148  
Waste Code: F005 - UNKNOWN  
Quantity: 00027  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Document ID: NYC4314870  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NYLP3931  
Trans2 State ID: 12141PNY  
Generator Ship Date: 961118  
Trans1 Recv Date: 961118  
Trans2 Recv Date: 961127  
TSD Site Recv Date: 961202  
Part A Recv Date: 961211  
Part B Recv Date: 961220  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: NYD980769947  
TSDf ID: NCD077840148  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: NYC4273481  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 960911  
Trans1 Recv Date: 960911

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960913  
Part A Recv Date: 960920  
Part B Recv Date: 960930  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD000708198  
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP  
Quantity: 00010  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036  
  
Document ID: NYC4401854  
Manifest Status: Completed copy  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 961210  
Trans1 Recv Date: 961210  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961213  
Part A Recv Date: 961227  
Part B Recv Date: 961231  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD984908202

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Trans2 EPA ID: Not reported  
TSD ID: NYD000708198  
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP  
Quantity: 00010  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036  
  
Document ID: NYC4236355  
Manifest Status: Completed copy  
Trans1 State ID: NYLP3931  
Trans2 State ID: Not reported  
Generator Ship Date: 960823  
Trans1 Recv Date: 960823  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960829  
Part A Recv Date: 960903  
Part B Recv Date: 960912  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NCD077840148  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US POSTAL SERVICE - VMF (Continued)

1000349040

Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: NYC4338685  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NYJE5256  
Trans2 State ID: Not reported  
Generator Ship Date: 961104  
Trans1 Recv Date: 961104  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961108  
Part A Recv Date: 961114  
Part B Recv Date: 961129  
Generator EPA ID: NYD982727885  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDf ID: NYD000708198  
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP  
Quantity: 00010  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 96  
Manifest Tracking Num: Not reported  
Import Ind: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: 06  
Manifest Status: 000106360CEX  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2006-11-14  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 150  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: D035  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US POSTAL SERVICE - VMF (Continued)

1000349040

Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: 06  
Manifest Status: 000818599JJK  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2006-09-29  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 150  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: 06  
Manifest Status: NYC7744544  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD986607380  
Part B Recv Date: 2006-01-18  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSDF ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 200  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US POSTAL SERVICE - VMF (Continued)

1000349040

Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036  
  
Document ID: 06  
Manifest Status: NYC7759541  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD171629976  
Part B Recv Date: 2006-05-15  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 200  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD982727885
Facility Name:	UNITED STATES POST OFFICE
Facility Address:	580 GERARD AVE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	UNITED STATES POST OFFICE
Mailing Contact:	UNITED STATES POST OFFICE
Mailing Address:	580 GERARD AVE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	5242
Mailing Country:	USA
Mailing Phone:	212-960-5036
Document ID:	06
Manifest Status:	NYC7760316
Trans1 State ID:	NYD982727885
Trans2 State ID:	Not reported
Generator Ship Date:	KYD053348108
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	TXR000050930
TSD Site Recv Date:	Not reported
Part A Recv Date:	NJD071629976
Part B Recv Date:	2006-04-07
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSD ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	2
Number of Containers:	DM
Container Type:	600
Handling Method:	P
Specific Gravity:	1
Waste Code:	B
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: 06  
Manifest Status: NYC7760338  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2006-04-07  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 300  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

US POSTAL SERVICE - VMF (Continued)

1000349040

Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

Document ID: 06  
Manifest Status: NYC7761723  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD986607380  
Part B Recv Date: 2006-03-28  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 60  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036  
  
Document ID: 06  
Manifest Status: NYC7761813  
Trans1 State ID: NYD982727885  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2006-03-29  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 200  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD982727885
Facility Name:	UNITED STATES POST OFFICE
Facility Address:	580 GERARD AVE
Facility City:	BRONX
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	UNITED STATES POST OFFICE
Mailing Contact:	UNITED STATES POST OFFICE
Mailing Address:	580 GERARD AVE
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10451
Mailing Zip4:	5242
Mailing Country:	USA
Mailing Phone:	212-960-5036
Document ID:	06
Manifest Status:	NYC7861713
Trans1 State ID:	NYD982727885
Trans2 State ID:	Not reported
Generator Ship Date:	KYD053348108
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	TXR000050930
TSD Site Recv Date:	Not reported
Part A Recv Date:	NJD071629976
Part B Recv Date:	2006-07-17
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSDF ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	2
Number of Containers:	DM
Container Type:	500
Handling Method:	P
Specific Gravity:	1
Waste Code:	B

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD982727885  
Facility Name: UNITED STATES POST OFFICE  
Facility Address: 580 GERARD AVE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: UNITED STATES POST OFFICE  
Mailing Contact: UNITED STATES POST OFFICE  
Mailing Address: 580 GERARD AVE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: 5242  
Mailing Country: USA  
Mailing Phone: 212-960-5036

[Click this hyperlink](#) while viewing on your computer to access  
228 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**RCRA-NonGen:**

Date form received by agency: 10/10/2007  
Facility name: US POSTAL SERVICE - VMF  
Facility address: 580 GERARD AVE  
BRONX, NY 10451  
EPA ID: NYD982727885  
Mailing address: GERARD AVE  
BRONX, NY 104519703  
Contact: RONALD - RUFF  
Contact address: GERARD AVE  
BRONX, NY 104519703  
Contact country: US  
Contact telephone: (718) 960-5031  
Contact email: Not reported  
EPA Region: 02  
Land type: Federal  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: US POSTAL SERVICE - VMF  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/30/2003  
Facility name: US POSTAL SERVICE - VMF  
Classification: Not a generator, verified

Date form received by agency: 03/01/1992  
Facility name: US POSTAL SERVICE - VMF  
Site name: US POSTAL SE  
Classification: Large Quantity Generator

Date form received by agency: 03/17/1989  
Facility name: US POSTAL SERVICE - VMF  
Classification: Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 09/28/1994  
Date achieved compliance: 12/19/1994  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/28/1994  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: LDR - General  
Date violation determined: 09/28/1994  
Date achieved compliance: 12/19/1994

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349040**

Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/28/1994  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 09/28/2001  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

Evaluation date: 08/03/1994  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: LDR - General  
Date achieved compliance: 12/19/1994  
Evaluation lead agency: State

Evaluation date: 08/03/1994  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 12/19/1994  
Evaluation lead agency: State

NJ MANIFEST:

Manifest Code: NJA5217557  
EPA ID: NYD982727885  
Date Shipped: 20050815  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NJR000050617  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 050815  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 050824  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 09300522  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**Y93**  
**NE**  
**1/8-1/4**  
**0.245 mi.**  
**1295 ft.**

**VEHICLE MAINTENANCE FACILITY**  
**580 GERARD AVENUE**  
**BRONX, NY 10451**  
  
**Site 4 of 5 in cluster Y**

**UST**    **U000418103**  
**HIST UST**    **N/A**

**Relative:**  
**Higher**

UST:  
UST:

**Actual:**  
**20 ft.**

Facility Id: 2-333212  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 07/28/93  
Renewal Date: / /  
Total Capacity: 0  
Mailing Company: U.S.P.S  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 558 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (212) 960-5000  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 558 GRAND CONCOURSE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: (212) 960-5000  
Owner Company: U.S.P.S.  
Emergency Contact: POSTMASTER  
Emergency Phone: (212) 960-5037  
Operator: POSTMASTER  
Operator Phone: (212) 960-5037  
Owner City: BRONX  
Owner Sub Type: Federal Government  
UTM X: 590340.16852  
UTM Y: 4519336.07791  
Site Type Name: Unknown  
Site Type Status: Unregulated  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: 09/06/2000 Duplicate with PBS 2-476021. jz  
Program Type: PBS

Tank Number: 001  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 004  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 005  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 006  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 007  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 008  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

Tank Number: 009  
Tank Location Name: Underground  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 05/01/50  
Capacity Gallons: 550  
Material Name: Gasoline  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: No Piping  
Pipe Type Name: Galvanized Steel  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Not reported  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 03/01/93

**HIST UST:**

PBS Number: 2-333212  
SPDES Number: Not reported  
Emergency Contact: POSTMASTER  
Emergency Telephone: (212) 960-5037  
Operator: POSTMASTER  
Operator Telephone: (212) 960-5037  
Owner Name: U.S.P.S.  
Owner Address: 558 GRAND CONCOURSE  
Owner City,St,Zip: BRONX, NY 10451  
Owner Telephone: (212) 960-5000  
Owner Type: Federal Government  
Owner Subtype: Not reported  
Mailing Name: U.S.P.S  
Mailing Address: 558 GRAND CONCOURSE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451  
Mailing Contact: Not reported  
Mailing Telephone: (212) 960-5000  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: Not reported  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 07/28/1988  
Expiration Date: 07/28/1993  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19500501  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VEHICLE MAINTENANCE FACILITY (Continued)**

**U000418103**

Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 03/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**Y94**  
**NE**  
**1/8-1/4**  
**0.245 mi.**  
**1295 ft.**

**US POSTAL SERVICE - VMF**  
**580 GERARD AVE**  
**BRONX, NY 10451**

**Site 5 of 5 in cluster Y**

**FINDS 1000349048**  
**RCRA-NonGen NY5180010451**

**Relative:**  
**Higher**

**FINDS:**  
Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**20 ft.**

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**RCRA-NonGen:**

Date form received by agency: 01/01/2006  
Facility name: US POSTAL SERVICE - VMF  
Facility address: 580 GERARD AVE  
BRONX, NY 104515242  
EPA ID: NY5180010451  
Mailing address: GERARD AVE  
BRONX, NY 10451  
Contact: -  
Contact address: GERARD AVE  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**US POSTAL SERVICE - VMF (Continued)**

**1000349048**

Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/30/2003  
Facility name: US POSTAL SERVICE - VMF  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: US POSTAL SERVICE - VMF  
Classification: Not a generator, verified

Date form received by agency: 09/29/1989  
Facility name: US POSTAL SERVICE - VMF  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/28/2001  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

Evaluation date: 07/10/1996  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

95  
NNE  
1/8-1/4  
0.249 mi.  
1313 ft.

**AMERICAN SELF STORAGE**  
**586 RIVER AVENUE / 595 GERARD AVENUE**  
**BRONX, NY 10451**

**AST A100293021**  
**N/A**

**Relative:**  
**Higher**

AST:

AST:

**Actual:**  
**8 ft.**

Region: STATE  
Facility Id: 2-609485  
Facility Type: SELF STORAGE  
UTM X: 590277.83845  
UTM Y: 4519379.18986  
Expiration Date: 03/17/09  
Renewal Date: / /  
Total Capacity: 10000  
Accuracy: Not reported  
Accuracy Method: Not reported  
Site Type Name: Other  
Site Type Status: Active  
Mailing Company: AMERICAN SELF-STORAGE  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 950 HIGHWAY 36  
Mailing Address 2: Not reported  
Mailing City: HAZLET  
Mailing State: NJ  
Mailing Zip Code: 07730  
Mailing Phone No: (732) 335-8444  
Mailing Email: Not reported  
Owner Title: PARTNER  
Owner Name: JACK GUTTMAN  
Owner Address: 586 RIVER AVENUE / 595 GERARD AVENUE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: Not reported  
Owner Company: GERARD AVENUE LLC  
Emergency Contact: MACK  
Emergency Phone: (718) 402-6800  
Operator: AMERICAN SELF STORAGE  
Operator Phone: (718) 402-6800  
Owner City: BRONX  
Owner Sub Type: Corporate or Commercial  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Aboveground on crib, rack, or cradle  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: / /  
Capacity Gallons: 10000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AMERICAN SELF STORAGE (Continued)

A100293021

Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: None  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: None  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: None  
Tightness Test Method: Unknown  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

96  
South  
1/4-1/2  
0.263 mi.  
1391 ft.

**GASETERIA**  
**115 EAST 138TH STREET**  
**BRONX, NY**

**LTANKS S105997104**  
**N/A**

Relative:  
Higher

LTANKS:  
Site ID: 97236  
Spill Date: 10/24/02  
Facility Addr2: Not reported  
Facility ID: 0207682  
Program Number: 0207682  
SWIS: 0301  
Region of Spill: 2  
Investigator: aaobliga  
Referred To: QUARTERLY MONITORING  
Reported to Dept: 10/24/02  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 10/24/02  
Spill Record Last Update: 05/23/08  
Spille Namer: PAULA SKRYJA  
Spiller Company: GASETERIA  
Spiller Address: 1 WEST PENN AVENUE  
Spiller City,St,Zip: TOWSON, MD 21204-

Actual:  
19 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GASETERIA (Continued)**

**S105997104**

Spiller County: 001  
Spiller Contact: JEFF BEAUDETTE  
Spiller Phone: (800) 666-2605  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0207682  
DER Facility ID: 158352  
Site ID: 97236  
Operable Unit ID: 860553  
Operable Unit: 01  
Material ID: 514693  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 97236  
Spill Tank Test: 1527614  
Tank Number: 1  
Tank Size: 4000  
Test Method: 14  
Leak Rate: 0  
Gross Fail: F  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: VacuTest  
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "VOUGHT"  
DEC Sigona sent a notice regarding the tank test failure on 10/24/2002.  
BP PRODUCTS NORTH AMERICA, INC. SUITE 410, 1 WEST PENNSYLVANIA AVENUE  
TOWSON, MD 21204ATTN: PAULA SKRYJA see also spill 9408104  
10/24/02 Tightness test on tanks/lines and leak detectors - Two regular USTs  
and two super USTs failed on ullage bubbles. Stage II was not tested because  
of ullage problems on the tanks. Dispenser #8 taken out of service because it  
pumps gas into vapor line when pump handle is off. Reviewed 11/20/02  
tank re-test results (received 1/8/03). Retested two regular unleaded and two  
premium unleaded USTs. All passed. Stage II was not tested because piping  
system needs to be reconfigured. 12/15/03 Left Paula Skryja voicemail  
message inquiring about status of site. PBS information shows five unleaded  
gas USTs were removed. 12/15/03 Spoke with Paula Skryja. Site was taken  
over from Gaseteria in August 2002. Some repairs were made to risers, no tank  
problems. Station was temporarily shut down until raze and rebuild. Gaseteria  
removed tanks 1.5 weeks ago. BP was on-site to oversee tank removal. Station to  
be back in service March 2004. Paula to forward information regarding initial  
TTF. (KMF) 12/26/03 Received information from Paula Skryja, BP  
regulatory assurance specialist. Tanks retested and passed on 11/20/02.  
Details of UST removal should be obtained from Gaseteria. (KMF) 9/19/05 -  
Spill transferred from Vought to Obligado 12/5/05 - Obligado - File Review:  
Baseline Assessment Report, submitted by Delta, 12/2/05. At time of  
assessment, site was an active Gaseteria service station with 4 4000 gallon  
gasoline USTs and 1 4000 gallon diesel USTs, 3 pump islands. Surrounding  
land use is commercial. Sensitive receptor show Harlem River 500 ft southwest  
of site. Closest school is 1400 ft northeast of site. Bedrock located at 8 to  
12 ft below ground surface. Water is located in bedrock fractures between 8

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GASETERIA (Continued)**

**S105997104**

and 15 ft bgs. Gw flows to southwest. Five soil borings conducted on Dec. 20, 2001. Only soil exceedences in one soil boring SB-3 (9-10.2) with 5880 ppb xylenes and 16,100 ppb naphthalene. Total VOCs 81,402 ppb. Three temporary wells installed. Notable ground water results in ppb: (2/6 and 4/19/02) MW1 - benzene 233, ethylbenzene 539, MTBE 3070 MW2 - benzene 52.3, toluene 48, ethylbenzene 575, xylenes 1810, MTBE 122 MW3 - MTBE 50.2 (8/15/02) MW1 - benzene 205, ethylbenzene 435, MTBE 11000 MW2 - benzene 168, ethylbenzene 203, xylene 84.8 MW3 - MTBE 294 UST Closure Report, submitted by AGS, 12/03. On 11/20/03, 5 4000 gallon tanks excavated, Pump islands, piping, vent lines removed. 5 endpoint soil samples collected. Impacts in only one soil sample, UST - SW Bottom, showing 5200 ppb xylenes. SVOC exceedences as well. One gw sample collected from pit water, showing 6.8 ppb benzene, 27ppb ethylbenzene, 181 ppb xylenes, 89 ppb toluene. Excavated soil was reused as backfill. Recommends preparation of a Subsurface Investigation Work Plan to investigate and delineate the detected contaminants. UST Closure Report Addendum, submitted by AGS, 12/03. Letter report documents collection of seven samples below former seven dispensers and collection of 5 samples at various piping locations. VOCs impacts were not detected. SVOCs were detected mostly PAHs. UST Closure Report Addendum No. 2, submitted by AGS, 9/04. Details discovery and abandonment of 3 unregistered and abandoned 550 gallon USTs. PBS registration number 2-191361 assigned on 9/3/04. 425 gallons of non DOT regulated waste liquid was removed from the two tanks. 3 soil samples were collected around the UST. USTs abandoned by filling with concrete slurry. No VOC exceedences detected from soil samples, minor PAH exceedences. "Upon completion of the rebuilding activities AGS will prepare a Subsurface Investigation Work Plan to investigate and delineate the detected contaminants." 12/7/05 - Meeting with ASR, Gaseteria, DEC. This site is scheduled for investigation in summer 2006. 9/12/06 - Obligado - Emailed multi-site stipulation agreement to Gaseteria on 9/8/06. Sent original on 9/12/06. Due date for workplan is 4/1/06. 6/1/07 - Obligado - Phone conversation with Steve Muller to discuss schedule. New due date for workplan is 8/1/07. 9/25/07 - Obligado - Spoke to SteveMuller about this site. He requested proposing a workplan to collect samples from tank mat wells to determine if there is ground water contamination. I told him I would not accept this work plan and he must submit a workplan for well installation. He said he would submit the workplan today. 9/26/07 - Obligado - Received the Investigation Work Plan. 10/26/07 - Obligado - Reviewed the Subsurface Investigation Workplan. It proposes installation of 4 monitoring wells, collection of soil andground water samples for 8260/8270, well survey, and submission of summary report within 60 days. Sent approval email to Steve Muller. 1/30/08 - Obligado - Reviewed Subsurface Investigation Report. 3 monitoring wells were installed. Tank mat wells MWNW and MWSE were also sampled. Soil borings performed above bedrock and samples collected. MWs were installed into bedrock. No VOC impacts in soil above bedrock was above standards, minor SVOC impacts which may be attributable to fill. Ground water impacts in 2 of 5 wells. Tank mat wells MWNW and MWSE were also sampled. Max BTEX is 579 at MW3, 247 at MWSE. The report recommends monitoring for 2 more quarters. I approved the report but required monitoring for 4 quarters at minimum. 5/20/08 - Obligado - Review 1Q08 monitoring report. BTEX from ND to 272 ug/L. MTBE from ND to 9 ug/L. Will continue monitoring. PIPING PROBLEM - RECOMMEND UNCOVER ISOLATE AND RETEST

Remarks:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

97  
NE  
1/4-1/2  
0.264 mi.  
1393 ft.

138 EAST 150TH STREET  
138 EAST 150TH STREET  
BRONX, NY

LTANKS S102672286  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
38 ft.

Site ID: 284811  
Spill Date: 12/09/93  
Facility Addr2: Not reported  
Facility ID: 9310947  
Program Number: 9310947  
SWIS: 0301  
Region of Spill: 2  
Investigator: CAMMISA  
Referred To: Not reported  
Reported to Dept: 12/09/93  
CID: 17  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Other  
Cleanup Ceased: 12/10/93  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/10/93  
Remediation Phase: 0  
Date Entered In Computer: 12/13/93  
Spill Record Last Update: 09/30/04  
Spille Namer: Not reported  
Spiller Company: UNK  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*UPDATE\*\*\*, ZZ  
Spiller County: 999  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9310947  
DER Facility ID: 230947  
Site ID: 284811  
Operable Unit ID: 989612  
Operable Unit: 01  
Material ID: 390009  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 5  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138 EAST 150TH STREET (Continued)

S102672286

Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: VENT ALARM BROKE - TANK WAS ALREADY PULL. SENDING SOMEONE THERE TO CHECK IT OUT. THEN WILL CLEAN UP, SPEEDY DRY - WILL BE USED - BAG IT & DISPOSE OF IT.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9310947  
Investigator: CAMMISA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 12/09/1993  
Spill Time: 10:00  
Reported to Department Date: 12/09/93  
Reported to Department Time: 10:08  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: UNK  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: 12/10/93  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/10/93  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138 EAST 150TH STREET (Continued)

S102672286

Date Spill Entered In Computer Data File: 12/13/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 5  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: VENT ALARM BROKE - TANK WAS ALREADY PULL. SENDING SOMEONE THERE TO CHECK IT OUT. THEN WILL CLEAN UP, SPEEDY DRY - WILL BE USED - BAG IT DISPOSE OF IT.

98  
ENE  
1/4-1/2  
0.267 mi.  
1407 ft.

GRAND CONCOURSE REALTY CO  
557 GRAND CONCOURSE  
BRONX, NY

LTANKS S104782387  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
49 ft.

Site ID: 108555  
Spill Date: 09/27/00  
Facility Addr2: Not reported  
Facility ID: 0007591  
Program Number: 0007591  
SWIS: 0301  
Region of Spill: 2  
Investigator: KMFOLEY  
Referred To: Not reported  
Reported to Dept: 09/28/00  
CID: 17  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Local Agency  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/01/04  
Remediation Phase: 0  
Date Entered In Computer: 09/28/00  
Spill Record Last Update: 10/04/04



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND CONCOURSE REALTY CO (Continued)**

**S104782387**

Spille Namer: BRUCE BECK  
Spiller Company: WOLF PETROLEUM  
Spiller Address: 557 GRAND CONCOURSE  
Spiller City,St,Zip: BRONX, ZZ  
Spiller County: 001  
Spiller Contact: BRUCE BECK  
Spiller Phone: (631) 226-9080  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0007591  
DER Facility ID: 95382  
Site ID: 108555  
Operable Unit ID: 828345  
Operable Unit: 01  
Material ID: 545125  
Material Code: 0022  
Material Name: Waste Oil/Used Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "K FOLEY"  
12/4/03 Reassigned from Sangesland to Foley. Wolf Petroleum site. 2/24/04  
File review(KMF): 2/6/01 UST closure report submitted by National  
Environmental for 1 550gal waste oil UST. Minor SVOC and lead issues. During  
excavation, 2 endpoint samples showed slightly above STARS. 1 composite  
sidewall sample was higher in SVOCs. Subsequent borings show ND or under  
MDLs for VOC/SVOC when tested by TCLP. These borings were taken 8-10' below  
bottom of excavation. 10/1/04 NFA mailed.  
Remarks: tank was either overfilled or failed

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 0007591  
Investigator: SANGESLAND  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 09/27/2000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND CONCOURSE REALTY CO (Continued)**

**S104782387**

Spill Time: 12:00  
Reported to Department Date: 09/28/00  
Reported to Department Time: 10:04  
SWIS: 60  
Spiller Contact: BRUCE BECK  
Spiller Phone: (631) 226-9080  
Spiller Extention: Not reported  
Spiller Name: GRAND CONCOURSE REALTY CO  
Spiller Address: 557 GRAND CONCOURSE  
Spiller City,St,Zip: BRONX  
Facility Contact: BRUCE BECK  
Facility Phone: (631) 226-9080  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Local Agency  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/28/00  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 09/28/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: WASTE OIL  
Class Type: WASTE OIL  
Times Material Entry In File: 9509  
CAS Number: Not reported  
Last Date: 19940927  
DEC Remarks: Not reported  
Spill Cause: tank was either overfilled or failed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

99  
WSW  
1/4-1/2  
0.268 mi.  
1416 ft.

15 WEST 139 STREET  
15 W 139 ST  
MANHATTAN, NY

LTANKS S106737549  
N/A

Relative:  
Higher

LTANKS:

Actual:  
9 ft.

Site ID: 335023  
Spill Date: 12/10/04  
Facility Addr2: Not reported  
Facility ID: 0410113  
Program Number: 0410113  
SWIS: 3101  
Region of Spill: 2  
Investigator: CESAWYER  
Referred To: Not reported  
Reported to Dept: 12/10/04  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Local Agency  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 04/26/05  
Remediation Phase: 0  
Date Entered In Computer: 12/13/04  
Spill Record Last Update: 04/26/05  
Spille Namer: Not reported  
Spiller Company: AXELROD MGMT  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: DAVID  
Spiller Phone: (212) 368-8110  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0410113  
DER Facility ID: 270251  
Site ID: 335023  
Operable Unit ID: 1097132  
Operable Unit: 01  
Material ID: 577085  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**15 WEST 139 STREET (Continued)**

**S106737549**

Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported  
 DEC Memo: 04/26/05 - Sawyer - Repairs done, tank tested and passed. There was no contamination detected. No further action required for this spill. Closed.  
 Remarks: 917-299-7257 is the callback number.

**100  
 SSE  
 1/4-1/2  
 0.287 mi.  
 1514 ft.**

**GRAND CONCOUR/CARROLL PL.  
 118 GRAND CONCOURSE  
 BRONX, NY**

**LTANKS S100494202  
 HIST LTANKS N/A**

**Relative:  
 Higher**

**LTANKS:**

**Actual:  
 19 ft.**

Site ID: 255100  
 Spill Date: 10/22/92  
 Facility Addr2: Not reported  
 Facility ID: 9208519  
 Program Number: 9208519  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: MITCHELL  
 Referred To: Not reported  
 Reported to Dept: 10/23/92  
 CID: Not reported  
 Spill Cause: Tank Failure  
 Water Affected: Not reported  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Other  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 03/20/03  
 Remediation Phase: 0  
 Date Entered In Computer: 10/27/92  
 Spill Record Last Update: 03/20/03  
 Spille Namer: Not reported  
 Spiller Company: Not reported  
 Spiller Address: Not reported  
 Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 9208519  
 DER Facility ID: 208955  
 Site ID: 255100  
 Operable Unit ID: 972057

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND CONCOUR/CARROLL PL. (Continued)**

**S100494202**

Operable Unit: 01  
Material ID: 405611  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: DURING TANK PULL CONTAMINATED SOIL DISCOVERED-SPILL SETS ON CLAY & ROCK-5K TANK  
MAY HAVE WEAK SEAM -TANK GONE-STOCKPILED, TESTED & DISPOSE- NEW ADDRESS:118  
GRAND CONCOURSE,BRONX,10456

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9208519  
Investigator: MITCHELL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 10/22/1992  
Spill Time: 12:01  
Reported to Department Date: 10/23/92  
Reported to Department Time: 15:04  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND CONCOUR/CARROLL PL. (Continued)**

**S100494202**

PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 10/27/92  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/09/98  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: DURING TANK PULL CONTAMINATED SOIL DISCOVERED-SPILL SETS ON CLAY ROCK-5K TANK  
MAY HAVE WEAK SEAM -TANK GONE-STOCKPILED, TESTED DISPOSE- NEW ADDRESS:118 GRAND  
CONCOURSE,BRONX,10456

101  
East  
1/4-1/2  
0.289 mi.  
1524 ft.

**COMMERCAIL BUILD**  
**200 EAST 146TH STREET**  
**BRONX, NY**

**LTANKS S109064348**  
**N/A**

**Relative:**  
**Higher**

LTANKS:  
Site ID: 397682  
Spill Date: 05/09/08  
Facility Addr2: Not reported  
Facility ID: 0801696  
Program Number: 0801696  
SWIS: 0301  
Region of Spill: 2  
Investigator: bkfalvey  
Referred To: Not reported  
Reported to Dept: 05/13/08  
CID: 16

**Actual:**  
**19 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COMMERCAIL BUILD (Continued)**

**S109064348**

Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 05/13/08  
Spill Record Last Update: 05/13/08  
Spille Namer: ROSS SPOSATO  
Spiller Company: COMMERCAIL BUILD  
Spiller Address: 200 EAST 146TH STREET  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: ROSS SPOSATO  
Spiller Phone: (718) 292-0600  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0801696  
DER Facility ID: 347079  
Site ID: 397682  
Operable Unit ID: 1154624  
Operable Unit: 01  
Material ID: 2145434  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 397682  
Spill Tank Test: 2486093  
Tank Number: Not reported  
Tank Size: 6000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified: 05/13/08  
Test Method: Horner EZ Check I or II  
DEC Memo: Not reported  
Remarks: PBS No: 2-085464 lines in the petromiter failed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

Z102  
ESE  
1/4-1/2  
0.320 mi.  
1692 ft.

**PREMIER METALS**  
**381 CANAL PLACE**  
**BRONX, NY**  
**Site 1 of 2 in cluster Z**

**LTANKS** S103941473  
**HIST LTANKS** N/A

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**19 ft.**

Site ID: 145738  
Spill Date: 06/23/99  
Facility Addr2: Not reported  
Facility ID: 9903367  
Program Number: 9903367  
SWIS: 0301  
Region of Spill: 2  
Investigator: BKFALVEY  
Referred To: Not reported  
Reported to Dept: 06/23/99  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 06/23/99  
Spill Record Last Update: 11/03/06  
Spille Namer: GINA CONSTANTINI  
Spiller Company: PREMIER METALS  
Spiller Address: 381 CANAL PLACE  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: GINA CONSTANTINI  
Spiller Phone: (516) 249-3150  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9903367  
DER Facility ID: 16558  
Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported  
Site ID: 145738  
Spill Tank Test: 1547299



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METALS (Continued)**

**S103941473**

Tank Number: Not reported  
Tank Size: 2000  
Test Method: 20  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: USTest 2000/P/LL plus USTest 2000/U  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "SAWYER" 9/08/03 1541 Hrs Sawyer forwarded pbs report to Sigona for inspection. The pbs registration is overdue. 9/17/03 Rossan performed PBS inspection and found them removing tank for closure which opened another spill because of the contamination. 9/23/03 - Sawyer - Sent contaminated soil letter to 381 Canal Place Management. 2/11/04 1030 Hrs - Sawyer - Sent contaminated soil letter to Pride Furniture, Attention: Joseph Muller. 6/24/05 - Spill Lead DEC Field changed to "Grathwol". After repeated efforts by M. Haggerty to contact owner (received no cooperation) and 30-day Department letter requesting information was ignored, J. Grathwol visited the site on 2/16/06. Talked with employees of Pride Furniture. They stated they had no knowledge of the spill. Asked me to call back and discuss with owner. Called several times with no success, Pride Furniture staff stated the owner would call me directly, but it did not happen. Pride Furniture is heated by "salamanders", torpedo-shaped heaters - no oil heat. Spill #8709462 is 3 tank failures with gross leaks and was closed because of the multiple spills at the same address. Pride Furniture phone number: 718-585-1400. Recommend this project as potential PIN project. Grathwol 9/11/06 assigned to bf 9/11/06 sent ttf old spill letter. bf tank contained #2 oil - gross fail

Remarks:

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9903367  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 06/23/1999  
Spill Time: 18:30  
Reported to Department Date: 06/23/99  
Reported to Department Time: 19:30  
SWIS: 60  
Spiller Contact: GINA CONSTANTINI  
Spiller Phone: (516) 249-3150  
Spiller Extension: Not reported  
Spiller Name: PREMIER METALS  
Spiller Address: 381 CANAL PLACE  
Spiller City, St, Zip: BRONX, NY  
Facility Contact: GINA CONSTANTINI  
Facility Phone: (516) 249-3150  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PREMIER METALS (Continued)**

**S103941473**

Spill Source: Other Commercial/Industrial  
 Spill Notifier: Tank Tester  
 PBS Number: 2-342017  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 Spiller Cleanup Date: / /  
 Enforcement Date: / /  
 Investigation Complete: / /  
 UST Involvement: False  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: / /  
 Date Region Sent Summary to Central Office: / /  
 Corrective Action Plan Submitted: / /  
 Date Spill Entered In Computer Data File: 06/23/99  
 Time Spill Entered In Computer Data File: Not reported  
 Spill Record Last Update: 06/24/99  
 Is Updated: False  
 PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: 2000  
 Test Method: USTest 2000  
 Leak Rate Failed Tank: 0.00  
 Gross Leak Rate: Not reported  
 Material Class Type: Not reported  
 Quantity Spilled: Not reported  
 Unkonwn Quantity Spilled: Not reported  
 Units: Not reported  
 Quantity Recovered: Not reported  
 Unkonwn Quantity Recovered: Not reported  
 Material: Not reported  
 Class Type: Not reported  
 Times Material Entry In File: Not reported  
 CAS Number: Not reported  
 Last Date: Not reported  
 DEC Remarks: Not reported  
 Spill Cause: tank contained 2 oil - gross fail

**Z103**  
**ESE**  
**1/4-1/2**  
**0.320 mi.**  
**1692 ft.**

**PREMIER METAL PRODUCTS CO DIV**  
**381 CANAL PLACE**  
**BRONX, NY 10451**  
**Site 2 of 2 in cluster Z**

**FINDS 1000299569**  
**UST NYD001630383**  
**LTANKS**  
**HIST UST**  
**MANIFEST**  
**HIST LTANKS**  
**RCRA-NonGen**

**Relative:**  
**Higher**

**FINDS:**  
 Other Pertinent Environmental Activity Identified at Site

**Actual:**  
**19 ft.**

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

UST:

UST:

Facility Id: 2-342017  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 09/17/08  
Renewal Date: / /  
Total Capacity: 7000  
Mailing Company: CANAL MANAGEMENT  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: 381 CANAL PLACE  
Mailing Address 2: Not reported  
Mailing City: SOUTH BRONX  
Mailing State: NY  
Mailing Zip Code: 10451  
Mailing Phone No: (718) 387-0980  
Mailing Email: Not reported  
Owner Title: Not reported  
Owner Name: Not reported  
Owner Address: 381 CANAL PLACE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 10451  
Owner Phone: (718) 387-0980  
Owner Company: CANAL MANAGEMENT  
Emergency Contact: ERIN MULLER  
Emergency Phone: (718) 387-0980  
Operator: ERIN MULLER  
Operator Phone: (718) 387-0980  
Owner City: SOUTH BRONX  
Owner Sub Type: Corporate or Commercial  
UTM X: 590579.97338  
UTM Y: 4518818.21093  
Site Type Name: Other  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: 9/11/06 there is an open spill case (#0010806) for this facility. bf  
Program Type: PBS  
  
Tank Number: 001  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: / /  
Capacity Gallons: 5000  
Material Name: #2 Fuel Oil  
Percentage: 100.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Petro-Tite/Petro Comp  
Date Tested: 11/01/93  
Next Test Date: 11/01/98  
Date Tank Closed: / /

Tank Number: 002  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: / /  
Capacity Gallons: 2000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: Epoxy Liner  
Tank Internal Protection 1: Painted/Asphalt Coating  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Painted/Asphalt Coating  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Petro-Tite/Petro Comp  
Date Tested: 11/01/93  
Next Test Date: 11/01/98

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Date Tank Closed: / /

Tank Number: 003  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: / /  
Capacity Gallons: 2000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: None  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: None  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Petro-Tite/Petro Comp  
Date Tested: 11/01/93  
Next Test Date: / /  
Date Tank Closed: 09/17/03

**LTANKS:**

Site ID: 145737  
Spill Date: 02/02/88  
Facility Addr2: Not reported  
Facility ID: 8709462  
Program Number: 8709462  
SWIS: 0301  
Region of Spill: 2  
Investigator: BATTISTA  
Referred To: Not reported  
Reported to Dept: 02/07/88  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Tank Tester  
Cleanup Ceased: 09/30/92  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
Spill Closed Dt: 03/21/95  
Remediation Phase: 0  
Date Entered In Computer: 02/09/88  
Spill Record Last Update: 06/26/06  
Spille Namer: Not reported  
Spiller Company: PPA INDUSTRIES  
Spiller Address: 381 CANAL PLACE  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8709462  
DER Facility ID: 16558  
Site ID: 145737  
Operable Unit ID: 914558  
Operable Unit: 01  
Material ID: 464783  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 145737  
Spill Tank Test: 1533196  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Not reported  
Remarks: 3 TANKS TANK 1--2K & GROSS LEAK TANK 2--2K,LEAK RATE = -.271GPH TANK 3--5K, LEAK RATE = -1.424GPH 8/11/88 : 5K TANK FAILED RETEST, L R=-0.061 GPH.

**HIST UST:**

PBS Number: 2-342017  
SPDES Number: Not reported  
Emergency Contact: STAN KWASNICKI  
Emergency Telephone: (718) 198-3266  
Operator: PREMIER METAL PRODUCTS  
Operator Telephone: (212) 993-9200  
Owner Name: PREM. METAL PROD. CO,PPA IND.  
Owner Address: 381 CANAL PLACE  
Owner City,St,Zip: BRONX, NY 10451  
Owner Telephone: (212) 993-9200  
Owner Type: Corporate/Commercial

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Owner Subtype: Not reported  
Mailing Name: PREM. METAL PROD. CO,PPA IND.  
Mailing Address: 381 CANAL PLACE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BRONX, NY 10451  
Mailing Contact: Not reported  
Mailing Telephone: (212) 993-9200  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 381 CANAL PLACE  
SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: MANUFACTURING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 11/29/1993  
Expiration Date: 11/16/1997  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 9000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Epoxy Liner  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Painted/Asphalt Coating  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 11/01/1993  
Next Test Date: 11/01/1998  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Test Method: Petro-Tite  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 2000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Epoxy Liner  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Painted/Asphalt Coating  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 11/01/1993  
Next Test Date: 11/01/1998  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Petro-Tite  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 2000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Epoxy Liner  
Tank External: Painted/Asphalt Coating  
Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Painted/Asphalt Coating  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 11/01/1993  
Next Test Date: 11/01/1998  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Petro-Tite  
Deleted: False  
Updated: True



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Lat/long: Not reported

NY MANIFEST:

Document ID: ARA1255361  
Manifest Status: Not reported  
Trans1 State ID: NJD986607380  
Trans2 State ID: Not reported  
Generator Ship Date: 08/14/2001  
Trans1 Recv Date: 08/14/2001  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/17/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: ARD981057870  
Trans2 EPA ID: Not reported  
TSD ID: H778  
Waste Code: F001 - UNKNOWN  
Quantity: 00220  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: F003 - UNKNOWN  
Quantity: 00385  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00030  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 01  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: NJO0171654  
Manifest Status: Completed copy  
Trans1 State ID: 9437AC  
Trans2 State ID: Not reported  
Generator Ship Date: 840615  
Trans1 Recv Date: 840615  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 840615  
Part A Recv Date: 840626  
Part B Recv Date: 840626  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: NYD013600259  
Trans2 EPA ID: Not reported  
TSDF ID: NJD096865837  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00330  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 84  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: NJO0171677  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 9437AC  
Trans2 State ID: Not reported  
Generator Ship Date: 840808  
Trans1 Recv Date: 840808  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 840810  
Part A Recv Date: 840907  
Part B Recv Date: 841003  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: NYD013600259  
Trans2 EPA ID: Not reported  
TSDf ID: NJD096865837  
Waste Code: F001 - UNKNOWN  
Quantity: 00165  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 84  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: NJA0157989

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Manifest Status: Completed copy  
Trans1 State ID: NJSWAS300  
Trans2 State ID: Not reported  
Generator Ship Date: 860325  
Trans1 Recv Date: 860325  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860325  
Part A Recv Date: 860328  
Part B Recv Date: 860328  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00085  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00385  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Document ID: ARA8703100  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: PC1469H77  
Trans2 State ID: Not reported  
Generator Ship Date: 970708  
Trans1 Recv Date: 970708  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970711  
Part A Recv Date: Not reported  
Part B Recv Date: 970806  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: NJD986607380  
Trans2 EPA ID: Not reported  
TSDf ID: ARD981057870  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00550  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 010  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00055  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00400  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: PAB3332954  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: PA-AH3002  
Trans2 State ID: Not reported  
Generator Ship Date: 870109  
Trans1 Recv Date: 870109  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 870109  
Part A Recv Date: 870304  
Part B Recv Date: 870121  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSDf ID: NJD991291105  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00220  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00608  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 014  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 87  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: PAB0558460  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: PA-AH  
Trans2 State ID: PA-AH  
Generator Ship Date: 841219  
Trans1 Recv Date: 841220  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 841220  
Part A Recv Date: 850308  
Part B Recv Date: 850220  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: PAD098732118  
Trans2 EPA ID: Not reported  
TSDf ID: PAD098732118  
Waste Code: F001 - UNKNOWN  
Quantity: 00165  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 030  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 84  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: NJA0056828  
Manifest Status: Completed copy  
Trans1 State ID: NJSWAS-30  
Trans2 State ID: Not reported  
Generator Ship Date: 850418  
Trans1 Recv Date: 850418  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 850418  
Part A Recv Date: 850425  
Part B Recv Date: 850430  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: F001 - UNKNOWN  
Quantity: 00055  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00440  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 008  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 85  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: ARA6601770  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: PC0711H01  
Trans2 State ID: Not reported  
Generator Ship Date: 931116  
Trans1 Recv Date: 931116  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 931120  
Part A Recv Date: Not reported  
Part B Recv Date: 931215  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: MOD095038998  
Trans2 EPA ID: Not reported  
TSDf ID: ARD981057870  
Waste Code: F003 - UNKNOWN  
Quantity: 04000  
Units: P - Pounds  
Number of Containers: 010  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 93  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: ARA6840890  
Manifest Status: Completed copy

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Trans1 State ID: PC0711H01  
Trans2 State ID: Not reported  
Generator Ship Date: 940617  
Trans1 Recv Date: 940617  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940620  
Part A Recv Date: Not reported  
Part B Recv Date: 940711  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: MOD095038998  
Trans2 EPA ID: Not reported  
TSDF ID: ARD981057870  
Waste Code: F003 - UNKNOWN  
Quantity: 04400  
Units: P - Pounds  
Number of Containers: 011  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 04000  
Units: P - Pounds  
Number of Containers: 010  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 05600  
Units: P - Pounds  
Number of Containers: 014  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00400  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: ARA1027529  
Manifest Status: Not reported  
Trans1 State ID: NYD980769947  
Trans2 State ID: Not reported  
Generator Ship Date: 03/17/1999  
Trans1 Recv Date: 03/17/1999  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 03/19/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: ARD981057870  
Trans2 EPA ID: Not reported  
TSD ID: 245  
Waste Code: F003 - UNKNOWN  
Quantity: 00825  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: F001 - UNKNOWN  
Quantity: 00495  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 009  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: ARA1148845  
Manifest Status: Not reported  
Trans1 State ID: MOD095038998  
Trans2 State ID: Not reported  
Generator Ship Date: 08/17/2000  
Trans1 Recv Date: 08/17/2000  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/21/2000  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: ARD981057870  
Trans2 EPA ID: Not reported  
TSDF ID: H11  
Waste Code: F003 - UNKNOWN  
Quantity: 00110  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: F001 - UNKNOWN  
Quantity: 00220  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 00  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383  
Facility Name: PREMIER METAL PRODUCTS CO DIV

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

Document ID: ARA1148787  
Manifest Status: Not reported  
Trans1 State ID: NJD986607380  
Trans2 State ID: Not reported  
Generator Ship Date: 08/15/2000  
Trans1 Recv Date: 08/15/2000  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/16/2000  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001630383  
Trans1 EPA ID: ARD981057870  
Trans2 EPA ID: Not reported  
TSD ID: JA334H778  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 34962  
Units: P - Pounds  
Number of Containers: 023  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: F003 - UNKNOWN  
Quantity: 00220  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 00  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD001630383

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Facility Name: PREMIER METAL PRODUCTS CO DIV  
Facility Address: 381 CANAL PLACE  
Facility City: BRONX  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: PREMIER METAL PRODUCTS CO DIV  
Mailing Contact: FRANK CERRANO  
Mailing Address: 381 CANALL PLACE  
Mailing Address 2: Not reported  
Mailing City: BRONX  
Mailing State: NY  
Mailing Zip: 10451  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-993-9200

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 8709462  
Investigator: BATTISTA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 02/02/1988  
Spill Time: 23:55  
Reported to Department Date: 02/07/88  
Reported to Department Time: 14:26  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: PPA INDUSTRIES  
Spiller Address: 381 CANAL PLACE  
Spiller City,St,Zip: BRONX, NY  
Facility Contact: Not reported  
Facility Phone: (212) 993-9200  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: 2-342017  
Cleanup Ceased: 09/30/92  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. (Highly

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Improbable)  
Spill Closed Dt: 03/21/95  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/09/88  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/21/95  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: / / : RESP. PARTY WILL PUMP OUT, EXCAVATE AND RETEST. 04/01/88: REPAIRS WERE MADE -04/01/88 THE TANK -2,000 GALLON PASSED PETROTITE AT RATE OF -0.032 GPH. 03/21/95: SPILL CLOSED ON MIKE MULQUEEN S RECOMMENDATION. INACTIVE STATUS SINCE 9/20/92 CHANGED TO 3/21/95 BY SMM.  
Spill Cause: 3 TANKS TANK 1--2K GROSS LEAK TANK 2--2K,LEAK RATE = -.271GPH TANK 3--5K, LEAK RATE = -1.424GPH 8/11/88 : 5K TANK FAILED RETEST, L R=-0.061 GPH.

RCRA-NonGen:

Date form received by agency: 01/01/2006  
Facility name: PREMIER METAL PRODUCTS CO DIV  
Facility address: 381 CANAL PL  
BRONX, NY 104515913  
EPA ID: NYD001630383  
Mailing address: CANAL PL  
BRONX, NY 10451  
Contact: -  
Contact address: CANAL PL  
BRONX, NY 10451  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999  
Facility name: PREMIER METAL PRODUCTS CO DIV  
Classification: Not a generator, verified

Date form received by agency: 08/17/1994  
Facility name: PREMIER METAL PRODUCTS CO DIV  
Site name: PREMIER METAL PRODUCTS CO  
Classification: Large Quantity Generator

Date form received by agency: 07/14/1980  
Facility name: PREMIER METAL PRODUCTS CO DIV  
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 07/19/2000  
Date achieved compliance: 10/16/2000  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 07/19/2000  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 06/14/1995  
Date achieved compliance: 09/25/1996  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 06/14/1995  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 06/14/1995  
Date achieved compliance: 09/25/1996  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 02/02/1996  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 03/01/1995  
Date achieved compliance: 09/11/1995  
Violation lead agency: State  
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
Enforcement action date: 09/11/1995  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: 1200  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 03/01/1995  
Date achieved compliance: 09/11/1995  
Violation lead agency: State  
Enforcement action: INITIAL 3008(A) COMPLIANCE  
Enforcement action date: 06/28/1995  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 1200  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 04/01/1994  
Date achieved compliance: 07/29/1994  
Violation lead agency: State  
Enforcement action: INITIAL 3008(A) COMPLIANCE  
Enforcement action date: 07/29/1994  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 1200  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PREMIER METAL PRODUCTS CO DIV (Continued)**

**1000299569**

Evaluation Action Summary:

Evaluation date: 03/01/2000  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Generators - Records/Reporting  
 Date achieved compliance: 10/16/2000  
 Evaluation lead agency: State

Evaluation date: 05/11/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 09/25/1996  
 Evaluation lead agency: State

Evaluation date: 03/01/1995  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Generators - Records/Reporting  
 Date achieved compliance: 09/11/1995  
 Evaluation lead agency: State

Evaluation date: 04/01/1994  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Generators - Records/Reporting  
 Date achieved compliance: 07/29/1994  
 Evaluation lead agency: State

**104  
 NE  
 1/4-1/2  
 0.324 mi.  
 1712 ft.**

**500 GRAND CONCOURSE  
 500 GRAND CONCOURSE  
 NEW YORK CITY, NY**

**LTANKS S104073431  
 HIST LTANKS N/A**

**Relative:  
 Higher**

LTANKS:

**Actual:  
 54 ft.**

Site ID: 92997  
 Spill Date: 05/31/90  
 Facility Addr2: Not reported  
 Facility ID: 9002366  
 Program Number: 9002366  
 SWIS: 0301  
 Region of Spill: 2  
 Investigator: BATTISTA  
 Referred To: Not reported  
 Reported to Dept: 05/31/90  
 CID: Not reported  
 Spill Cause: Tank Test Failure  
 Water Affected: Not reported  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Notifier: Tank Tester  
 Cleanup Ceased: 09/30/92  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 09/30/92  
 Remediation Phase: 0  
 Date Entered In Computer: 06/01/90  
 Spill Record Last Update: 05/12/94

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

500 GRAND CONCOURSE (Continued)

S104073431

Spille Namer: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9002366  
DER Facility ID: 83396  
Site ID: 92997  
Operable Unit ID: 942221  
Operable Unit: 01  
Material ID: 437109  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Not reported  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 92997  
Spill Tank Test: 1537140  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Not reported  
Remarks: 10K TANK (SYSTEM) FAILED HORNER EZY CHECK, VISUAL GROSS LEAK, FUEL LEAKING THROUGH CONCRETE BASEMENT WALL, TO PUMP TANK, WILL EXCAVATE, ISOLATE & RETEST.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9002366  
Investigator: BATTISTA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 05/31/1990  
Spill Time: 12:30  
Reported to Department Date: 05/31/90  
Reported to Department Time: 13:39  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

500 GRAND CONCOURSE (Continued)

S104073431

Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: 2-452319  
Cleanup Ceased: 09/30/92  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 09/30/92  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/01/90  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/12/94  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: / / : 41 1 1 0 4 2 N.T.R2 2-056146 0011100/00+ D 41 1 1 3 4 2 N.T.R2 2-056154  
0013100/00++P 4100 1100 1 0 4 2 N.T.R1 T .  
Spill Cause: 10K TANK SYSTEM) FAILED HORNER EZY CHECK, VISUAL GROSS LEAK, FUEL LEAKING  
THROUGH CONCRETE BASEMENT WALL, TO PUMP TANK, WILL EXCAVATE, ISOLATE RETEST.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AA105**     **GETTY GASOLINE 58409**  
**NW**        **119 WEST 145 ST**  
**1/4-1/2**    **MANHATAN, NY**  
**0.327 mi.**  
**1725 ft.**    **Site 1 of 3 in cluster AA**

**LTANKS**    **S106703837**  
**HIST LTANKS**    **N/A**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**13 ft.**

Site ID: 219895  
Spill Date: 03/03/98  
Facility Addr2: Not reported  
Facility ID: 9713385  
Program Number: 9713385  
SWIS: 3101  
Region of Spill: 2  
Investigator: rjfeng  
Referred To: DPES START 6/27/2006, CHECK FOR AIR EFFLUENT  
Reported to Dept: 03/03/98  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Responsible Party  
Cleanup Ceased: 06/03/03  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 03/03/98  
Spill Record Last Update: 03/24/08  
Spiller Name: Not reported  
Spiller Company: GETTY GASOLINE 58409  
Spiller Address: 119 WEST 145 ST  
Spiller City,St,Zip: MANHATAN, NY  
Spiller County: 001  
Spiller Contact: CALLER  
Spiller Phone: (516) 249-3150  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9713385  
DER Facility ID: 181865  
Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported  
Site ID: Not reported  
Spill Tank Test: Not reported

MAP FINDINGS

**GETTY GASOLINE 58409 (Continued)**

**S106703837**

Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported  
 DEC Memo:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "VOUGHT" 3/14/03 REASSIGNED FROM ROMMEL TO VOUGHT. 6/27/2003-Vought-File review by Vought: Tank Upgrade Report-Dec 1998-Tyree Brothers Environmental Services (Paul Hatcher 631-249-3150)-"Adjoining six-story building to the west, adjoining two story buildings to the east and north. Merit service station across W145th Street. Four (4000-gallon) gasoline USTs upgraded. Soil excavated to approximate depth of 3' below grade. Six soil endpoint soil samples taken (analyticals provided). Soil analyticals show concentrations up to 47000ppb toluene (S5), 1603000ppb xylene, 88800 ppb naphthalene and 19300ppb MTBE. 84.24 tons of soil excavated and removed (disposal manifest provided). Subsurface Investigation Report-Dec 2000-Tyree-Eleven soil borings performed using Geoprobe. "Perched groundwater was encountered at approximate depths of 10-15bls". Soil analyticals show concentrations up to 8060ppb benzene (SB7),288000ppb toluene, 16200ppb MTBE (SB8), 70300ppb naphthalene. Groundwater analyticals show up to 6470ppb benzene, 29600ppb toluene, and 172000ppb MTBE. Quarterly Monitoring Reports-March 2001 thru Sept 2001. Four monitoring wells on-site. Remedial activities are EVR/Remediation Assessment. Two additional wells installed in 7/1. Groundwater concentrations up to 3820ppb benzene (W1), 1770ppb toluene(W1), 26940ppb xylene (W5) and 445000ppb MTBE (W4). Pilot Test Report and SVE and DPE-Nov 2002-Tyree-See RAP comments (June 2003) for pilot test results. Tyree proposes DPE due to higher radius of influence than SVE. 3/29/2003-Vought-Received email from Paul Hatcher that 2" of product was found in W5. Product was bailed. Monitoring and bailing began weekly. Quarterly Monitoring Reports-Oct 2002 thru Dec 2001. Six monitoring wells on-site. Remedial activities are EVR/Remediation Assessment. Free product (.02') in W2. Groundwater concentrations up to 2100ppb benzene (W1), 6180ppbxylene (W5) and 348000ppb MTBE (W4). Letter to NYSDEC-Feb 18, 2003-Letter sent to NYSDEC by Tyree requesting Stipulation Agreement so that Tyree could proceed with proposed system design and installation. In letter Tyree states that they previously submitted a Soil Vapor Extraction and Dual Phase Extraction Pilot Test in Nov 2002. 4/17/2003-Vought sent Stipulation, CAP, Guidance Document and cover letter to Kevin Shea (Getty Properties). 6/3/2003-Vought-Received signed stipulation agreement from Getty. Quarterly Monitoring Reports-Jan 2003 thru March 2003-Tyree-Six monitoring wells on-site. Groundwater concentrations up to 3550ppb benzene(W1), 2330ppb toluene(W1), 12700ppb xylene(W4) and 59800ppb MTBE. No free product in wells. Four dual phase extraction wells (DPE) wells were installed for future remediation system. Borings logs and soil analyticals provided. Soil concentrations up to 2180ppb benzene(E4), 3740ppb toluene(E4) and 4140ppb MTBE(E4). Proposed Remedial Action Plan-June 2003-Tyree-Depth to perched groundwater is ten to twelve feet. Groundwater flows to the east. During installation of wells W5 and W6 two ghost tanks found and could not be removed due to their location underlying operational pump island (both tanks were filled with water with no measurable product). Review of historical maps by Tyree suggested that there are possibly eight additional tanks on-site. Free product found in wells W4 and W5. A radius of influence of 16 was estimated by pilot tests, therefore conventional SVE would not accomplish treatment goals. A following pilot test of DPE indicated groundwater pumping in the DPE created a zone of influence exceeding 25'. Soil heterogeneities cause vapor flow rates to be less than

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

GETTY GASOLINE 58409 (Continued)

S106703837

40cfm. Tyree proposes installation of DPE system of five extraction wells with liquid ring vacuum pumps. Estimated fluid extraction rate is 10gpm. Extraction wells installed in Apr with radius of influence of 20'. Fluids will be processed through a oil/water separator, air stripper and liquid phase carbon unit. Treated groundwater will be discharged into storm sewer. Vapors will be scrubbed using activated carbon adsorption. Monthly air samples will be collected and analyzed for NIOSH 1501. Discharge of wastewater will be monitored weekly for 30 days then monthly thereafter. Tyree requests written approval of RAP. 6/27/2003-Vought-NYSDEC requires 1)off site delineation 2)surrounding area site plan, sensitive receptor monitoring schedule and data 3)Additional copies of Site status report and Remediation Report of Aug 2002 (Vought-never received these documents) 4)Investigation of eight additional tanks referred to in RAP. These requests must be satisfied before RAP approval. Vought sent email to Tyree (Hatcher) on 7/2/03 with above requirements. Quarterly Monitoring Reports (Tyree) July 2003 thru Dec 2003. Five monitoring wells onsite, one monitoring well/dual phase extraction well and four DPE wells for future remediation system. DPE wells were installed 4/10/03-4/11/03. Groundwater flow to the northeast. .15' of LNAPL in MW15. "Trenching to connect all DPE wells completed in 7/03. Awaiting purchase of DPE system and permits for system". Groundwater concentrations up to 1020ppb benzene(W1), 865ppb benzene(W2), 1420ppb benzene(W3), 1560ppb benzene(W4), free product(W5), and 14ppb MTBE(W6). Monthly monitoring and bailing to recover free product. 2/19/04-Vought-Sent letter as per CAPrejecting RAP until the following requirements are met: 1)delineation to the west of W3, east of W-1, northwest of W2, downgradient from W4 2)inclusion of W5 in DPE system due to free product 3)surrounding area site plan. Vought sent letter with above requirements on 2/19/04. 5/1305-Vought-New file review by Vought: Quarterly Monitoring Reports (Tyree Org)-July 2004 thru Dec 2004. Wells onsite include: five monitoring wells, one monitoring well/dual phase extraction well, and four DPE wells for future remediation system. Groundwater flow to the east-northeast at depths of 10-12' below grade. Groundwater analyticals show: 2600ppb benzene(W1), 1370ppb toluene(W1), 1200ppb ethylbenzene(W1), 5640ppb xylene(W1), 3690ppb MTBE(W1), 1490ppb benzene(W3), 699ppb toluene(W3), 242ppb ethylbenzene(W3), 652ppb xylene(W3), 3750ppb MTBE(W3), no sample(W4), no sample(W5), 11ppb MTBE(W6). 5/13/05-Vought-DEC no longer requires delineation upgradient of source but however still requires: 1)addition of MW5 to DPE or affirmation of inclusion in ROI of DPHVE system. Vought sent email with requirements. Vought received email from J Rennie that MW 5 was tied into DPHVE. 08/31/2005 - Feng - Project transferred from Vought to Feng.11/15/2005 - Feng - Dual Phase Extraction System is installed and ready to run. However, it is still awaiting electric approval from NYC Electrical Control Board/Cod Edison. 12/19/2005 - Feng - Quarterly Monitoring Report, 7/2005 - 9/2005. The site is currently an active gasoline station & convenience store with car wash. Groundwater flows to east at the depth of 10.81' to 11.99' bg. There are 5 monitoring well, 1 monitoring/extraction well and 5 extraction wells. W-1, rapid increased and 49,390 ppb BTEX, rapid decreased and 804 ppb MTBE. W-2, rapid increased and 12,163 ppb BTEX, decreased and 8,500 ppb MTBE. W-3, decreased and 7,187 ppb BTEX, decreased and 3,540 ppb MTBE. W-4, increased and 3,638 ppb BTEX, decreased and 2,180 ppb MTBE. W-5, increased and 6,135 ppb BTEX, increased and 120 ppb MTBE. W-6, increased and 32 ppb MTBE, 10 ppb MTBE. Absorbent sock in W-5. Still waiting for electrical approval. (RJF) 1/17/2006 - Feng - Quarterly Monitoring Report, 10/2006-12/2005. The site is an active gasoline station & convenience store with car wash. Groundwater flows to east at the depth of 10.14' to 11.43' bg. 5 monitoring wells, 1 monitoring/extraction well and 5 extraction wells onsite. W-1, 48,920 ppbBTEX, 1,470 ppb MTBE. W-3, decreased and 4,467 ppb BTEX, 3,150 ppb MTBE. W-4, increased and 6,912 ppb BTEX, 2,410 ppb MTBE. W-6, low and 1

GETTY GASOLINE 58409 (Continued)

S106703837

ppb BTEX, 13 ppb MTBE. Absorbent socks in W-5. Still waiting for electrical approval for the system installed onsite. (RJF) 1/17/2006 - Feng - Emailed to Joe Rennie asked about the status of the site, and the reason why couldn't get the electrical approval. (RJF) 2/13/2006 - Feng - Emailed to Joe Rennie requested the status of the pending electrical approval from ConEd. (RJF) 2/13/2006 - Feng - Reply from Joe Rennie "Please be advised that Tyree has tried making contact numerous times via phone and faxes with the electrical sub-contractor requesting the status in this matter. When Tyree was able to make contact with the sub-contractor, it was told to us that they did not hear back from the ECB and that they will make a follow-up phone call to check on the status." " At this point, the only thing that Tyree can do is to keep contacting the sub-contractor. If NYSDEC has any suggestions, we are surely open to them." (RJF) 2/14/2006 - Feng - Emailed to ConEd requesting status of the project and reason why electric service hasn't granted yet. and asked for the contact information of the project manager. (RJF) 2/14/2006 - Feng - Joe Rennie emailed the contact information of ConEdison. (RJF) 2/15/2006 - Feng - Letter requesting assistance in gaining electrical approval from ConEdison to Kevin Gallagher via fax:212-673-1729 and certified mail. (RJF) 2/15/2006 - Feng - Called from Antonio Alaimo (ConEdison) and follow up by email. He called Mr. Godsil (Tyree's sub-contractor) on 1/26/2006 and Godsil is still waiting for the certificate from the city before ConEd could install a new meter. He said once the certificate is on hand, ConEdison will take care of this case right away. (RJF) 2/15/2006 - Feng - Called Harry Godsil (516-827-5324). He said that they re-filed for certificate and done the re-wiring. He will follow up with the Electric Board and ConEdison. It will be all set in a couples weeks. (RJF) 3/8/2006 - Feng - Called Harry Godsil and left message if he got the certificate from the city yet. (RJF) 3/17/2006 - Feng - Faxed Harry Godsil a message and inquired the status of the power supply for the remediation system for this site. Requested the contact information if he haven't received the certificate from the city yet, such as contact name, address, phone# and fax#. (RJF) 3/29/2006 - Feng - 3/28/2006 Letter faxed to NYC Department of Buildings - Electrical Division and requested assistance in obtaining the electrical certificate. Called from Inspector Diamond (212)566-3812 saying that they never received any application for that. Emailed Joe Rennie and asked him to look into this problem. (RJF) 4/4/2006 - Feng - Email from DOB Bonnie Gerard. She stated that their inspector visited the site and found some violation. And DOB will be expedite Getty's sub-contractor's application. Feng Forward the violations list to Joe Rennie and strong recommend him to hire another electrician to remove the violation and then to run the system. (RJF) 4/6/2006 - Feng - Email Joe Rennie requested about the status of electrical work for the site. 4/7/2006 - Feng - Email from Joe Rennie "I have another electrical contractor working on it. The contractor was in our office on Wednesday and Paul Hatcher and myself spoke to him. He assured us that he will follow up with the NYC DOB. As far as Con Ed goes the paperwork was filed and a case number has been assigned, it's the NYC DOB that doesn't have the necessary paperwork to proceed." (RJF) 5/4/2006 - Feng - Quarterly Monitoring Report, 1/2006 - 3/2006. Active gasoline station and convenience store with car wash. Groundwater at 10.59' to 11.56' bg and flows to east. Sampling and gauging as of 3/21/2006. There are 5 monitoring, 1 monitoring/extraction, 5 extraction wells. W-1, 0.04' FP. W-3, increased and 13,227 ppb BTEX (1,870 ppb B, 6,010 ppb T, 647 ppb E, 4,700 ppb X), 3,180 ppb MTBE. W-4, decreased and 4,651 ppb BTEX (1,750 ppb B, 31 ppb T, 1,050 ppb E, 1,820 ppb X), 1,230 ppb MTBE. W-6, 5 ppb BTEX, 16 ppb MTBE. Noted that absorbent sock in monitoring well (W-1). Electrical contractor waiting on Con Edison and NYC Electrical Control Board for installation approval and final inspection. (RJF) 6/27/2006 - Feng - Dual Phase Extraction System startup. DEC staff Sun, Feng, Andersen, and Krasweski were onsite to witness this event.



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

GETTY GASOLINE 58409 (Continued)

S106703837

(RJF) 11/9/2006 - Feng - Quarterly Monitoring Report, 7/2006 - 9/2006, 10/9/2006, by Tyree. Active gasoline station and convenience store with car wash. Sampled and gauged on 9/28/2006. 5 monitoring wells, 1 monitoring/extraction well, and 5 extraction wells. DTW 10.35' to 11.29' bg. Flows to easterly. LNAPL in MW-1, 0.30 feet. BTEX range ND to 17,637 ppb. MTBE range 1 ppb to 2,740 ppb. (RJF) 2/7/2007 - Feng - Quarterly Monitoring Report, 10/2006 - 12/2006, 1/2/2007, by Tyree. Groundwater sampled and gauged 12/27/2006. 5 monitoring, 1 monitoring/extraction and 5 extraction wells. DTW 9.92' to 11.98' bg. Flows east. LNAPL in W-1 (0.12'). W-3, 4,249 ppb BTEX, 700 ppb MTBE. W-4, Not accessible. W-6, BTEX ND, 4 ppb MTBE. (RJF) 5/17/2007 - Feng - New Spill 07-01951 called in. The caller stated that there is product in the monitoring well. Contacted Tyree to see what happened. (RJF) 5/17/2007 - Feng - Rob. S (Tyree) called back and he will send a field technician to the site and gauge those monitoring well. Product will be sampled if any were found in the wells. Will call back tomorrow with the gauging results. (RJF) 5/18/2007 - Feng - Email from Joe Gavin (C2G Environmental Consultants) to DEC Jacob Krimgold. During the Third Party Audit Inspection conducted 5/17/2007, some PBS violation were found and the station has been closed. (RJF) 5/23/2007 - Feng - Email updates from Rob. S (Tyree). A field tech was there yesterday and this morning. One monitoring well with 0.01' of product, the others including the dual phase ones has no product. (RJF) 6/26/2007 - Feng - Quarterly Monitoring Report, 1/2007 - 3/2007, 4/2007. Groundwater sampled 4/2/2007. 5 monitoring wells, 1 monitoring/extraction well, 5 extraction wells. DTW 10.40' to 11.69' bg. Flows to east. LNAPL in MW-1 (0.05'). W-3, 1,618 ppb BTEX, 949 ppb MTBE. W-4, not accessible. W-6, ND. Dual Phase Extraction system running. As of 4/18/2007, Influent 11.6 ppb BTEX and 13.90 ppb MTBE, effluent MDL. (RJF) 9/28/2007 - Feng - Quarterly Monitoring Report, 5/2007 - 7/2007, 8/2007. Groundwater sampled 7/9/2007. 5 monitoring wells, 1 monitoring/extraction well, 5 extraction wells. DTW 10.32' to 11.25' bg. Flows to east. No LNAPL. W-1, 40,412 ppb BTEX, 161 ppb MTBE. W-3, 6,555 ppb BTEX, 2,010 ppb MTBE. W-4, NA. W-6, BTEX ND, 4 ppb MTBE. (RJF) 3/21/2008 - Feng - Quarterly Monitoring Report, 8/2007 - 11/2007, 12/2007. Active gasoline station and convenience store with car wash. Groundwater was gauged and sampled 11/8/2007. 5 monitoring wells, 1 monitoring/extraction well and 5 extraction wells. DTW 10.78' to 11.97' bg. Flows to east. LNAPL in MW-1 (0.33'). BTEX range ND to 14,373 ppb (MW-3). MTBE range 3.3 ppb to 1,910 ppb (MW-3). Dual Phase Extraction system has been off line since November due to a pump failure and will be restarted in 12/2007. (RJF) 3/24/2008 - Feng - Email from R. Szczespanski (Tyree). The system is back to service in mid February 2008. (RJF) TANK UNGRADE, FOUND CONTAMINATION. ORIGINAL SPILL ASSIGNED TO O'DOWD.

Remarks:

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9713385  
Investigator: ROMMEL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/03/1998  
Spill Time: 13:50  
Reported to Department Date: 03/03/98

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GETTY GASOLINE 58409 (Continued)**

**S106703837**

Reported to Department Time: 13:50  
SWIS: 62  
Spiller Contact: CALLER  
Spiller Phone: (516) 249-3150  
Spiller Extention: Not reported  
Spiller Name: GETTY GASOLINE 58409  
Spiller Address: 119 WEST 145 ST  
Spiller City,St,Zip: MANHATAN, NY  
Facility Contact: Not reported  
Facility Phone: ( ) -  
Facility Extention: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/03/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/03/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Not reported  
Quantity Spilled: Not reported  
Unkonwn Quantity Spilled: Not reported  
Units: Not reported  
Quantity Recovered: Not reported  
Unkonwn Quantity Recovered: Not reported  
Material: Not reported  
Class Type: Not reported  
Times Material Entry In File: Not reported  
CAS Number: Not reported  
Last Date: Not reported  
DEC Remarks: Not reported  
Spill Cause: TANK UNGRADE, FOUND CONTAMINATION. ORIGINAL SPILL ASSIGNED TO O DOWD.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**106**  
**SE**  
 1/4-1/2  
 0.332 mi.  
 1753 ft.

**ECOLOGY RECYCLING PLANT**  
**321 CANAL PLACE**  
**BRONX, NY 10451**

**SWRCY** **S105842268**  
**N/A**

**Relative:**  
**Higher**

SWRCY:  
 Region: 2  
 Facility Address 2: Not reported  
 Phone Number: 2126650770  
 Owner Type: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner Address 2: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Email: Not reported  
 Owner Phone: Not reported  
 Contact Name: ANTHONY LACAVALLA  
 Contact Address: Not reported  
 Contact Address 2: Not reported  
 Contact City,St,Zip: Not reported  
 Contact Email: Not reported  
 Contact Phone: Not reported  
 Activity Desc: Source separated solid waste recyclables  
 Activity Number: 03M27  
 Active: No  
 East Coordinate: Not reported  
 North Coordinate: Not reported  
 Accuracy Code: Not reported  
 Regulatory Status: Not reported  
 Permit #: 2-6004-00040  
 Auth. Date: Not reported  
 Expiration Date: Not reported  
 Waste Type: Not reported

**Actual:**  
**18 ft.**

**AB107**  
**NW**  
 1/4-1/2  
 0.339 mi.  
 1790 ft.

**NYC TRANSIT AUTHORITY**  
**146TH ST / LENOX**  
**MANHATTAN, NY**  
**Site 1 of 7 in cluster AB**

**LTANKS** **S100153375**  
**NY Spills** **N/A**  
**NY Hist Spills**  
**HIST LTANKS**

**Relative:**  
**Higher**

LTANKS:  
 Site ID: 95163  
 Spill Date: 09/10/91  
 Facility Addr2: Not reported  
 Facility ID: 9106264  
 Program Number: 9106264  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: MCTIBBE  
 Referred To: Not reported  
 Reported to Dept: 09/10/91  
 CID: 15  
 Spill Cause: Tank Test Failure  
 Water Affected: Not reported  
 Spill Source: Non Major Facility > 1,100 gal  
 Spill Notifier: Tank Tester  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /

**Actual:**  
**8 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC TRANSIT AUTHORITY (Continued)**

**S100153375**

Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Remediation Phase: 0  
Date Entered In Computer: 09/11/91  
Spill Record Last Update: 06/14/02  
Spille Namer: Not reported  
Spiller Company: NYCTA  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9106264  
DER Facility ID: 85127  
Site ID: 95163  
Operable Unit ID: 956756  
Operable Unit: 01  
Material ID: 421988  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 95163  
Spill Tank Test: 1539031  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE"  
11/18/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/18/94. DEC SIGONA  
REASSIGNED TO KEVIN HALE ON 1/23/98 transfered from Hale to Tibbe on 12/27/00.  
refer to 89-02374.remediation ongoing.  
Remarks: TWO 5000 GAL TANKS MANIFOLDED. PETROTITE -.280GPH. ISOLATING & INVESTIGATING  
PIPING.

**NY Spills:**

Site ID: 138341  
Facility Addr2: Not reported  
Facility ID: 9610399  
Spill Number: 9610399  
Facility Type: ER  
SWIS: 3101  
Region of Spill: 2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC TRANSIT AUTHORITY (Continued)**

**S100153375**

Investigator: ADZHITOM  
Referred To: Not reported  
Spill Date: 11/18/96  
Reported to Dept: 11/19/96  
CID: 365  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial Vehicle  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/22/96  
Remediation Phase: 0  
Date Entered In Computer: 11/19/96  
Spill Record Last Update: 12/05/96  
Spiller Name: Not reported  
Spiller Company: MYSTIC TRANSPORTATION  
Spiller Address: 1901 STEINWAY ST  
Spiller City,St,Zip: ASTORIA, NY 11105-  
Spiller Company: 001  
Contact Name: MANNY - SUPERVISOR  
Contact Phone: (212) 690-9561  
DEC Region: 2  
Program Number: 9610399  
DER Facility ID: 118292  
Site ID: 138341  
Operable Unit ID: 1041940  
Operable Unit: 01  
Material ID: 342610  
Material Code: 0012  
Material Name: Kerosene  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 20  
Units: Gallons  
Recovered: 20  
Resource Affected: Soil  
Oxygenate: False  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "ZHITOMIRSKY"  
Remarks: kerosene leaked out of delivery truck at the delivery site

**NY Hist Spills:**

Region of Spill: 2  
Spill Number: 9610399  
Investigator: ZHITOMIRSKY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 11/18/1996 13:30

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC TRANSIT AUTHORITY (Continued)**

**S100153375**

Reported to Dept Date/Time: 11/19/96 15:47  
SWIS: 62  
Spiller Name: MYSTIC TRANSPORTATION  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Contact: MANNY - SUPERVISOR  
Spiller Phone: (212) 690-9561  
Spiller Address: 1901 STEINWAY ST  
Spiller City,St,Zip: ASTORIA, NY 11105-  
Spill Cause: Equipment Failure  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 07  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/22/96  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 11/19/96  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 12/05/96  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 20  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 20  
Unkonwn Quantity Recovered: False  
Material: KEROSENE  
Class Type: KEROSENE  
Times Material Entry In File: 2052  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Remark: kerosene leaked out of delivery truck at the delivery site

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9106264  
Investigator: TIBBE  
Caller Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC TRANSIT AUTHORITY (Continued)**

**S100153375**

Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 09/10/1991  
Spill Time: 19:30  
Reported to Department Date: 09/10/91  
Reported to Department Time: 16:23  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: NYCTA  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Non Major Facility > 1,100 gallons  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/11/91  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/27/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC TRANSIT AUTHORITY (Continued)**

**S100153375**

Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: 11/18/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/18/94. DEC SIGONA REASSIGNED TO KEVIN HALE ON 1/23/98 transferred from Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Spill Cause: TWO 5000 GAL TANKS MANIFOLDED. PETROTITE -.280GPH. ISOLATING INVESTIGATING PIPING.

**AB108  
NW  
1/4-1/2  
0.341 mi.  
1802 ft.**

**CLARA HALE DEPOT  
721 LENNOX AVE  
MANHATTAN, NY  
Site 2 of 7 in cluster AB**

**LTANKS S102150306  
NY Spills N/A  
NY Hist Spills  
HIST LTANKS**

**Relative:  
Higher**

LTANKS:

**Actual:  
8 ft.**

Site ID: 158428  
Spill Date: 06/29/93  
Facility Addr2: Not reported  
Facility ID: 9304003  
Program Number: 9304003  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 06/29/93  
CID: 15  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Remediation Phase: 0  
Date Entered In Computer: 07/01/93  
Spill Record Last Update: 02/22/07  
Spiller Namer: Not reported  
Spiller Company: NYCTA  
Spiller Address: 370 JAY 57  
Spiller City,St,Zip: BROOKLYN, ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9304003  
DER Facility ID: 85127  
Site ID: 158428  
Operable Unit ID: 982294  
Operable Unit: 01  
Material ID: 558889



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CLARA HALE DEPOT (Continued)**

**S102150306**

Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Pounds  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" transferred from Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Remarks: DIESEL WAS FOUND IN MANWAY TO INVESTIGATE TANKS.

**NY Spills:**

Site ID: 158429  
Facility Addr2: Not reported  
Facility ID: 9503127  
Spill Number: 9503127  
Facility Type: ER  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Spill Date: 06/13/95  
Reported to Dept: 06/13/95  
CID: 15  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: 06/14/95  
Cleanup Meets Std: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 06/14/95  
Remediation Phase: 0  
Date Entered In Computer: 06/19/95  
Spill Record Last Update: 02/22/07  
Spiller Name: Not reported  
Spiller Company: NYCTA  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller Company: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CLARA HALE DEPOT (Continued)**

**S102150306**

Contact Name: Not reported  
Contact Phone: Not reported  
DEC Region: 2  
Program Number: 9503127  
DER Facility ID: 85127  
Site ID: 158429  
Operable Unit ID: 1017679  
Operable Unit: 01  
Material ID: 368185  
Material Code: 0066A  
Material Name: UNKNOWN PETROLEUM  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 16  
Units: Gallons  
Recovered: No  
Resource Affected: Air  
Oxygenate: False  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE"  
10/10/95: This is additional information about material spilled from the  
translation of the old spill file: CHLORODIFLOURO METHA.  
Remarks: LINE RUPTURED AND RELEASED PRODUCTS - UNIT CONTAINED 161 LBS OF PRODUCT

Site ID: 158427  
Facility Addr2: Not reported  
Facility ID: 0311426  
Spill Number: 0311426  
Facility Type: ER  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Spill Date: 01/09/04  
Reported to Dept: 01/09/04  
CID: 15  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/30/04  
Remediation Phase: 0  
Date Entered In Computer: 01/09/04  
Spill Record Last Update: 04/27/05  
Spiller Name: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller Company: 001  
Contact Name: PASHKO CAMAJ  
Contact Phone: (718) 243-4581

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CLARA HALE DEPOT (Continued)**

**S102150306**

DEC Region: 2  
Program Number: 0311426  
DER Facility ID: 85127  
Site ID: 158427  
Operable Unit ID: 879043  
Operable Unit: 01  
Material ID: 500235  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False

DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE"  
Product discovered in blind riser of secondary for discharge line #2. Product was entering secondary through the dispenser pan, which is connected to the secondary. Product was entering the dispenser pan because operators were leaving the dispenser nozzle leaning over the pan and some residual product was dripping from the nozzle to the pan and then to the secondary. NYCT cleaned spill and re-sealed the dispenser panshroud to prevent product from accumulating in pan.

Remarks: 1/2 GALLON OF GAS WAS FOUND IN A BLIND RISER FOR A DISCHARGE LINE #2. SOURCE IS CURRENTLY BENIG INVESTIGATED. BELIEVED TO BE JUST WASHED INTO RISER.

[Click this hyperlink](#) while viewing on your computer to access additional NY\_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9503127  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 06/13/1995 11:00  
Reported to Dept Date/Time: 06/13/95 11:56  
SWIS: 62  
Spiller Name: NYCTA  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Equipment Failure  
Reported to Dept: Air  
Water Affected: Not reported  
Spill Source: 01  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: 06/14/95  
Cleanup Meets Std: True  
Last Inspection: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CLARA HALE DEPOT (Continued)**

**S102150306**

Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 06/14/95  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 06/19/95  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 06/23/95  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 16  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: UNKNOWN PETROLEUM  
Class Type: UNKNOWN PETROLEUM  
Times Material Entry In File: 16414  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: 10/10/95: This is additional information about material spilled from the  
translation of the old spill file: CHLORODIFLOURO METHA.  
Remark: LINE RUPTURED AND RELEASED PRODUCTS - UNIT CONTAINED 161 LBS OF PRODUCT

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9304003  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 06/29/1993  
Spill Time: 10:00  
Reported to Department Date: 06/29/93  
Reported to Department Time: 11:24  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCTA  
Spiller Address: 370 JAY 57

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CLARA HALE DEPOT (Continued)**

**S102150306**

Spiller City,St,Zip: BROOKLYN  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 07/01/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/27/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: transfered from Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Spill Cause: DIESEL WAS FOUND IN MANWAY TO INVESTIGATE TANKS.

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AB109**      **146TH ST BUS DEPOT**  
**NW**        **721 LENOX AVE**  
**1/4-1/2**    **MANHATTAN, NY**  
**0.341 mi.**  
**1802 ft.**    **Site 3 of 7 in cluster AB**

**LTANKS**    **S100494812**  
**NY Spills**    **N/A**  
**NY Hist Spills**  
**HIST LTANKS**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**8 ft.**

Site ID: 95164  
 Spill Date: 01/16/92  
 Facility Addr2: Not reported  
 Facility ID: 9110782  
 Program Number: 9110782  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: SULLIVAN  
 Referred To: Not reported  
 Reported to Dept: 01/16/92  
 CID: 15  
 Spill Cause: Tank Overfill  
 Water Affected: Not reported  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 02/12/03  
 Remediation Phase: 0  
 Date Entered In Computer: 02/03/92  
 Spill Record Last Update: 02/12/03  
 Spille Namer: Not reported  
 Spiller Company: NYCTA  
 Spiller Address: Not reported  
 Spiller City,St,Zip: ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 9110782  
 DER Facility ID: 85127  
 Site ID: Not reported  
 Operable Unit ID: Not reported  
 Operable Unit: Not reported  
 Material ID: Not reported  
 Material Code: Not reported  
 Material Name: Not reported  
 Case No.: Not reported  
 Material FA: Not reported  
 Quantity: Not reported  
 Units: Not reported  
 Recovered: Not reported  
 Resource Affected: Not reported  
 Oxygenate: Not reported  
 Site ID: Not reported  
 Spill Tank Test: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

146TH ST BUS DEPOT (Continued)

S100494812

Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: SORBENT APPLIED. WILL PICK UP & DISPOSE.

NY Spills:

Site ID: 95166  
Facility Addr2: Not reported  
Facility ID: 9606076  
Spill Number: 9606076  
Facility Type: ER  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Spill Date: 08/11/96  
Reported to Dept: 08/11/96  
CID: 15  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Remediation Phase: 0  
Date Entered In Computer: 08/11/96  
Spill Record Last Update: 12/27/00  
Spiller Name: HOWIE MATZA  
Spiller Company: NYCTA  
Spiller Address: 721 LENOX AVE  
Spiller City,St,Zip: MANHATTAN, ZZ  
Spiller Company: 001  
Contact Name: HOWIE MATZA  
Contact Phone: (718) 243-4581  
DEC Region: 2  
Program Number: 9606076  
DER Facility ID: 85127  
Site ID: 95166  
Operable Unit ID: 1037043  
Operable Unit: 01  
Material ID: 348812  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

146TH ST BUS DEPOT (Continued)

S100494812

Quantity: 10  
Units: Gallons  
Recovered: 10  
Resource Affected: Soil  
Oxygenate: False  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" transferred from Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Remarks: bus was being filled and desiel came out of a manway - the tanks have been taken out of service until cause is determined- spill cleaned up

Site ID: 95162  
Facility Addr2: Not reported  
Facility ID: 0404173  
Spill Number: 0404173  
Facility Type: ER  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Spill Date: 07/19/04  
Reported to Dept: 07/19/04  
CID: 15  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Commercial Vehicle  
Spill Notifier: Local Agency  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/30/05  
Remediation Phase: 0  
Date Entered In Computer: 07/19/04  
Spill Record Last Update: 03/30/05  
Spiller Name: LENNY GELDMAN  
Spiller Company: MOTHER CLARA HILL DEPOT  
Spiller Address: 721 LENOX AVE  
Spiller City,St,Zip: MANHATTAN, NY 10039  
Spiller Company: 001  
Contact Name: LENNY GELDMAN  
Contact Phone: (347) 386-7457  
DEC Region: 2  
Program Number: 0404173  
DER Facility ID: 85127  
Site ID: 95162  
Operable Unit ID: 887064  
Operable Unit: 01  
Material ID: 488186  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 20



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

146TH ST BUS DEPOT (Continued)

S100494812

Units: Gallons  
Recovered: 20  
Resource Affected: Soil  
Oxygenate: False  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" see also 04-01607. Product discovered in the discharge sump for diesel tank #1. Primary line leak. Secondary and sump passed testing on 07/20/04, so there was no release to the environment. The flex connector was replaced and relocated inside the sump. The discharge primary and secondary were retested and passed.  
Remarks: LEAKED FROM #1 TANK INTO THE SUMP CONTAINMENT, STILL INVESTIGATING CAUSE, EVERYTHING CLEANED UP

[Click this hyperlink](#) while viewing on your computer to access additional NY\_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9606076  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 08/11/1996 10:30  
Reported to Dept Date/Time: 08/11/96 12:37  
SWIS: 62  
Spiller Name: NYCTA  
Spiller Contact: HOWIE MATZA  
Spiller Phone: (718) 243-4581  
Spiller Contact: HOWIE MATZA  
Spiller Phone: (718) 243-4581  
Spiller Address: 721 LENOX AVE  
Spiller City,St,Zip: MANHATTAN  
Spill Cause: Unknown  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 01  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/27/00  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 08/11/96  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 12/27/00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

146TH ST BUS DEPOT (Continued)

S100494812

Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 10  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 10  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: transfered from Hale to Tibbe on 12/27/00. refer to 89-02374. remediation ongoing.  
Remark: bus was being filled and desiel came out of a manway - the tanks have been taken out of service until cause is determined- spill cleaned up

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9110782  
Investigator: SULLIVAN  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 01/16/1992  
Spill Time: 11:45  
Reported to Department Date: 01/16/92  
Reported to Department Time: 12:24  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCTA  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

146TH ST BUS DEPOT (Continued)

S100494812

Last Inspection: //  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: //  
Enforcement Date: //  
Investigation Complete: //  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: //  
Date Region Sent Summary to Central Office: //  
Corrective Action Plan Submitted: //  
Date Spill Entered In Computer Data File: 02/03/92  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/13/92  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 150  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: SORBENT APPLIED. WILL PICK UP DISPOSE.

AB110  
NW  
1/4-1/2  
0.341 mi.  
1802 ft.

NYC-TA MOTHER CLARA HALE DEPOT  
721 LENOX AVENUE  
NEW YORK, NY 10039  
Site 4 of 7 in cluster AB

RCRA-SQG 1000140959  
FINDS NYD980642219  
LTANKS  
MANIFEST  
HIST LTANKS  
MANIFEST

Relative:  
Higher

RCRA-SQG:

Actual:  
8 ft.

Date form received by agency: 01/01/2006  
Facility name: NYCTA  
Facility address: 721 LENOX AVE  
NEW YORK, NY 10039  
EPA ID: NYD980642219  
Mailing address: JAMAICA AVE  
BROOKLYN, NY 11207  
Contact: -  
Contact address: JAMAICA AVE  
BROOKLYN, NY 11207  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown  
Mixed waste (haz. and radioactive): Unknown  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: Unknown  
Furnace exemption: Unknown  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No  
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/14/1999  
Facility name: NYCTA  
Classification: Small Quantity Generator

Date form received by agency: 03/30/1994  
Facility name: NYCTA  
Classification: Large Quantity Generator

Date form received by agency: 02/14/1992  
Facility name: NYCTA  
Site name: 146TH ST DEP  
Classification: Large Quantity Generator

Date form received by agency: 03/01/1990  
Facility name: NYCTA  
Site name: NEW YORK CITY TRANSIT AUTHORITY  
Classification: Large Quantity Generator

Date form received by agency: 05/21/1982  
Facility name: NYCTA  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 10/09/1997  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Evaluation lead agency: State

**FINDS:**

Other Pertinent Environmental Activity Identified at Site

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**LTANKS:**

Site ID: 240067  
Spill Date: 06/07/89  
Facility Addr2: Not reported  
Facility ID: 8902374  
Program Number: 8902374  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 06/07/89  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 5  
Date Entered In Computer: 06/09/89  
Spill Record Last Update: 12/19/07  
Spille Namer: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NYC-TA MOTHER CLARA HALE DEPOT (Continued)

1000140959

Spiller Company: NYCTA  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8902374  
DER Facility ID: 85127  
Site ID: 240067  
Operable Unit ID: 929831  
Operable Unit: 01  
Material ID: 559467  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 240067  
Operable Unit ID: 929831  
Operable Unit: 01  
Material ID: 1971147  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: Yes  
Resource Affected: Soil, Groundwater  
Oxygenate: False  
Site ID: 240067  
Spill Tank Test: 1535552  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" transfered from Hale to Tibbe on 12/27/00. see also 89-02952,89-04241, 91-06264, 93-04003, 96-06076, 01-02743. tanks repaired/replaced/upgraded. remediation ongoing. See also 98-13017 for waste oil plume. 12/19/07: Since the depot is slated to be demolished, NYCT has decided to remove as much of the contaminated soil and LNAPL as physically possible. They submitted and SSRP/RD for excavation, which was approved. At the time of the remediation, Spill #s 05-13028, 07-03983 & 06-10604 will be investigated and if necessary remediated.  
Remarks: FOUR 5K TANKS LEAKING INTO VAULT. GROUNDWATER DISCOVERED IN VAULT.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Site ID: 95165  
Spill Date: 03/02/93  
Facility Addr2: Not reported  
Facility ID: 9213322  
Program Number: 9213322  
SWIS: 3101  
Region of Spill: 2  
Investigator: TOMASELLO  
Referred To: Not reported  
Reported to Dept: 03/02/93  
CID: 15  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Affected Persons  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 02/10/03  
Remediation Phase: 0  
Date Entered In Computer: 03/03/93  
Spill Record Last Update: 03/21/05  
Spille Namer: Not reported  
Spiller Company: UNK FUEL VENDOR  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9213322  
DER Facility ID: 85127  
Site ID: 95165  
Operable Unit ID: 980498  
Operable Unit: 01  
Material ID: 403118  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 200  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: SPILL INTO STREET AND LAND AROUND DEPOT UNK WHY SPILL OCCURED,CLEANUP ONGOING-MAT'L WILL BE DRUMMED AS HAZ-WASTE

**NY MANIFEST:**

Document ID: NJA0197947  
Manifest Status: Completed copy  
Trans1 State ID: NJDEP8690  
Trans2 State ID: Not reported  
Generator Ship Date: 860812  
Trans1 Recv Date: 860812  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860812  
Part A Recv Date: 860814  
Part B Recv Date: 860825  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: NJD000768093  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00320  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Mailing Phone: 212-690-9619

Document ID: NJA0197948  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEP8690  
Trans2 State ID: Not reported  
Generator Ship Date: 860912  
Trans1 Recv Date: 860912  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860912  
Part A Recv Date: 861028  
Part B Recv Date: 860929  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: NJD000768093  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00160  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: NJA1127065  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Generator Ship Date: 910918  
Trans1 Recv Date: 910918  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910918  
Part A Recv Date: 911002  
Part B Recv Date: 911108  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00688  
Units: P - Pounds  
Number of Containers: 008  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 91  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: NJA1443061  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920403  
Trans1 Recv Date: 920403  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920403  
Part A Recv Date: 920420  
Part B Recv Date: 920415

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01290  
Units: P - Pounds  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: 07  
Manifest Status: 001023951JJK  
Trans1 State ID: NYD980642219  
Trans2 State ID: Not reported  
Generator Ship Date: NJD002200046  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: NJ000027193  
TSD Site Recv Date: Not reported  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: Y  
TSD ID: N  
Waste Code: N  
Quantity: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NYC-TA MOTHER CLARA HALE DEPOT (Continued)

1000140959

Units: 3  
Number of Containers: DM  
Container Type: 283  
Handling Method: P  
Specific Gravity: 1  
Waste Code: T  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: 07  
Manifest Status: 001034674JJK  
Trans1 State ID: NYD980642219  
Trans2 State ID: Not reported  
Generator Ship Date: NJD002200046  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: NJ0000027193  
TSD Site Recv Date: Not reported  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Quantity:	Not reported
Units:	1
Number of Containers:	DM
Container Type:	55
Handling Method:	G
Specific Gravity:	1
Waste Code:	T
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD980642219
Facility Name:	NYCTA
Facility Address:	146TH BUS DEPOT 731 LENOX AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	NYCTA
Mailing Contact:	N/S
Mailing Address:	370 JAY ST
Mailing Address 2:	Not reported
Mailing City:	BROOKLYN
Mailing State:	NY
Mailing Zip:	11201
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-690-9619
Document ID:	07
Manifest Status:	001034674JJK
Trans1 State ID:	NYD980642219
Trans2 State ID:	Not reported
Generator Ship Date:	NJD002200046
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	NJ0000027193
TSD Site Recv Date:	Not reported
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSD ID:	N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DM  
Container Type: 90  
Handling Method: P  
Specific Gravity: 1  
Waste Code: T  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJ000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 2007-07-05  
Trans1 Recv Date: 2007-07-05  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2007-07-05  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

TSDF ID: NJD002200046  
Waste Code: Not reported  
Quantity: 283.0  
Units: P - Pounds  
Number of Containers: 3.0  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 001023951JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 2007-02-23  
Trans1 Recv Date: 2007-02-23  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2007-02-23  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSDF ID: NJD002200046  
Waste Code: Not reported  
Quantity: 55.0  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 001034674JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 2007-02-23  
Trans1 Recv Date: 2007-02-23  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2007-02-23  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: Not reported  
Quantity: 90.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 07  
Manifest Tracking Num: 001034674JJK  
Import Ind: N  
Export Ind: N



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: NJA0106869  
Manifest Status: Completed copy  
Trans1 State ID: NJDEP8690  
Trans2 State ID: Not reported  
Generator Ship Date: 860424  
Trans1 Recv Date: 860424  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860424  
Part A Recv Date: 860514  
Part B Recv Date: 860513  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD000805911  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00160  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: NJA1343909  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920204  
Trans1 Recv Date: 920204  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920204  
Part A Recv Date: 920218  
Part B Recv Date: 920220  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01290  
Units: P - Pounds  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: NJA1367255  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920107  
Trans1 Recv Date: 920107  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920107  
Part A Recv Date: Not reported  
Part B Recv Date: 920117  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01290  
Units: P - Pounds  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: NJA1452375  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920527  
Trans1 Recv Date: 920527  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920527  
Part A Recv Date: Not reported  
Part B Recv Date: 920615  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01462  
Units: P - Pounds  
Number of Containers: 017  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Mailing Phone: 212-690-9619

Document ID: NJA1437679  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 920429  
Trans1 Recv Date: 920429  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920429  
Part A Recv Date: Not reported  
Part B Recv Date: 920603  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01290  
Units: P - Pounds  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

Document ID: NJA1337795  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Generator Ship Date: 920305  
Trans1 Recv Date: 920305  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920305  
Part A Recv Date: 920317  
Part B Recv Date: 920318  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01290  
Units: P - Pounds  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: NJA1355652  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 921113  
Trans1 Recv Date: 921113  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 921113  
Part A Recv Date: 921124  
Part B Recv Date: 921203

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00860  
Units: P - Pounds  
Number of Containers: 010  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 92  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: NJA3179160  
Manifest Status: Not reported  
Trans1 State ID: NJD003812047  
Trans2 State ID: NJD003812047  
Generator Ship Date: 01/19/2001  
Trans1 Recv Date: 01/19/2001  
Trans2 Recv Date: 01/26/2001  
TSD Site Recv Date: 01/26/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: NJD002200046  
Trans2 EPA ID: Not reported  
TSD ID: 081906  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00055

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 01  
Manifest Tracking Num: Not reported  
Import Ind: Not reported  
Export Ind: Not reported  
Discr Quantity Ind: Not reported  
Discr Type Ind: Not reported  
Discr Residue Ind: Not reported  
Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619  
  
Document ID: NJA0107420  
Manifest Status: Completed copy  
Trans1 State ID: NJDEP8690  
Trans2 State ID: Not reported  
Generator Ship Date: 860227  
Trans1 Recv Date: 860227  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 860227  
Part A Recv Date: 860317  
Part B Recv Date: 860310  
Generator EPA ID: NYD980642219  
Trans1 EPA ID: ILD000805911  
Trans2 EPA ID: Not reported  
TSD ID: NJD000768093  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00160  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
EPA ID:	NYD980642219
Facility Name:	NYCTA
Facility Address:	146TH BUS DEPOT 731 LENOX AVE
Facility City:	NEW YORK
Facility Address 2:	Not reported
Country:	USA
Mailing Name:	NYCTA
Mailing Contact:	N/S
Mailing Address:	370 JAY ST
Mailing Address 2:	Not reported
Mailing City:	BROOKLYN
Mailing State:	NY
Mailing Zip:	11201
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-690-9619
Document ID:	NJA0197649
Manifest Status:	Completed copy
Trans1 State ID:	NJDEP8690
Trans2 State ID:	Not reported
Generator Ship Date:	860714
Trans1 Recv Date:	860714
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	860714
Part A Recv Date:	860725
Part B Recv Date:	860725
Generator EPA ID:	NYD980642219
Trans1 EPA ID:	NJD000768093
Trans2 EPA ID:	Not reported
TSD ID:	NJD000768093
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00160
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	86
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Discr Partial Reject Ind: Not reported  
Discr Full Reject Ind: Not reported  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: Not reported  
EPA ID: NYD980642219  
Facility Name: NYCTA  
Facility Address: 146TH BUS DEPOT 731 LENOX AVE  
Facility City: NEW YORK  
Facility Address 2: Not reported  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: N/S  
Mailing Address: 370 JAY ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-690-9619

[Click this hyperlink](#) while viewing on your computer to access  
139 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9213322  
Investigator: TOMASELLO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/02/1993  
Spill Time: 14:30  
Reported to Department Date: 03/02/93  
Reported to Department Time: 15:38  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: UNK FUEL VENDOR  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Affected Persons

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/03/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/11/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 200  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: SPILL INTO STREET AND LAND AROUND DEPOT UNK WHY SPILL OCCURED,CLEANUP  
ONGOING-MAT L WILL BE DRUMMED AS HAZ-WASTE  
  
Region of Spill: 2  
Spill Number: 8902374  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 06/07/1989  
Spill Time: 13:00  
Reported to Department Date: 06/07/89  
Reported to Department Time: 15:06  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Spiller Extention: Not reported  
Spiller Name: NYCTA  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: 2-189995  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/09/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/27/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: transfered from Hale to Tibbe on 12/27/00. see also 89-02952,91-06264, 93-04003, 96-06076. tanks repaired/replaced/upgraded. remediation ongoing.  
Spill Cause: FOUR 5K TANKS LEAKING INTO VAULT. GROUNDWATER DISCOVERED IN VAULT.

**NJ MANIFEST:**

Manifest Code: 001034674JJK  
EPA ID: NYD980642219  
Date Shipped: 20070223  
TSDf EPA ID: NJD002200046  
Transporter EPA ID: NJ0000027193

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 070223  
Date Trans2 Transported Waste: Not reported  
Date TSDF Received Waste: 070223  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D002  
Manifest Year: 2007 New Jersey Manifest Data  
Quantity: 55  
Unit: G  
Hand Code: H14

Waste Code: D008  
Manifest Year: 2007 New Jersey Manifest Data  
Quantity: 90  
Unit: P  
Hand Code: H11

Manifest Code: NJA5075236  
EPA ID: NYD980642219  
Date Shipped: 20040419  
TSDF EPA ID: NJD002200046  
Transporter EPA ID: NJ0000027193  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 040419  
Date Trans2 Transported Waste: 000000  
Date TSDF Received Waste: 040419  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 05100422  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5077089  
EPA ID: NYD980642219  
Date Shipped: 20040519  
TSDF EPA ID: NJD002200046  
Transporter EPA ID: NJ0000027193  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 040519  
Date Trans2 Transported Waste: 000000  
Date TSDF Received Waste: 040519  
Tranporter 1 Decal: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Tranporter 2 Decal: Not reported  
Data Entry Number: 06070422  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5202371  
EPA ID: NYD980642219  
Date Shipped: 20040922  
TSDf EPA ID: NJD991291105  
Transporter EPA ID: NYD046765574  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 040922  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 040929  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 11040421  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5111610  
EPA ID: NYD980642219  
Date Shipped: 20041213  
TSDf EPA ID: NJD002200046  
Transporter EPA ID: NJ0000027193  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 041213  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 041213  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 01240525  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC-TA MOTHER CLARA HALE DEPOT (Continued)**

**1000140959**

Manifest Code: NJA5312869  
EPA ID: NYD980642219  
Date Shipped: 20060403  
TSDf EPA ID: NJD002200046  
Transporter EPA ID: NJ0000027193  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 060403  
Date Trans2 Transported Waste: 000000  
Date TSDf Received Waste: 060403  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 06140622  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: 001023951JJK  
EPA ID: NYD980642219  
Date Shipped: 20070705  
TSDf EPA ID: NJD002200046  
Transporter EPA ID: NJ0000027193  
Transporter 2 EPA ID: Not reported  
Date Trans1 Transported Waste: 070705  
Date Trans2 Transported Waste: Not reported  
Date TSDf Received Waste: 070705  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D008  
Manifest Year: 2007 New Jersey Manifest Data  
Quantity: 283  
Unit: P  
Hand Code: H14

AB111  
NW  
1/4-1/2  
0.341 mi.  
1802 ft.

**MOTHER CLARA HALE DEPOT**  
**721 LENOX AVE**  
**MANHATTAN, NY**  
**Site 5 of 7 in cluster AB**

**LTANKS S106702500**  
**N/A**

**Relative:**  
**Higher**

LTANKS:  
Site ID: 110346  
Spill Date: 08/06/04  
Facility Addr2: Not reported  
Facility ID: 0405011  
Program Number: 0405011

**Actual:**  
**8 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOTHER CLARA HALE DEPOT (Continued)**

**S106702500**

SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 08/06/04  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. No DEC Response. No corrective action required.  
  
Spill Closed Dt: 01/10/05  
Remediation Phase: 0  
Date Entered In Computer: 08/06/04  
Spill Record Last Update: 04/27/05  
Spiller Namer: PASHKO KAMAJ  
Spiller Company: MOTHER CLARA HILL DEPOT  
Spiller Address: 721 LENNOX AVE.  
Spiller City,St,Zip: MANHATTAN, NY 10025  
Spiller County: 001  
Spiller Contact: PASHKO KAMAJ  
Spiller Phone: (718) 243-4581  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0405011  
DER Facility ID: 85127  
Site ID: 110346  
Operable Unit ID: 888407  
Operable Unit: 01  
Material ID: 488984  
Material Code: 0022  
Material Name: Waste Oil/Used Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Not reported  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 110346  
Operable Unit ID: 888407  
Operable Unit: 01  
Material ID: 488985  
Material Code: 0022  
Material Name: Waste Oil/Used Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Pounds  
Recovered: No



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**MOTHER CLARA HALE DEPOT (Continued)**

**S106702500**

Resource Affected: Groundwater  
 Oxygenate: False  
 Site ID: 110346  
 Spill Tank Test: 1529519  
 Tank Number: 1  
 Tank Size: 1000  
 Test Method: 18  
 Leak Rate: 0  
 Gross Fail: Not reported  
 Modified By: Spills  
 Last Modified: 10/01/04  
 Test Method: Alert Model 1000 plus 1050 (Formerly Gilbarco Precision)  
 Site ID: 110346  
 Spill Tank Test: 1529520  
 Tank Number: 1  
 Tank Size: 1000  
 Test Method: 18  
 Leak Rate: 0  
 Gross Fail: Not reported  
 Modified By: Spills  
 Last Modified: 10/01/04  
 Test Method: Alert Model 1000 plus 1050 (Formerly Gilbarco Precision)  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" see also 03-00236. Primary tank failed testing. Put air on tank and filled piping sump with water. Bubbles indicated a leaking union. Union was tightened and tank was retested and passed. Sump was tested and passed.  
 Remarks: Precision Test Failure on the waste oil tank. No actual release of material.

**AA112** 120-28 W.145 ST MANHATTAN  
**NW** 120-28 W 145 STREET  
 1/4-1/2 NEW YORK CITY, NY  
 0.345 mi.  
 1821 ft. Site 2 of 3 in cluster AA

**LTANKS** S104275479  
**HIST LTANKS** N/A

**Relative:** LTANKS:  
**Higher** Site ID: 181462  
 Spill Date: 01/13/87  
**Actual:** Facility Addr2: Not reported  
**16 ft.** Facility ID: 8606425  
 Program Number: 8606425  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: UNASSIGNED  
 Referred To: Not reported  
 Reported to Dept: 01/15/87  
 CID: 15  
 Spill Cause: Tank Test Failure  
 Water Affected: NONE  
 Spill Source: Gasoline Station  
 Spill Notifier: Tank Tester  
 Cleanup Ceased: 08/21/87  
 Cleanup Meets Standard: True  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: True  
 Spill Class: Not reported  
 Spill Closed Dt: 08/21/87  
 Remediation Phase: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

120-28 W.145 ST MANHATTAN (Continued)

S104275479

Date Entered In Computer: 02/11/87  
Spill Record Last Update: 04/21/04  
Spille Namer: Not reported  
Spiller Company: MERIT SERVICE  
Spiller Address: 120-28 W 145 ST.  
Spiller City,St,Zip: NEW YORK CITY, ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8606425  
DER Facility ID: 152167  
Site ID: 181462  
Operable Unit ID: 904007  
Operable Unit: 01  
Material ID: 475545  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 181462  
Spill Tank Test: 1530504  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was " "  
10/10/95: This is additional information about material spilled from the  
translation of the old spill file: UNKNOWN AMOUNT.  
Remarks: 4K AND 2K UNDERGROUND TANK SYSTEM PREMIUM NO LEAD WOULD NOT HOLD IN  
STANDPIPE.2K AND TWO 4K UNDERGROUND TANK SYSTEM.SEE HISTORY

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8606425  
Investigator: Not reported  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 01/13/1987  
Spill Time: 14:00  
Reported to Department Date: 01/15/87

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

120-28 W.145 ST MANHATTAN (Continued)

S104275479

Reported to Department Time: 15:27  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: MERIT SERVICE  
Spiller Address: 120-28 W 145 ST.  
Spiller City,St,Zip: NYC  
Facility Contact: Not reported  
Facility Phone: (212) 283-9354  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: NONE  
Spill Source: Gas Station  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: 08/21/87  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Not reported  
Spill Closed Dt: 08/21/87  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/11/87  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 08/21/87  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: UNKNOWN AMOUNT.  
Spill Cause: 4K AND 2K UNDERGROUND TANK SYSTEM PREMIUM NO LEAD WOULD NOT HOLD IN STANDPIPE.2K AND TWO 4K UNDERGROUND TANK SYSTEM.SEE HISTORY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AA113  
NW  
1/4-1/2  
0.345 mi.  
1823 ft.

120-128 WEST 145TH STREET  
120-128 WEST 145TH STREET  
MANHATTAN, NY

LTANKS S104275681  
HIST LTANKS N/A

Site 3 of 3 in cluster AA

Relative:  
Higher

LTANKS:

Actual:  
16 ft.

Site ID: 220577  
Spill Date: 12/02/92  
Facility Addr2: Not reported  
Facility ID: 9210186  
Program Number: 9210186  
SWIS: 3101  
Region of Spill: 2  
Investigator: O'DOWD  
Referred To: Not reported  
Reported to Dept: 12/02/92  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Tank Tester  
Cleanup Ceased: 07/22/94  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 07/22/94  
Remediation Phase: 0  
Date Entered In Computer: 12/03/92  
Spill Record Last Update: 08/02/94  
Spille Namer: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9210186  
DER Facility ID: 182450  
Site ID: 220577  
Operable Unit ID: 974287  
Operable Unit: 01  
Material ID: 407187  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Not reported  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 220577  
Spill Tank Test: 1540916

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**120-128 WEST 145TH STREET (Continued)**

**S104275681**

Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Not reported  
Remarks: 2X4K AND 1X2K-MANIFOLDED-NO ACTION YET-WILL EIR TOMORROW

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9210186  
Investigator: O'DOWD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 12/02/1992  
Spill Time: 16:00  
Reported to Department Date: 12/02/92  
Reported to Department Time: 16:56  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: 07/22/94  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 07/22/94  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 12/03/92

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**120-128 WEST 145TH STREET (Continued)**

**S104275681**

Time Spill Entered In Computer Data File: Not reported  
 Spill Record Last Update: 08/02/94  
 Is Updated: False  
 PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: 0  
 Test Method: Not reported  
 Leak Rate Failed Tank: 0.00  
 Gross Leak Rate: Not reported  
 Material Class Type: Petroleum  
 Quantity Spilled: -1  
 Unkonwn Quantity Spilled: False  
 Units: Not reported  
 Quantity Recovered: 0  
 Unkonwn Quantity Recovered: False  
 Material: GASOLINE  
 Class Type: GASOLINE  
 Times Material Entry In File: 21329  
 CAS Number: Not reported  
 Last Date: 19940929  
 DEC Remarks: 08/02/94: CROSS REFERENCE TO SPILL 9212043. TANK REPLACEMENT.  
 Spill Cause: 2X4K AND 1X2K-MANIFOLDED-NO ACTION YET-WILL EIR TOMORROW

**AB114  
 NW  
 1/4-1/2  
 0.346 mi.  
 1826 ft.**

**NYC TRANSIT  
 146ST / LENNOX  
 NYC, NY  
 Site 6 of 7 in cluster AB**

**LTANKS S106702990  
 HIST LTANKS N/A**

**Relative:  
 Higher**

LTANKS:

Site ID: 138340  
 Spill Date: 11/07/00  
 Facility Addr2: Not reported  
 Facility ID: 0009127  
 Program Number: 0009127  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: MCTIBBE  
 Referred To: Not reported  
 Reported to Dept: 11/07/00  
 CID: 270  
 Spill Cause: Tank Test Failure  
 Water Affected: Not reported  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Tank Tester  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: True  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 07/10/02  
 Remediation Phase: 0  
 Date Entered In Computer: 11/07/00  
 Spill Record Last Update: 10/24/03  
 Spille Namer: Not reported  
 Spiller Company: NYC TRANSIT

**Actual:  
 8 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NYC TRANSIT (Continued)

S106702990

Spiller Address: 146TH ST AT/LENOX  
Spiller City,St,Zip: MANHATTAN, NY -  
Spiller County: 001  
Spiller Contact: LENNY  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0009127  
DER Facility ID: 284309  
Site ID: 138340  
Operable Unit ID: 829714  
Operable Unit: 01  
Material ID: 546622  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 138340  
Spill Tank Test: 1525975  
Tank Number: 3  
Tank Size: 10000  
Test Method: 03  
Leak Rate: 0.50000  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Horner EZ Check I or II  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" LEAK  
IN ABOVEGROUND VENT LINE. NO SPILL. REPAIRED AND RETESTED AND PASSED.  
Remarks: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 0009127  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 11/07/2000  
Spill Time: 12:30  
Reported to Department Date: 11/07/00  
Reported to Department Time: 14:55  
SWIS: 62  
Spiller Contact: LENNY  
Spiller Phone: ( ) -  
Spiller Extention: Not reported  
Spiller Name: NYC TRANSIT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NYC TRANSIT (Continued)

S106702990

Spiller Address: 146AT/LENNOX  
Spiller City,St,Zip: MANHATTAN, NY -  
Facility Contact: Not reported  
Facility Phone: ( ) -  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/07/00  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/10/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 3  
Tank Size: 10000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.50  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported  
Spill Cause: Not reported



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AB115**    **101-65 WEST 146TH ST/BX**  
**NW**        **101065 WEST 146TH STREET**  
**1/4-1/2**    **NEW YORK CITY, NY**  
**0.346 mi.**  
**1826 ft.**    **Site 7 of 7 in cluster AB**

**LTANKS**    **S106703350**  
**HIST LTANKS**    **N/A**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**8 ft.**

Site ID: 212329  
 Spill Date: 07/28/89  
 Facility Addr2: Not reported  
 Facility ID: 8904241  
 Program Number: 8904241  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: MCTIBBE  
 Referred To: Not reported  
 Reported to Dept: 07/28/89  
 CID: 15  
 Spill Cause: Tank Test Failure  
 Water Affected: Not reported  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Notifier: Tank Tester  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 06/30/05  
 Remediation Phase: 0  
 Date Entered In Computer: 08/03/89  
 Spill Record Last Update: 06/30/05  
 Spille Namer: Not reported  
 Spiller Company: TRANSIT AUTH BUS GARAGE  
 Spiller Address: Not reported  
 Spiller City,St,Zip: ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 8904241  
 DER Facility ID: 85127  
 Site ID: 212329  
 Operable Unit ID: 931972  
 Operable Unit: 01  
 Material ID: 448294  
 Material Code: 0002  
 Material Name: #4 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: -1  
 Units: Pounds  
 Recovered: No  
 Resource Affected: Groundwater  
 Oxygenate: False  
 Site ID: 212329  
 Spill Tank Test: 1535764

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101-65 WEST 146TH ST/BX (Continued)

S106703350

Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE" 11/15/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/15/94. transferred from Hale to Tibbe on 12/27/00. tanks replace/repaired/upgraded. investigation pending. See also 89-02374, 91-06264, 93-04003, 96-06076, 98-13017 & 01-02743. Refer to 8902374.  
Remarks: 8K TANK FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL EMPTY TANK & INTERNALLY INSPECT.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8904241  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 07/28/1989  
Spill Time: 12:00  
Reported to Department Date: 07/28/89  
Reported to Department Time: 14:45  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: TRANSIT AUTH BUS GARAGE  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101-65 WEST 146TH ST/BX (Continued)

S106703350

Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 08/03/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/27/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: 11/15/94: REASSIGNED FROM SIGONA TO ZHITOMIRSKY ON 11/15/94. transferred from Hale to Tibbe on 12/27/00. tanks replace/repared/upgraded. investigation pending.  
Spill Cause: 8K TANK FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL EMPTY TANK INTERNALLY INSPECT.

116  
NE  
1/4-1/2  
0.363 mi.  
1917 ft.

CARMEL HAYS HIGH SCHOOL  
650 GRAND CONCOURSE  
BRONX, NY

LTANKS S103239085  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 142990  
Spill Date: 04/29/98  
Facility Addr2: Not reported  
Facility ID: 9801301  
Program Number: 9801301  
SWIS: 0301  
Region of Spill: 2  
Investigator: TOMASELLO  
Referred To: Not reported  
Reported to Dept: 04/29/98  
CID: 17  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False

Actual:  
47 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CARMEL HAYS HIGH SCHOOL (Continued)**

**S103239085**

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/03/03  
Remediation Phase: 0  
Date Entered In Computer: 04/29/98  
Spill Record Last Update: 03/03/03  
Spiller Namer: FATHER FERNAN  
Spiller Company: CARMEL HAYS HIGH SCHOOL  
Spiller Address: 650 GRAND CONCOURSE  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: FATHER FERNAN  
Spiller Phone: (718) 292-6100  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9801301  
DER Facility ID: 121994  
Site ID: 142990  
Operable Unit ID: 1061946  
Operable Unit: 01  
Material ID: 323236  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 15  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: DRIVER DELIVERED OIL AMOUNT THAT WAS ORDERED BY CUSTOMER BUT THERE WAS MORE OIL IN TANK THAN CUSTOMER ORIGINALLY STATED - OIL CAME OUT VENT PIPE - CLEAN UP CREW ENROUTE

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9801301  
Investigator: TOMASELLO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CARMEL HAYS HIGH SCHOOL (Continued)**

**S103239085**

Spill Date: 04/29/1998  
Spill Time: 16:20  
Reported to Department Date: 04/29/98  
Reported to Department Time: 16:55  
SWIS: 60  
Spiller Contact: FATHER FERNAN  
Spiller Phone: (718) 292-6100  
Spiller Extention: Not reported  
Spiller Name: CARMEL HAYS HIGH SCHOOL  
Spiller Address: 650 GRAND CONCOURSE  
Spiller City,St,Zip: BRONX, NY  
Facility Contact: FATHER FERNAN  
Facility Phone: (718) 292-6100  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/29/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/30/98  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 15  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: DRIVER DELIVERED OIL AMOUNT THAT WAS ORDERED BY CUSTOMER BUT THERE WAS MORE OIL  
IN TANK THAN CUSTOMER ORIGINALLY STATED - OIL CAME OUT VENT PIPE - CLEAN UP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

CARMEL HAYS HIGH SCHOOL (Continued)

S103239085

CREW ENROUTE

AC117  
West  
1/4-1/2  
0.365 mi.  
1929 ft.

101 W 140TH ST  
101 W 140TH ST  
MANHATTAN, NY  
Site 1 of 2 in cluster AC

LTANKS S102233285  
HIST LTANKS N/A

Relative:  
Higher

Actual:  
17 ft.

LTANKS:  
Site ID: 283313  
Spill Date: 02/14/96  
Facility Addr2: Not reported  
Facility ID: 9514579  
Program Number: 9514579  
SWIS: 3101  
Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 02/14/96  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/22/96  
Remediation Phase: 0  
Date Entered In Computer: 02/14/96  
Spill Record Last Update: 01/26/98  
Spille Namer: KEVIN WILSON  
Spiller Company: Not reported  
Spiller Address: 101 W 140TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: KEVIN WILSON  
Spiller Phone: (212) 234-7802  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9514579  
DER Facility ID: 229794  
Site ID: 283313  
Operable Unit ID: 1025679  
Operable Unit: 01  
Material ID: 354709  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 200  
Units: Gallons  
Recovered: 200  
Resource Affected: Soil

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**101 W 140TH ST (Continued)**

**S102233285**

Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE"  
CLEANED BY PTC.  
Remarks: ruptured tank - contained to boiler room - location is a mutiple dwelling -  
clean in process

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9514579  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 02/14/1996  
Spill Time: 12:10  
Reported to Department Date: 02/14/96  
Reported to Department Time: 12:44  
SWIS: 62  
Spiller Contact: KEVIN WILSON  
Spiller Phone: (212) 234-7802  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: 101 W 140TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Facility Contact: KEVIN WILSON  
Facility Phone: (212) 234-7802  
Facility Extention: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101 W 140TH ST (Continued)

S102233285

Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/22/96  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/14/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/26/98  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 200  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 200  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: CLEANED BY PTC.  
Spill Cause: ruptured tank - contained to boiler room - location is a mutiple dwelling - clean in process

AC118  
West  
1/4-1/2  
0.365 mi.  
1929 ft.

APT COMPLEX  
101 W.140TH ST  
MANHATTAN, NY  
Site 2 of 2 in cluster AC

LTANKS S106719706  
N/A

Relative:  
Higher

LTANKS:  
Site ID: 318950  
Spill Date: 03/15/99  
Facility Addr2: Not reported  
Facility ID: 9814882  
Program Number: 9814882  
SWIS: 3101  
Region of Spill: 2  
Investigator: SMSANGES  
Referred To: Not reported  
Reported to Dept: 03/15/99  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

Actual:  
17 ft.



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APT COMPLEX (Continued)**

**S106719706**

Spill Closed Dt: 11/19/03  
Remediation Phase: 0  
Date Entered In Computer: 03/15/99  
Spill Record Last Update: 12/11/03  
Spille Namer: CHRIS MCNEUR  
Spiller Company: APT COMPLEX  
Spiller Address: 101 W.140TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: CHRIS MCNEUR  
Spiller Phone: (212) 972-0700  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9814882  
DER Facility ID: 257102  
Site ID: 318950  
Operable Unit ID: 1072744  
Operable Unit: 01  
Material ID: 311551  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 200  
Units: Gallons  
Recovered: 200  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "SANGESLAND" 4:30PM 3/15- CALLED EASTMOND. TANK WAS CORRODED. 2.300 GALLONS IN TANK ROOM. EASTMOND EMPTIED TANK. PUT DOWN SPEEDY DRY. 4/1/99 CHRIS MCNEUR AT MAHA REALTY SAYS SITE WAS CLEANED UP AND TEMP TANKS WERE INSTALLED. OWNER IS THINKING ABOUT EITHER A NEW TANK OR REPAIRING THE OLD ONE. 5/20/99 CHRIS MCNEUR SAID MAHA REALTY NO LONGER MANAGES THIS BUILDING. THE OWNER WENT BANKRUPT AND MANAGEMENT OF THE BUILDING WAS TAKEN OVER BY NEW YORK CITY HPD. 1/17/2002 - Sangesland spoke with Tom Middleton (environmental consultant) who now works for the new owner of the property. Apparently the former property owner lost the building to the city. The city recently sold the building and now the new owner is trying to figure out what needs to be done to bring it into compliance. Mr. Middleton says he believes there is a new tank in the building, but this needs to be confirmed. Sangesland requested a submittal to the DEC including details of the original spill clean up, information related to either the repair or replacement for the subject tank and information on the present owner. As of 1/17/2002, the PBS records are out of date. (expired 1997) The new owner needs to update the PBS information and submit the appropriate PBS information. 3/21/2002 Sangesland received a 1 page letter from State Environmental Services, Inc. (718-265-3355) stating that the tank

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**APT COMPLEX (Continued)**

**S106719706**

Remarks: size was 3,000 (aboveground), it has a concrete Wrap in good condition, the area is clean and shows no leaks, a new seal gasket was installed and the tank and piping system tested tight on March 6, 2002. As of 3/21/2002 the PBS form still was out of date. Sangesland told Mr.Middleton that he needs to get the PBS paperwork straightened out before this spill number will be closed out. 11/19/2003 Sangesland received a copy of an updated PBS form (2-196525) for this site. Now that the PBS has been registered, the spill can be closed out. CONTAINED IN A VAULTED AREA. TANK WILL BE REPALCED. EASTMAN CO CLEANED IT UP AND DID INSTALL TEMP. TANKS. \*\*\*MAY 20, 1999 UPDATE\*\*\* MAHA REALTY NO LONGER MANAGES THE BLDNG. \*\*\*NEW YORK CITY HPD TOOK OVER MANAGEMENT\*\*\* SEE DEC NOTES PAGE

119  
 NNW  
 1/4-1/2  
 0.367 mi.  
 1939 ft.

101-125 WEST 147TH ST.  
 101-125 WEST 147TH ST.  
 MANHATTAN, NY

LTANKS S100781908  
 HIST LTANKS N/A

Relative:  
 Higher

LTANKS:

Actual:  
 7 ft.

Site ID: 278382  
 Spill Date: 10/13/93  
 Facility Addr2: Not reported  
 Facility ID: 9308461  
 Program Number: 9308461  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: O'DOWD  
 Referred To: Not reported  
 Reported to Dept: 10/13/93  
 CID: 15  
 Spill Cause: Tank Failure  
 Water Affected: HARLEM RIVER  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: 05/16/94  
 Cleanup Meets Standard: True  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 05/16/94  
 Remediation Phase: 0  
 Date Entered In Computer: 10/13/93  
 Spill Record Last Update: 05/16/94  
 Spille Namer: Not reported  
 Spiller Company: Not reported  
 Spiller Address: Not reported  
 Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 9308461  
 DER Facility ID: 226036  
 Site ID: 278382  
 Operable Unit ID: 989998

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101-125 WEST 147TH ST. (Continued)

S100781908

Operable Unit: 01  
Material ID: 394688  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Not reported  
Recovered: No  
Resource Affected: Surface Water  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: CRACK IN UNDERGR. TANK LEAKING UNDERGROUND INTO RIVER. ALSO CALLED EPA - UST 3 TANKS ON SITE TRATING 2 BUILDING.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9308461  
Investigator: O'DOWD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 10/13/1993  
Spill Time: 08:00  
Reported to Department Date: 10/13/93  
Reported to Department Time: 11:38  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: Surface Water  
Water Affected: HARLEM RIVER  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

101-125 WEST 147TH ST. (Continued)

S100781908

Cleanup Ceased: 05/16/94  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 05/16/94  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 10/13/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/16/94  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: 05/16/94: WILL REPLACE 3 RETURN LINES, STOCKPILED SOIL .  
Spill Cause: CRACK IN UNDERGR. TANK LEAKING UNDERGROUND INTO RIVER. ALSO CALLED EPA - UST 3  
TANKS ON SITE TRATING 2 BUILDING.

AD120  
East  
1/4-1/2  
0.391 mi.  
2067 ft.

234 EAST 149TH STREET  
234 EAST 149TH STREET  
BRONX, NY  
Site 1 of 2 in cluster AD

LTANKS S100782150  
NY Spills N/A  
NY Hist Spills  
HIST LTANKS

Relative:  
Higher

LTANKS:  
Site ID: 235057  
Spill Date: 11/26/93  
Facility Addr2: Not reported  
Facility ID: 9310375  
Program Number: 9310375  
SWIS: 0301  
Region of Spill: 2  
Investigator: KSTANG  
Referred To: Not reported  
Reported to Dept: 11/26/93  
CID: 16  
Spill Cause: Tank Overfill  
Water Affected: Not reported

Actual:  
21 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**234 EAST 149TH STREET (Continued)**

**S100782150**

Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Fire Department  
Cleanup Ceased: 11/27/93  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/27/93  
Remediation Phase: 0  
Date Entered In Computer: 11/30/93  
Spill Record Last Update: 12/01/93  
Spille Namer: Not reported  
Spiller Company: UNK.  
Spiller Address: Not reported  
Spiller City,St,Zip: NN  
Spiller County: 999  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9310375  
DER Facility ID: 193601  
Site ID: 235057  
Operable Unit ID: 992089  
Operable Unit: 01  
Material ID: 392989  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 30  
Units: Gallons  
Recovered: No  
Resource Affected: Sewer  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TANG"  
Remarks: TANK OVERFLOW INTO SEWER, DEP ON SCENE TO CLEAN.

NY Spills:  
Site ID: 235056  
Facility Addr2: Not reported  
Facility ID: 9208811  
Spill Number: 9208811  
Facility Type: ER  
SWIS: 0301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**234 EAST 149TH STREET (Continued)**

**S100782150**

Region of Spill: 2  
Investigator: KSTANG  
Referred To: Not reported  
Spill Date: 10/30/92  
Reported to Dept: 10/30/92  
CID: 16  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: 10/30/92  
Cleanup Meets Std: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/30/92  
Remediation Phase: 0  
Date Entered In Computer: 11/04/92  
Spill Record Last Update: 09/30/04  
Spiller Name: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller Company: 001  
Contact Name: Not reported  
Contact Phone: Not reported  
DEC Region: 2  
Program Number: 9208811  
DER Facility ID: 193601  
Site ID: 235056  
Operable Unit ID: 972349  
Operable Unit: 01  
Material ID: 405889  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 3  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TANG"  
Remarks: CLEANED BY HOSPITAL MAINTENANCE CREW IT IS ON CONCRETE

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9208811  
Investigator: TANG  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**234 EAST 149TH STREET (Continued)**

**S100782150**

Spill Date/Time: 10/30/1992 10:45  
Reported to Dept Date/Time: 10/30/92 11:02  
SWIS: 60  
Spiller Name: Not reported  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Equipment Failure  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 02  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: 10/30/92  
Cleanup Meets Std: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/30/92  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 11/04/92  
Date Spill Entered In Computer Data File: Not reported  
Update Date: / /  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 3  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Remark: CLEANED BY HOSPITAL MAINTENANCE CREW IT IS ON CONCRETE

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9310375  
Investigator: TANG  
Caller Name: Not reported  
Caller Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

234 EAST 149TH STREET (Continued)

S100782150

Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 11/26/1993  
Spill Time: 21:45  
Reported to Department Date: 11/26/93  
Reported to Department Time: 22:00  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: UNK.  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: In Sewer  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Fire Department  
PBS Number: Not reported  
Cleanup Ceased: 11/27/93  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/27/93  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/30/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/01/93  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 30  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**234 EAST 149TH STREET (Continued)**

**S100782150**

Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported  
Spill Cause: TANK OVERFLOW INTO SEWER, DEP ON SCENE TO CLEAN.

**AD121  
East  
1/4-1/2  
0.391 mi.  
2067 ft.**

**LINCOLN MEDICAL CENTER  
234 EAST 149TH ST  
BRONX, NY**

**LTANKS S106385467  
N/A**

**Site 2 of 2 in cluster AD**

**Relative:  
Higher**

LTANKS:

**Actual:  
21 ft.**

Site ID: 211660  
Spill Date: 03/02/04  
Facility Addr2: Not reported  
Facility ID: 0313236  
Program Number: 0313236  
SWIS: 0301  
Region of Spill: 2  
Investigator: BKFALVEY  
Referred To: Not reported  
Reported to Dept: 03/02/04  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: No spill occurred. No DEC Response. No corrective action required.  
Spill Closed Dt: 01/06/06  
Remediation Phase: 0  
Date Entered In Computer: 03/02/04  
Spill Record Last Update: 09/26/06  
Spille Namer: EDWARD ZAMNETT  
Spiller Company: LINCOLN MEDICAL CENTER  
Spiller Address: 234 EAST 149TH ST  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: EDWARD ZAMNETT  
Spiller Phone: (718) 579-5683  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0313236  
DER Facility ID: 175403  
Site ID: 211660  
Operable Unit ID: 878475  
Operable Unit: 01  
Material ID: 498394  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LINCOLN MEDICAL CENTER (Continued)**

**S106385467**

Units: Pounds  
 Recovered: No  
 Resource Affected: Soil  
 Oxygenate: False  
 Site ID: 211660  
 Spill Tank Test: 1529014  
 Tank Number: 4  
 Tank Size: 50000  
 Test Method: 14  
 Leak Rate: 0  
 Gross Fail: Not reported  
 Modified By: Spills  
 Last Modified: 10/01/04  
 Test Method: VacuTest  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIPPLE" 8/18/04 tipple updating////Island tank 718-967-9424 doing work//investigating tank #1///tank #4 failed///// Spill assigned to James Drumm for SCI 11/7/05 tank was repaired and re-tested. passed. report in file 08/29/06-Vought-Received message from Brian Shaw (212-922-0777) asking whether tanks could be used. Vought returned call and unable to leave message as number left is not correct number for Shaw. 9/26/06 spoke to J. Drumm of CO. Spill was closed 1/06: report reviewed by Reg. 2 staff prior to 1/06. sent NFA letter at request of Edward Zammet of lincoln Medical Center. bf  
 Remarks: tank test failure. they are unable to reach a pressure set type.possible man way gasket leak.

122  
 SSE  
 1/4-1/2  
 0.392 mi.  
 2067 ft.

**IESI NY CORP. (PREVIOUSLY -CRYSTAL WASTE  
 264-66 CANAL PLACE  
 BRONX, NY 10451**

**SWRCY S105838141  
 N/A**

**Relative:  
 Higher**

SWRCY:  
 Region: 2  
 Facility Address 2: Not reported  
 Phone Number: 2126650770  
 Owner Type: Private  
 Owner Name: IESI NY Corporation  
 Owner Address: 1099 Wall Street West Suite 20  
 Owner Address 2: Not reported  
 Owner City,St,Zip: Lyndhurst, NJ 7071  
 Owner Email: Not reported  
 Owner Phone: 2014433000  
 Contact Name: BARBARA GRAPIN  
 Contact Address: Not reported  
 Contact Address 2: Not reported  
 Contact City,St,Zip: Not reported  
 Contact Email: Not reported  
 Contact Phone: Not reported  
 Activity Desc: Source separated solid waste recyclables  
 Activity Number: 03M28  
 Active: Yes  
 East Coordinate: 594251  
 North Coordinate: 4519615  
 Accuracy Code: 4.3 - Utilization of Digital Orthophoto Quads  
 Regulatory Status: Not reported  
 Permit #: 2-6004-00035  
 Auth. Date: Not reported

**Actual:  
 17 ft.**

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**IESI NY CORP. (PREVIOUSLY -CRYSTAL WASTE (Continued))**

**S105838141**

Expiration Date: Not reported  
 Waste Type: Not reported

**123  
 SW  
 1/4-1/2  
 0.392 mi.  
 2069 ft.**

**RIVERTON ASSOCIATES - MISC  
 2237 5TH AVE  
 MANHATTAN, NY**

**LTANKS S106124127  
 N/A**

**Relative:  
 Higher**

**LTANKS:**

**Actual:  
 12 ft.**

Site ID: 140163  
 Spill Date: 02/09/04  
 Facility Addr2: Not reported  
 Facility ID: 0312468  
 Program Number: 0312468  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: JEDURNIN  
 Referred To: TANK CLOSURE REPORT  
 Reported to Dept: 02/09/04  
 CID: 15  
 Spill Cause: Tank Failure  
 Water Affected: Not reported  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Other  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 05/16/06  
 Remediation Phase: 0  
 Date Entered In Computer: 02/09/04  
 Spill Record Last Update: 05/23/06  
 Spille Namer: Not reported  
 Spiller Company: Not reported  
 Spiller Address: Not reported  
 Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
 Spiller County: 001  
 Spiller Contact: ADAM  
 Spiller Phone: (347) 865-3590  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 0312468  
 DER Facility ID: 119703  
 Site ID: 140163  
 Operable Unit ID: 877702  
 Operable Unit: 01  
 Material ID: 497673  
 Material Code: 0001  
 Material Name: #2 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 0  
 Units: Pounds  
 Recovered: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RIVERTON ASSOCIATES - MISC (Continued)**

**S106124127**

Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Relevant information obtained from log book: 1/15/04 - building switched to oil heat 1/16/04 - building switched back to gas - tank contents 12,500g 1/17/04 - Delivery of 5,001 gal building operated solely on gas 1/17 to present. 2/9/04 - 16,000 gallons remain in tank Prior to Sept, 2004 data translation this spill Lead DEC Field was "DEMEO" 2/10/04 TJD Site inspection by Demeo (recall). Tank is 25,000 gal UST, buried in courtyard IFO 2225/2235 Fifth Avenue. Building maintenance workers discovered oil seeping into boiler room in early afternoon. Building management contacted Castle Oil and PTC to empty #2 oil from leaking tank. Building is dual fuel (oil/gas) running primarily on gas. There are 12 buildings in complex serviced by the common heating plant. 1) On 2/9/2004, #2 oil originating from an onsite 25,000-gallon UST, spill was opened then. 4/29/04 TJD Work plan submitted by Airtek Environmental conditionally approved. Work Plan and approval letter in file. 2) Subsurface Investigation Report, dated 8/6/2004. 6 soil borings on north, south and west of the UST were performed. 6 soil samples (SB-1 to SB-6) and 4 groundwater samples (SB-2, SB-3, SB-5 and SB-6) were collected. Elevated concentration in both soil and groundwater were observed. 3) Proposed to remove the old UST and install a new fiberglass UST. DEC helped to have DOT assistant to relocate the bus stop for removing tank activity. \* based on tank inventory records worst case release is approximately 1,500 gallons. 9/23/04 TJD Subsurface investigation report reviewed and verbally approved. 25K UST to be removed and all contaminated soils excavated. Prior notification of scheduled field work is required in order to permit inspection of the open excavation. Work to begin with 4 weeks. PTC and Castle emptied tank contents. Building representative (Adam Holland) directed to keep tank empty and out of service until repairs have been made and tank pass tightness test. Sub-surface investigation is required. Soil contamination letter sent to RP (Riverton Associates). 12/15/04 TJD Demeo contacted Vic Ricchezza (Airtech) in an effort to obtain project status. Currently, the remediation is on hold until safety concerns of prospective contractors have been addressed. Demeo has requested Airtech document reasons for the delay in formal correspondence to DEC. Anticipate receipt of documentation within 1 week. 2/23/05 - Austin - project reassigned from DeMeo to Sawyer Waiting for Tank Closure Report. Call the consultant, Victor Ricchezza, (Airtek) and left message to call back. 8/23/05-Vought-Spoke to Vick Ricchezza (Air Tech 917-270-5172). Leak from from 25000 gallon UST of #2 fuel oil. Oil leaking through boiler room wall. UST was removed today and contaminated oil was found. Groundwater has been impacted and free product on site (1/2" of product). Excavation had to be shored. Contaminated soil will be excavated as much as possible. Clean endpoints will not be possible. Vought suggested that Ricchezza call DEC Drumm for further requirements. J. Durnin: August 23, 2005-Airtek Environmental Corp. was hired to oversee the removal and replacement of the 25,000 gallon UST. J. Durnin: August 25, 2005-Durnin visits site to witness tank excavation pit and affected basement. J. Durnin: August 31, 2005- Durnin visits site to witness installation of new 25,000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**RIVERTON ASSOCIATES - MISC (Continued)**

**S106124127**

gallon UST. 12/19/05-Sharif// Case was transferred from Rahman to Koon Tang for reassignment. 12/30/2005 - Feng - File reviewed by Feng: 1/3/2006 - Feng - Vicotor Ricchezza from AirTek called back and saying that they removed the tank and installed a new one in the same spot. Monitoring wells were installed nearby for groundwater sampling. (RJF) J. Durnin: February 13, 2006-Airtek Environmental Corp. submits a Remedial Action Report, Exposure Assessment report and a CD of photographs. J. Durnin:The Remedial Action Report was reviewed and approved on April 17, 2006. J. Durnin: May 16, 2006,Based on the Remedial Action Report and a subsequent site investigation findings by the Owner's environmental consultant, Spill No. 0312468 is closed.

Remarks: AN UNKNWON AMOUNT OF #2 SPILLED. PETROLEUM TANK CLEANERS ARE ON THERE WAY TO CLEAN IT UP RIGHT NOW

**124  
 West  
 1/4-1/2  
 0.395 mi.  
 2083 ft.**

**120 W 140TH ST  
 120 W 140TH ST  
 MANHATTAN, NY**

**LTANKS S107789109  
 N/A**

**Relative:  
 Higher**

**LTANKS:**

**Actual:  
 18 ft.**

Site ID: 362249  
 Spill Date: 04/08/06  
 Facility Addr2: Not reported  
 Facility ID: 0600278  
 Program Number: 0600278  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: SFRAHMAN  
 Referred To: Not reported  
 Reported to Dept: 04/08/06  
 CID: 15  
 Spill Cause: Tank Failure  
 Water Affected: Not reported  
 Spill Source: Unknown  
 Spill Notifier: Fire Department  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 04/10/06  
 Remediation Phase: 0  
 Date Entered In Computer: 04/08/06  
 Spill Record Last Update: 06/27/06  
 Spille Namer: Not reported  
 Spiller Company: UNKNOWN  
 Spiller Address: Not reported  
 Spiller City,St,Zip: NY  
 Spiller County: 999  
 Spiller Contact: DSP 225  
 Spiller Phone: (212) 628-2900  
 Spiller Extention: Not reported  
 DEC Region: 2  
 Program Number: 0600278  
 DER Facility ID: 312482  
 Site ID: 362249

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

120 W 140TH ST (Continued)

S107789109

Operable Unit ID: 1120351  
Operable Unit: 01  
Material ID: 2109846  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 50  
Units: Gallons  
Recovered: No  
Resource Affected: Sewer  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: 4/10/2006 Sharif dealt with this spill case. DEP responded to the site. OK to close  
Remarks: Cracked fuel tank which leaked into the sewer.

125  
West  
1/4-1/2  
0.395 mi.  
2085 ft.

APARTMENT  
127 WEST 141 ST  
NEW YORK, NY 10030

LTANKS S107410697  
N/A

Relative:  
Higher

LTANKS:

Actual:  
30 ft.

Site ID: 353559  
Spill Date: 10/05/05  
Facility Addr2: Not reported  
Facility ID: 0508040  
Program Number: 0508040  
SWIS: 3101  
Region of Spill: 2  
Investigator: SFRAHMAN  
Referred To: Not reported  
Reported to Dept: 10/05/05  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Other  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 08/08/06  
Remediation Phase: 0  
Date Entered In Computer: 10/05/05

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

APARTMENT (Continued)

S107410697

Spill Record Last Update: 08/08/06  
Spille Namer: PROPERTY MGT  
Spiller Company: APARTMENT  
Spiller Address: 127-135 WEST 141ST STREET  
Spiller City,St,Zip: NEW YORK, NY  
Spiller County: 999  
Spiller Contact: SUPER  
Spiller Phone: (646) 284-8385  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0508040  
DER Facility ID: 15950  
Site ID: 353559  
Operable Unit ID: 1111015  
Operable Unit: 01  
Material ID: 2101057  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 10  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: 10/5 - Sangesland spoke to Rep from Hess Oil. Hess has hired ABC Tank Cleaners (718-272-2800) They were on their way to the site as of 3:15PM Building Super is "Giovani" 646-529-5757 Unknown if it is a simple clean up, or if there is a digout/repairs to be made. 03/01/06 Sharif Rahman-I spoke with the building super, Giovani(646-529-5757). He told me the gauge was not working properly and they cleaned it up. Need to know the cause of the spill. I left a messege for building manager, Mr. Abidin from PINNACLE Group,(212)222-7206. 03/27/06 Sharif Rahman- A violation letter was sent to Pinnacle Group 106 W. 105 Street New York, NY 10025 Attn: Abidin Radondic,Fax:(212)222-8459 05/02/06 Sharif Rahman- Department has not receiveany correspondence regarding the spill clean up. I faxed the previous letter to Michelle Morales @(212)729-5495.Her office no is (212)564-2111 x 3021. 07/11/06 Rahman- I called Michelle Morales today again to follow up on the spill, DEC has not received any report about the clean up, she said she would send the paper works to DEC. 07/14/06 Rahman-Rec'd work invoice from ABC tank regarding the closure of the spill.ABC tank pumped out and washed the area affected by the oil spill.The cause ofthe spill was overfill from a precut on top of the tank.Approx. 75 gallons spilled on the floor.ABC tank fixed the pre cut on the tank.Need to check the floor condition for cracks,leakage. 08/07/06 Rahman- Inspected the floor, found no drain, cracks, condition looked good.NFA required.  
Remarks: IS EITHER A LINE PROBLEM OR OTHER: STILL CHECKING: SERVICE MAN ENROUTE: NO DRAINS ALL CONTAINED IN BUILDING:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AE126**  
**West**  
**1/4-1/2**  
**0.400 mi.**  
**2110 ft.**

**106 WEST 139TH ST**  
**MANHATTAN, NY**  
**Site 1 of 2 in cluster AE**

**LTANKS** **S105054560**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**17 ft.**

Site ID: 218432  
Spill Date: 04/05/01  
Facility Addr2: Not reported  
Facility ID: 0100156  
Program Number: 0100156  
SWIS: 3101  
Region of Spill: 2  
Investigator: jdjarrat  
Referred To: Not reported  
Reported to Dept: 04/05/01  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/10/05  
Remediation Phase: 0  
Date Entered In Computer: 04/05/01  
Spill Record Last Update: 11/10/05  
Spille Namer: SCOTT SWANSON  
Spiller Company: Not reported  
Spiller Address: 106 WEST 139TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: SCOTT SWANSON  
Spiller Phone: (718) 539-4515  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0100156  
DER Facility ID: 180709  
Site ID: 218432  
Operable Unit ID: 838704  
Operable Unit: 01  
Material ID: 539428  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 218432  
Spill Tank Test: 1526198



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S105054560

Tank Number: 1  
Tank Size: 2000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Horner EZ Check I or II  
DEC Memo: 7/15/05 Transferred to Jarratt (co) Fenley & Nicol contacted about latest status of tank test failure - awaiting response 11/10/05 Closure report prepared by TDX Construction Corp (dated 1/12/04) added to file. Repairs documented. Spill closed.  
Remarks: TANK TAKEN OUT OF SERVICE - HOLE DISCOVERED ON TOP OF TANK - TEMPORARY PATCH APPLIED - SOIL NOT IMPACTED

HIST LTANKS:

Region of Spill: 2  
Spill Number: 0100156  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 04/05/2001  
Spill Time: 10:00  
Reported to Department Date: 04/05/01  
Reported to Department Time: 10:07  
SWIS: 62  
Spiller Contact: SCOTT SWANSON  
Spiller Phone: (718) 539-4515  
Spiller Extension: Not reported  
Spiller Name: Not reported  
Spiller Address: 106 WEST 139TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Facility Contact: SCOTT SWANSON  
Facility Phone: (718) 539-4515  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S105054560

Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/05/01  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/05/01  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 1  
Tank Size: 2000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: TANK TAKEN OUT OF SERVICE - HOLE DISCOVERED ON TOP OF TANK - TEMPORARY PATCH APPLIED - SOIL NOT IMPACTED

AE127  
West  
1/4-1/2  
0.416 mi.  
2197 ft.

118 W 139TH ST  
NEW YORK, NY  
Site 2 of 2 in cluster AE

LTANKS S105054562  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 120367  
Spill Date: 04/05/01  
Facility Addr2: Not reported  
Facility ID: 0100161  
Program Number: 0100161  
SWIS: 3101  
Region of Spill: 2  
Investigator: JMZALEWS  
Referred To: Not reported  
Reported to Dept: 04/05/01  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: No spill occurred. (Not Possible)  
Spill Closed Dt: 11/23/05  
Remediation Phase: 0

Actual:  
18 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S105054562

Date Entered In Computer: 04/05/01  
Spill Record Last Update: 11/28/05  
Spille Namer: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller County: 001  
Spiller Contact: SCOTT SWANSON  
Spiller Phone: (718) 539-4515  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0100161  
DER Facility ID: 104519  
Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported  
Site ID: 120367  
Spill Tank Test: 1526199  
Tank Number: 1  
Tank Size: 1500  
Test Method: 03  
Leak Rate: 0  
Gross Fail: F  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Horner EZ Check I or II  
DEC Memo: 09/09/2005 - Changed lead from Sigona to Zalewski. (Zalewski) 11/7/2005 - Returned a phone call to Fatemeh Afhkan (NYC DDC). She was calling to check on the status of sevreal spills. Her records indicate that a closure report was submitted forthis spill. I advised her that a copy of the report was not present in our file and requested another copy be sent. (Zalewski) 11/9/2005 - Handled a phone call from Steve (TDX). He called to request the address to submit the closure report. (Zalewski) 11/23/2005 - Reviewed spill closure report dated January 12, 2004. Report states that a 16" x 16" square hole, previously cut into the top of the tank by a cleaning company, was not properly sealed and hence the tank failed the tightness test. No evidence of product leakage or spill. No further action. (Zalewski)

Remarks: top leak

HIST LTANKS:  
Region of Spill: 2  
Spill Number: 0100161  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S105054562

Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 04/05/2001  
Spill Time: 11:10  
Reported to Department Date: 04/05/01  
Reported to Department Time: 12:13  
SWIS: 62  
Spiller Contact: SCOTT SWANSON  
Spiller Phone: (718) 539-4515  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/05/01  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/05/01  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 1  
Tank Size: 1500  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Talk Test Failures only pass or fail  
Material Class Type: Not reported  
Quantity Spilled: Not reported  
Unkonwn Quantity Spilled: Not reported  
Units: Not reported  
Quantity Recovered: Not reported  
Unkonwn Quantity Recovered: Not reported  
Material: Not reported  
Class Type: Not reported  
Times Material Entry In File: Not reported  
CAS Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S105054562

Last Date: Not reported  
DEC Remarks: Not reported  
Spill Cause: top leak

128  
South  
1/4-1/2  
0.421 mi.  
2221 ft.

75 CANAL ST  
BRONX, NY

LTANKS S104619748  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
12 ft.

Site ID: 163031  
Spill Date: 10/13/98  
Facility Addr2: Not reported  
Facility ID: 9808791  
Program Number: 9808791  
SWIS: 0301  
Region of Spill: 2  
Investigator: JXZHAO  
Referred To: Not reported  
Reported to Dept: 10/15/98  
CID: 16  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/15/98  
Remediation Phase: 0  
Date Entered In Computer: 10/15/98  
Spill Record Last Update: 10/16/98  
Spille Namer: Not reported  
Spiller Company: ISLAND TRANSPORTATION  
Spiller Address: 299 EDISON AVE  
Spiller City,St,Zip: W.BABYLON, NY 11704-  
Spiller County: 001  
Spiller Contact: SCOTT ALNWICK  
Spiller Phone: (718) 821-6900  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9808791  
DER Facility ID: 137501  
Site ID: 163031  
Operable Unit ID: 1066189  
Operable Unit: 01  
Material ID: 316277  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 5  
Units: Gallons

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S104619748

Recovered: 5  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "ZHAO" SPILL  
CONTAINED AND CLEANED UP.  
Remarks: DRIVER WAS FILLING UP AN INGROUND TANK AND OVERFILL RESULTED. DILUTION WAS  
INITIATED AS WELL AS SPEEDY DRY WAS USED.

HIST LTANKS:  
Region of Spill: 2  
Spill Number: 9808791  
Investigator: ZHAO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 10/13/1998  
Spill Time: 13:00  
Reported to Department Date: 10/15/98  
Reported to Department Time: 09:25  
SWIS: 60  
Spiller Contact: SCOTT ALNWICK  
Spiller Phone: (718) 821-6900  
Spiller Extention: Not reported  
Spiller Name: ISLAND TRANSPORTATION  
Spiller Address: 299 EDISON AVE  
Spiller City,St,Zip: WEST BABYLON, NY 11704-  
Facility Contact: Not reported  
Facility Phone: ( ) -  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S104619748

UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/15/98  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 10/15/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 10/16/98  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 5  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 5  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: SPILL CONTAINED AND CLEANED UP.  
Spill Cause: DRIVER WAS FILLING UP AN INGROUND TANK AND OVERFILL RESULTED. DILUTION WAS INITIATED AS WELL AS SPEEDY DRY WAS USED.

129  
NNE  
1/4-1/2  
0.426 mi.  
2250 ft.

USPS VEHICLE MAINT. FAC.  
580 GERARD AVENUE  
NEW YORK CITY, NY

LTANKS S100146389  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 231377  
Spill Date: 10/13/90  
Facility Addr2: Not reported  
Facility ID: 9007668  
Program Number: 9007668  
SWIS: 0301  
Region of Spill: 2  
Investigator: SJMILLER  
Referred To: Not reported  
Reported to Dept: 10/13/90  
CID: Not reported  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False

Actual:  
27 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**USPS VEHICLE MAINT. FAC. (Continued)**

**S100146389**

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 05/11/01  
Remediation Phase: 0  
Date Entered In Computer: 10/31/90  
Spill Record Last Update: 05/15/01  
Spiller Namer: Not reported  
Spiller Company: GERARD AVE VMF  
Spiller Address: 580 GERARD AVENUE  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9007668  
DER Facility ID: 190688  
Site ID: 231377  
Operable Unit ID: 948309  
Operable Unit: 01  
Material ID: 431514  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 231377  
Spill Tank Test: 1537709  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "MILLER"  
5/15/01: OFF HOUR SPILL REPORT OF TANK TEST FAILURE ASSIGNED TO BATTISTA FILE.  
REASSIGNED TO RESPONDER MILLER. CROSS-REFERENCE TO SPILL REPORT NO. 9213223:  
SAME FACILITY.ACCORDING TO SUBMITTED ATC REPORTS: 5,000-GAL. FO UST WAS REMOVED  
AND REPLACED (W/2,500-GAL UST) IN 1993; 2000 SUBSURFACE INVESTIGATION SHOWED NO  
VISUAL, OLFACTORY, OR PID EVIDENCE OF CONTAMINATION/RELEASE. SOIL ANALYSIS WERE  
NON-DETECT FOR VOCS, AND PAH LEVELS ARE CONSISTENT WITH OBVIOUS FILL MATERIAL  
(i.e., COAL/ASPHALT); GROUND WATER WAS NOT ENCOUNTERED BEFORE BEDROCK REFUSAL  
AT 12 FT DEPTH.

Remarks: 3K TANK FAILED VACUTEST WITH A GROSS LEAK, POSSIBLE VENT LINE, WILL NOTIFY  
VMF.

HIST LTANKS:  
Region of Spill: 2  
Spill Number: 9007668  
Investigator: MILLER  
Caller Name: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**USPS VEHICLE MAINT. FAC. (Continued)**

**S100146389**

Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 10/13/1990  
Spill Time: 10:30  
Reported to Department Date: 10/13/90  
Reported to Department Time: 10:44  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: GERARD AVE VMF  
Spiller Address: 580 GERARD AVENUE  
Spiller City,St,Zip: BRONX, NY  
Facility Contact: Not reported  
Facility Phone: (212) 960-5037  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 05/11/01  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 10/31/90  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/15/01  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**USPS VEHICLE MAINT. FAC. (Continued)**

**S100146389**

Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: 5/15/01: OFF HOUR SPILL REPORT OF TANK TEST FAILURE ASSIGNED TO BATTISTA FILE. REASSIGNED TO RESPONDER MILLER. CROSS-REFERENCE TO SPILL REPORT NO. 9213223: SAME FACILITY. ACCORDING TO SUBMITTED ATC REPORTS: 5,000-GAL. FO UST WAS REMOVED AND REPLACED W/2,500-GAL UST) IN 1993; 2000 SUBSURFACE INVESTIGATION SHOWED NO VISUAL, OLFATORY, OR PID EVIDENCE OF CONTAMINATION/RELEASE. SOIL ANALYSIS WERE NON-DETECT FOR VOCS, AND PAH LEVELS ARE CONSISTENT WITH OBVIOUS FILL MATERIAL i.e., COAL/ASPHALT);GROUND WATER WAS NOT ENCOUNTERED BEFORE BEDROCK REFUSAL AT 12 FT DEPTH.  
Spill Cause: 3K TANK FAILED VACUTEST WITH A GROSS LEAK, POSSIBLE VENT LINE, WILL NOTIFY VMF.

130  
SSE  
1/4-1/2  
0.432 mi.  
2284 ft.

138TH AVE. / RYDER AVE. /  
138TH ST./ RYDER AVE.  
NEW YORK, NY

LTANKS S102671153  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 163341  
Spill Date: 03/07/87  
Facility Addr2: Not reported  
Facility ID: 8607426  
Program Number: 8607426  
SWIS: 0301  
Region of Spill: 2  
Investigator: UNASSIGNED  
Referred To: Not reported  
Reported to Dept: 03/07/87  
CID: Not reported  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Tank Truck  
Spill Notifier: Responsible Party  
Cleanup Ceased: 03/07/87  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Not reported  
Spill Closed Dt: 03/07/87  
Remediation Phase: 0  
Date Entered In Computer: 04/03/87  
Spill Record Last Update: 11/01/02  
Spille Namer: Not reported  
Spiller Company: LITC  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8607426  
DER Facility ID: 274309  
Site ID: 163341

Actual:  
19 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138TH AVE. / RYDER AVE. / (Continued)

S102671153

Operable Unit ID: 905180  
Operable Unit: 01  
Material ID: 472931  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was " "  
Remarks: MPC WILL VACUUM SPILL AT 11:00.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8607426  
Investigator: Not reported  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/07/1987  
Spill Time: 08:00  
Reported to Department Date: 03/07/87  
Reported to Department Time: 09:27  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: LITC  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Tank Truck  
Spill Notifier: Responsible Party  
PBS Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138TH AVE. / RYDER AVE. / (Continued)

S102671153

Cleanup Ceased: 03/07/87  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Not reported  
Spill Closed Dt: 03/07/87  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/03/87  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: MPC WILL VACUUM SPILL AT 11:00.

131  
West  
1/4-1/2  
0.436 mi.  
2300 ft.

132 WEST 139TH ST  
MANHATTAN, NY

LTANKS S106702918  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 313808  
Spill Date: 04/05/01  
Facility Addr2: Not reported  
Facility ID: 0100172  
Program Number: 0100172  
SWIS: 3101  
Region of Spill: 2  
Investigator: SIGONA  
Referred To: Not reported  
Reported to Dept: 04/05/01  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester

Actual:  
19 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S106702918

Cleanup Ceased: //  
Cleanup Meets Standard: False  
Last Inspection: //  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 02/20/04  
Remediation Phase: 0  
Date Entered In Computer: 04/05/01  
Spill Record Last Update: 05/23/05  
Spille Namer: ANEE-MARIE HENDRICKSON  
Spiller Company: HPD  
Spiller Address: 100 GOLD STREET  
Spiller City,St,Zip: NEW YORK, NY 10038-  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0100172  
DER Facility ID: 20644  
Site ID: 313808  
Operable Unit ID: 837237  
Operable Unit: 01  
Material ID: 539442  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 313808  
Spill Tank Test: 1526200  
Tank Number: 1  
Tank Size: 2000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Horner EZ Check I or II  
DEC Memo: Not reported  
Remarks: ullage failure

HIST LTANKS:  
Region of Spill: 2  
Spill Number: 0100172  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S106702918

Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 04/05/2001  
Spill Time: 14:00  
Reported to Department Date: 04/05/01  
Reported to Department Time: 14:50  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: Not reported  
Spiller Address: 132 WEST 139TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/05/01  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/05/01  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 1  
Tank Size: 2000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S106702918

DEC Remarks: Not reported  
Spill Cause: ullage failure

132  
NW  
1/4-1/2  
0.438 mi.  
2314 ft.

160 WEST 146TH ST  
MANHATTAN, NY

LTANKS S105997731  
N/A

Relative:  
Higher

LTANKS:

Actual:  
18 ft.

Site ID: 150849  
Spill Date: 12/26/02  
Facility Addr2: Not reported  
Facility ID: 0209798  
Program Number: 0209798  
SWIS: 3101  
Region of Spill: 2  
Investigator: MXTIPPLE  
Referred To: Not reported  
Reported to Dept: 12/26/02  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 01/22/04  
Remediation Phase: 0  
Date Entered In Computer: 12/26/02  
Spill Record Last Update: 01/22/04  
Spiller Namer: OWENS  
Spiller Company: GREATER HOOD MEM ZION  
Spiller Address: 160 WEST 146TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: CALLER  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0209798  
DER Facility ID: 128208  
Site ID: 150849  
Operable Unit ID: 861036  
Operable Unit: 01  
Material ID: 555400  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S105997731

Resource Affected: Soil  
Oxygenate: False  
Site ID: 150849  
Spill Tank Test: 1527871  
Tank Number: 1  
Tank Size: 2500  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Horner EZ Check I or II  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIPPLE"  
1/14/04 TIPPLE SENT REQUEST FOR DOCUMENTATION 1/22/04 Tipple recieved  
notorized documentation indicating there was no contaminants when tank abandon  
in place. tank registered for abandonment. nfa.  
Remarks: Not reported

133  
West  
1/4-1/2  
0.442 mi.  
2333 ft.

APARTMENT BUILDING  
112 WEST 138TH ST  
MANHATTAN, NY

LTANKS S107789440  
N/A

Relative:  
Higher

LTANKS:

Actual:  
19 ft.

Site ID: 364291  
Spill Date: 05/22/06  
Facility Addr2: Not reported  
Facility ID: 0601928  
Program Number: 0601928  
SWIS: 3101  
Region of Spill: 2  
Investigator: HRPATEL  
Referred To: Not reported  
Reported to Dept: 05/22/06  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/27/08  
Remediation Phase: 0  
Date Entered In Computer: 05/22/06  
Spill Record Last Update: 03/27/08  
Spille Namer: JACK ZIMMARDO  
Spiller Company: APARTMENT BUILDING  
Spiller Address: 112 WEST 138TH ST  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: JACK ZIMMARDO  
Spiller Phone: (917) 864-9812



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

APARTMENT BUILDING (Continued)

S107789440

Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0601928  
DER Facility ID: 314518  
Site ID: 364291  
Operable Unit ID: 1122322  
Operable Unit: 01  
Material ID: 2111796  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 364291  
Spill Tank Test: 1550006  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified: 05/22/06  
Test Method: Unknown  
Site ID: 364291  
Spill Tank Test: 1550005  
Tank Number: 1  
Tank Size: 1500  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified: 05/22/06  
Test Method: Horner EZ Check I or II  
DEC Memo: 05/23/06-Hiralkumar Patel. Left message for TJ Oconnor. Spoke to Jack, manager of property. property has 1500 gal UST. PBS # 2-602069 he asked me to send letter at following address: Pete Deorio Chappaqua Realty & Managmnt Co Inc 4 S EvartsAve Elmsford, NY 10523 Ph.: (914) 345-9351 FAX: (914) 345-9352 sent out TTF. Faxed copy to management company. Received call from Jerry from Dry as a Bone. as per Jerry, owner is doing some kind of construction and part of that they did tank test. Jerry suggested owner to remove tank. he is not sure either owner will install new tank or will use gas heating system.  
06/21/06-Hiralkumar Patel. REceived message from Mr. Deorio. spoke to Mr. Deorio. as per Mr. Deorio it is dry leak. they are going to meet USA Environmental Services Corp tomorrow about further testing. owner is planning to abandon old tank and to install new AST. asked Mr. Deorio to call once they decide with dates or someone from USA Environmental should call with such details. 06/29/06-Hiralkumar Patel. Received message from Christine (718-981-5710) from USA Environmental. they are planning to abandon current tank and will install new tank in basement. spoke to Christine. asked her to run isolation testbefore abandoning current tank as tank failed in test. unless i get information about which part had problem, they will not close this tank. Christine will call once she gets isolation test result. 07/10/06-Hiralkumar Patel. spoke with Christine.they will go tomorrow for further testing.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

APARTMENT BUILDING (Continued)

S107789440

07/18/06-Hiralkumar Patel. received message from Christine. they did isolation and found corroded manhole cover plate. they put new cover plate and tested tank only and found tank tight. they found vent line leaking during isolation test. spoke with Christine and asked to send tank test result.

08/10/06-Hiralkumar Patel. spoke with Christine. she will send tank test result in fax today. 08/23/06-Hiralkumar Patel. spoke with Christine. she will fax documents today. 08/31/06-Hiralkumar Patel. spoke with Christine. she will fax documents today. 11/14/06-Hiralkumar Patel. spoke with Christine. she will send test result soon. 11/24/06-Hiralkumar Patel. spoke with Christine. she will send document. 01/05/07-Hiralkumar Patel. spoke with Christine. she will call back. spoke with Mr. Deorio. he asked to call building manager, Jack Zimmardo (Off.: 718-323-6710, cell: 917-864-9812). no response at Jack's number. 01/11/07-Hiralkumar Patel. spoke with Mr. Zimmardo. asked Mr. Zimmardo to submit tank test result with reason for initial test failure. he will call Kristin at USA environmental and asked her to send required documents. 06/04/07-Hiralkumar Patel. left message for Mr. Zimmardo. 06/05/07-Hiralkumar Patel. received call from Mr. Zimmardo. he will call his consultant and ask them to submit a report. 06/07/07-Hiralkumar Patel. received call from Mr. Zimmardo. he has some conflict about payment with his consultant. told Mr. Zimmardo that he doesn't get report from this consultant, then he has to hire another company for same work as the department requires report to close the case. 06/08/07-Hiralkumar Patel. received message from Mr. Zimmardo. spoke with Mr. Zimmardo. he spoke with consultant and they will submit report soon. 06/13/07-Hiralkumar Patel. received message from Kristin. she is preparing report and will submit soon. 07/25/07-Hiralkumar Patel. left message for Mr. Zimmardo. spoke with Kristin. they having payment conflicts with management. once they get paid, she will release report/documents. received call from Ruvane as Mr. Zimmardo is out on vacation. he will call Kristin and will send report soon.

08/27/07-Hiralkumar Patel. left message for Mr. Zimmardo to submit report. spoke with Jerry at True Blue environmental (previously known as USA environmental). he will check record and will call back. 08/28/07-Hiralkumar Patel. received call from Jerry. he couldn't find any documents/tank test results. he will talk to Mr. Zimmardo. received call from Mr. Zimmardo. he submit all work order copies to Jerry and waiting for report from Jerry. mentioned to Mr. Zimmardo that if no report available, then he has to do soil investigation around entire tank system (as tank has been abandoned).

09/05/07-Hiralkumar Patel. received call from Jerry. they will do work again and will submit a report. 10/11/07-Hiralkumar Patel. spoke with Jerry. he will send documents tomorrow. 10/31/07-Hiralkumar Patel. spoke with Jerry to submit documents. 11/26/07-Hiralkumar Patel. spoke with Jerry. he is preparing documents and will submit soon. 01/14/08-Hiralkumar Patel. spoke with Jerry. he doesn't know anything. he will look for report. spoke with Eddy at management. explained him that if no reports found, then the department requires soil investigation around tank and along underground lines. asked him to submit report by end of Feb. 2008. 02/21/08-Hiralkumar Patel. left message for property manager. spoke with Mr. Zimmardo. he is retired and Mr. Ruvane is handling this property now. received call from Mr. Vangelder. he works for new manager Ed. as per Mr. Vangelder, they are managing this building since last year. building still uses oil for heating purposes. Ed Ruvane Metropolitan Management Group 162-38 Cross Bay Blvd, Howard Beach, NY 11414 PH. (718) 323-6710 Fax (718) 323-1527 visited site. met Mr. Ruvane, Jerry and Kevin from True Blue. site has new 3000 gal AST (on saddles) inside concrete box with access. tank box floor was found in good condition with no stains. new tank box is inside boiler room area, in front of boiler. old tank, which has been abandoned, is also located in boiler room but parallel to boiler. old tank is under sidewalk. all lines runs aboveground except part of

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**APARTMENT BUILDING (Continued)**

**S107789440**

fill line that runs under sidewalk. spoke with Mr. Karl, who is working at site for 20 years. he mentioned that contractor removed sidewalk and cleaned tank and abandoned in-place. as per Jerry, no contamination was found during tank abandonment. and they also installed new vent line after finding leak in old one. found new sidewalk in front of building and new vent line. asked Jerry and Mr. Ruvane to submit passing tank test result for test done prior to old tank abandonment and statement about condition of soil around tank (any contamination) during tank abandonment. explained them that if test result is not available then soil investigation must be done around tank, atleast five feet below tank invert (as no bottom samples possible). Kevin will look for papers and will submit. as tank registration has expired and information never updated about closing old tank and installing new one, issued notice of violation. gave copy of notice of violation to DEC Brian. 03/20/08-Hiralkumar Patel. spoke with Jerry about documents about previous tank abandonment. Jerry will call back. left message for Mr. Ruvane. 03/24/08-Hiralkumar Patel. received message from Mr. Ruvane. left message for Mr. Ruvane. 03/27/08-Hiralkumar Patel. received tank test result from Jerry. tank test was done on 09/17/06 (done after initial failure on 05/22/06) and showed tank system passed. based on tank test result, case closed.

Remarks:

NO REMARKS.

134  
 SW  
 1/4-1/2  
 0.451 mi.  
 2382 ft.

10 W 135TH ST  
 10 W 135TH ST  
 NEW YORK, NY

LTANKS S102671276  
 HIST LTANKS N/A

Relative:  
 Higher

LTANKS:  
 Site ID: 148350  
 Spill Date: 05/05/88  
 Facility Addr2: Not reported  
 Facility ID: 8801143  
 Program Number: 8801143  
 SWIS: 3101  
 Region of Spill: 2  
 Investigator: SIGONA  
 Referred To: Not reported  
 Reported to Dept: 05/05/88  
 CID: 15  
 Spill Cause: Tank Overfill  
 Water Affected: Not reported  
 Spill Source: Private Dwelling  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: 02/27/89  
 Cleanup Meets Standard: True  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Spill Class: Not reported  
 Spill Closed Dt: 02/27/89  
 Remediation Phase: 0  
 Date Entered In Computer: 04/11/88  
 Spill Record Last Update: 02/27/89  
 Spille Namer: Not reported  
 Spiller Company: AMARADA HESS  
 Spiller Address: 231 W FT. LEE RD.  
 Spiller City,St,Zip: BOGATA, NJ  
 Spiller County: 001

Actual:  
 13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

10 W 135TH ST (Continued)

S102671276

Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8801143  
DER Facility ID: 126259  
Site ID: 148350  
Operable Unit ID: 916631  
Operable Unit: 01  
Material ID: 460299  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 55  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks:

ADSORBANT MATERIAL DOWN/ BUILDING DOES NOT ALLOW TO STICK TANKS/ THUS OVERFLOW OCCURRED .ADDITIONAL MEASURES WERE TAKEN AFTER MEETING WITH HESS.THE CLEAN-UP OF AREAS WERE INVESTIGATED BY FIELD DEC.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8801143  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 05/05/1988  
Spill Time: 22:00  
Reported to Department Date: 05/05/88  
Reported to Department Time: 22:14  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: AMARADA HESS  
Spiller Address: 231 W FT. LEE RD.  
Spiller City,St,Zip: BOGATA, NJ

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**10 W 135TH ST (Continued)**

**S102671276**

Facility Contact: Not reported  
 Facility Phone: (201) 489-5100  
 Facility Extension: Not reported  
 Spill Cause: Tank Overfill  
 Resource Affectd: On Land  
 Water Affected: Not reported  
 Spill Source: Private Dwelling  
 Spill Notifier: Responsible Party  
 PBS Number: Not reported  
 Cleanup Ceased: 02/27/89  
 Cleanup Meets Standard: True  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 Spiller Cleanup Date: / /  
 Enforcement Date: / /  
 Investigation Complete: / /  
 UST Involvement: False  
 Spill Class: Not reported  
 Spill Closed Dt: 02/27/89  
 Date Region Sent Summary to Central Office: / /  
 Corrective Action Plan Submitted: / /  
 Date Spill Entered In Computer Data File: 04/11/88  
 Time Spill Entered In Computer Data File: Not reported  
 Spill Record Last Update: 02/27/89  
 Is Updated: False  
 PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate Failed Tank: Not reported  
 Gross Leak Rate: Not reported  
 Material Class Type: Petroleum  
 Quantity Spilled: 55  
 Unkonwn Quantity Spilled: False  
 Units: Gallons  
 Quantity Recovered: 0  
 Unkonwn Quantity Recovered: False  
 Material: #6 FUEL OIL  
 Class Type: #6 FUEL OIL  
 Times Material Entry In File: 2190  
 CAS Number: Not reported  
 Last Date: 19940728  
 DEC Remarks: Not reported  
 Spill Cause: ADSORBANT MATERIAL DOWN/ BUILDING DOES NOT ALLOW TO STICK TANKS/ THUS OVERFLOW OCCURRED .ADDITIONAL MEASURES WERE TAKEN AFTER MEETING WITH HESS.THE CLEAN-UP OF AREAS WERE INVESTIGATED BY FIELD DEC.

135  
 NW  
 1/4-1/2  
 0.459 mi.  
 2425 ft.

**150-54 WEST 145TH ST/MANH  
 150-54 WEST 145TH STREET  
 NEW YORK CITY, NY**

**LTANKS S104275618  
 HIST LTANKS N/A**

**Relative:  
 Higher**

LTANKS:  
 Site ID: 263855  
 Spill Date: 11/14/90  
 Facility Addr2: Not reported  
 Facility ID: 9008914

**Actual:  
 24 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

150-54 WEST 145TH ST/MANH (Continued)

S104275618

Program Number: 9008914  
SWIS: 3101  
Region of Spill: 2  
Investigator: O'DOWD  
Referred To: Not reported  
Reported to Dept: 11/14/90  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Responsible Party  
Cleanup Ceased: 11/28/90  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Not reported  
Spill Closed Dt: 11/28/90  
Remediation Phase: 0  
Date Entered In Computer: 11/14/90  
Spill Record Last Update: 12/19/97  
Spille Namer: Not reported  
Spiller Company: MOBIL OIL  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9008914  
DER Facility ID: 215072  
Site ID: 263855  
Operable Unit ID: 949442  
Operable Unit: 01  
Material ID: 432695  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 263855  
Spill Tank Test: 1537880  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: Not reported  
Remarks: LINE TEST ONLY, FAILED PETRO TITE WITH A LEAK RATE OF -.033GPH, TYREE BROS WILL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

150-54 WEST 145TH ST/MANH (Continued)

S104275618

EXCAVATE, ISOLATE, INVESTIGATE & RETEST.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9008914  
Investigator: O'DOWD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 11/14/1990  
Spill Time: 09:45  
Reported to Department Date: 11/14/90  
Reported to Department Time: 10:42  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: MOBIL OIL  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: (212) 283-9464  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: 11/28/90  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Not reported  
Spill Closed Dt: 11/28/90  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/14/90  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/19/97  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

150-54 WEST 145TH ST/MANH (Continued)

S104275618

Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: 11/28/90: DEC CONTACTED MOBIL FIELD ENGINEER TONY KHOURY) ON 11/28/90, TYREE EXCAVATED, ISOLATED RETESTED, LINE PASSED.  
Spill Cause: LINE TEST ONLY, FAILED PETRO TITE WITH A LEAK RATE OF -.033GPH, TYREE BROS WILL EXCAVATE, ISOLATE, INVESTIGATE RETEST.

136  
SSW  
1/4-1/2  
0.467 mi.  
2464 ft.

LINCOLN  
2142 MADISON AVENUE  
NEW YORK CITY, NY

LTANKS 1001754757  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 214153  
Spill Date: 08/01/91  
Facility Addr2: Not reported  
Facility ID: 9104756  
Program Number: 9104756  
SWIS: 3101  
Region of Spill: 2  
Investigator: HEALY  
Referred To: Not reported  
Reported to Dept: 08/01/91  
CID: 15  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Affected Persons  
Cleanup Ceased: 08/02/91  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Not reported  
Spill Closed Dt: 08/02/91  
Remediation Phase: 0  
Date Entered In Computer: 08/07/91  
Spill Record Last Update: 12/27/93  
Spille Namer: Not reported  
Spiller Company: COASTAL OIL  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9104756  
DER Facility ID: 177424

Actual:  
10 ft.



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN (Continued)**

**1001754757**

Site ID: 214153  
Operable Unit ID: 955528  
Operable Unit: 01  
Material ID: 423815  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 50  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks:

CONTRACTOR ON SCENE WITH VAC TRUCK TO CLEAN UP,SPILL CONTAINED IN SUMPPIT,SUMP  
TURNED OFF,WINSTON CONTRACTORS DID CLEAN UP,NO PRODUCT IN SEWERS.

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9104756  
Investigator: HEALY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 08/01/1991  
Spill Time: 16:00  
Reported to Department Date: 08/01/91  
Reported to Department Time: 19:45  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: COASTAL OIL  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN (Continued)**

**1001754757**

Spill Notifier: Affected Persons  
PBS Number: Not reported  
Cleanup Ceased: 08/02/91  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Not reported  
Spill Closed Dt: 08/02/91  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 08/07/91  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/27/93  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 50  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: CONTRACTOR ON SCENE WITH VAC TRUCK TO CLEAN UP, SPILL CONTAINED IN SUMP PIT, SUMP TURNED OFF, WINSTON CONTRACTORS DID CLEAN UP, NO PRODUCT IN SEWERS.

137  
East  
1/4-1/2  
0.473 mi.  
2498 ft.

**556 MORRIS AVE  
556 MORRIS AVE  
BRONX, NY**

**LTANKS S102673199  
HIST LTANKS N/A**

**Relative:  
Higher**

LTANKS:  
Site ID: 287485  
Spill Date: 01/20/96  
Facility Addr2: Not reported  
Facility ID: 9513120  
Program Number: 9513120  
SWIS: 0301  
Region of Spill: 2  
Investigator: GUTIERREZ  
Referred To: Not reported  
Reported to Dept: 01/20/96  
CID: 16  
Spill Cause: Tank Overfill

**Actual:  
26 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**556 MORRIS AVE (Continued)**

**S102673199**

Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 01/22/96  
Remediation Phase: 0  
Date Entered In Computer: 01/20/96  
Spill Record Last Update: 02/02/96  
Spille Namer: Not reported  
Spiller Company: PETRO ASTORIA  
Spiller Address: 36-16 19 TH AVE  
Spiller City,St,Zip: ASTORIA, NY  
Spiller County: 001  
Spiller Contact: JOSEPH ESPOSITO  
Spiller Phone: (718) 585-4709  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9513120  
DER Facility ID: 232889  
Site ID: 287485  
Operable Unit ID: 1027453  
Operable Unit: 01  
Material ID: 356850  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1  
Units: Gallons  
Recovered: Yes  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: tank overfilled - only about 1 qt involved - spill has been cleaned

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9513120  
Investigator: GUTIERREZ  
Caller Name: Not reported  
Caller Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**556 MORRIS AVE (Continued)**

**S102673199**

Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 01/20/1996  
Spill Time: 08:00  
Reported to Department Date: 01/20/96  
Reported to Department Time: 09:57  
SWIS: 60  
Spiller Contact: JOSEPH ESPOSITO  
Spiller Phone: (718) 585-4709  
Spiller Extension: Not reported  
Spiller Name: PETRO ASTORIA  
Spiller Address: 36-16 19 TH AVE  
Spiller City,St,Zip: ASTORIA, NY  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 01/22/96  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 01/20/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/02/96  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 1  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**556 MORRIS AVE (Continued)**

**S102673199**

Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: tank overfilled - only about 1 qt involved - spill has been cleaned

**138  
ESE  
1/4-1/2  
0.476 mi.  
2515 ft.**

**PATTERSON HOUSES  
301 EAST 143RD STREET  
BRONX, NY**

**LTANKS  
HIST UST  
HIST LTANKS  
U001840647  
N/A**

**Relative:  
Higher**

**LTANKS:**

**Actual:  
26 ft.**

Site ID: 125318  
Spill Date: 01/19/95  
Facility Addr2: Not reported  
Facility ID: 9414368  
Program Number: 9414368  
SWIS: 0301  
Region of Spill: 2  
Investigator: HEALY  
Referred To: Not reported  
Reported to Dept: 01/19/95  
CID: 16  
Spill Cause: Tank Failure  
Water Affected: GROUNDWATER  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: DEC  
Cleanup Ceased: 03/31/95  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/31/95  
Remediation Phase: 0  
Date Entered In Computer: 02/02/95  
Spill Record Last Update: 03/31/95  
Spille Namer: Not reported  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9414368  
DER Facility ID: 108400  
Site ID: 125318  
Operable Unit ID: 1007947  
Operable Unit: 01  
Material ID: 373110  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: BROKEN FUEL LINES. SEEPAGE BEGAN IN NOVEMBER, HAS CONTINUED UNABATED. NYCHA TO REPLACE FUEL LINES.

Site ID: 351953  
Spill Date: 08/31/05  
Facility Addr2: Not reported  
Facility ID: 0506695  
Program Number: 0506695  
SWIS: 0301  
Region of Spill: 2  
Investigator: jkkann  
Referred To: WP DUE 4/2007 AS PER CO SCHEDULE D  
Reported to Dept: 08/31/05  
CID: 16  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 08/31/05  
Spill Record Last Update: 01/25/07  
Spille Namer: FRANK INOA  
Spiller Company: Not reported  
Spiller Address: 301 EAST 143RD STREET  
Spiller City,St,Zip: BRONX, NY  
Spiller County: 001  
Spiller Contact: FRANK INOA  
Spiller Phone: (718) 707-5718  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 0506695  
DER Facility ID: 108400  
Site ID: 351953

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

Operable Unit ID: 1109456  
Operable Unit: 01  
Material ID: 2099480  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: 11/1/05: This spill transferred from J.Kolleeny to S.Kraszewski. 9/22/06:  
Spill transferred from Kraszewski to Kann.  
Remarks: TANK REMOVAL, SOIL BORINGS WERE DONE AND CAME BACK SHOWING CONTAMINATION

Site ID: 125319  
Spill Date: 07/07/95  
Facility Addr2: Not reported  
Facility ID: 9504190  
Program Number: 9504190  
SWIS: 0301  
Region of Spill: 2  
Investigator: SWKRASZE  
Referred To: Not reported  
Reported to Dept: 07/07/95  
CID: 16  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/02/05  
Remediation Phase: 0  
Date Entered In Computer: 07/07/95  
Spill Record Last Update: 12/02/05  
Spille Namer: Not reported  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9504190  
DER Facility ID: 108400  
Site ID: 125319  
Operable Unit ID: 1015296  
Operable Unit: 01  
Material ID: 365688  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: 125319  
Spill Tank Test: 1543982  
Tank Number: 0  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: 12/02/05: This spill transferred from J.Kolleeny to S.Kraszewski. This spill closed to consolidate with open spill #0506695.  
Remarks: TANK #2 - GROSS FAILURE

**HIST UST:**

PBS Number: 2-473219  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (212) 289-3940  
Operator: LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 301 EAST 143RD ST (MGMT OFFICE)



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

SWIS ID: 6001  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 12/28/2001  
Expiration Date: 03/28/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 80000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 60  
Town or City: 01  
Region: 2

Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19501201  
Capacity (gals): 40000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Wrapped (Piping)  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/27/1987  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 2  
Tank Location: UNDERGROUND  
Tank Status: Temporarily Out Of Service  
Install Date: 19741201  
Capacity (gals): 40000  
Product Stored: NOS 1,2, OR 4 FUEL OIL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Wrapped (Piping)  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: 12/27/1987  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9504190  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 07/07/1995  
Spill Time: 12:00  
Reported to Department Date: 07/07/95  
Reported to Department Time: 12:43  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Tank Tester  
PBS Number: 2-473219  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 07/07/95  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 002  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: TANK 2 - GROSS FAILURE

Region of Spill: 2  
Spill Number: 9414368  
Investigator: HEALY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 01/19/1995  
Spill Time: 13:50  
Reported to Department Date: 01/19/95  
Reported to Department Time: 13:50  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extention: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PATTERSON HOUSES (Continued)**

**U001840647**

Spill Cause: Tank Failure  
 Resource Affectd: Groundwater  
 Water Affected: GROUNDWATER  
 Spill Source: Other Non Commercial/Industrial  
 Spill Notifier: DEC  
 PBS Number: Not reported  
 Cleanup Ceased: 03/31/95  
 Cleanup Meets Standard: True  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 Spiller Cleanup Date: / /  
 Enforcement Date: / /  
 Investigation Complete: / /  
 UST Involvement: False  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 03/31/95  
 Date Region Sent Summary to Central Office: / /  
 Corrective Action Plan Submitted: / /  
 Date Spill Entered In Computer Data File: 02/02/95  
 Time Spill Entered In Computer Data File: Not reported  
 Spill Record Last Update: 03/31/95  
 Is Updated: False  
 PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate Failed Tank: Not reported  
 Gross Leak Rate: Not reported  
 Material Class Type: Petroleum  
 Quantity Spilled: -1  
 Unkonwn Quantity Spilled: False  
 Units: Gallons  
 Quantity Recovered: 0  
 Unkonwn Quantity Recovered: False  
 Material: #6 FUEL OIL  
 Class Type: #6 FUEL OIL  
 Times Material Entry In File: 2190  
 CAS Number: Not reported  
 Last Date: 19940728  
 DEC Remarks: Not reported  
 Spill Cause: BROKEN FUEL LINES. SEEPAGE BEGAN IN NOVEMBER, HAS CONTINUED UNABATED. NYCHA TO  
 REPLACE FUEL LINES.

139  
 SSE  
 1/4-1/2  
 0.483 mi.  
 2552 ft.

**138 ST & 3RD AVE.- EFFCO**  
**138TH ST / 3RD AVE**  
**BRONX, NY**

**LTANKS S101103170**  
**HIST LTANKS N/A**

**Relative:**  
**Higher**

LTANKS:  
 Site ID: 316593  
 Spill Date: 10/20/82  
 Facility Addr2: Not reported  
 Facility ID: 8201286  
 Program Number: 8201286  
 SWIS: 0301  
 Region of Spill: 2

**Actual:**  
**22 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138 ST & 3RD AVE.- EFFCO (Continued)

S101103170

Investigator: TOMASELLO  
Referred To: Not reported  
Reported to Dept: 10/20/82  
CID: Not reported  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: Other  
Cleanup Ceased: 06/13/86  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
Spill Closed Dt: 06/13/86  
Remediation Phase: 0  
Date Entered In Computer: 06/10/86  
Spill Record Last Update: 09/25/95  
Spille Namer: Not reported  
Spiller Company: EFFCO GAS STATION  
Spiller Address: SAME AS ABOVE  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 8201286  
DER Facility ID: 255259  
Site ID: 316593  
Operable Unit ID: 893154  
Operable Unit: 01  
Material ID: 484392  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Not reported  
Recovered: 20000  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Not reported  
Remarks: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138 ST & 3RD AVE.- EFFCO (Continued)

S101103170

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8201286  
Investigator: TOMASELLO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 10/20/1982  
Spill Time: Not reported  
Reported to Department Date: 10/20/82  
Reported to Department Time: Not reported  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: EFFCO GAS STATION  
Spiller Address: SAME AS ABOVE  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: 06/13/86  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Spill Class: Known release that creates potential for fire or hazard. (Highly  
Improbable)  
Spill Closed Dt: 06/13/86  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/10/86  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 09/25/95  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

138 ST & 3RD AVE.- EFFCO (Continued)

S101103170

Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 20000  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: / / : PIN-2768. 09/25/95: PIN-2768 ASSIGNED TO CHRIS FOR TRACKING PURPOSES.  
Spill Cause: Not reported

140  
SE  
1/4-1/2  
0.489 mi.  
2583 ft.

P & R FIXTURES CORP  
271 E 139TH ST  
BRONX, NY

LTANKS S104516899  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
25 ft.

Site ID: 102522  
Spill Date: 03/29/00  
Facility Addr2: Not reported  
Facility ID: 9914720  
Program Number: 9914720  
SWIS: 0301  
Region of Spill: 2  
Investigator: JMROMMEL  
Referred To: Not reported  
Reported to Dept: 03/29/00  
CID: 16  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Tank Truck  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 01/23/04  
Remediation Phase: 0  
Date Entered In Computer: 03/29/00  
Spill Record Last Update: 01/23/04  
Spille Namer: Not reported  
Spiller Company: ATLAS FUEL OIL  
Spiller Address: 1110 BRONX RIVER AVE  
Spiller City,St,Zip: BRONX, NY 10472-  
Spiller County: 001  
Spiller Contact: PAUL REISMAN  
Spiller Phone: (718) 293-0263  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9914720  
DER Facility ID: 90787  
Site ID: 102522  
Operable Unit ID: 1092661

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**P & R FIXTURES CORP (Continued)**

**S104516899**

Operable Unit: 01  
Material ID: 293011  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 7  
Units: Gallons  
Recovered: 7  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "ROMMEL"  
CLOSED AND REFERENCED TO 0010599  
Remarks: DRIVER OVERFILLED THE TANK - ABOUT 5 OR 6 GAL OUTSIDE AND ABOUT 1 GAL IN THE  
BASEMENT - BEING CLEANED UP NOW

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9914720  
Investigator: ROMMEL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/29/2000  
Spill Time: 10:00  
Reported to Department Date: 03/29/00  
Reported to Department Time: 10:21  
SWIS: 60  
Spiller Contact: PAUL REISMAN  
Spiller Phone: (718) 293-0263  
Spiller Extension: Not reported  
Spiller Name: ATLAS FUEL OIL  
Spiller Address: 1110 BRONX RIVER AVE  
Spiller City,St,Zip: BRONX, NY 10472-  
Facility Contact: Not reported  
Facility Phone: (718) 893-4400  
Facility Extension: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Tank Truck  
Spill Notifier: Responsible Party



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**P & R FIXTURES CORP (Continued)**

**S104516899**

PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/29/00  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/29/00  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 7  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 7  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: DRIVER OVERFILLED THE TANK - ABOUT 5 OR 6 GAL OUTSIDE AND ABOUT 1 GAL IN THE  
BASEMENT - BEING CLEANED UP NOW

141  
WNW  
1/4-1/2  
0.492 mi.  
2595 ft.

**DREW HAMILTON  
200 WEST 143RD STREET  
NEW YORK, NY 10030**

**UST U001840712  
LTANKS N/A  
HIST UST  
HIST LTANKS**

**Relative:  
Higher**

UST:

UST:

**Actual:  
29 ft.**

Facility Id: 2-474851  
Facility Type: Not reported  
Region: STATE  
Expiration Date: 03/28/09  
Renewal Date: / /  
Total Capacity: 30000  
Mailing Company: NYC HOUSING AUTHORITY  
Mailing Title: Not reported  
Mailing Contact: Not reported  
Mailing Address: FUEL OIL REMEDIATION COORDINATOR

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

Mailing Address 2: 23-02 49TH AVENUE  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip Code: 11101  
Mailing Phone No: (718) 707-5725  
Mailing Email: Not reported  
Owner Title: FUEL OIL REMEDIATION COORDINATOR  
Owner Name: FUEL OIL REMEDIATION COORD.  
Owner Address: 23-02 49TH AVENUE  
Owner Address 2: Not reported  
Owner State: NY  
Owner Zip Code: 11101  
Owner Phone: (718) 707-5725  
Owner Company: NYC HOUSING AUTHORITY  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Phone: (718) 707-5725  
Operator: FUEL OIL REM. COORD.  
Operator Phone: (718) 707-5725  
Owner City: LONG ISLAND CITY  
Owner Sub Type: NYC Housing Authority (Local Government)  
UTM X: 589401.76424  
UTM Y: 4519365.72127  
Site Type Name: Apartment Building/Office Building  
Site Type Status: Active  
Accuracy: Not reported  
Accuracy Method: Not reported  
Comments: Not reported  
Program Type: PBS

Tank Number: 1  
Tank Location Name: Underground  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Active  
Install Date: 11/01/00  
Capacity Gallons: 30000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Fiberglass Coated Steel  
Tank Internal Protection: None  
Tank Internal Protection 1: Fiberglass  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Equivalent Technology  
Pipe External Protection 1: Other  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: Double-Walled (Underground)  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: Interstitial - Electronic Monitoring  
Tank Leak Detection 2: In-Tank System (ATG)  
Pipe Leak Detection 1: Exempt Suction Piping  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Float Vent Valve  
Type Of Overfill Prevention 2: High Level Alarm  
Dispenser Method: Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: / /

Tank Number: OLD 1  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 10/01/65  
Capacity Gallons: 35000  
Material Name: #2 Fuel Oil  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Underground/On-ground  
Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Wrapped  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 09/01/00

Tank Number: OLD 2  
Tank Location Name: Underground  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Active Status: Inactive  
Install Date: 10/01/65  
Capacity Gallons: 35000  
Material Name: Empty  
Percentage: 100.00  
Tank Type Name: Steel/Carbon Steel/Iron  
Tank Internal Protection: None  
Tank Internal Protection 1: None  
Tank Internal Protection 2: Not reported  
Pipe Location Name: Aboveground

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

Pipe Type Name: Steel/Carbon Steel/Iron  
Pipe External Protection 1: Wrapped  
Pipe External Protection 2: Not reported  
Tank Secondary Containment 1: None  
Tank Secondary Containment 2: Not reported  
Pipe Secondary Containment: Not reported  
Tank Leak Detection 1: None  
Tank Leak Detection 2: Not reported  
Pipe Leak Detection 1: Not reported  
Pipe Leak Detection 2: Not reported  
Type Of Overfill Prevention 1: Product Level Gauge (A/G)  
Type Of Overfill Prevention 2: Not reported  
Dispenser Method: Suction  
Spill Prevention: Not reported  
Tightness Test Method: Testing Not Required  
Date Tested: / /  
Next Test Date: / /  
Date Tank Closed: 01/01/00

**LTANKS:**

Site ID: 138965  
Spill Date: 03/28/97  
Facility Addr2: Not reported  
Facility ID: 9615011  
Program Number: 9615011  
SWIS: 3101  
Region of Spill: 2  
Investigator: jkkann  
Referred To: NYCHA RQST SITE ASSMT  
Reported to Dept: 03/28/97  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/19/07  
Remediation Phase: 0  
Date Entered In Computer: 03/28/97  
Spill Record Last Update: 11/19/07  
Spille Namer: SAME  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: MANHATTAN, NY -  
Spiller County: 001  
Spiller Contact: SEBASTIAN LOREFICE  
Spiller Phone: (212) 306-3233  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9615011  
DER Facility ID: 118811

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported  
Site ID: 138965  
Spill Tank Test: 1545049  
Tank Number: 1  
Tank Size: 35000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Horner EZ Check I or II  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski. 07/28/06: NYCHA update summary states that two 35K USTs, #1 and #2 stored #4 and #6 oil. #1 was removed in 2000 and #2 was closed-in-place in 2000. A 30K UST was installed in 2000 and currently stores #2 oil. NO recovery system or MWs on site. A site assessment for tank #2 is available but not for tank #1. Soil and GW conditions are unknown. NYCHA recommends a site assessment be performed for tank #1. - SK 02/08/07 : DEClead changed from S. Kraszewski to J. Kann. J.Kann 11/19/07 :J.Kann - spill closed and consolidated with 9415308.  
Remarks: tank failed the test.

**HIST UST:**

PBS Number: 2-474851  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE SQUAD  
Emergency Telephone: (718) 289-3940  
Operator: MR. LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10007  
Mailing Contact: MR. LUIS PONCE  
Mailing Telephone: (212) 306-3142  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 210 WEST 142 STREET, MGT. OFFICE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

SWIS ID: 6201  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 02/09/2001  
Expiration Date: 03/28/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 30000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 62  
Town or City: 01  
Region: 2

Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20001101  
Capacity (gals): 30000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Fiberglass coated steel  
Tank Internal: Not reported  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: FIBERGLASS REINFORCED PLASTIC  
Pipe Internal: Other  
Pipe External: Other  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: Float Vent Valve, High Level Alarm  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: OLD 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19651001  
Capacity (gals): 35000  
Product Stored: NOS 1,2, OR 4 FUEL OIL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Wrapped (Piping)  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/2000  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: OLD 2  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19651001  
Capacity (gals): 35000  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Wrapped (Piping)  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 01/01/2000  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9615011  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DREW HAMILTON (Continued)**

**U001840712**

Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/28/1997  
Spill Time: 13:00  
Reported to Department Date: 03/28/97  
Reported to Department Time: 15:38  
SWIS: 62  
Spiller Contact: SEBASTIAN LOREFICE  
Spiller Phone: (212) 306-3233  
Spiller Extension: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: MANHATTAN, NY -  
Facility Contact: SAME  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: 2-474851  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/28/97  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/03/97  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 1  
Tank Size: 35000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Not reported  
Quantity Spilled: Not reported  
Unkonwn Quantity Spilled: Not reported  
Units: Not reported  
Quantity Recovered: Not reported  
Unkonwn Quantity Recovered: Not reported  
Material: Not reported  
Class Type: Not reported  
Times Material Entry In File: Not reported  
CAS Number: Not reported  
Last Date: Not reported  
DEC Remarks: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DREW HAMILTON (Continued)

U001840712

Spill Cause: tank failed the test.

AF142  
SSW  
1/4-1/2  
0.492 mi.  
2599 ft.

LINCOLN  
2132 MADISON AVENUE  
NEW YORK CITY, NY  
Site 1 of 2 in cluster AF

LTANKS S100167943  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
11 ft.

Site ID: 63205  
Spill Date: 07/17/90  
Facility Addr2: Not reported  
Facility ID: 9004249  
Program Number: 9004249  
SWIS: 3101  
Region of Spill: 2  
Investigator: SWKRASZE  
Referred To: Not reported  
Reported to Dept: 07/17/90  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Tank Tester  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/26/05  
Remediation Phase: 0  
Date Entered In Computer: 07/19/90  
Spill Record Last Update: 10/26/05  
Spiller Namer: Not reported  
Spiller Company: NYCHA  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9004249  
DER Facility ID: 61116  
Site ID: 63205  
Operable Unit ID: 942070  
Operable Unit: 01  
Material ID: 435353  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Not reported  
Recovered: No  
Resource Affected: Soil

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINCOLN (Continued)

S100167943

Oxygenate: False  
Site ID: 63205  
Spill Tank Test: 1537310  
Tank Number: 0  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
Site ID: 63205  
Spill Tank Test: 1537311  
Tank Number: 0  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: 10/26/05: This spill closed to consolidate with open spill #9607561.  
S.Kraszewski  
Remarks: (2) 25K TANKS MANIFOLDED FAILED A HORNER EZY CHECK WITH A GROSS LEAK, WILL EXCAVATE,ISOLATE & RETEST.

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9004249  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 07/17/1990  
Spill Time: 12:00  
Reported to Department Date: 07/17/90  
Reported to Department Time: 14:33  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: NYCHA  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, N.Y.  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extension: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Tank Tester

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINCOLN (Continued)

S100167943

PBS Number: 2-474908  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 07/19/90  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/28/94  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
PBS Number: Not reported  
Tank Number: 002  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: 2) 25K TANKS MANIFOLDED FAILED A HORNER EZY CHECK WITH A GROSS LEAK, WILL EXCAVATE,ISOLATE RETEST.

143  
NNE  
1/4-1/2  
0.495 mi.  
2612 ft.

711 WALTON AVENUE  
711 WALTON AVENUE  
BRONX, NY

LTANKS S102672744  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 142744  
Spill Date: 12/21/94  
Facility Addr2: Not reported  
Facility ID: 9412692  
Program Number: 9412692  
SWIS: 0301

Actual:  
49 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

711 WALTON AVENUE (Continued)

S102672744

Region of Spill: 2  
Investigator: MCTIBBE  
Referred To: Not reported  
Reported to Dept: 12/21/94  
CID: 16  
Spill Cause: Tank Overfill  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Responsible Party  
Cleanup Ceased: 12/22/94  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/22/94  
Remediation Phase: 0  
Date Entered In Computer: 02/24/95  
Spill Record Last Update: 02/28/95  
Spille Namer: Not reported  
Spiller Company: CASTLE FUEL OIL  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9412692  
DER Facility ID: 121781  
Site ID: 142744  
Operable Unit ID: 1006330  
Operable Unit: 01  
Material ID: 374985  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 20  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was "TIBBE"  
Remarks: OVERFILL DUE TO BAD GAUGE ON RESIDENTIAL TANK. CREW FROM CASTLE TO CLEAN UP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

711 WALTON AVENUE (Continued)

S102672744

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9412692  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 12/21/1994  
Spill Time: 19:05  
Reported to Department Date: 12/21/94  
Reported to Department Time: 19:12  
SWIS: 60  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: CASTLE FUEL OIL  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: 12/22/94  
Cleanup Meets Standard: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/22/94  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/24/95  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/28/95  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 20

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

711 WALTON AVENUE (Continued)

S102672744

Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported  
Spill Cause: OVERFILL DUE TO BAD GAUGE ON RESIDENTIAL TANK. CREW FROM CASTLE TO CLEAN UP

AF144  
SSW  
1/4-1/2  
0.497 mi.  
2626 ft.

LINCOLN HOUSES  
2130 MADISON AVE  
MANHATTAN, NY

Site 2 of 2 in cluster AF

LTANKS S101102900  
NY Spills N/A  
NY Hist Spills  
HIST LTANKS

Relative:  
Higher

LTANKS:

Actual:  
11 ft.

Site ID: 318928  
Spill Date: 09/16/96  
Facility Addr2: Not reported  
Facility ID: 9607561  
Program Number: 9607561  
SWIS: 3101  
Region of Spill: 2  
Investigator: jkkann  
Referred To: WP DUE 2/2009 AS PER CO SCHEDULE D  
Reported to Dept: 09/16/96  
CID: 15  
Spill Cause: Tank Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Remediation Phase: 1  
Date Entered In Computer: 09/16/96  
Spill Record Last Update: 01/25/07  
Spille Namer: MARIO MANDALONE  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller County: 001  
Spiller Contact: MARIO MANDALONE  
Spiller Phone: (718) 649-7017  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9607561  
DER Facility ID: 61116  
Site ID: 318928  
Operable Unit ID: 1038730

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINCOLN HOUSES (Continued)

S101102900

Operable Unit: 01  
Material ID: 346815  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Soil  
Oxygenate: False  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported  
DEC Memo: 12/12/05: This spill transferred from J.Kolleeny to S.Kraszewski. 07/28/06:  
Two 25K USTs installed in 1948 that stored #4/#6 oil were closed-removed in  
1996. One 30K UST that stores #2 oil was installed in 1997 and is currently in  
service. Soil contamination was encountered during tank replacement. 4 MWs were  
installed in 1996 and is currently bailing oil/water. NYCHA recommends that a  
site assessment be performed. - SK 9/26/06: This spill was transferred from  
S.Kraszewski to J. Kann. -JK  
Remarks: TANKS BEING REMOVED - CONTAMINATED SOIL FOUND  
Site ID: 91028  
Spill Date: 03/06/91  
Facility Addr2: Not reported  
Facility ID: 9315464  
Program Number: 9315464  
SWIS: 3101  
Region of Spill: 2  
Investigator: SWKRASZE  
Referred To: Not reported  
Reported to Dept: 03/30/94  
CID: 15  
Spill Cause: Tank Test Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: DEC  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/26/05  
Remediation Phase: 0  
Date Entered In Computer: 04/05/94  
Spill Record Last Update: 10/26/05  
Spille Namer: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN HOUSES (Continued)**

**S101102900**

Spiller Company: NYCHA - JOE MONTELLA  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
Program Number: 9315464  
DER Facility ID: 61116  
Site ID: 91028  
Operable Unit ID: 997513  
Operable Unit: 01  
Material ID: 554003  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Not reported  
Recovered: No  
Resource Affected: Groundwater  
Oxygenate: False  
Site ID: 91028  
Spill Tank Test: 1542569  
Tank Number: 0  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/01/04  
Test Method: Unknown  
DEC Memo: 10/26/05: This spill closed to consolidate with open spill #9607561.  
S.Kraszewski  
Remarks: LEAK RATE OF -0.06 GPH - REPORTED AS PASSED BY TESTER.

**NY Spills:**

Site ID: 154573  
Facility Addr2: Not reported  
Facility ID: 9609643  
Spill Number: 9609643  
Facility Type: ER  
SWIS: 3101  
Region of Spill: 2  
Investigator: HEALY  
Referred To: Not reported  
Spill Date: 11/01/96  
Reported to Dept: 11/01/96  
CID: 15  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN HOUSES (Continued)**

**S101102900**

Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/13/96  
Remediation Phase: 0  
Date Entered In Computer: 11/01/96  
Spill Record Last Update: 12/12/05  
Spiller Name: TODD MC INDOO  
Spiller Company: YELLOWSTONE CONTRACTING  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller Company: 001  
Contact Name: ED MALONE  
Contact Phone: (212) 306-8480  
DEC Region: 2  
Program Number: 9609643  
DER Facility ID: 61116  
Site ID: 154573  
Operable Unit ID: 1037610  
Operable Unit: 01  
Material ID: 345371  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Sewer  
Oxygenate: False  
DEC Memo: Not reported  
Remarks: seperator was not working correctly and cause oil to go through seperator into the drain

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9609643  
Investigator: HEALY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 11/01/1996 15:30  
Reported to Dept Date/Time: 11/01/96 16:07  
SWIS: 62  
Spiller Name: YELLOWSTONE CONTRACTING  
Spiller Contact: TODD MC INDOO  
Spiller Phone: (516) 485-0000  
Spiller Contact: ED MALONE  
Spiller Phone: (212) 306-8480  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Equipment Failure  
Reported to Dept: In Sewer

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN HOUSES (Continued)**

**S101102900**

Water Affected: Not reported  
Spill Source: 01  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/13/96  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 11/01/96  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 12/13/96  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: SPILL WAS REPORTED TO D.E.P., BUT THEY DID NOT RESPOND TO SITE. CHECKED HOUSE TRAP ON MONDAY, NOV. 4 - CLEAN. SEPARATOR NEEDS TO BE CLEANED OUT BEFORE BEING RESTARTED.  
Remark: seperator was not working correctly and cause oil to go through seperator into the drain

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9607561  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 09/16/1996

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINCOLN HOUSES (Continued)

S101102900

Spill Time: 10:00  
Reported to Department Date: 09/16/96  
Reported to Department Time: 12:25  
SWIS: 62  
Spiller Contact: MARIO MANDALONE  
Spiller Phone: (718) 649-7017  
Spiller Extension: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: MARIO MANDALONE  
Facility Phone: (718) 649-7017  
Facility Extension: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/16/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 09/26/96  
Is Updated: False  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported  
Spill Cause: TANKS BEING REMOVED - CONTAMINATED SOIL FOUND  
  
Region of Spill: 2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINCOLN HOUSES (Continued)

S101102900

Spill Number: 9315464  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Spill Date: 03/06/1991  
Spill Time: 12:00  
Reported to Department Date: 03/30/94  
Reported to Department Time: 10:10  
SWIS: 62  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCHA - JOE MONTELLA  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extention: Not reported  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Notifier: DEC  
PBS Number: 2-474908  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Date: / /  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/05/94  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/23/94  
Is Updated: False  
PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN HOUSES (Continued)**

**S101102900**

Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: LEAK RATE OF -0.06 GPH - REPORTED AS PASSED BY TESTER.

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRONX	U004067722	CORNERSTONE SITE A	3RD AVENUE BTWN E. 159TH AND 1	10451	UST, AST
BRONX	1010326550	CON EDISON	BRONX RIVER AVE E SIDE 718	10451	RCRA-NonGen
BRONX	S109064807	CONSOLIDATED EDISON	BROWN PL / HARLEM RIVER RAIL	10451	MANIFEST
BRONX	S108294651	EXCAVATION SITE	710 COURTLANDT AVE	10451	NY Spills
BRONX	1009235667	NYCDEP	I-95 EXIT 12 RAMP		MANIFEST
BRONX	S104647945		EXIT 7B ON RTE 95		NY Spills, NY Hist Spills
BRONX	S109060000	CONSTRUCTION SITE	725 EXTERIOR STREET	10451	NY Spills
BRONX	A100293366	BRONX COUNTY RECYCLING LLC	475 EXTERIOR STREET	10451	AST
BRONX	S106906490	GATEWAY CENTER AT BRONX TERMINAL M	EXTERIOR STREET	10451	VCP
BRONX	S109065026	NYS DOT BIN 1076879	EXTERIOR ST OVER METRO NORTH C	10451	MANIFEST
BRONX	U004077857	BRONX COUNTY RECYCLING LLC	475 EXTERIOR STREET	10451	UST
BRONX	S102180138	EXTERIOR ST - LANDING RD	EXTERIOR ST - LANDING RD		NY Spills, NY Hist Spills
BRONX	S104953788	VAULT #5137	EXTERIOR ST / PARK AV		NY Spills, NY Hist Spills
BRONX	S109062487	TRAFFIC ACCIDENT- 30 GAL DIESEL IN	EXTERIOR ST / MAJOR DEEGAN XWA		NY Spills
BRONX	1010326936	CON EDISON	FRONT OF 385 GERARD AVE &	10451	RCRA-NonGen
BRONX	S104283427	IN SEWER OR VAULT	GERARD AV / E150TH ST		NY Spills, NY Hist Spills
BRONX	S102662982	BEDFORD PARK RD	@ GRAND CONCOURSE		NY Spills, NY Hist Spills
BRONX	1010566624	NYS DOT BIN 1066780	GRAND CONCOURSE OVER I-87	10451	RCRA-LQG
BRONX	1000694477	SHELL OIL-ANGAMA AUTO CTR INC	1263 E L GRANT HIGHWAY	10451	FINDS, MANIFEST, RCRA-NonGen
BRONX	1009242342	CONSOLIDATED EDISON	MH7315-161ST ST / RIVER AVE		MANIFEST
BRONX	1009241199	CONSOLIDATED EDISON	MH7411-EXTERIOR ST / UNIVERS		MANIFEST
BRONX	1010566736	NYS DOT BIN 106745C	I-87 OVER RAMP TO MAJOR DEEGAN	10451	RCRA-LQG
BRONX	S103036058	NEAR CITY BUS PARKING	I95 RAMP TO TRIBORO BRDG		NY Spills, NY Hist Spills
BRONX	S108762626	END OF WHITE PLAINS ROAD	RIVER AVE		NY Spills
BRONX	S102148299	RIVER AVE	RIVER AVE		NY Spills, NY Hist Spills
BRONX	S106001878		RIVER AVE/ 165ST		NY Spills
BRONX	S104654168	167TH STREET AND	RIVER AVE		NY Spills, NY Hist Spills
BRONX	S103560548	EAST RIVER	EAST RIVER/138TH STREET		NY Spills, NY Hist Spills
BRONX	S108466658	HARLEM RIVER YARDS SITE	SAINT ANNE'S/ 132ND AVE		NY Spills
BRONX	S107408723	MANHOLE #7511	E.161 ST NEAR RIVER AVE / RUPP		NY Spills
BRONX	S107488594	IFO TASK FORCE	STATE 87 EXIT - I 95 HWY		NY Spills
BRONX	S106383100	MANHOLE # 9489	WALTON AVE EAST 144TH ST.		NY Spills
BRONX	S106971708	HOSTOS COMMUNITY COLLEGE	WALTON AVE EAST 144TH ST.		LTANKS
BX	U000411220	UNIVERSAL DEMOLITION & RCYCLNG	475 EXTERIOR ST	10451	HIST UST
NEW YORK	1007371333	NYS DOT BRIDGE BIN 1077000	E 135TH ST RAMP OVER HARLEM	10037	MANIFEST, RCRA-NonGen
NEW YORK	1007371336	NYS DOT BIN #1077010	E 139TH ST RAMP OVER HARLEM	10037	RCRA-LQG, MANIFEST
NEW YORK	1000790659	NYS DOT CONTRACT D253182	HARLEM RIVER DR SB OVER	10039	FINDS, RCRA-NonGen
NEW YORK	1001222857	NYCHA - RANGEL HOUSES	159-38 HARLEM RIVER DR	10039	FINDS, MANIFEST, RCRA-NonGen
NEW YORK	A100295733	RALPH J. RANGEL HOUSES	159-38 HARLEM RIVER DRIVE	10039	AST
NEW YORK	U000410780	RALPH J. RANGEL	159-38 HARLEM RIVER DRIVE	10039	HIST UST
NEW YORK	U004077890	RALPH J. RANGEL HOUSES	159-38 HARLEM RIVER DRIVE	10039	UST
NEW YORK	1007371338	NYS DOT BIN #107701B	SB RAMP FROM E 139TH ST OVERPS	10037	RCRA-LQG, MANIFEST
NEW YORK	1007371335	NYS DOT	RAMP TO NB HARLEM RIVER DR	10039	RCRA-LQG, MANIFEST

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## FEDERAL RECORDS

### NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/30/2008	Source: EPA
Date Data Arrived at EDR: 05/06/2008	Telephone: N/A
Date Made Active in Reports: 06/09/2008	Last EDR Contact: 07/28/2008
Number of Days to Update: 34	Next Scheduled EDR Contact: 10/27/2008
	Data Release Frequency: Quarterly

### NPL Site Boundaries

#### Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

### Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 04/30/2008	Source: EPA
Date Data Arrived at EDR: 05/06/2008	Telephone: N/A
Date Made Active in Reports: 06/09/2008	Last EDR Contact: 07/28/2008
Number of Days to Update: 34	Next Scheduled EDR Contact: 10/27/2008
	Data Release Frequency: Quarterly

### DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/30/2008	Source: EPA
Date Data Arrived at EDR: 05/06/2008	Telephone: N/A
Date Made Active in Reports: 06/09/2008	Last EDR Contact: 07/28/2008
Number of Days to Update: 34	Next Scheduled EDR Contact: 10/27/2008
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 05/19/2008
Number of Days to Update: 56	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: No Update Planned

## CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 04/08/2008	Source: EPA
Date Data Arrived at EDR: 04/25/2008	Telephone: 703-412-9810
Date Made Active in Reports: 05/21/2008	Last EDR Contact: 07/22/2008
Number of Days to Update: 26	Next Scheduled EDR Contact: 09/15/2008
	Data Release Frequency: Quarterly

## CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 12/03/2007	Source: EPA
Date Data Arrived at EDR: 12/06/2007	Telephone: 703-412-9810
Date Made Active in Reports: 02/20/2008	Last EDR Contact: 06/17/2008
Number of Days to Update: 76	Next Scheduled EDR Contact: 09/15/2008
	Data Release Frequency: Quarterly

## LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/08/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/07/2008	Telephone: 202-564-6023
Date Made Active in Reports: 03/20/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 13	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Varies

## CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/26/2008	Source: EPA
Date Data Arrived at EDR: 04/02/2008	Telephone: 800-424-9346
Date Made Active in Reports: 05/06/2008	Last EDR Contact: 06/02/2008
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: Quarterly

## RCRA-TSDF: RCRA - Transporters, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/06/2008  
Date Data Arrived at EDR: 03/06/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 43

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 05/21/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Quarterly

## RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2008  
Date Data Arrived at EDR: 03/06/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 43

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 05/21/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Quarterly

## RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/06/2008  
Date Data Arrived at EDR: 03/06/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 43

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 05/21/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Quarterly

## RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2008  
Date Data Arrived at EDR: 03/06/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 43

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 05/21/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Varies

## RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/06/2008  
Date Data Arrived at EDR: 03/06/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 43

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 05/21/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 04/04/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/17/2008	Telephone: 703-603-0695
Date Made Active in Reports: 05/15/2008	Last EDR Contact: 06/30/2008
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/29/2008
	Data Release Frequency: Varies

## US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 04/04/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/17/2008	Telephone: 703-603-0695
Date Made Active in Reports: 05/15/2008	Last EDR Contact: 06/30/2008
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/29/2008
	Data Release Frequency: Varies

## ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2007	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/23/2008	Telephone: 202-267-2180
Date Made Active in Reports: 03/17/2008	Last EDR Contact: 07/25/2008
Number of Days to Update: 54	Next Scheduled EDR Contact: 10/20/2008
	Data Release Frequency: Annually

## HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2007	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 04/16/2008	Telephone: 202-366-4555
Date Made Active in Reports: 05/15/2008	Last EDR Contact: 07/15/2008
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/13/2008
	Data Release Frequency: Annually

## DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 02/14/2008	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 02/27/2008	Telephone: 202-366-4595
Date Made Active in Reports: 03/20/2008	Last EDR Contact: 05/28/2008
Number of Days to Update: 22	Next Scheduled EDR Contact: 08/25/2008
	Data Release Frequency: Varies

## CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/01/2007  
Date Data Arrived at EDR: 12/03/2007  
Date Made Active in Reports: 12/28/2007  
Number of Days to Update: 25

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 06/27/2008  
Next Scheduled EDR Contact: 09/22/2008  
Data Release Frequency: Quarterly

## US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 04/01/2008  
Date Data Arrived at EDR: 04/30/2008  
Date Made Active in Reports: 05/30/2008  
Number of Days to Update: 30

Source: Environmental Protection Agency  
Telephone: 202-566-2777  
Last EDR Contact: 07/15/2008  
Next Scheduled EDR Contact: 10/13/2008  
Data Release Frequency: Semi-Annually

## DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 11/10/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 62

Source: USGS  
Telephone: 703-692-8801  
Last EDR Contact: 05/09/2008  
Next Scheduled EDR Contact: 08/04/2008  
Data Release Frequency: Semi-Annually

## FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2006  
Date Data Arrived at EDR: 08/31/2007  
Date Made Active in Reports: 10/11/2007  
Number of Days to Update: 41

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 06/30/2008  
Next Scheduled EDR Contact: 09/29/2008  
Data Release Frequency: Varies

## LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005  
Date Data Arrived at EDR: 12/11/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 31

Source: Department of the Navy  
Telephone: 843-820-7326  
Last EDR Contact: 06/09/2008  
Next Scheduled EDR Contact: 09/08/2008  
Data Release Frequency: Varies

## CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/08/2008  
Date Data Arrived at EDR: 04/25/2008  
Date Made Active in Reports: 05/30/2008  
Number of Days to Update: 35

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 07/21/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: Varies

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/14/2008  
Date Data Arrived at EDR: 01/22/2008  
Date Made Active in Reports: 01/30/2008  
Number of Days to Update: 8

Source: EPA  
Telephone: 703-416-0223  
Last EDR Contact: 06/30/2008  
Next Scheduled EDR Contact: 09/29/2008  
Data Release Frequency: Annually

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 07/13/2007  
Date Data Arrived at EDR: 12/03/2007  
Date Made Active in Reports: 01/24/2008  
Number of Days to Update: 52

Source: Department of Energy  
Telephone: 505-845-0011  
Last EDR Contact: 06/16/2008  
Next Scheduled EDR Contact: 09/15/2008  
Data Release Frequency: Varies

## ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985  
Date Data Arrived at EDR: 08/09/2004  
Date Made Active in Reports: 09/17/2004  
Number of Days to Update: 39

Source: Environmental Protection Agency  
Telephone: 800-424-9346  
Last EDR Contact: 06/09/2004  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 03/25/2008  
Date Data Arrived at EDR: 04/17/2008  
Date Made Active in Reports: 05/15/2008  
Number of Days to Update: 28

Source: EPA, Region 9  
Telephone: 415-972-3336  
Last EDR Contact: 06/23/2008  
Next Scheduled EDR Contact: 09/22/2008  
Data Release Frequency: Varies

## MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/07/2008  
Date Data Arrived at EDR: 03/26/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 23

Source: Department of Labor, Mine Safety and Health Administration  
Telephone: 303-231-5959  
Last EDR Contact: 06/25/2008  
Next Scheduled EDR Contact: 09/22/2008  
Data Release Frequency: Semi-Annually

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2006  
Date Data Arrived at EDR: 02/29/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 49

Source: EPA  
Telephone: 202-566-0250  
Last EDR Contact: 06/16/2008  
Next Scheduled EDR Contact: 09/15/2008  
Data Release Frequency: Annually

## TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002  
Date Data Arrived at EDR: 04/14/2006  
Date Made Active in Reports: 05/30/2006  
Number of Days to Update: 46

Source: EPA  
Telephone: 202-260-5521  
Last EDR Contact: 07/14/2008  
Next Scheduled EDR Contact: 10/13/2008  
Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)  
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/11/2008  
Date Data Arrived at EDR: 04/24/2008  
Date Made Active in Reports: 05/21/2008  
Number of Days to Update: 27

Source: EPA/Office of Prevention, Pesticides and Toxic Substances  
Telephone: 202-566-1667  
Last EDR Contact: 06/16/2008  
Next Scheduled EDR Contact: 09/15/2008  
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)  
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/11/2008  
Date Data Arrived at EDR: 04/24/2008  
Date Made Active in Reports: 05/21/2008  
Number of Days to Update: 27

Source: EPA  
Telephone: 202-566-1667  
Last EDR Contact: 06/16/2008  
Next Scheduled EDR Contact: 09/15/2008  
Data Release Frequency: Quarterly

## HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006  
Date Data Arrived at EDR: 03/01/2007  
Date Made Active in Reports: 04/10/2007  
Number of Days to Update: 40

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 12/17/2007  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006  
Date Data Arrived at EDR: 03/01/2007  
Date Made Active in Reports: 04/10/2007  
Number of Days to Update: 40

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 12/17/2008  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2006  
Date Data Arrived at EDR: 03/14/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 35

Source: EPA  
Telephone: 202-564-4203  
Last EDR Contact: 07/14/2008  
Next Scheduled EDR Contact: 10/13/2008  
Data Release Frequency: Annually

## ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 02/28/2008  
Date Data Arrived at EDR: 03/18/2008  
Date Made Active in Reports: 05/06/2008  
Number of Days to Update: 49

Source: Environmental Protection Agency  
Telephone: 202-564-5088  
Last EDR Contact: 07/14/2008  
Next Scheduled EDR Contact: 10/13/2008  
Data Release Frequency: Quarterly

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/04/2007  
Date Data Arrived at EDR: 02/07/2008  
Date Made Active in Reports: 03/17/2008  
Number of Days to Update: 39

Source: EPA  
Telephone: 202-566-0500  
Last EDR Contact: 06/20/2008  
Next Scheduled EDR Contact: 08/04/2008  
Data Release Frequency: Annually

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/22/2008  
Date Data Arrived at EDR: 05/06/2008  
Date Made Active in Reports: 06/09/2008  
Number of Days to Update: 34

Source: Nuclear Regulatory Commission  
Telephone: 301-415-7169  
Last EDR Contact: 06/30/2008  
Next Scheduled EDR Contact: 09/29/2008  
Data Release Frequency: Quarterly

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/29/2008  
Date Data Arrived at EDR: 05/01/2008  
Date Made Active in Reports: 05/21/2008  
Number of Days to Update: 20

Source: Environmental Protection Agency  
Telephone: 202-343-9775  
Last EDR Contact: 07/31/2008  
Next Scheduled EDR Contact: 10/27/2008  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/03/2008	Source: EPA
Date Data Arrived at EDR: 04/08/2008	Telephone: (212) 637-3000
Date Made Active in Reports: 05/06/2008	Last EDR Contact: 06/30/2008
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/29/2008
	Data Release Frequency: Quarterly

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2005	Source: EPA/NTIS
Date Data Arrived at EDR: 03/06/2007	Telephone: 800-424-9346
Date Made Active in Reports: 04/13/2007	Last EDR Contact: 06/11/2008
Number of Days to Update: 38	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Biennially

## STATE AND LOCAL RECORDS

### HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/20/2006	Telephone: 518-402-9564
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 05/27/2008
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/25/2008
	Data Release Frequency: No Update Planned

### SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/10/2008  
Date Data Arrived at EDR: 06/11/2008  
Date Made Active in Reports: 07/10/2008  
Number of Days to Update: 29

Source: Department of Environmental Conservation  
Telephone: 518-402-9622  
Last EDR Contact: 06/11/2008  
Next Scheduled EDR Contact: 09/08/2008  
Data Release Frequency: Annually

## DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 02/05/2008  
Date Data Arrived at EDR: 03/13/2008  
Date Made Active in Reports: 04/09/2008  
Number of Days to Update: 27

Source: Department of Environmental Conservation  
Telephone: 518-402-9622  
Last EDR Contact: 06/11/2008  
Next Scheduled EDR Contact: 09/08/2008  
Data Release Frequency: Annually

## SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/02/2008  
Date Data Arrived at EDR: 05/05/2008  
Date Made Active in Reports: 05/29/2008  
Number of Days to Update: 24

Source: Department of Environmental Conservation  
Telephone: 518-457-2051  
Last EDR Contact: 07/28/2008  
Next Scheduled EDR Contact: 10/27/2008  
Data Release Frequency: Semi-Annually

## SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006  
Date Data Arrived at EDR: 11/15/2006  
Date Made Active in Reports: 11/30/2006  
Number of Days to Update: 15

Source: Department of Environmental Conservation  
Telephone: 518-402-8694  
Last EDR Contact: 05/16/2008  
Next Scheduled EDR Contact: 08/11/2008  
Data Release Frequency: Annually

## SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 05/02/2008  
Date Data Arrived at EDR: 05/05/2008  
Date Made Active in Reports: 05/29/2008  
Number of Days to Update: 24

Source: Department of Environmental Conservation  
Telephone: 518-402-8705  
Last EDR Contact: 07/28/2008  
Next Scheduled EDR Contact: 10/27/2008  
Data Release Frequency: Semi-Annually

## LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 06/10/2008  
Date Data Arrived at EDR: 06/11/2008  
Date Made Active in Reports: 07/10/2008  
Number of Days to Update: 29

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 06/11/2008  
Next Scheduled EDR Contact: 09/08/2008  
Data Release Frequency: Varies

## HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 07/08/2005  
Date Made Active in Reports: 07/14/2005  
Number of Days to Update: 6

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/07/2005  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 03/28/2008  
Date Data Arrived at EDR: 04/23/2008  
Date Made Active in Reports: 05/23/2008  
Number of Days to Update: 30

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: No Update Planned

## CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 10/24/2005  
Next Scheduled EDR Contact: 01/23/2006  
Data Release Frequency: No Update Planned

## MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2005  
Next Scheduled EDR Contact: 10/24/2005  
Data Release Frequency: Varies

## HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 06/02/2006  
Date Made Active in Reports: 07/20/2006  
Number of Days to Update: 48

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 10/23/2006  
Next Scheduled EDR Contact: 01/22/2007  
Data Release Frequency: Varies

## AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 03/28/2008  
Date Data Arrived at EDR: 04/23/2008  
Date Made Active in Reports: 05/23/2008  
Number of Days to Update: 30

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: No Update Planned

## HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 06/02/2006  
Date Made Active in Reports: 07/20/2006  
Number of Days to Update: 48

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 10/23/2006  
Next Scheduled EDR Contact: 01/22/2007  
Data Release Frequency: No Update Planned

## CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2005  
Next Scheduled EDR Contact: 10/24/2005  
Data Release Frequency: No Update Planned

## MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2005  
Next Scheduled EDR Contact: 10/24/2005  
Data Release Frequency: No Update Planned

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/27/2008  
Date Data Arrived at EDR: 05/29/2008  
Date Made Active in Reports: 07/10/2008  
Number of Days to Update: 42

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 05/29/2008  
Next Scheduled EDR Contact: 08/25/2008  
Data Release Frequency: Annually

## SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 06/10/2008  
Date Data Arrived at EDR: 06/11/2008  
Date Made Active in Reports: 07/10/2008  
Number of Days to Update: 29

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 06/11/2008  
Next Scheduled EDR Contact: 09/08/2008  
Data Release Frequency: Varies

## HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 07/08/2005  
Date Made Active in Reports: 07/14/2005  
Number of Days to Update: 6

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/07/2005  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 06/10/2008	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/11/2008	Telephone: 518-402-9553
Date Made Active in Reports: 07/10/2008	Last EDR Contact: 06/11/2008
Number of Days to Update: 29	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Quarterly

## INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 06/10/2008	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/11/2008	Telephone: 518-402-9553
Date Made Active in Reports: 07/10/2008	Last EDR Contact: 06/11/2008
Number of Days to Update: 29	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Quarterly

## VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 06/10/2008	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/11/2008	Telephone: 518-402-9711
Date Made Active in Reports: 07/10/2008	Last EDR Contact: 06/11/2008
Number of Days to Update: 29	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Semi-Annually

## DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 06/15/2004	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/15/2004	Telephone: 518-402-8403
Date Made Active in Reports: 07/29/2004	Last EDR Contact: 05/21/2004
Number of Days to Update: 44	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

## BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 06/10/2008	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/11/2008	Telephone: 518-402-9764
Date Made Active in Reports: 07/10/2008	Last EDR Contact: 06/11/2008
Number of Days to Update: 29	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Semi-Annually

## SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 05/06/2008	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/08/2008	Telephone: 518-402-8233
Date Made Active in Reports: 05/29/2008	Last EDR Contact: 05/05/2008
Number of Days to Update: 21	Next Scheduled EDR Contact: 08/04/2008
	Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 09/05/2007  
Date Made Active in Reports: 10/17/2007  
Number of Days to Update: 42

Source: Department of Environmental Conservation  
Telephone: 518-402-8452  
Last EDR Contact: 05/19/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Annually

## E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 03/26/2008  
Date Data Arrived at EDR: 04/29/2008  
Date Made Active in Reports: 05/29/2008  
Number of Days to Update: 30

Source: New York City Department of City Planning  
Telephone: 718-595-6658  
Last EDR Contact: 07/16/2008  
Next Scheduled EDR Contact: 10/13/2008  
Data Release Frequency: Varies

## MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 03/28/2008  
Date Data Arrived at EDR: 04/23/2008  
Date Made Active in Reports: 05/29/2008  
Number of Days to Update: 36

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/24/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: Quarterly

## RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/31/1992  
Date Data Arrived at EDR: 01/31/2007  
Date Made Active in Reports: 04/19/2007  
Number of Days to Update: 78

Source: NYC Department of City Planning  
Telephone: 212-720-3401  
Last EDR Contact: 07/14/2008  
Next Scheduled EDR Contact: 10/13/2008  
Data Release Frequency: No Update Planned

## CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 03/28/2008  
Date Data Arrived at EDR: 04/23/2008  
Date Made Active in Reports: 05/29/2008  
Number of Days to Update: 36

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/24/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: Quarterly

## TRIBAL RECORDS

### INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 05/09/2008
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/04/2008
	Data Release Frequency: Semi-Annually

## INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 05/27/2008
Number of Days to Update: 52	Next Scheduled EDR Contact: 08/25/2008
	Data Release Frequency: Varies

## INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 03/12/2008	Source: EPA Region 1
Date Data Arrived at EDR: 03/14/2008	Telephone: 617-918-1313
Date Made Active in Reports: 03/20/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 6	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Varies

## INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 02/20/2008	Source: EPA Region 8
Date Data Arrived at EDR: 03/04/2008	Telephone: 303-312-6271
Date Made Active in Reports: 03/17/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 13	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Quarterly

## INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 03/17/2008	Source: EPA Region 4
Date Data Arrived at EDR: 03/27/2008	Telephone: 404-562-8677
Date Made Active in Reports: 05/06/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Semi-Annually

## INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 02/25/2008	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/26/2008	Telephone: 415-972-3372
Date Made Active in Reports: 03/17/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 20	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Quarterly

## INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 02/21/2008	Source: EPA Region 10
Date Data Arrived at EDR: 02/26/2008	Telephone: 206-553-2857
Date Made Active in Reports: 03/20/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 23	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/17/2008	Source: EPA Region 7
Date Data Arrived at EDR: 03/27/2008	Telephone: 913-551-7003
Date Made Active in Reports: 05/06/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Varies

## INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 02/28/2008	Source: EPA Region 6
Date Data Arrived at EDR: 02/29/2008	Telephone: 214-665-6597
Date Made Active in Reports: 03/17/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 17	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Varies

## INDIAN UST R4: Underground Storage Tanks on Indian Land No description is available for this data

Date of Government Version: 03/17/2008	Source: EPA Region 4
Date Data Arrived at EDR: 03/27/2008	Telephone: 404-562-9424
Date Made Active in Reports: 05/06/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Semi-Annually

## INDIAN UST R5: Underground Storage Tanks on Indian Land No description is available for this data

Date of Government Version: 12/21/2007	Source: EPA Region 5
Date Data Arrived at EDR: 12/21/2007	Telephone: 312-886-6136
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Varies

## INDIAN UST R10: Underground Storage Tanks on Indian Land No description is available for this data

Date of Government Version: 02/21/2008	Source: EPA Region 10
Date Data Arrived at EDR: 02/26/2008	Telephone: 206-553-2857
Date Made Active in Reports: 03/20/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 23	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Quarterly

## INDIAN UST R8: Underground Storage Tanks on Indian Land No description is available for this data

Date of Government Version: 02/20/2008	Source: EPA Region 8
Date Data Arrived at EDR: 03/04/2008	Telephone: 303-312-6137
Date Made Active in Reports: 03/17/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 13	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Quarterly

## INDIAN UST R1: Underground Storage Tanks on Indian Land A listing of underground storage tank locations on Indian Land.

Date of Government Version: 03/12/2008	Source: EPA, Region 1
Date Data Arrived at EDR: 03/14/2008	Telephone: 617-918-1313
Date Made Active in Reports: 03/20/2008	Last EDR Contact: 05/19/2008
Number of Days to Update: 6	Next Scheduled EDR Contact: 08/18/2008
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN UST R6: Underground Storage Tanks on Indian Land

No description is available for this data

Date of Government Version: 02/28/2008  
Date Data Arrived at EDR: 02/29/2008  
Date Made Active in Reports: 03/17/2008  
Number of Days to Update: 17

Source: EPA Region 6  
Telephone: 214-665-7591  
Last EDR Contact: 05/19/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Semi-Annually

## INDIAN UST R7: Underground Storage Tanks on Indian Land

No description is available for this data

Date of Government Version: 06/01/2007  
Date Data Arrived at EDR: 06/14/2007  
Date Made Active in Reports: 07/05/2007  
Number of Days to Update: 21

Source: EPA Region 7  
Telephone: 913-551-7003  
Last EDR Contact: 05/19/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Varies

## INDIAN UST R9: Underground Storage Tanks on Indian Land

No description is available for this data

Date of Government Version: 02/25/2008  
Date Data Arrived at EDR: 02/26/2008  
Date Made Active in Reports: 03/20/2008  
Number of Days to Update: 23

Source: EPA Region 9  
Telephone: 415-972-3368  
Last EDR Contact: 05/19/2008  
Next Scheduled EDR Contact: 08/18/2008  
Data Release Frequency: Quarterly

## INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008  
Date Data Arrived at EDR: 04/22/2008  
Date Made Active in Reports: 05/19/2008  
Number of Days to Update: 27

Source: EPA, Region 7  
Telephone: 913-551-7365  
Last EDR Contact: 07/21/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: Varies

## INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008  
Date Data Arrived at EDR: 04/22/2008  
Date Made Active in Reports: 05/19/2008  
Number of Days to Update: 27

Source: EPA, Region 1  
Telephone: 617-918-1102  
Last EDR Contact: 07/21/2008  
Next Scheduled EDR Contact: 10/20/2008  
Data Release Frequency: Varies

## EDR PROPRIETARY RECORDS

### Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## COUNTY RECORDS

### CORTLAND COUNTY:

#### Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 10/25/2007	Source: Cortland County Health Department
Date Data Arrived at EDR: 01/08/2008	Telephone: 607-753-5035
Date Made Active in Reports: 02/14/2008	Last EDR Contact: 05/28/2008
Number of Days to Update: 37	Next Scheduled EDR Contact: 08/25/2008
	Data Release Frequency: Quarterly

#### Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 10/25/2007	Source: Cortland County Health Department
Date Data Arrived at EDR: 01/08/2008	Telephone: 607-753-5035
Date Made Active in Reports: 02/14/2008	Last EDR Contact: 05/28/2008
Number of Days to Update: 37	Next Scheduled EDR Contact: 08/25/2008
	Data Release Frequency: Quarterly

### NASSAU COUNTY:

#### Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 07/31/2008
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/27/2008
	Data Release Frequency: No Update Planned

#### Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 08/20/2007	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 10/10/2007	Telephone: 516-572-1000
Date Made Active in Reports: 11/19/2007	Last EDR Contact: 05/05/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/04/2008
	Data Release Frequency: Varies

#### Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 07/31/2008
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/27/2008
	Data Release Frequency: No Update Planned

#### Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 08/20/2007	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 10/10/2007	Telephone: 516-572-1000
Date Made Active in Reports: 11/19/2007	Last EDR Contact: 05/05/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/04/2008
	Data Release Frequency: Varies

### ROCKLAND COUNTY:



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 04/03/2008  
Date Data Arrived at EDR: 04/17/2008  
Date Made Active in Reports: 05/23/2008  
Number of Days to Update: 36

Source: Rockland County Health Department  
Telephone: 914-364-2605  
Last EDR Contact: 06/30/2008  
Next Scheduled EDR Contact: 09/29/2008  
Data Release Frequency: Quarterly

## Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 04/03/2008  
Date Data Arrived at EDR: 04/17/2008  
Date Made Active in Reports: 05/23/2008  
Number of Days to Update: 36

Source: Rockland County Health Department  
Telephone: 914-364-2605  
Last EDR Contact: 06/30/2008  
Next Scheduled EDR Contact: 09/29/2008  
Data Release Frequency: Quarterly

## SUFFOLK COUNTY:

### Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006  
Date Data Arrived at EDR: 01/11/2007  
Date Made Active in Reports: 02/07/2007  
Number of Days to Update: 27

Source: Suffolk County Department of Health Services  
Telephone: 631-854-2521  
Last EDR Contact: 05/27/2008  
Next Scheduled EDR Contact: 08/25/2008  
Data Release Frequency: Annually

### Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006  
Date Data Arrived at EDR: 01/11/2007  
Date Made Active in Reports: 02/07/2007  
Number of Days to Update: 27

Source: Suffolk County Department of Health Services  
Telephone: 631-854-2521  
Last EDR Contact: 05/27/2008  
Next Scheduled EDR Contact: 08/25/2008  
Data Release Frequency: Annually

## WESTCHESTER COUNTY:

### Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005  
Date Data Arrived at EDR: 05/31/2005  
Date Made Active in Reports: 06/30/2005  
Number of Days to Update: 30

Source: Westchester County Department of Health  
Telephone: 914-813-5161  
Last EDR Contact: 06/25/2008  
Next Scheduled EDR Contact: 08/25/2008  
Data Release Frequency: Varies

### Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005  
Date Data Arrived at EDR: 05/31/2005  
Date Made Active in Reports: 06/30/2005  
Number of Days to Update: 30

Source: Westchester County Department of Health  
Telephone: 914-813-5161  
Last EDR Contact: 06/25/2008  
Next Scheduled EDR Contact: 08/25/2008  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

### CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2005	Source: Department of Environmental Protection
Date Data Arrived at EDR: 06/15/2007	Telephone: 860-424-3375
Date Made Active in Reports: 08/20/2007	Last EDR Contact: 06/13/2008
Number of Days to Update: 66	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Annually

### NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 09/30/2007	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/04/2007	Telephone: N/A
Date Made Active in Reports: 12/31/2007	Last EDR Contact: 04/03/2008
Number of Days to Update: 27	Next Scheduled EDR Contact: 06/30/2008
	Data Release Frequency: Annually

### PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2006	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/21/2007	Telephone: N/A
Date Made Active in Reports: 01/10/2008	Last EDR Contact: 06/09/2008
Number of Days to Update: 20	Next Scheduled EDR Contact: 09/08/2008
	Data Release Frequency: Annually

### RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 10/01/2007	Source: Department of Environmental Management
Date Data Arrived at EDR: 11/09/2007	Telephone: 401-222-2797
Date Made Active in Reports: 01/15/2008	Last EDR Contact: 06/16/2008
Number of Days to Update: 67	Next Scheduled EDR Contact: 09/15/2008
	Data Release Frequency: Annually

### VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 03/17/2008	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 03/26/2008	Telephone: 802-241-3443
Date Made Active in Reports: 04/09/2008	Last EDR Contact: 05/12/2008
Number of Days to Update: 14	Next Scheduled EDR Contact: 08/11/2008
	Data Release Frequency: Annually

### WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2006	Source: Department of Natural Resources
Date Data Arrived at EDR: 04/27/2007	Telephone: N/A
Date Made Active in Reports: 06/08/2007	Last EDR Contact: 07/21/2008
Number of Days to Update: 42	Next Scheduled EDR Contact: 10/06/2008
	Data Release Frequency: Annually

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

**Oil/Gas Pipelines:** This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

### Electric Power Transmission Line Data

Source: PennWell Corporation

Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

### AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

### Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

### Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

### Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

### Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## STREET AND ADDRESS INFORMATION

© 2008 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

LOCO PROPOSED PARK SITE  
399 EXTERIOR STREET  
BRONX, NY 10451

### **TARGET PROPERTY COORDINATES**

Latitude (North):	40.81726 - 40° 49' 2.1"
Longitude (West):	73.93164 - 73° 55' 53.9"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	590101.6
UTM Y (Meters):	4518809.0
Elevation:	3 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	40073-G8 CENTRAL PARK, NY
Most Recent Revision:	1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WNW

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Target Property County</u>	<u>FEMA Flood Electronic Data</u>
BRONX, NY	Not Available

Flood Plain Panel at Target Property: 3604970020B

Additional Panels in search area: 3604970015B  
3604970026B

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
CENTRAL PARK	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### ***Site-Specific Hydrogeological Data\*:***

Search Radius:	1.25 miles
Status:	Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

## GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

### **ROCK STRATIGRAPHIC UNIT**

Era: Paleozoic  
System: Ordovician  
Series: Lower Ordovician and Cambrian carbonate rocks  
Code: OC (*decoded above as Era, System & Series*)

### **GEOLOGIC AGE IDENTIFICATION**

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches



# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

**OTHER SOIL TYPES IN AREA**

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
loamy sand  
sandy loam  
fine sandy loam

Surficial Soil Types: silt loam  
loamy sand  
sandy loam  
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock  
very gravelly - loamy sand  
stratified  
sandy loam

**LOCAL / REGIONAL WATER AGENCY RECORDS**

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

**WELL SEARCH DISTANCE INFORMATION**

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

**FEDERAL USGS WELL INFORMATION**

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS2114644	1/4 - 1/2 Mile SSE
2	USGS2114605	1/2 - 1 Mile South
3	USGS2114382	1/2 - 1 Mile WNW
4	USGS2114761	1/2 - 1 Mile South
5	USGS2114753	1/2 - 1 Mile South
6	USGS2114275	1/2 - 1 Mile NNE
7	USGS2114525	1/2 - 1 Mile East
8	USGS2114726	1/2 - 1 Mile SSW
9	USGS2114310	1/2 - 1 Mile East
10	USGS2114494	1/2 - 1 Mile East

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION



<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

# PHYSICAL SETTING SOURCE MAP - 2282321.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: LoCo Proposed Park Site  
 ADDRESS: 399 Exterior Street  
 Bronx NY 10451  
 LAT/LONG: 40.8173 / 73.9316

CLIENT: HDR/LMS  
 CONTACT: Terry Schneider  
 INQUIRY #: 2282321.2s  
 DATE: July 31, 2008 3:50 pm

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**1**

**SSE**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2114644**

Agency cd:	USGS	Site no:	404841073554201
Site name:	B 49		
Latitude:	404841		
Longitude:	0735542	Dec lat:	40.81148967
Dec lon:	-73.9279149	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	225	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**2**

**South**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114605**

Agency cd:	USGS	Site no:	404835073555101
Site name:	B 65		
Latitude:	404835		
Longitude:	0735551	Dec lat:	40.80982303
Dec lon:	-73.93041497	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude: 5  
 Altitude method: Interpolated from topographic map  
 Altitude accuracy: 2  
 Altitude datum: National Geodetic Vertical Datum of 1929  
 Hydrologic: Not Reported  
 Topographic: Not Reported  
 Site type: Ground-water other than Spring      Date construction: Not Reported  
 Date inventoried: Not Reported      Mean greenwich time offset: EST  
 Local standard time flag: N  
 Type of ground water site: Test hole, not completed as a well  
 Aquifer Type: Not Reported  
 Aquifer: Not Reported  
 Well depth: 49      Hole depth: Not Reported  
 Source of depth data: driller  
 Project number: Not Reported  
 Real time data flag: 0      Daily flow data begin date: 0000-00-00  
 Daily flow data end date: 0000-00-00      Daily flow data count: 0  
 Peak flow data begin date: 0000-00-00      Peak flow data end date: 0000-00-00  
 Peak flow data count: 0      Water quality data begin date: 0000-00-00  
 Water quality data end date: 0000-00-00      Water quality data count: 0  
 Ground water data begin date: 1951-10-22      Ground water data end date: 1951-10-22  
 Ground water data count: 1

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
-----		
1951-10-22	8	

**3**  
**WNW**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114382**

Agency cd: USGS      Site no: 404918073563501  
 Site name: NY 162  
 Latitude: 404918      Dec lat: 40.82176725  
 Longitude: 0735635      Coor meth: M  
 Dec lon: -73.9426375      Latlong datum: NAD27  
 Coor acc: R      District: 36  
 Dec latlong datum: NAD83      County: 061  
 State: 36      Country: US      Land net: Not Reported  
 Location map: Not Reported      Map scale: Not Reported  
 Altitude: 20  
 Altitude method: Interpolated from topographic map  
 Altitude accuracy: 10  
 Altitude datum: National Geodetic Vertical Datum of 1929  
 Hydrologic: Not Reported  
 Topographic: Not Reported  
 Site type: Ground-water other than Spring      Date construction: Not Reported  
 Date inventoried: Not Reported      Mean greenwich time offset: EST  
 Local standard time flag: N  
 Type of ground water site: Test hole, not completed as a well  
 Aquifer Type: Not Reported  
 Aquifer: Not Reported  
 Well depth: 112      Hole depth: Not Reported  
 Source of depth data: driller  
 Project number: Not Reported  
 Real time data flag: Not Reported      Daily flow data begin date: Not Reported  
 Daily flow data end date: Not Reported      Daily flow data count: Not Reported  
 Peak flow data begin date: Not Reported      Peak flow data end date: Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**4**  
**South**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114761**

Agency cd:	USGS	Site no:	404826073554701
Site name:	B 6		
Latitude:	404826		
Longitude:	0735547	Dec lat:	40.80732307
Dec lon:	-73.92930384	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	36	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data count:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**5**  
**South**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114753**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404824073560301
Site name:	NY 150		
Latitude:	404824		
Longitude:	0735603	Dec lat:	40.80676752
Dec lon:	-73.93374842	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	6		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	2		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	106	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data begin date:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**6**  
**NNE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114275**

Agency cd:	USGS	Site no:	404939073553701
Site name:	B 26		
Latitude:	404939		
Longitude:	0735537	Dec lat:	40.82760051
Dec lon:	-73.9265259	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	20		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	19500200
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	65	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1950-02-00	Ground water data end date:	1950-02-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
-----	-----	-----
1950-02	28	

7

**East  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2114525**

Agency cd:	USGS	Site no:	404901073550101
Site name:	B 54		
Latitude:	404901		
Longitude:	0735501	Dec lat:	40.81704516
Dec lon:	-73.91652566	Coord meth:	M
Coord acc:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	20		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	133	Hole depth:	Not Reported
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data begin date:	Not Reported		
Daily flow data end date:	Not Reported		
Peak flow data begin date:	Not Reported		
Peak flow data count:	Not Reported		
Water quality data begin date:	Not Reported		
Water quality data end date:	Not Reported		
Ground water data begin date:	Not Reported		
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**8**  
**SSW**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114726**

Agency cd:	USGS	Site no:	404818073561001
Site name:	NY 82		
Latitude:	404818		
Longitude:	0735610	Dec lat:	40.80510088
Dec lon:	-73.93569292	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	30	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**9**  
**East**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2114310**

Agency cd:	USGS	Site no:	404902073545301
Site name:	B 3		
Latitude:	404902		
Longitude:	0735453	Dec lat:	40.81732293
Dec lon:	-73.91430337	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	55	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**10  
East  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2114494**

Agency cd:	USGS	Site no:	404857073544901
Site name:	B 12		
Latitude:	404857		
Longitude:	0735449	Dec lat:	40.81593407
Dec lon:	-73.91319223	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	222	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
Water quality data end date: Not Reported  
Ground water data begin date: Not Reported  
Ground water data count: Not Reported

Water quality data begin date: Not Reported  
Water quality data count: Not Reported  
Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: NY Radon

### Radon Test Results

Zip	Num Sites	< 4 Pci/L	>= 4 Pci/L	>= 20 Pci/L	Avg > 4 Pci/L	Max Pci/L
10451	2	2 (100%)	0 (0%)	0 (0%)	0.75	1.4

Federal EPA Radon Zone for BRONX County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

---

### Federal Area Radon Information for BRONX COUNTY, NY

Number of sites tested: 31

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.670 pCi/L	96%	4%	0%
Basement	1.110 pCi/L	42%	58%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

### Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

## HYDROLOGIC INFORMATION

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

## HYDROGEOLOGIC INFORMATION

### AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

### SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

### STATE RECORDS

#### New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

## OTHER STATE DATABASE INFORMATION

#### Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8056

These files contain records, in the database, of wells that have been drilled.

### RADON

#### State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

#### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

#### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

### OTHER

#### Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

#### Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## STREET AND ADDRESS INFORMATION

© 2008 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

**Appendix D**  
**Interview Documentation**





File No: 147-74786

August 19, 2008

Mr. Thomas Joy  
Pantheon Properties

RE: Phase I Environmental Site Assessment – Block 2349, Lot 100 - 399 Exterior Street, Bronx, New York 10451


In keeping with ASTM E 1527-05, HDR respectfully requests that you (and/or others) provide us with the following information as required to complete a Phase I Environmental Site Assessment (Phase I ESA) for the above referenced property.

1. Are you aware of any environmental cleanup liens against the property (Federal, state or local)?
2. Are you aware of land use controls on the property (i.e. engineering controls, land use restrictions under Federal, state or local laws)?
3. Do you have any specialized knowledge relating to the property or nearby properties that were/are in the same type business as that conducted on the property?
4. Do you know the following?
  - a. Past uses of the property
  - b. Any chemicals that are/were present on the property
  - c. Any spills or chemical releases on the property
  - d. Any environmental cleanups that took place on the property
5. Any obvious indications of the presence, or likely presence, of contamination on the property?
6. The name (s) and other contact information (i.e. address, phone number, etc.) of past and present site owners, operators, occupants, etc. that may be available for an interview with HDR?
7. Is a title abstract report available for review by HDR?
8. Are there any reports or files (i.e. previous site investigations, copies of permits, etc.), relevant to the Phase I ESA, available for review by HDR?
9. Does the property include any underground (UST) or above ground (AST) chemical and/or petroleum (i.e. heating oil) storage tanks?


10. If present what is the total storage capacity of the ASTs and/or USTs?
11. If present, are the ASTs and/or the USTs registered? If so, please provide a copy of the registration and/or permit.

Very truly yours,

Henningson, Durham & Richardson



Theresa M. Schneider, Senior Project Geologist  
Environmental Liability Management Group



File No: 147-74786

August 19, 2008

Mr. Gus Tyras, Manager  
Food Fest Depot

RE: Phase I Environmental Site Assessment – Block 2349, Lot 103 - 441 Exterior Street, Bronx, New York 10451

In keeping with ASTM E 1527-05, HDR respectfully requests that you (and/or others) provide us with the following information as required to complete a Phase I Environmental Site Assessment (Phase I ESA) for the above referenced property.

1. Are you aware of any environmental cleanup liens against the property (Federal, state or local)?
2. Are you aware of land use controls on the property (i.e. engineering controls, land use restrictions under Federal, state or local laws)?
3. Do you have any specialized knowledge relating to the property or nearby properties that were/are in the same type business as that conducted on the property?
4. Do you know the following?
  - a. Past uses of the property
  - b. Any chemicals that are/were present on the property
  - c. Any spills or chemical releases on the property
  - d. Any environmental cleanups that took place on the property
5. Any obvious indications of the presence, or likely presence, of contamination on the property?
6. The name (s) and other contact information (i.e. address, phone number, etc.) of past and present site owners, operators, occupants, etc. that may be available for an interview with HDR?
7. Is a title abstract report available for review by HDR?
8. Are there any reports or files (i.e. previous site investigations, copies of permits, etc.), relevant to the Phase I ESA, available for review by HDR?
9. Does the property include any underground (UST) or above ground (AST) chemical and/or petroleum (i.e. heating oil) storage tanks?

10. If present what is the total storage capacity of the ASTs and/or USTs?
11. If present, are the ASTs and/or the USTs registered? If so, please provide a copy of the registration and/or permit.

Very truly yours,

Henningson, Durham & Richardson

*Theresa M. Schneider*

Theresa M. Schneider, Senior Project Geologist  
Environmental Liability Management Group



File No: 147-74786

August 19, 2008

Mr. Martin Freiman  
Freiman Coated Fabric

RE: Phase I Environmental Site Assessment – Block 2349, Lot 107 – 445-449  
Exterior Street, Bronx, New York 10451

In keeping with ASTM E 1527-05, HDR respectfully requests that you (and/or others) provide us with the following information as required to complete a Phase I Environmental Site Assessment (Phase I ESA) for the above referenced property.

1. Are you aware of any environmental cleanup liens against the property (Federal, state or local)?
2. Are you aware of land use controls on the property (i.e. engineering controls, land use restrictions under Federal, state or local laws)?
3. Do you have any specialized knowledge relating to the property or nearby properties that were/are in the same type business as that conducted on the property?
4. Do you know the following?
  - a. Past uses of the property
  - b. Any chemicals that are/were present on the property
  - c. Any spills or chemical releases on the property
  - d. Any environmental cleanups that took place on the property
5. Any obvious indications of the presence, or likely presence, of contamination on the property?
6. The name (s) and other contact information (i.e. address, phone number, etc.) of past and present site owners, operators, occupants, etc. that may be available for an interview with HDR?
7. Is a title abstract report available for review by HDR?
8. Are there any reports or files (i.e. previous site investigations, copies of permits, etc.), relevant to the Phase I ESA, available for review by HDR?
9. Does the property include any underground (UST) or above ground (AST) chemical and/or petroleum (i.e. heating oil) storage tanks?

HDR | LMS  
Henningson, Durham & Richardson Architecture and Engineering P.C.  
in association with HDR Engineering, Inc.

\\Gsh-srv1\Users\T.Schneld\BackUp Files\Phase I and Phase II Reports\LoCo Phase I Proposed  
Park Site\PDFs\App D\Questionnaire Lot 107.doc

Eastgate Corporate Park  
7 Coates Drive, Suite 2  
Goshen, NY 10924

Phone: (845) 294-2789  
Fax: (845) 294-5893  
www.hdrinc.com

10. If present what is the total storage capacity of the ASTs and/or USTs?
11. If present, are the ASTs and/or the USTs registered? If so, please provide a copy of the registration and/or permit.

Very truly yours,

Henningson, Durham & Richardson

*Theresa M. Schneider*

Theresa M. Schneider, Senior Project Geologist  
Environmental Liability Management Group

**Appendix E**  
**Excerpts from Reviewed Regulatory Files**



July 29, 2008  
File No: 147-74786

Regional Freedom of Information Officer  
USEPA - Region 2  
290 Broadway, 26<sup>th</sup> Floor  
New York, N.Y. 10007-1866

Attn: FOIA Officer

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N. Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

**Site Address**

**Site Property ID No.**

399 Exterior Street

Block 2349 Lot 100

Records may also be filed as:

399 Exterior Street Associates  
Pantheon Properties  
Atlantic Bus Company  
Atlantic Express  
Metro Affiliates  
Amboy Bus

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist





July 29, 2008  
File No: 147-74786

Regional Freedom of Information Officer  
USEPA – Region 2  
290 Broadway, 26<sup>th</sup> Floor  
New York, N.Y. 10007-1866

Attn: FOIA Officer

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N. Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

**Site Address**

**Site Property ID No.**

441 Exterior Street

Block 2349 Lot 103

Records may also be filed as:

437-441 River Avenue  
441 River Avenue  
441 River Avenue, Inc,  
PPG Industries, Inc.

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



July 29, 2008  
File No: 147-74786

Regional Freedom of Information Officer  
USEPA – Region 2  
290 Broadway, 26<sup>th</sup> Floor  
New York, N.Y. 10007-1866

Attn: FOIA Officer

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N. Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
445-449 Exterior Street	Block 2349 Lot 107

Records may also be filed as:

445 River Avenue  
Freiman Coated Fabrics Corporation

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



**UNITED STATES ENVIRONMENTAL PROTECTION  
AGENCY**  
Region 2, 290 Broadway  
New York, NY 10007

AUG 28 2008

Ms. Theresa M. Schneider  
Senior Project Geologist  
Lawler, Matusky & Skelly Engineers, LLP  
East Gate Corporate Park  
7 Coates Drive  
Suite 2  
Goshen, NY 10924

Re: Freedom of Information Request No. 02-RIN-01984-08  
Dated: July 29, 2008  
File No.: 147-74786

Dear Ms. Schneider:

Your request for information has been referred to this branch for response. We have searched the Resource Conservation and Recovery Act (RCRA) files and/or computer database as appropriate to respond to your request. In addition, you may also receive information from other program areas within this Regional Office.

Enclosed are copies and/or computer listings of all the available RCRA hazardous waste information concerning PPG Industries Inc. LOC #1834 at 441 Exterior Street in Bronx, New York. However, we were unable to locate any hazardous waste information concerning the properties, and names at 399 Exterior Street, Block 2349, and Lot 100 in Bronx, New York (399 Exterior Street Associates; Pantheon Properties; Atlantic Bus Company; Atlantic Express; Metro Affiliates, and Amboy Bus), Block 2349, and Lot 103 in Bronx, New York (437-441 River Avenue; 441 River Avenue; and 441 River Avenue, Inc.), and 445-449 Exterior Street, Block 2349, and Lot 107 in Bronx, New York (445 River Avenue, and Freiman Coated Fabrics Corporation).

We are also enclosing for your review a RCRA handler report, which lists other sites located within the adjacent properties of the subject sites. The report lists sites that are located on Exterior Street in Bronx, New York. Some of the sites listed on the report do not have a numbered street address. Kindly review the report and advise us if you need further information. If you need information on any of the facilities listed, please submit a new request.

If you consider this response to be a partial denial, you may submit a written appeal to HQ FOIA OPERATIONS STAFF, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Avenue, NW, Washington, D.C. 20460. The appeal must be made in writing, and must be received within 30 calendar days of the date of this response to receive consideration. The Agency will not consider appeals received after the 30-day limit. The appeal should be marked "Freedom of Information Act Appeal", and should reference the Freedom of Information Request Number(s) of this response.

In addition, RCRA information is available on the Internet as described on the enclosed sheet.

Please include the above referenced request number in any subsequent communication relating to this request.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Adolph S. Everett".

Adolph S. Everett, P.E., Chief  
RCRA Programs Branch

Enclosures

United States Environmental Protection Agency  
Washington, DC 20460



# Notification of Hazardous Waste Activity

Please refer to the instructions for Filing Notification before completing this form. The information requested here is required by law (Section 3010 of the Resource Conservation and Recovery Act).

For Official Use Only

Comments

1986 JUL 30 AM 11:23

Installation's EPA ID Number

PERMITS ADMINISTRATION Received  
APPROVAL BRANCH (yr. mo. day)

*Brody 005*

NY 49181149418118

T/A C

8 6 0 7 3 0

### I. Name of Installation

P P G I N D U S T R I E S I N C L O C # 1 8 3 4

### II. Installation Mailing Address

Street or P.O. Box

2 6 0 K A P P A D R I V E

City or Town

State

ZIP Code

P I T T S B U R G H

P A 1 5 2 3 8

### III. Location of Installation

Street or Route Number

4 4 1 E X T E R I O R S T R E E T

City or Town

State

ZIP Code

B R O N X

N Y 1 0 4 5 1

### IV. Installation Contact

Name and Title (last, first, and job title)

Phone Number (area code and number)

F E L L O W S J A N E

4 1 2 9 6 3 5 8 2 3

### V. Ownership

A. Name of Installation's Legal Owner

B. Type of Ownership (enter code)

P P G I N D U S T R I E S I N C

P

### VI. Type of Regulated Waste Activity (Mark 'X' in the appropriate boxes. Refer to instructions.)

A. Hazardous Waste Activity

B. Used Oil Fuel Activities

- 1a. Generator
- 2. Transporter
- 3. Treater/Storer/Disposer
- 4. Underground Injection
- 5. Market or Burn Hazardous Waste Fuel  
(enter 'X' and mark appropriate boxes below)
  - a. Generator Marketing to Burner
  - b. Other Marketer
  - c. Burner
- 1b. Less than 1,000 kg/mo.

- 6. Off-Specification Used Oil Fuel  
(enter 'X' and mark appropriate boxes below)
  - a. Generator Marketing to Burner
  - b. Other Marketer
  - c. Burner
- 7. Specification Used Oil Fuel Marketer (or On site Burner)  
Who First Claims the Oil Meets the Specification

### VII. Waste Fuel Burning: Type of Combustion Device (enter 'X' in all appropriate boxes to indicate type of combustion devices) in which hazardous waste fuel or off-specification used oil fuel is burned. See instructions for definitions of combustion devices.)

- A. Utility Boiler
- B. Industrial Boiler
- C. Industrial Furnace

### VIII. Mode of Transportation (transporters only — enter 'X' in the appropriate boxes)

- A. Air
- B. Rail
- C. Highway
- D. Water
- E. Other (specify)

### IX. First or Subsequent Notification

Mark 'X' in the appropriate box to indicate whether this is your installation's first notification of hazardous waste activity or a subsequent notification. If this is not your first notification, enter your installation's EPA ID Number in the space provided below.

- A. First Notification
- B. Subsequent Notification (complete item C)

C. Installation's EPA ID Number

Empty space for entering the installation's EPA ID number.

**RCRAREP Handler List - 3 liner**

**Sites on Exterior St., Bronx, NY**

Report run on: August 22, 2008 2:14 PM

Name/ID/Dist	Location Address	Contact Information	Receipt Date	Regulated Activities
CON ED -	EXTERIOR ST STORAGE YARD	ROSEMARIE GIORDANO (718) 904-4648	01/01/07-Imp	
NYR000114579	281 EXTERIOR ST	1610 MATTHEWS AVE	03/27/03-Not	
NYSDEC R2	BRONX NY 10462	BRONX NY 10462		
CON EDISON	E 150 ST & EXTERIOR ST	STEVEN MARTIS (212) 580-8383	01/11/07-Imp	
NYF004146965	BRONX NY 10459	4 IRVING PL, RM 828		
NYSDEC R2	BRONX NY 10459	NEW YORK NY 10003		
CON EDISON	EXTERIOR ST & LANDING RD FRONT	STEVEN MARTIS (212) 580-8383	03/15/08-Imp	
NYF004148813	BRONX NY 10453	4 IRVING PL, RM 828		
NYSDEC R2	BRONX NY 10453	NEW YORK NY 10003		
CON EDISON	EXTERIOR ST & LANDING RD	STEVEN MARTIS (212) 580-8383	03/15/08-Imp	
NYF004148821	BRONX NY 10453	4 IRVING PL, RM 828		
NYSDEC R2	BRONX NY 10453	NEW YORK NY 10003		
COPAKE VALLEY FARM LLC	475 EXTERIOR ST	JAMES SOLANO (718) 585-4353	01/01/07-Imp	
NYD099511974	BRONX NY 10451	475 EXTERIOR ST	01/05/99-Not	
NYSDEC R2	BRONX NY 10451	BRONX NY 10451		
HIGHBRIDGE YARD - METRO NORTH RR	100 DEPOT PLZA AT EXTERIOR ST	KEN J MCHALE (914) 686-8681	01/01/07-Imp	
NYR000119875	BRONX NY 10452	24 FISHER LANE	10/27/03-Not	
NYSDEC R2	BRONX NY 10452	NORTH WHITE PLAINS NY 10603		
LUIGI RENALDO AUTO CENTER	325 EXTERIOR ST	325 EXTERIOR ST	01/01/07-Imp	
NYD161125372	BRONX NY 10451-2012	BRONX NY 10451	10/13/88-Not	
NYSDEC R2	BRONX NY 10451-2012	BRONX NY 10451		
NYSDOT - CONTRACT D253704	ADJACENT TO 725 EXTERIOR ST	JOHN MORAVEK (718) 829-7800	01/01/07-Imp	
NYD986966687	BRONX NY 10451	47-40 21ST ST	08/08/91-Not	
NYSDEC R2	BRONX NY 10451	LONG ISLAND CITY NY 11101		
NYSDOT BIN 1076879	EXTERIOR ST OVER METRO NORTH	CARL R KOCHERSBERGER (518) 485-9161	10/31/07-Not	LG
NYR000155085	BRONX NY 10451	50 WOLF RD - ENV ANALYSIS NYSDOT		
NYSDEC R2	BRONX NY 10451	ALBANY NY 12232		
NYSDOT CONTRACT D500792	EXTERIOR ST & 135TH ST	LEE EFFNER (718) 292-1675	01/01/07-Imp	
NYD986969103	BRONX NY 10451	47-40 21ST ST	09/09/91-Not	
NYSDEC R2	BRONX NY 10451	LONG ISLAND CITY NY 11101		
PPG INDUSTRIES INC LOC #1834	441 EXTERIOR ST	260 KAPPA DR	01/01/07-Imp	
NYD981494818	BRONX NY 10451-2008	PITTSBURGH NY 15238	07/30/86-Not	
NYSDEC R2	BRONX NY 10451-2008			



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
**APPLICATION FOR ACCESS TO RECORDS**

(See Instructions on Reverse Side)

NUMBER

A  
P  
P  
L  
I  
C  
A  
N  
T

• TO THE DEPARTMENT OF ENVIRONMENTAL CONSERVATION:  
 I hereby apply to inspect the following records under the provisions of the Freedom of Information Law:

*Please see attached*

After inspection, should I desire copies of all or part of the records inspected, I will identify the records to be copied and hereby offer to promptly pay the established fees. (Cost of reproduction or 25¢ per page as applicable). Contact me if cost will exceed \$ 10.00

Name (Print or type) HDR/LMS ENGINEERS Telephone No. 845-294-2789 X23

Attention of: TERRY SCHNEIDER

Mailing Address 7 COATES DRIVE, SUITE 2, GOSHEN, N.Y. 10924

Signature J. Schneider Date 7/29/08

R  
E  
C  
O  
R  
D  
S

• TO THE APPLICANT:

-Records Provided

- The reproduction costs for the records provided are \$ \_\_\_\_\_
- Records have been (partially, fully) provided. (If not fully provided, date when records are expected to be fully provided: \_\_\_\_\_)

-Records Not Available

- Records cannot be found after diligent search
- The Department is not the custodian for records indicated

-Records Denied

I hereby certify that access to the records—or part of the records—circled above has been denied to the applicant for the reason(s) checked below:

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> Specifically exempt by other statute</li> <li><input type="checkbox"/> Unwarranted invasion of personal privacy</li> <li><input type="checkbox"/> Would impair present or imminent contract awards or collective bargaining negotiations</li> <li><input type="checkbox"/> Are examination questions or answers</li> <li><input type="checkbox"/> Are inter-agency or intra-agency materials that are not:           <ul style="list-style-type: none"> <li>• statistical or factual tabulations or data</li> <li>• instructions to staff that affect the public</li> <li>• final agency policy or determinations; or</li> <li>• external audits, including but not limited to audits performed by the comptroller and the federal government.</li> </ul> </li> <li><input type="checkbox"/> Are trade secrets</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> Could endanger the life of any person</li> <li><input type="checkbox"/> Are compiled for law enforcement purposes and which, if disclosed would:           <ul style="list-style-type: none"> <li>• interfere with law enforcement investigations or judicial proceedings</li> <li>• deprive a person of the right to a fair trial or or impartial adjudication</li> <li>• identify a confidential source or disclose confidential information relating to a criminal investigation, or</li> <li>• reveal criminal investigative techniques or procedures, except routine techniques and procedures</li> </ul> </li> <li><input type="checkbox"/> Would jeopardize an agency's capacity to guarantee the security of its information technology assets, such assets encompassing both electronic information systems and infrastructures</li> </ul> |
|---|---|

Identification of records withheld (attach listing if additional space is required) and/or explanation if appropriate:

Records Custodian Signature

Title

Date



July 29, 2008  
File No: 147-74786

New York State Department of Environmental Conservation  
Region 2  
1 Hunters Point Plaza  
47-40 21<sup>st</sup> Street  
Long Island City, New York 11101

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
399 Exterior Street	Block 2349 Lot 100


Records may also be filed as:

399 Exterior Street Associates  
Pantheon Properties  
Atlantic Bus Company  
Atlantic Express  
Metro Affiliates  
Amboy Bus

In addition please provide information on the following NYSDEC-listed spill:

**Spill Name:** Amboy Bus      **Spill No:** 0503991      **Spill Date:** 7/5/2005

Very truly yours,

  
Theresa M. Schneider  
Senior Project Geologist



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
**APPLICATION FOR ACCESS TO RECORDS**

(See Instructions on Reverse Side)

NUMBER

A  
P  
P  
L  
I  
C  
A  
N  
T

**TO THE DEPARTMENT OF ENVIRONMENTAL CONSERVATION:**

I hereby apply to inspect the following records under the provisions of the Freedom of Information Law:

*Please See Attached*

After inspection, should I desire copies of all or part of the records inspected, I will identify the records to be copied and hereby offer to promptly pay the established fees. (Cost of reproduction or 25¢ per page as applicable). Contact me if cost will exceed \$ 10.00

Name (Print or type) HDRILMS ENGINEERS Telephone No. 845-294-2789 X23

Attention of: TERRY SCHNEIDER

Mailing Address 7 COATES DRIVE, SUITE 2, GOSHEN, NY, 10924

Signature T. Schneider Date 7/29/08

R  
E  
C  
O  
R  
D  
S  
C  
U  
S  
T  
O  
D  
I  
A  
N

**TO THE APPLICANT:**

**-Records Provided**

- The reproduction costs for the records provided are \$ \_\_\_\_\_
- Records have been (partially, fully) provided. (If not fully provided, date when records are expected to be fully provided: \_\_\_\_\_)

**-Records Not Available**

- Records cannot be found after diligent search
- The Department is not the custodian for records indicated

**-Records Denied**

I hereby certify that access to the records—or part of the records—circled above has been denied to the applicant for the reason(s) checked below:

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> Specifically exempt by other statute</li> <li><input type="checkbox"/> Unwarranted invasion of personal privacy</li> <li><input type="checkbox"/> Would impair present or imminent contract awards or collective bargaining negotiations</li> <li><input type="checkbox"/> Are examination questions or answers</li> <li><input type="checkbox"/> Are inter-agency or intra-agency materials that are not:             <ul style="list-style-type: none"> <li>• statistical or factual tabulations or data</li> <li>• instructions to staff that affect the public</li> <li>• final agency policy or determinations; or</li> <li>• external audits, including but not limited to audits performed by the comptroller and the federal government</li> </ul> </li> <li><input type="checkbox"/> Are trade secrets</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> Could endanger the life of any person</li> <li><input type="checkbox"/> Are compiled for law enforcement purposes and which, if disclosed would:             <ul style="list-style-type: none"> <li>• interfere with law enforcement investigations or judicial proceedings</li> <li>• deprive a person of the right to a fair trial or or impartial adjudication</li> <li>• identify a confidential source or disclose confidential information relating to a criminal investigation; or</li> <li>• reveal criminal investigative techniques or procedures, except routine techniques and procedures</li> </ul> </li> <li><input type="checkbox"/> Would jeopardize an agency's capacity to guarantee the security of its information technology assets, such assets encompassing both electronic information systems and infrastructures</li> </ul> |
|--|---|

Identification of records withheld (attach listing if additional space is required) and/or explanation if appropriate:

Records Custodian Signature

Title

Date



July 29, 2008  
File No: 147-74786

New York State Department of Environmental Conservation  
Region 2  
1 Hunters Point Plaza  
47-40 21<sup>st</sup> Street  
Long Island City, New York 11101

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N.Y.


As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
441 Exterior Street	Block 2349 Lot 103

Records may also be filed as:

437-441 River Avenue  
441 River Avenue  
441 River Avenue, Inc,  
PPG Industries, Inc.

Very truly yours,

  
Theresa M. Schneider  
Senior Project Geologist



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
**APPLICATION FOR ACCESS TO RECORDS**  
 (See Instructions on Reverse Side)

NUMBER

A  
P  
P  
L  
I  
C  
A  
N  
T

• TO THE DEPARTMENT OF ENVIRONMENTAL CONSERVATION:  
 I hereby apply to inspect the following records under the provisions of the Freedom of Information Law:

Please see Attached

After inspection, should I desire copies of all or part of the records inspected, I will identify the records to be copied and hereby offer to promptly pay the established fees. (Cost of reproduction or 25¢ per page as applicable). Contact me if cost will exceed \$ 10.00

Name (Print or type) HDR/LMS ENGINEERS Telephone No. 845-294-2789 x23

Attention of: TERRY SCHNEIDER

Mailing Address 7 COATES DRIVE, SUITE 2, GOSHEN, N.Y. 10924

Signature T. Schneider

Date 7/29/08

R  
E  
C  
O  
R  
D  
S  
  
C  
U  
S  
T  
O  
D  
I  
A  
N

• TO THE APPLICANT:

-Records Provided

- The reproduction costs for the records provided are \$ \_\_\_\_\_
- Records have been (partially, fully) provided. (If not fully provided, date when records are expected to be fully provided: \_\_\_\_\_)

-Records Not Available

- Records cannot be found after diligent search
- The Department is not the custodian for records indicated

-Records Denied

I hereby certify that access to the records—or part of the records—circled above has been denied to the applicant for the reason(s) checked below:

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> Specifically exempt by other statute</li> <li><input type="checkbox"/> Unwarranted invasion of personal privacy</li> <li><input type="checkbox"/> Would impair present or imminent contract awards or collective bargaining negotiations</li> <li><input type="checkbox"/> Are examination questions or answers</li> <li><input type="checkbox"/> Are inter-agency or intra-agency materials that are not:           <ul style="list-style-type: none"> <li>• statistical or factual tabulations or data</li> <li>• instructions to staff that affect the public</li> <li>• final agency policy or determinations; or</li> <li>• external audits, including but not limited to audits performed by the comptroller and the federal government</li> </ul> </li> <li><input type="checkbox"/> Are trade secrets</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> Could endanger the life of any person</li> <li><input type="checkbox"/> Are compiled for law enforcement purposes and which, if disclosed would:           <ul style="list-style-type: none"> <li>• interfere with law enforcement investigations or judicial proceedings</li> <li>• deprive a person of the right to a fair trial or or impartial adjudication.</li> <li>• identify a confidential source or disclose confidential information relating to a criminal investigation, or</li> <li>• reveal criminal investigative techniques or procedures, except routine techniques and procedures</li> </ul> </li> <li><input type="checkbox"/> Would jeopardize an agency's capacity to guarantee the security of its information technology assets, such assets encompassing both electronic information systems and infrastructures</li> </ul> |
|--|--|

Identification of records withheld (attach listing if additional space is required) and/or explanation if appropriate:

\_\_\_\_\_

\_\_\_\_\_

Records Custodian Signature

Title

Date



July 29, 2008  
File No: 147-74786

New York State Department of Environmental Conservation  
Region 2  
1 Hunters Point Plaza  
47-40 21<sup>st</sup> Street  
Long Island City, New York 11101

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
445-449 Exterior Street	Block 2349 Lot 107

Records may also be filed as:

445 River Avenue  
Freiman Coated Fabrics Corporation

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist

**New York State Department of Environmental Conservation**

Regional Enforcement Coordinator, Region 2, Regional Direction

47-40 21<sup>ST</sup> Street, Long Island City, NY 11101-5407

Phone: (718) 482-4507 • FAX: (718) 482-6729

Website: www.dec.state.ny.us

Alexander B.  
Grannis  
Commissioner

Date: August 22, 2008

FOIL # R2-08-1249

Terry Schneider/HDR

845-294-2789 ext. 23

Fax 845-294-5893

RE: 399 Exterior Street, Bronx records may be filed under: Pantheon Properties, Atlantic Bus Company  
Spill Name Amboy Bus, Spill # 0503991, Spill Date: 07/05/2005

Dear Mr. Schneider:

NYSDEC/Region 2 has reviewed your request for the above referenced records under New York State's Freedom of Information Law (FOIL). Please note that most of our records are filed by number under the names of individuals or corporations. We have no way of locating or retrieving records if they are filed under names or addresses other than those you have provided.

If no records have been located, this does not necessarily mean, and should not be interpreted to mean that there have never been any violations, complaints, claims, investigations or inquiries involving those names or addresses. We cannot make any representations as to whether there are or have been any such violations, complaints, claims, investigations or inquiries.

Attached are (3) page(s) free copy of the records located for the names and/or addresses you provided.

Thank you for your request. If additional information is needed, please call Cynthia Whiting FOIL Secretary at (718) 482-4507, or fax your response to me.

Sincerely yours,

Fawzy I Abdelsadek, Ph.D., P.E.  
Regional Enforcement Coordinator

Attachment (3) Page(s)

cc: Records Access Office

**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
 Petroleum Bulk Storage Program  
 Facility Information Report

Site: METRO AFFILIATES  
 399 EXTERIOR STREET  
 P 4/4

Owner: METRO AFFILIATES  
 46-81 METROPOLITAN AVENUE  
 RIDGEWOOD, NY 11385  
 (718) 416-7620

Mail: AMBOY BUS COMPANY, INC.  
 46-81 METROPOLITAN AVENUE  
 RIDGEWOOD, NY 11385

Town: New York City County: Bronx  
 Operator: WILLIAM B. MCVEIGH (718) 585-8592  
 Emergency: WILLIAM B. MCVEIGH (718) 416-7620

ATTN: WILLIAM B. MCVEIGH  
 (718) 416-7620

Site Status: Active  
 Site Type: Tracking/Transportation/Fleet Operation  
 Total Active Tanks: 6  
 Active Capacity: 9,950  
 Last Inspected: 04/18/2008  
 Inspected By: vszhune  
 SPDES #: \_\_\_\_\_  
 CBS #: \_\_\_\_\_  
 Cert Printed: 11/9/05  
 Reg Expires: 1/9/11

(2) Tank No	(3) Tank Loc	(4) Status	(5) Date Installed	(6) Capacity (gals)	(7) Product	(8) Tank Type	(9) Tank ID	(10) Tank EP	(11) Tank SC	(12) Tank LD	(13) Tank DP	(14) Tank SF	(15) Tank Disb	(16) Tank Loc	(17) Tank Type	(18) Pipe EP	(19) Pipe SC	(20) Pipe LD	(21) Date Test	(22) Next Test
001	5	In Service	2/1/98	4,000	0008	01	00	01	02	04	02	104	02	02	02	02	02	06	1/30/06	2/1/13
002	5	In Service	2/1/98	4,000	0008	01	00	01	02	04	02	04	02	02	02	02	02	06	1/30/06	2/1/13
006	3	In Service	7/1/02	700	0013	01	00	00	09	00	00	00	02	02	10	00	01	00		
007	3	In Service	7/1/02	700	0013	01	00	00	09	00	00	00	02	02	10	00	01	00		
008	3	In Service	7/1/02	275	0022	01	00	00	01	00	00	00	02	02	10	00	01	00		
009	3	In Service	7/1/02	275	9999	01	00	00	01	00	00	00	02	02	10	00	01	00		
003	3	Closed - Removed	12/1/90	275	0013	01	06	00	00	00	00	00	02	00	00	00	00	09	09	
004	3	Closed - Removed	12/1/90	275	0013	01	06	00	00	00	00	00	02	00	00	00	00	09	09	
005	3	Closed - Removed	12/1/90	275	9999	01	00	00	00	00	00	00	02	00	00	00	00	09	09	

Action (1)	Initial Listing	Add Tank	Close/Remove Tank	Information	5. Recondition/Repair	Reline Tank	Tank Location (3)	Aboveground - in contact with soil	Aboveground - in contact with impervious barrier	Aboveground - No contact (on saddles, legs, etc., cracks, etc.)	Aboveground - 10% or more below ground	Underground	Subterranean vault with access for inspections	Status (4)	Date Installed (5)	Capacity (6)	Product (7)	Tank Type (8)	External Protection (10/18)	Piping Type (17)	Secondary Containment (11/19)	Pipe Leak Detection (20)	Pipe Location (16)																																								
1. In-service	2. Temporarily out-of-service	3. Closed-Removed	4. Closed- In Place	5. Tank converted to Non-Regulated use	6001. Fuel Tank	6002. #4 Fuel Oil	6003. #6 Fuel Oil	6011. Jet Fuel	6008. Diesel	6009. Gasoline	2710. Biodiesel	2711. Biodiesel (Heating)	6012. Kerosene	6013. Lube Oil	6022. Waste/Used Oil	6029. #5 Fuel Oil	2642. Used Oil (Heating)	9999. Other	00. None	01. Painted/Asphalt Coating	02. Galvanized Steel	03. Original Impressed Current	04. Fiberglass	05. Jacketed	06. Wrapped (Piping)	07. Retrofitted Sacrificial Anode	08. Retrofitted impressed current	09. Urethane	99. Other-please list:*	00. None	01. Diking (A/G)	02. Vault (w/o access)	03. Vault (w/o access)	04. Double-Walled (U/G)	05. Synthetic Liner	06. Remote Impounding Area	07. Excavation/Trench Liner System	08. Flexible Internal Liner (Electro)	09. Modified Double-Walled (A/G)	10. Impervious Underlayment	11. Double Bottom (A/G)	99. Other-please list:*	00. None	01. Aboveground	02. Underground/On-ground	03. Aboveground/Underground Combination	00. None	01. Interstitial Electronic Monitoring	02. Interstitial Manual Monitoring	03. Vapor Well	04. Groundwater Well	07. Pressurized Piping Leak Detector	08. Tank Top Sump (Piping)	09. Exempt Section Piping	99. Other-please list:*	00. None	01. Catch Basin	02. Transfer Station Containment	99. Other - Please list:*	00. None	01. Submersible	02. Section	03. Gravelly

\* If either, please list on a separate sheet including Tank Number

**NYSDEC SPILL REPORT FORM**

DEC REGION: 2 SPILL NUMBER: 0503991  
 SPILL NAME: AMBOY BUS DEC LEAD: SFRAHMAN  
 SPILL DATE: 07/05/2005 SPILL TIME: 6:35 am  
 CALL RECEIVED DATE: 07/05/2005 RECEIVED TIME: 7:17 am

**SPILL LOCATION**

PLACE: AMBOY BUS COUNTY: Bronx  
 STREET: 399 EXTERIOR ST TOWN/CITY: New York City  
 COMMUNITY: BRONX  
 CONTACT: MARCUS CONTACT PHONE: \_\_\_\_\_

CONT. FACTOR: Equipment Failure SPILL REPORTED BY: Other  
 FACILITY TYPE: Commercial Vehicle WATERBODY: \_\_\_\_\_

**CALLER REMARKS:**

Caller reports a delivery fitting off the a tank popped off. Truck driver had stopped pumping. Spill was onto concrete. Callers company is cleaning up the spill.

MATERIAL	CLASS	SPILLED	RECOVERED	RESOURCES AFFECTED
Diesel	Petroleum	5 G	5 G	Soil,

**POTENTIAL SPILLERS**

COMPANY	ADDRESS	CONTACT
SPRAGUE ENFRGY	***Update*** ZZ	BARRY PANICOLA (516) 622-7091

Tank No.	Tank Size	Material	Cause	Source	Test Method	Leak Rate	Gross Failure

**DEC REMARKS:**

07/06/05-SR// SPoke with Barry panicola- he said it was cleaned up. Nothing went to sewer/soil. received manifest for Non\_Hazardous waste.

<u>PIN</u>	<u>T &amp; A</u>	<u>COST CENTER</u>

CLASS: C4 CLOSE DATE: 07/06/2005 MEETS STANDARDS: False

Created On: 07/05/2005

Date Printed: 8/12/2008

Last Updated: 07/11/2005

# NON-HAZARDOUS WASTE MANIFEST

Please print or type

## NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. N/A

Manifest Document No. 29409

2. Page 1 of 2

3. Generator's Name and Mailing Address  
Spague Energy Corp.  
999 Emerson Street  
Brook, NY

4. Generator's Phone ( )

5. Transporter 1 Company Name

Rapid Waste Disposal, INC.

7. Transporter 1 Company Name

Piper Trucking

1. Designated Facility Name and Site Address

General Environmental Management,  
2727 Transport Road  
Cleveland, OH 44115

11. WASTE DESCRIPTION

10. US EPA ID Number  
OH0004178612

A. State Transporter's ID IA-515

B. Transporter 1 Phone (631) 935-0131

C. State Transporter's ID 6077ML WA

D. Transporter 2 Phone (666) 935-8851

E. State Facility's ID

F. Facility's Phone (216) 621-3694

a. Petroleum Contaminated Drysol

12. Container No.	Type	13. Tonnage Quantity	14. URB Vol/Vol
1	DM	00150	P
0			
0			
0			

C. Appended Descriptions for Materials Listed Above

H. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

IN case of emergency call 631-935-0131 24hrs\*

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this manifest are fully and accurately described and are in full compliance with all applicable laws and regulations.

Printed/Typed Name: Fred J. Catalano (As Agent) Signature: [Signature] Date: 07/06/08


17. Transporter 1 Acknowledgment of Receipt of Materials  
Printed/Typed Name: Fred J. Catalano Signature: [Signature] Date: 07/06/08

18. Transporter 2 Acknowledgment of Receipt of Materials  
Printed/Typed Name: Signature: Date: MONTH Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Confirmation of receipt of the waste materials covered by this manifest, except as noted in item 19.

Printed/Typed Name: Signature: Date: MONTH Day Year





**New York State Department of Environmental Conservation**

Regional Enforcement Coordinator, Region 2, Regional Direction

47-40 21<sup>st</sup> Street, Long Island City, NY 11101-5407

Phone: (718) 482-4507 • FAX: (718) 482-6729

Website: www.dec.state.ny.us

Alexander B  
Grannis  
Commissioner

Date: August 22, 2008

FOIL # R2-08-1250

Terry Schneider/HDR

845-294-2789 ext. 23

Fax 845-294-5893

RE: 441 Exterior Street, Bronx Alternate address: 437-441 River Avenue, Bronx PPG Industries, Inc.

Dear Ms. Schneider:

NYSDEC/Region 2 has reviewed your request for the above referenced records under New York State's Freedom of Information Law (FOIL). Please note that most of our records are filed by number under the names of individuals or corporations. We have no way of locating or retrieving records if they are filed under names or addresses other than those you have provided.

If no records have been located, this does not necessarily mean, and should not be interpreted to mean that there have never been any violations, complaints, claims, investigations or inquiries involving those names or addresses. We cannot make any representations as to whether there are or have been any such violations, complaints, claims, investigations or inquiries.

After a diligent search of Region 2 available files, no records could be located for the names and/or addresses you provided.

Thank you for your request. If additional information is needed, please call Cynthia Whiting /FOIL Secretary at (718) 482-4507, or fax your response to me.

Sincerely yours,

Fawzy I Abdelsadek, Ph.D., P.E.  
Regional Enforcement Coordinator

**New York State Department of Environmental Conservation**

Regional Enforcement Coordinator, Region 2, Regional Direction

47-40 21<sup>ST</sup> Street, Long Island City, NY 11101-5407

Phone: (718) 482-4507 • FAX: (718) 482-6729

Website: www.dec.state.ny.us

Alexander B  
Grannis  
Commissioner

Date: August 22, 2008

FOIL # R2-08-1251

Terry Schneider/HDR

845-294-2789 ext. 23

Fax 845-294-5893

RE: 445-449 Exterior Street, Bronx Alternate: 445 River Avenue, Bronx and Freiman  
Coated Fabrics Corporation

Dear Ms. Schneider:

NYSDEC/Region 2 has reviewed your request for the above referenced records under New York State's Freedom of Information Law (FOIL). Please note that most of our records are filed by number under the names of individuals or corporations. We have no way of locating or retrieving records if they are filed under names or addresses other than those you have provided.

If no records have been located, this does not necessarily mean, and should not be interpreted to mean that there have never been any violations, complaints, claims, investigations or inquiries involving those names or addresses. We cannot make any representations as to whether there are or have been any such violations, complaints, claims, investigations or inquiries.

After a diligent search of Region 2 available files, no records could be located for the names and/or addresses you provided.

Thank you for your request. If additional information is needed, please call Cynthia Whiting /FOIL Secretary at (718) 482-4507, or fax your response to me.

Sincerely yours,

Fawzy I Abdelsadek, Ph.D., P.E.  
Regional Enforcement Coordinator

# NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Application for Records, Article 6 – New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Either send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19<sup>th</sup> Fl., Flushing, NY 11373, or fax to (718) 595-6543. **DO NOT FAX AND MAIL.**

**PART I. APPLICATION – Check type of record(s) requested:**

- |  |   |  |  |
|--|---|--|--|
| <input type="checkbox"/> Bid/ Procurement (ACCO)                                 | <input checked="" type="checkbox"/> Notices of Violation and decisions (ECB)                  | <input type="checkbox"/> Sewer main/line repair/construction (BWSO)          | <input type="checkbox"/> Water bill accounts/ metering (BCS)         |
| <input type="checkbox"/> Asbestos (BEC)  | <input checked="" type="checkbox"/> Environmental Review/SEQRA (OEPA)                         | <input checked="" type="checkbox"/> Water Quality (BWSWQ)                    | <input type="checkbox"/> Personnel records (HRM)                     |
| <input checked="" type="checkbox"/> Hazardous materials emergency response (BEC) | <input checked="" type="checkbox"/> Industrial Pretreatment/ sewer discharge violations (BWT) | <input type="checkbox"/> Watershed/ reservoir operations (BWS)               | <input type="checkbox"/> Wastewater Treatment Plant operations (BWT) |
| <input checked="" type="checkbox"/> Right To Know (BEC)                          | <input type="checkbox"/> Water main/line repair/construction (BWSO)                           | <input checked="" type="checkbox"/> Watershed area incident reports (DEP PD) | <input checked="" type="checkbox"/> <u>Please see attached</u>       |
| <input type="checkbox"/> Air permits/complaints/ inspections (BEC)               |   |  |  |
| <input type="checkbox"/> Noise complaints/ inspections (BEC)                     |   |  |  |

I hereby apply to  inspect or  receive copies of the following records (use additional sheets as needed and attach):

Please see attached

Location: \_\_\_\_\_

Time frame/date of records: Earliest to most current

Name: T. SCHNEIDER Phone: 845-244-2789 E-Mail: tschneid@hdrinc.com

Firm: HDR/LMS ENGINEERS

Address: 7 COATES DRIVE SUITE 2 City: GOSHEN State: N.Y. Zip Code: 10924

Signature: T. Schneider Date: 7/29/08

**PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)**

APPROVED  APPROVED IN PART -- To arrange for access to the records, please contact:

(Department Representative)	(Bureau)	(Phone No.)
Number of Pages: _____	x\$.25 per page = Cost: _____	

DENIED  DENIED IN PART -- for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- |  |   |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a))   | <input type="checkbox"/> Exempt: Law Enforcement (2(e))     |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d))  | <input type="checkbox"/> (Other) _____                      |

Brief Description of records not subject to disclosure \_\_\_\_\_

*A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19<sup>th</sup> Fl., Flushing, NY 11373*

UNAVAILABLE -- for reason(s) checked:

- |   |  |
|---|--|
| <input type="checkbox"/> Not described in sufficient detail                     | <input type="checkbox"/> Not maintained by this Department |
| <input type="checkbox"/> After search, no records responsive to request located |  |
| <input type="checkbox"/> (Other) _____  |  |

LOG NO.: \_\_\_\_\_

(Department Representative)	(Bureau)	(Date)
-----------------------------	----------	--------

••  Fee Waived    ••  Check/M.O. received    ••  Check/M.O. requested

DOC# 050901



July 29, 2008  
File No: 147-74786

New York City Department of Environmental Protection  
Bureau of Legal Affairs  
59-17 Junction Blvd., 19<sup>th</sup> Floor  
Flushing, New York 11373

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
399 Exterior Street	Block 2349 Lot 100

Records may also be filed as:

399 Exterior Street Associates  
Pantheon Properties  
Atlantic Bus Company  
Atlantic Express  
Metro Affiliates  
Amboy Bus

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist

# NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Application for Records, Article 6 – New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Either send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19<sup>th</sup> Fl., Flushing, NY 11373, or fax to (718) 595-6543. **DO NOT FAX AND MAIL.**

**PART I. APPLICATION – Check type of record(s) requested:**

- |  |   |  |  |
|--|---|--|--|
| <input type="checkbox"/> Bid/ Procurement (ACCO)                                 | <input checked="" type="checkbox"/> Notices of Violation and decisions (ECB)                  | <input type="checkbox"/> Sewer main/line repair/construction (BWSO)          | <input type="checkbox"/> Water bill accounts/ metering (BCS)         |
| <input type="checkbox"/> Asbestos (BEC)  | <input checked="" type="checkbox"/> Environmental Review/SEQRA (OEPA)                         | <input checked="" type="checkbox"/> Water Quality (BWS/WQ)                   | <input type="checkbox"/> Personnel records (HRM)                     |
| <input checked="" type="checkbox"/> Hazardous materials emergency response (BEC) | <input checked="" type="checkbox"/> Industrial Pretreatment/ sewer discharge violations (BWT) | <input type="checkbox"/> Watershed/ reservoir operations (BWS)               | <input type="checkbox"/> Wastewater Treatment Plant operations (BWT) |
| <input checked="" type="checkbox"/> Right To Know (BEC)                          | <input type="checkbox"/> Water main/line repair/construction (BWSO)                           | <input checked="" type="checkbox"/> Watershed area incident reports (DEP PD) | <input checked="" type="checkbox"/> <u>Please see attached</u>       |
| <input type="checkbox"/> Air permits/complaints/ inspections (BEC)               |   |  |  |
| <input type="checkbox"/> Noise complaints/ inspections (BEC)                     |   |  |  |

I hereby apply to  inspect or  receive copies of the following records (use additional sheets as needed and attach):

Please see attached

Location: \_\_\_\_\_

Time frame/date of records: Earliest to most current

Name: T. SCHNEIDER Phone: 845-244-2789 E-Mail: tschneid@hdrinc.com  
 Firm: HDR/LMS ENGINEERS  
 Address: 7 COATES DRIVE Suite 2 City: GOSHEN State: N.Y. Zip Code: 10924  
 Signature: T. Schneider Date: 7/29/08

**PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)**

APPROVED  APPROVED IN PART -- To arrange for access to the records, please contact:

(Department Representative)	(Bureau)	(Phone No.)
Number of Pages: _____	x\$.25 per page = Cost: _____	

DENIED  DENIED IN PART -- for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- |  |   |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a))   | <input type="checkbox"/> Exempt: Law Enforcement (2(e))     |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d))  | <input type="checkbox"/> (Other) _____                      |

Brief Description of records not subject to disclosure \_\_\_\_\_

*A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19<sup>th</sup> Fl., Flushing, NY 11373*

UNAVAILABLE -- for reason(s) checked:

- |   |  |
|---|--|
| <input type="checkbox"/> Not described in sufficient detail                     | <input type="checkbox"/> Not maintained by this Department |
| <input type="checkbox"/> After search, no records responsive to request located |  |
| <input type="checkbox"/> (Other) _____  |  |

LOG NO.: \_\_\_\_\_

(Department Representative)	(Bureau)	(Date)
-----------------------------	----------	--------

••  Fee Waived    ••  Check/M.O. received    ••  Check/M.O. requested

DOC# 050901



July 29, 2008

File No: 147-74786

New York City Department of Environmental Protection  
Bureau of Legal Affairs  
59-17 Junction Blvd., 19<sup>th</sup> Floor  
Flushing, New York 11373

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
441 Exterior Street	Block 2349 Lot 103

Records may also be filed as:

437-441 River Avenue  
441 River Avenue  
441 River Avenue, Inc,  
PPG Industries, Inc.

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist

# NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Application for Records, Article 6 – New York State Public Officers Law, Freedom of Information Law

Complete Part I of this form. Please refer to instruction sheet for assistance in completing this form. If responsive records are located, you will be notified and informed of the required payment. Advance payment is required in check or money order payable to the City of New York before documents will be released. Either send the complete application to the Records Access Officer at NYC DEP, Bureau of Legal Affairs, 59-17 Junction Blvd., 19<sup>th</sup> Fl., Flushing, NY 11373, or fax to (718) 595-6543. **DO NOT FAX AND MAIL.**

**PART I. APPLICATION – Check type of record(s) requested:**

- |  |   |  |  |
|--|---|--|--|
| <input type="checkbox"/> Bid/ Procurement (ACCO)                                 | <input checked="" type="checkbox"/> Notices of Violation and decisions (ECB)                  | <input type="checkbox"/> Sewer main/line repair/construction (BWSO)          | <input type="checkbox"/> Water bill accounts/ metering (BCS)         |
| <input type="checkbox"/> Asbestos (BEC)  | <input checked="" type="checkbox"/> Environmental Review/SEQRA (OEPA)                         | <input checked="" type="checkbox"/> Water Quality (BWS/WQ)                   | <input type="checkbox"/> Personnel records (HRM)                     |
| <input checked="" type="checkbox"/> Hazardous materials emergency response (BEC) | <input checked="" type="checkbox"/> Industrial Pretreatment/ sewer discharge violations (BWT) | <input type="checkbox"/> Watershed/ reservoir operations (BWS)               | <input type="checkbox"/> Wastewater Treatment Plant operations (BWT) |
| <input checked="" type="checkbox"/> Right To Know (BEC)                          | <input type="checkbox"/> Water main/line repair/construction (BWSO)                           | <input checked="" type="checkbox"/> Watershed area incident reports (DEP PD) | <input checked="" type="checkbox"/> <u>Please see attached</u>       |
| <input type="checkbox"/> Air permits/complaints/ inspections (BEC)               |   |  |  |
| <input type="checkbox"/> Noise complaints/ inspections (BEC)                     |   |  |  |

I hereby apply to  inspect or  receive copies of the following records (use additional sheets as needed and attach):

Please see attached

Location: \_\_\_\_\_

Time frame/date of records: Earliest to most current

Name: T. SCHNEIDER Phone: 845-244-2789 E-Mail: tschneid@hdrinc.com  
 Firm: HDR/LMS ENGINEERS  
 Address: 7 COATES DRIVE Suite 2 City: GOSHEN State: N.Y. Zip Code: 10924  
 Signature: T. Schneider Date: 7/29/08

**PART II. DISPOSITION OF REQUEST (TO BE COMPLETED BY THE DEPARTMENT)**

APPROVED  APPROVED IN PART -- To arrange for access to the records, please contact:

(Department Representative)	(Bureau)	(Phone No.)
Number of Pages: _____	x\$.25 per page = Cost: _____	

DENIED  DENIED IN PART -- for reason(s) checked: References are to Sec. 87 of the Public Officers Law.

- |  |   |
|--|---|
| <input type="checkbox"/> Exempt: State/Fed. Statute (2(a))   | <input type="checkbox"/> Exempt: Law Enforcement (2(e))     |
| <input type="checkbox"/> Invasion of personal privacy (2(b)) | <input type="checkbox"/> Inter/Intra-agency material (2(g)) |
| <input type="checkbox"/> Competitive position injury (2(d))  | <input type="checkbox"/> (Other) _____                      |

Brief Description of records not subject to disclosure \_\_\_\_\_

**A denial, in whole or in part, may be appealed within 30 days by writing to the NYCDEP FOIL Appeals Officer, 59-17 Junction Blvd., 19<sup>th</sup> Fl., Flushing, NY 11373**

UNAVAILABLE -- for reason(s) checked:

- |   |  |
|---|--|
| <input type="checkbox"/> Not described in sufficient detail                     | <input type="checkbox"/> Not maintained by this Department |
| <input type="checkbox"/> After search, no records responsive to request located |  |
| <input type="checkbox"/> (Other) _____  |  |

LOG NO.: \_\_\_\_\_

(Department Representative)	(Bureau)	(Date)
-----------------------------	----------	--------

••  Fee Waived    ••  Check/M.O. received    ••  Check/M.O. requested

DOC# 050901



July 29, 2008  
File No: 147-74786

New York City Department of Environmental Protection  
Bureau of Legal Affairs  
59-17 Junction Blvd., 19<sup>th</sup> Floor  
Flushing, New York 11373

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
445-449 Exterior Street	Block 2349 Lot 107

Records may also be filed as:

445 River Avenue  
Freiman Coated Fabrics Corporation

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist





July 29, 2008  
File No: 147-74786

New York City Department of Health and Mental Hygiene  
125 Worth Street, Box 31  
New York, N.Y. 10013

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N. Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

<b>Site Address</b>	<b>Site Property ID No.</b>
399 Exterior Street	Block 2349 Lot 100

Records may also be filed as:

399 Exterior Street Associates  
Pantheon Properties  
Atlantic Bus Company  
Atlantic Express  
Metro Affiliates  
Amboy Bus

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



July 29, 2008  
File No: 147-74786

New York City Department of Health and Mental Hygiene  
125 Worth Street, Box 31  
New York, N.Y. 10013

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N. Y.


As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
441 Exterior Street	Block 2349 Lot 103

Records may also be filed as:

437-441 River Avenue  
441 River Avenue  
441 River Avenue, Inc,  
PPG Industries, Inc.

Very truly yours,

  
Theresa M. Schneider  
Senior Project Geologist



July 29, 2008  
File No: 147-74786

New York City Department of Health and Mental Hygiene  
125 Worth Street, Box 31  
New York, N.Y. 10013

Attn: Records Access Officer:

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a property located in the borough of the Bronx, N. Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
445-449 Exterior Street	Block 2349 Lot 107

Records may also be filed as:

445 River Avenue  
Freiman Coated Fabrics Corporation

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



July 29, 2008

File No: 147-74786

FDNY Bureau of Legal Affairs/CDLS Unit  
9 Metro Tech Center, 4<sup>th</sup> Floor  
Brooklyn, New York 11201

Attn: Records Access Officer

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a site located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
399 Exterior Street	Block 2349 Lot 100

Records may also be filed as:

399 Exterior Street Associates  
Pantheon Properties  
Atlantic Bus Company  
Atlantic Express  
Metro Affiliates  
Amboy Bus

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



July 29, 2008

File No: 147-74786

FDNY Bureau of Legal Affairs/CDLS Unit  
9 Metro Tech Center, 4<sup>th</sup> Floor  
Brooklyn, New York 11201

Attn: Records Access Officer

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a site located in the borough of the Bronx, N.Y.

As part of this assessment IIDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
441 Exterior Street	Block 2349 Lot 103

Records may also be filed as:

437-441 River Avenue  
441 River Avenue  
441 River Avenue, Inc,  
PPG Industries, Inc.

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



July 29, 2008

File No: 147-74786

FDNY Bureau of Legal Affairs/CDLS Unit  
9 Metro Tech Center, 4<sup>th</sup> Floor  
Brooklyn, New York 11201

Attn: Records Access Officer

HDR/LMS is currently conducting an Environmental Site Assessment (ESA) of a site located in the borough of the Bronx, N.Y.

As part of this assessment HDR/LMS is required to review the files of various agencies for site-specific information relating to the presence, use, disposal, transportation and storage of hazardous materials and petroleum products as well as underground and above ground chemical/petroleum storage tanks and leaks/spills of hazardous and/or petroleum products. We respectfully request permission, under the Freedom of Information Act (FOIA), to review any files, drawings, plans, etc. you may have on the following:

Site Address	Site Property ID No.
445-449 Exterior Street	Block 2349 Lot 107

Records may also be filed as:

445 River Avenue  
Freiman Coated Fabrics Corporation

Very truly yours,

Theresa M. Schneider  
Senior Project Geologist



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
**Property Profile Overview**

399 EXTERIOR STREET

BRONX 10451

BIN# 2090412

EXTERIOR STREET 399 - 399  
 RIVER AVENUE 399 - 399

Health Area : 3800  
 Census Tract : 57  
 Community Board : 201  
 Buildings on Lot : 2

Tax Block : 2349  
 Tax Lot : 100  
 Condo : NO  
 Vacant : NO

[View DCP Addresses...](#)

[Browse Block](#)

[View Certificates of Occupa](#)

Cross Street(s): MAJOR DEEGAN EXPWY NB ET 4

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Special Status: N/A

Local Law: NO

Loft Law: NO

SRO Restricted: NO

TA Restricted: NO

UB Restricted: NO

Little 'E' Restricted: N/A

Grandfathered Sign: NO

Legal Adult Use: NO

City Owned: NO

Additional BINs for Building: NONE

Special District: NONE

Department of Finance Building Classification: G2-GARAGE/GAS STAT'N

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
<b>Complaints</b>	3	0
<b>Violations-DOB</b>	1	0
<b>Violations-ECB</b>	0	0
<b>Jobs/Filings</b>	1	
<b>ARA / LAA Jobs</b>	0	
<b>Total Jobs</b>	1	
<b>Actions</b>	7	

[Elevator Records](#)

[Electrical Applications](#)

[Permits In-Process / Issued](#)

[Illuminated Signs Annual Permits](#)

[Plumbing Inspections](#)

[Open Plumbing Jobs / Work Types](#)

[Facades](#)

[Marquee Annual Permits](#)

[Boiler Records](#)

[DEP Boiler Information](#)

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings

**Boiler Query**

Premises: 399 EXTERIOR STREET BRONX

BIN: **2090412** Block: 23

VIOL	NUM	MD	SER#	STATUS	INSP-DATE	RECV-DATE	NAME
N	<b>819795</b>	N	01	ACTIVE	02/12/2008	06/10/2008	O 005325 TUCCI JR BRUNO

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[NYCProperty](#) | [Statements List](#) | [Select a B-B-L](#) | [NYC.GOV Home](#) | [DEP Home](#) | [DOF Home](#) | [NYCProperty Home](#)  
 The Official New York City Web Site

▶ [Printer Version](#) (A new window will open.)



## Quarterly Statement of Account

[About Your Statement of Account](#)  
 (A new window will open.)

**WE WANT TO HELP YOU PAY THE RIGHT AMOUNT ON TIME**

**Owner Name:** 399 Exterior Street Associates LLC  
**Property Address:** 399 Exterior St.  
**Borough, Block, Lot:** Bronx (2), 02349, 0100

**Mailing Address:**  
 399 Exterior Street Associates LLC  
 399 Exterior St.  
 Bronx, NY 10451-2012

This document is an image of your most recent quarterly Statement of Account. Because it is only an image, it may not reflect your property's current balance. If interest begins to accrue on an unpaid balance after the state due date. For the most up-to-date information on your account balance, please visit our [ePayment Center](#). (A new window will open.)

### Statement Billing Summary

(Reflects Account Activity from Your Last Statement through June 13, 2008)

Amount that was Due on Your Last Statement	
Interest on Remaining Balance from Your Last Statement	
Payments/Credits Received for Amount that was Due On Your Last Statement	
Remaining Balance/Credits, Plus Interest from Your Last Statement	
<b>Total New Charges Due by July 01, 2008</b>	<b>\$33,</b>
<b>Total Amount Due by July 01, 2008</b>	<b>\$33,</b>
Amount Not Due but That You Can Choose to Pay Early	\$33,
Savings if You Choose to Pay Early	\$-
<b>Total Amount You May Pay by July 01, 2008</b>	<b>\$65,</b>

[Click here to view your June 13, 2008 Statement of Account Payment Coupon.](#) (A new window will open.)

### Statement Details

New Charges Due July 01, 2008	Activity Date	Date	
Finance-Property Tax		07/01/2008	\$33
<b>Total New Charges Due by July 01, 2008</b>			<b>\$33</b>



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
**Property Profile Overview**

441 EXTERIOR STREET

BRONX 10451

BIN# 2001081

EXTERIOR STREET 441 - 441  
 RIVER AVENUE 437 - 441

Health Area : 3800  
 Census Tract : 57  
 Community Board : 201  
 Buildings on Lot : 1

Tax Block : 2349  
 Tax Lot : 103  
 Condo : NO  
 Vacant : NO

[View DCP Addresses...](#)

[Browse Block](#)

[View Certificates of Occupa](#)

Cross Street(s): EAST 144 STREET, EAST 146 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:		Special Status:	N/A
Local Law:	NO	Loft Law:	NO
SRO Restricted:	NO	TA Restricted:	NO
UB Restricted:	NO		
Little 'E' Restricted:	N/A	Grandfathered Sign:	NO
Legal Adult Use:	NO	City Owned:	NO
Additional BINs for Building:	NONE		

Special District: NONE

Department of Finance Building Classification: E1-WAREHOUSE

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as th the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	<u><a href="#">Elevator Records</a></u>
<u><a href="#">Complaints</a></u>	1	0	<u><a href="#">Electrical Applications</a></u>
<u><a href="#">Violations-DOB</a></u>	59	51	<u><a href="#">Permits In-Process / Issued</a></u>
<u><a href="#">Violations-ECB</a></u>	2	0	<u><a href="#">Illuminated Signs Annual Permits</a></u>
<u><a href="#">Jobs/Filings</a></u>	3		<u><a href="#">Plumbing Inspections</a></u>
ARA / LAA Jobs	0		<u><a href="#">Open Plumbing Jobs / Work Types</a></u>
Total Jobs	3		<u><a href="#">Facades</a></u>
<u><a href="#">Actions</a></u>	6		<u><a href="#">Marquee Annual Permits</a></u>
			<u><a href="#">Boiler Records</a></u>
			<u><a href="#">DEP Boiler Information</a></u>

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings

**Boiler Details**

Premises: 441 EXTERIOR STREET BRONX

Filed At: 441 MAJOR DEEGAN E

BIN: 2001081 Block: 2349 Lot: 103

No-of-Boilers: 01

Area: 3800

Boiler-No: 68292

Serial-No: 01

Type: COMMERCIAL

Loc: WAREHOUSE

LOV

Make of Boiler:

Over6: No

Size:

Boiler Status: ACTIVE

Class:

Fee:

DEP Install Number:


Ins: Yes

Year:

DEP Expire Date:

School:

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



**NYCProperty**

- [Need Help?](#)
- [Select a BBL](#)
- [Search by REIC Ident](#)
- [Statements List](#)
- [NYCProperty Home Page](#)

The Statements List displays information currently available for the Parcel you selected.

Parcel (BBL): 2-2349-103  
 Owner(s): 441 RIVER AVE INC  
 Property Address: 441 RIVER AVENUE

**Statements List for Parcel  
2-2349-103**

- [September 15, 2008 - Account History](#)
- [August 22, 2008 - Statement of Account](#)
- [June 13, 2008 - Statement of Account](#)
- [May 25, 2008 - Final Assessment Roll](#)
- [May 25, 2008 - Market Value History](#)
- [January 15, 2008 - Notice of Value](#)
- [January 15, 2008 - Tentative Assessment Roll](#)
- [May 25, 2007 - Final Assessment Roll](#)
- [January 15, 2007 - Notice of Value](#)
- [May 25, 2006 - Final Assessment Roll](#)
- [January 15, 2006 - Notice of Value](#)
- [May 25, 2005 - Final Assessment Roll](#)
- [January 15, 2005 - Notice of Value](#)
- [May 25, 2004 - Final Assessment Roll](#)
- [May 25, 2003 - Final Assessment Roll](#)



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
**Property Profile Overview**

445 MAJOR DEEGAN EXPRESSWAY  
 EXTERIOR STREET 445 - 449

BRONX 10451  
 Health Area : 3800  
 Census Tract : 57  
 Community Board : 201  
 Buildings on Lot : 1

BIN# 2001082  
 Tax Block : 2349  
 Tax Lot : 107  
 Condo : NO  
 Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Certificates of Occupa](#)

Cross Street(s): MAJOR DEEGAN EXPWY NB ET 4, MAJOR DEEGAN EXPWY NB ET 4

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO

SRO Restricted: NO

UB Restricted: NO

Little 'E' Restricted: N/A

Legal Adult Use: NO

Additional BINs for Building: NONE

Special Status: N/A

Loft Law: NO

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

Special District: NONE

Department of Finance Building Classification: E1-WAREHOUSE

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as th the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
<b>Complaints</b>	1	0
<b>Violations-DOB</b>	32	20
<b>Violations-ECB</b>	3	1
<b>Jobs/Filings</b>	1	
ARA / LAA Jobs	0	
Total Jobs	1	
<b>Actions</b>	14	

- [Elevator Records](#)
- [Electrical Applications](#)
- [Permits In-Process / Issued](#)
- [Illuminated Signs Annual Permits](#)
- [Plumbing Inspections](#)
- [Open Plumbing Jobs / Work Types](#)
- [Facades](#)
- [Marquee Annual Permits](#)
- [Boiler Records](#)
- [DEP Boiler Information](#)

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings

**Boiler Details**

Premises: 445 MAJOR DEEGAN EXPRESSWAY BRONX		Filed At: 445 MAJOR DEEGAN E.	
BIN: <b>2001082</b> Block: 2349 Lot: 107		No-of-Boilers: 01	Area: 3800
Boiler-No: 86026	Serial-No: 01	Type: COMMERCIAL	Loc: WAREHOUSE      LOV
Make of Boiler:		Over6: No	Size:
Boiler Status: VOID		Class:	Fee:
DEP Install Number:		Ins: No	Year:
DEP Expire Date:		School: No	

INSP-DATE	REC-DATE	ENTRY DATE	NAME	RESULTS	C
-----------	----------	------------	------	---------	---

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

<a href="#">NYCProperty</a>	<a href="#">Statements List</a>	<a href="#">Select a B-B-L</a>	<a href="#">NYC.GOV Home</a>	<a href="#">DEP Home</a>	<a href="#">DOF Home</a>	<a href="#">NYCProperty Home</a>
-----------------------------	---------------------------------	--------------------------------	------------------------------	--------------------------	--------------------------	----------------------------------

*The Official New York City Web Site*

▶ [Printer Version](#) (A new window will open.)



## Quarterly Statement of Account

[About Your Statement of Account](#)  
(A new window will open.)

**WE WANT TO HELP YOU PAY THE RIGHT AMOUNT ON TIME**

**Owner Name:** Freiman Coated Fabric Corp.  
**Property Address:** 445 River Ave.  
**Borough, Block, Lot:** Bronx (2), 02349, 0107

**Mailing Address:**  
Preiman Coated Fabric Corp.  
7 Mercer St.  
P.O. Box 2093  
New York, NY 10013

This document is an image of your most recent quarterly Statement of Account. Because it is only an image, it does not reflect your property's current balance if interest begins to accrue on an unpaid balance after the state due date. For the most up-to-date information on your account balance, please visit our [ePayment Center](#). (A new window will open.)

### Statement Billing Summary

(Reflects Account Activity from Your Last Statement through June 13, 2008)

Amount that was Due on Your Last Statement	
Interest on Remaining Balance from Your Last Statement	
Payments/Credits Received for Amount that was Due On Your Last Statement	\$
<b>Remaining Balance/Credits, Plus Interest from Your Last Statement</b>	
Total New Charges Due by July 01, 2008	\$21,
<b>Total Amount Due by July 01, 2008</b>	<b>\$21,</b>
Amount Not Due but That You Can Choose to Pay Early	\$21,
Savings if You Choose to Pay Early	\$-
<b>Total Amount You May Pay by July 01, 2008</b>	<b>\$41,</b>

[Click here to view your June 13, 2008 Statement of Account Payment Coupon.](#) (A new window will open.)

### Statement Details

---



**Remaining Balance/Credits from Your Last Statement**

	Activity Date	Date
Bldg-Elevator 20234900107		12/19/2007
Payment	03/04/2008	

---

**Remaining Balance/Credits, Plus Interest from Your Last Statement**

Click blue box on map to view sketch map of proposed map change



## ZONING MAP 6a

THE NEW YORK CITY PLANNING COMMISSION

**Major Zoning Classifications:**  
 The following are the major zoning districts established by the Commission. District designations are indicated by the letters and numbers in the text of the Zoning Resolution.

**R** - RESIDENTIAL DISTRICT  
**C** - COMMERCIAL DISTRICT  
**M** - MANUFACTURING DISTRICT

**AREAS(S) REZONED**

**EFFECTIVE DATE(S) OF REZONING:**  
 6-29-2008 C 6E3219 2AM  
 5-14-2008 C 6C332 2AM  
 4-30-2008 C 6E3098(A) 2AM

**SPECIAL PURPOSE DISTRICT**  
 The district(s) within the shaded area designates the specific purpose of the zoning resolution.

**D** - RESTRICTIVE DECLARATION  
**E** - CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

**MAP KEY**

3b	3d
5c	6a
5d	6b
	6c
	6d

© Copyright by the City of New York

**NOTE:** This map is intended as a guide only. It is subject to change. For the most up-to-date zoning information, refer to the zoning resolution as amended by the Department of City Planning website: [www.dcp.nyc.gov/zoning](http://www.dcp.nyc.gov/zoning). For more information, contact the Department of City Planning at (212) 312-3200.



**Appendix F**  
**Historical Research Documentation**



**LoCo Proposed Park Site**

399 Exterior Street

Bronx, NY 10451

Inquiry Number: 2282321.3S

August 01, 2008

# Certified Sanborn® Map Report

# Certified Sanborn® Map Report

7/31/08

**Site Name:**

LoCo Proposed Park Site  
399 Exterior Street  
Bronx, NY 10451

**Client Name:**

HDR/LMS  
7 Coates Drive Suite 2  
Goshen, NY 10924



EDR Inquiry # 2282321.3S

Contact: Terry Schneider

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by HDR/LMS were identified for the years listed below (selected maps only\*). The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

## Certified Sanborn Results:

**Site Name:** LoCo Proposed Park Site  
**Address:** 399 Exterior Street  
**City, State, Zip:** Bronx, NY 10451  
**Cross Street:**  
**P.O. #** 147-74786-001  
**Project:** LoCo Phase I ES  
**Certification #** 5D3E-4411-BF04



Sanborn® Library search results  
Certification # 5D3E-4411-BF04

\* Environmental Data Resources, Inc. has been instructed by HDR/LMS to print ONLY the Sanborn Maps for the years listed below:

1996 (2)	1977 (2)	1908 (1)
1993 (2)	1951 (2)	1891 (2)
1991 (2)	1947 (2)	
1989 (2)	1946 (1)	
1984 (2)	1944 (1)	
1980 (2)	1935 (1)	

Total Maps: 24

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

### Limited Permission To Make Copies

HDR/LMS (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

### Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

51  
(41-81)

59

55

52



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #

SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



©1996 Sanborn Co., EDR Sanborn, Inc.

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #

SD3E-4411-BF04

Copyright: 1996



H A R L E M R I V E R  
 E L E V E N  
 U M T O




©1996 Sanborn Co., EDR Sanborn, Inc.

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification #: 5D3E-4411-BF04

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04



52  
(40-41)

54

53

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



© 1993 Sanborn Co., EDR Sanborn, Inc.


Copyright: 1993



Site Name: LoCo Proposed Park Site  
Address: 399 Exterior Street  
City, ST, ZIP: Bronx NY 10451  
Client: HDR/LMS  
EDR Inquiry: 2282321.3S  
Order Date: 7/31/2008 4:42:40 PM  
Certification #: 5D3E-4411-BF04



Copyright: 1993



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

5D3E-4411-BF04

Certification #


The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification #: 5D3E-4411-BF04  
 Copyright: 1991



©1991 Sanborn Co., EDR Sanborn, Inc.




(70)  
 52  
 (40-41)



(51)  
NY OFF. FILE NO. 20  
**51**  
(41-81)

Site Name: LoCo Proposed Park Site  
Address: 399 Exterior Street  
City, ST, ZIP: Bronx NY 10451  
Client: HDR/LMS  
EDR Inquiry: 2282321.3S  
Order Date: 7/31/2008 4:42:40 PM  
Certification #: 5D3E-4411-BF04  
Copyright: 1991



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 5D3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04




Copyright: 1989

NY CITY VOL 34

51

(41-81)



The certified Sanborn Library search results in this report can be authenticated by visiting [www.ednet.com/sanborn](http://www.ednet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

5D3E-4411-BF04

Certification #


The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification #: SD3E-4411-BF04



Copyright: 1989




52  
(40-41)

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04

Copyright: 1984




52  
(40-41)

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



Copyright: 1984

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Certification # 5D3E-4411-BF04




The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



H E R R I E M  
 R I V E R  
 V E R T I C A L  
 L I N E  
 51



Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04




Copyright: 1980

51  
(41-81)

ALL BLDGS. & TRACKS ON THIS SHEET REMOVED EXCEPT 441  
 TO 449 MAJOR WM-DEEGAN EXPRESSWAY


59



V O L U M E H A R L E M R I V E R E L E V N

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 5D3E-4411-BF04





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



Copyright: 1977







Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



Copyright: 1977



V O L U M E E L E V E N  
 H a r l e m R i v e r



The certified Sanborn Library search results in this report can be authenticated by visiting  
 www.edrnet.com/sanborn and entering the certification number. Only Environmental  
 Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of  
 maps by The Sanborn Library LLC, the copyright holder for the collection.

5D3E-4411-BF04

Certification #

Site Name: LoCo Proposed Park Site  
Address: 399 Exterior Street  
City, ST, ZIP: Bronx NY 10451  
Client: HDR/LMS  
EDR Inquiry: 2282321.3S  
Order Date: 7/31/2008 4:42:40 PM  
Certification #: 5D3E-4411-BF04

Copyright: 1951



51

V O L U M E E L E V E N H a r l e m R i v e r

59

EAST 149TH ST.

ST.

STREET


55

E 146TH ST.

EXTERIOR

E 144TH ST.

52



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edmnet.com/sanborn](http://www.edmnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

5D3E-4411-BF04

Certification #

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #


SD3E-4411-BF04

Copyright: 1951

1 1/2" (150)  
 N.Y. CITY, 1901-39  
**52**  
 (40-41)

52

53



Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04





51  
(41-81)


Site Name: LoCo Proposed Park Site  
Address: 399 Exterior Street  
City, ST, ZIP: Bronx NY 10451  
Client: HDR/LMS  
EDR Inquiry: 2282321.3S  
Order Date: 7/31/2008 4:42:40 PM  
Certification # 5D3E-4411-BF04




Copyright: 1947

59

V O L U M E E L E V E N  
H a r l e m R i v e r



52



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

5D3E-4411-BF04

Certification #

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04


Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # SD3E-4411-BF04





Copyright: 1947



Riverdale



HARRIS, HENRY & HENRY



Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



PH H V W X Y Z

AA AB AC AD AE AF



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

5D3E-4411-BF04

Certification #

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04

Copyright: 1944







H A R L E M

R E I W H E



81

2355  
CHURCH E. GATES & CO.  
LUMBER YARD.

2349

WILLSON, ADAM & CO.  
LUMBER STACKS.

CHURCH E. GATES & CO.  
LUMBER YARD.

BRIDGE

GERARD

42


Certification # 5D3E-4411-BF04

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

4  
Site Name: LoCo Proposed Park Site  
Address: 399 Exterior Street  
City, ST, ZIP: Bronx NY 10451  
Client: HDR/LMS  
EDR Inquiry: 2282321.3S  
Order Date: 7/31/2008 4:42:40 PM  
Certification # 5D3E-4411-BF04

Copyright: 1908





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04




Copyright: 1891

5D3E-4411-BF04

Certification #

Site Name: LoCo Proposed Park Site  
Address: 399 Exterior Street  
City, ST, ZIP: Bronx NY 10451  
Client: HDR/LMS  
EDR Inquiry: 2282321.3S  
Order Date: 7/31/2008 4:42:40 PM  
Certification # 5D3E-4411-BF04

Copyright: 1891



EAST

150th

Stone House

Fire-alarm

Garage  
AGIL & Co  
(Fruit Cakes & Sweets)

AVENUE

149

EAST

60 ft.

RIVER



HARLEM

RIVER

5D3E-4411-BF04

Certification #

60 ft.

E. 144th ST.

75 ft.



Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



Copyright: 1891

204 205

The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 5D3E-4411-BF04



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # SD3E-4411-BF04

Site Name: LoCo Proposed Park Site  
 Address: 399 Exterior Street  
 City, ST, ZIP: Bronx NY 10451  
 Client: HDR/LMS  
 EDR Inquiry: 2282321.3S  
 Order Date: 7/31/2008 4:42:40 PM  
 Certification # 5D3E-4411-BF04



**LoCo Proposed Park Site**

399 Exterior Street  
Bronx, NY 10451

Inquiry Number: 2282321.6  
July 31, 2008

# The EDR-City Directory Abstract

# EDR City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

***Thank you for your business.***

Please contact EDR at 1-800-352-0050  
with any questions or comments.

## **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## **SUMMARY**

- ***City Directories:***

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1927 through 2005. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

This report compiles information by geocoding the subject properties (that is, plotting the latitude and longitude for such subject properties and obtaining data concerning properties within 100.32 Feet of the subject properties). There is no warranty or guarantee that geocoding will report or list all properties within the specified radius of the subject properties and any such warranty or guarantee is expressly disclaimed. Accordingly, some properties within the aforementioned radius and the information concerning those properties may not be referenced in this report.



**Date EDR Searched Historical Sources:** July 31, 2008

**Target Property:**

399 Exterior Street  
Bronx, NY 10451

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Address Not Listed in Research Source	New York Telephone
1931	Address Not Listed in Research Source	Manhattan and Bronx Directory Publishing Company Residential Directory
1940	Address Not Listed in Research Source	New York Telephone
1949	Address Not Listed in Research Source	New York Telephone
1956	Address Not Listed in Research Source	New York Telephone
1961	Address Not Listed in Research Source	New York Telephone
1965	Address Not Listed in Research Source	New york Telephone Company
1971	Address Not Listed in Research Source	New York Telephone
1976	Address Not Listed in Research Source	New york Telephone Company
1983	Address Not Listed in Research Source	New York Telephone
1993	<b><u>**EXTERIOR**</u></b> ATLANTIC HUDSON INC (399) AMBOY BUS CO (399)	New York Telephone
2000	<b><u>**EXTERIOR ST**</u></b> ATLANTIC HDSN INC (399) AMBOY BUS CO (399)	Cole Information Services
2005	<b><u>**EXTERIOR ST**</u></b> AMBOY BUS CO INC (399) ATLANTIC HUDSON INC (399) TRACT (399)	Hill-Donnelly Information Services

## Adjoining Properties

### SURROUNDING

Multiple Addresses  
Bronx, NY 10451

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	<b><u>**E 144TH**</u></b> MANZO M RAGS & PAPER (100)	New York Telephone
1931	<b><u>**E 144TH**</u></b> PRINCE EVELEYN (100)	Manhattan and Bronx Directory Publishing Company Residential Directory
1940	<b><u>**E 144TH**</u></b> AMER FRANKLIN OLEAN TILES INC WAREHSE (101) OLEAN TILE CO (101) FRANKLIN TILE CO (101)	New York Telephone
1949	<b><u>**EXTERIOR**</u></b> TEXACHEM CORP (404)	New York Telephone
1956	<b><u>**EXTERIOR**</u></b> METRO INDUSTRL PAINTING CO INC (404) METRO DECORATG CO INC PAINTG CONTRS (404)	New York Telephone
1961	Address Not Listed in Research Source	New York Telephone
1965	Address Not Listed in Research Source	New york Telephone Company
1971	Address Not Listed in Research Source	New York Telephone
1976	Address Not Listed in Research Source	New york Telephone Company
1983	Address Not Listed in Research Source	New York Telephone
1993	<b><u>**EXTERIOR**</u></b> BORAX PAPER PRODS INC (385)	New York Telephone
2000	Address Not Listed in Research Source	Cole Information Services
2005	Address Not Listed in Research Source	Hill-Donnelly Information Services






INQUIRY #: 2282321.5

YEAR: 1984

| = 750'








**INQUIRY #:** 2282321.5

**YEAR:** 1994

 = 750'







**INQUIRY #:** 2282321.5

**YEAR:** 2006

| = 489'





**LoCo Proposed Park Site**

399 Exterior Street

Bronx, NY 10451

Inquiry Number: 2282321.5

August 01, 2008

## The EDR Aerial Photo Decade Package



440 Wheelers Farms Road  
Milford, CT 06461  
800.352.0050  
[www.edrnet.com](http://www.edrnet.com)



# EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

**When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.**

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

## **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

**Date EDR Searched Historical Sources:**

Aerial Photography August 01, 2008

**Target Property:**

399 Exterior Street

Bronx, NY 10451

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1954	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: April 20, 1954	EDR
1966	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: February 23, 1966	EDR
1975	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: April 01, 1975	EDR
1984	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: April 27, 1984	EDR
1994	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: April 04, 1994	EDR
2006	Aerial Photograph. Scale: 1"=489'	Flight Year: 2006	EDR





**INQUIRY #:** 2282321.5

**YEAR:** 1954

| = 750'







**INQUIRY #:** 2282321.5

**YEAR:** 1966

| = 750'







**INQUIRY #:** 2282321.5

**YEAR:** 1975

| = 750'







**LoCo Proposed Park Site**

399 Exterior Street

Bronx, NY 10451

Inquiry Number: 2282321.4

July 31, 2008

# The EDR Historical Topographic Map Report

# EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

## **Disclaimer - Copyright and Trademark Notice**


This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



# Historical Topographic Map



<p>N ↑</p>	TARGET QUAD	SITE NAME:	LoCo Proposed Park Site	CLIENT:	HDR/LMS
	NAME: HARLEM	ADDRESS:	399 Exterior Street	CONTACT:	Terry Schneider
	MAP YEAR: 1897	LAT/LONG:	40.8173 / 73.9316	INQUIRY#:	2282321.4
	SERIES: 15			RESEARCH DATE:	07/31/2008
	SCALE: 1:62500				




# Historical Topographic Map




<p>N ↑</p>	TARGET QUAD	SITE NAME:	LoCo Proposed Park Site	CLIENT:	HDR/LMS
	NAME: CENTRAL PARK	ADDRESS:	399 Exterior Street	CONTACT:	Terry Schneider
	MAP YEAR: 1947	LAT/LONG:	40.8173 / 73.9316	INQUIRY#:	2282321.4
	SERIES: 7.5			RESEARCH DATE:	07/31/2008
	SCALE: 1:25000				



# Historical Topographic Map




<p>N</p> 	<p>TARGET QUAD</p>	<p>SITE NAME: LoCo Proposed Park Site</p>	<p>CLIENT: HDR/LMS</p>
	<p>NAME: CENTRAL PARK</p>	<p>ADDRESS: 399 Exterior Street</p>	<p>CONTACT: Terry Schneider</p>
	<p>MAP YEAR: 1966</p>	<p>Bronx, NY 10451</p>	<p>INQUIRY#: 2282321.4</p>
	<p>SERIES: 7.5</p>	<p>LAT/LONG: 40.8173 / 73.9316</p>	<p>RESEARCH DATE: 07/31/2008</p>
	<p>SCALE: 1:24000</p>		







# Historical Topographic Map



<p>N</p>	TARGET QUAD	SITE NAME:	LoCo Proposed Park Site	CLIENT:	HDR/LMS
	NAME: CENTRAL PARK	ADDRESS:	399 Exterior Street	CONTACT:	Terry Schneider
	MAP YEAR: 1995	LAT/LONG:	40.8173 / 73.9316	INQUIRY#:	2282321.4
	SERIES: 7.5			RESEARCH DATE:	07/31/2008
	SCALE: 1:24000				



**Appendix G**  
**Resumes of HDR Personnel**

# Thomas E. Pease, Ph.D., P.E.

## Education

Ph.D., School of Engineering and Science, 1977

M.S., School of Engineering and Science, 1969

B.S., Physics, 1965

## Registrations

Professional Engineer in the State of New York and the Commonwealth of Pennsylvania

## Professional Endeavors

HDR|LMS  
1972 – Present

## Experience

Dr. Pease is a partner in the firm and the technical adviser to HDR|LMS' Environmental Liability Management Group. Dr. Pease has managed numerous projects involving the interpretation of New York State Department of Environmental Conservation (NYSDEC) regulations and standards that have included investigations of hazardous substances, petroleum contamination, PCBs, and munitions. He was the Contract Manager for several of HDR|LMS' previous contracts with NYSDEC including a 7-year Standby Term Contract (1992-2000), a site assessment contract under which HDR|LMS provided Phase I/II site assessments for NYSDEC, and a probe contract wherein HDR|LMS provided soil probe rig services at NYSDEC investigation sites. With these NYSDEC credentials Dr. Pease is uniquely qualified to be the Contract Manager for a new Standby Contract. A summary of Dr. Pease's most relevant specific site project experience is summarized below and discussed further in the following paragraphs.

Dr. Pease provides quality control and supervises environmental scientists and engineers conducting investigations and developing remedial plans for contaminants in soil, groundwater, surface water and vapors for public and private clients. Under his technical guidance the group develops and negotiates approval of site investigation, remedial measures and monitoring plans. He has developed site plans and negotiated permits and other approvals based on his extensive environmental science and engineering training. He has supervised the assessment of environmental impacts of facilities and various contaminants on the coastal zone, other navigable waters and groundwater. Dr. Pease has participated in the development and implementation of quality control plans for numerous projects and contributed to the HDR|LMS quality assurance plan. He has been recognized as an expert and testified in several federal courts on contaminant investigations, groundwater quality, remedial planning, design, implementation and costs.

Dr. Pease has managed and supervised multiple RCRA and CERCLA projects ranging from site investigations through the development of remedial action plans. He has served as project engineer and aided in the assessment and interpretation of groundwater movement, chemical contamination and extent, screening of remedial options, and development of recommended remedial measures. He assessed the migration of various contaminants in groundwater, including volatile compounds, PCBs, hydrocarbons, and metals. He has applied unique interpretations and assessments of infiltration of contaminants in underdrains and storm sewers. He has also provided critical assessments of impacts on receiving surface waters of all kinds including fresh and estuarine environments. His familiarity with regulatory programs including groundwater protection, water quality standards, permitting requirements, hazardous and toxic materials, and SEQRA has been demonstrated by his continuous work with the State and Federal agencies and associations evolution of their programs.

Dr. Pease has directed over 100 PSAs over the last two decades including numerous PSAs conducted for NYSDEC during the prior HDR|LMS 7-yr term Standby

Contract. In directing PSA work he has developed a critical understanding of the data and records accuracy and reliability. From his experience he understands how the data may not fairly and accurately characterize the site in question. He is skilled at following the specifications of the NYSDEC as to PSA performance, while understanding the ASTM guidance, the new EPA draft regulations under 40 CFR 312. Professionals like Dr. Pease who provide PSAs, recognize the critical need for accurate and complete PSAs drafted and finalized to meet the NYSDEC requirements, while accurately reflecting site conditions and fairly characterizing the site conditions for the public, present owner and future owners. The modern PSA defines the issues at a site to facilitate the development of a phased site investigation plan, if needed.

Phased site investigation plans have been developed by Dr. Pease over his 20 years of contaminant investigations, as dictated by his private and public sector clients. He defines the approach to investigating each site based on his diverse experience investigating:

- Municipal and mixed waste landfills with methane, hydrogen sulfide, metals, PCBs and petroleum residuals
- Electric generation and transmission facility sites with metals, ash, PCB, pesticide and solvent contamination
- Industrial sites with solvents in soil and groundwater
- Petroleum storage and dispensing facilities
- Manufacturing sites with metals, explosives and solvent contamination
- State facilities with PCB and solvent contamination, as well as debris disposal areas
- Dry cleaners with solvent contamination in soil, groundwater and vapors intruding into adjacent buildings
- Various other residential, commercial, industrial and public sites with public health and ecological exposure concerns

Over the last 16 years Dr. Pease has also been the partner-in-charge and technical adviser of numerous hazardous waste and spill assignments with the New York State Department of Transportation (NYSDOT) and the Dormitory Authority of the State of New York (DASNY) that entailed the full spectrum of site investigations and remedial activities. And as noted earlier, Dr. Pease was the Contract Manager and technical advisor for the three term contracts HDR|LMS has had with NYSDEC including a Standby Contract from 1992-2000. For each assignment Dr. Pease was responsible for development of the scope of investigation and study and he specified the standards, criteria and guidance used in each evaluation. He was instrumental in the development of each stage of the investigation and data interpretation stages at the New Cassel industrial site contributing most markedly in the evaluation of the contaminant plume migration and identification of contaminant sources. Dr. Pease participated in the development of the work plan for the Harrison Sub-Residency landfill and spill remediation project for the NYSDOT and is currently providing technical expertise for the environmental assessments being performed by HDR|LMS at the Stewart Airport redevelopment project also for NYSDOT. Dr. Pease' role in site characterization includes defining the analysis methods and the interpretations for site data. His interpretations of findings were key to the understanding of the

data for the Mohonk Road, New Cassel, Harrison Sub-Residency and Hudson River Psychiatric Center sites. In each case he contributed to the definition of the extent and nature of contamination and identification of remedial alternatives for groundwater (Mohonk and New Cassel) and for soil and surface water and sediments (Harrison and Hudson River Psychiatric).

Feasibility studies have been performed by HDR|LMS for numerous other state and Federal Superfund sites under Dr. Pease's supervision. In addition to the NYSDEC projects noted above, Dr. Pease has also provided technical expertise for the feasibility studies conducted for the Jones Sanitation site in New York and the Big V/Baldwin Place Mall site also in New York. Feasibility studies at the later sites included evaluation of remedial alternatives for metals, PCB and solvent contamination, and led to Federal and state approvals of proposed remedial activities. Dr. Pease reviewed and approved each report with a recommended remedial plan.

Dr. Pease reviews and provides final approval of the alternatives screening. Alternatives evaluated under his guidance have ranged from alternative water supplies and treatment options at Mohonk and New Cassel, to building and equipment decontamination at United Plating, to waste removal and soil stabilization at Dzus Fasteners, to sediment and waste removal at Hudson River Psychiatric Center, and landfill capping and air-sparging at the Harrison Sub-Residency. At many sites follow-up investigations are needed to fully assess remedial alternatives. Such studies at the New Cassel, Hudson River Psychiatric, and Harrison sites led to a better alternatives analysis.

Detailed analyses of alternatives have been performed for dozens of sites under Dr. Pease's supervision and guidance. Detailed analyses at New Cassel, Hudson River Psychiatric, and United Plating were critical to the ultimate selection of a remedy in each case. Remedy selection at each site is made based on balancing a number of factors defined by the agencies, the public and the client. Dr. Pease has been effective in guiding the selection of appropriate remedies for very complex (physically and chemically) sites. He has successfully struck a balance in recommending remedies that mitigate potential exposures to address agency and the public's concerns, while defining effective programs that can be feasibly implemented by the responsible parties and agencies involved. For example, effective remedies have been implemented at the Dzus Fasteners, Hudson River Psychiatric, Harrison Sub-Residency, and United Plating sites under the guidance of Dr. Pease. Dr. Pease also provided technical oversight of the investigations, remedy selection and remedial oversight at such diverse sites as the Combe Fill South Landfill in New Jersey, the Witco Corporation site also in New Jersey, Heleva Landfill in Pennsylvania, and the Con Edison Echo Avenue site in New Rochelle, New York.

Dr. Pease' broad skills in environmental engineering have allowed him to contribute significantly to the remedial design stage of many projects. He was the manager for the HDR|LMS portion of the remedial design for the Tybouts Corner Landfill in Delaware. His supervision of the preparation of plans and specifications for the remedies at United Plating, Dzus Fasteners, Harrison Sub-Residency and the Hudson River Psychiatric Center sites were important to their ultimate success in addressing

the issues posed at those sites. At many sites, Interim Remedial Measures (IRMs) have been recommended (and implemented) under Dr. Pease's guidance. He has found frequently found that, source control and removal can be effective interim measures to mitigate contaminant migration and increasing threats posed by contaminants on a site.

Dr. Pease 30 years' of experience have allowed him to effectively manage site remedial programs and to coordinate remedial projects. Because of his depth of public sector and private sector experience, he has provided skillful oversight of PRPs performing remedial activities. Over the last several years, his experience has included review of remedial projects for coverage by cost cap insurance. His experience serves him well in communicating effectively with the public to convey the nature of contamination, threats posed and remedial alternatives appropriate for the site conditions. He has been widely complimented for his style and effectiveness of presentation to the public. He has presented analyses as an expert witness to State and Federal Courts in New York, Pennsylvania, and New Jersey. He has represented the New York State Office of the Attorney General on several occasions.

Dr. Pease has assisted several law firms relating to CERCLA and National Contingency Plan (NCP) in support of litigation and remedial action negotiations. He has evaluated interim remedial actions, removals and long-term remedial plans, and developed testimony on the "state of art" of investigations and remedial alternatives. He has also provided litigation support relating to site characterization, classification of materials, and appropriateness of remedial response. He has assessed the cost effectiveness of investigation techniques and the bioremediation of contaminated soils. For a major landfill containing arsenic wastes, HDR|LMS inspected and videotaped much of the remedial program and Dr. Pease provided expert witness testimony for the subsequent trial.

#### **Project Experience:**

**New York State Department of Environmental Conservation, Superfund Term Contract.** Dr. Pease was the Program Manager for the NYSDEC Superfund term contract for site investigations and development of remedial plans for the sites. Dr. Pease interpreted the agency's requirements, selected appropriate project managers, provided guidance on execution of the work, monitored HDR performance, and was the single point of contact to NYSDEC on all contract issues.

**Park Lane Company, LP Site Investigation, Westchester County, NY.** Dr. Pease was partner-in-charge and project manager for the site investigation work for Park Lane Company, LP where the issues involved the use of waste, including construction and demolition (C&D) materials, as fill at several of the 154 lots within a residential subdivision in Westchester County. Under Dr. Pease's direction, HDR|LMS developed a generic work plan for the entire development and lot specific remedial work plans for each area where some action was required. These actions included excavation of the material that exceeded the human health or groundwater protection criteria, additional sampling to analyze the potential leaching characteristics of the materials, or placement of clean fill to limit the potential for human exposure. Potential reuse options for the disposal of the excavated material

were negotiated with state regulatory agencies. Reuse options included screening of excavated materials to separate recognizable C&D from other waste, placement of the materials under capped surfaces such as roads and driveways, and use as cover material at landfills to reduce costs in comparison with off site disposal. A fate and transport model was developed to assess the potential impacts of the materials on groundwater. The model followed the procedures for the Risk-Based Corrective Action (RBCA) planning process and included site-specific physical and chemical data. Modeling was performed to consider the hydrogeologic environment. The modeling effort consisted of potential migration from soils to the underlying groundwater and then toward hypothetical downgradient receptors. Solid waste from an adjacent offsite landfill encroached onto the site at two lots. Dr. Pease negotiated a consent order and work plan for relocating the encroached material back onto the landfill property. This project also required extensive public relations with lot owners and the local public. The public relations effort included educating homeowners about the potential health and environmental risks posed with respect to some fill materials, scheduling and coordination to limit inconveniences with individual owners and specific lot owner concerns regarding lot restoration. At the conclusion of the remediation, Dr. Pease was deposed to settle litigation on liability for the remedial work.

**Term Contract for New York City Economic Development Corporation, Bronx, New York.** Dr. Pease developed the approach to the program, assigned staff and directed individual engineering assignments, including compliance with state and federal regulatory programs. Services include investigation and remediation of contaminated sites, including remedial redevelopment of a manufactured gas plant site being converted into food distribution warehouses.

**USACE Kansas City District/USEPA Region 2 Indefinite Delivery Architect-Engineer Service Contract, Chemical Insecticide Corporation Superfund Site, Edison, NJ; Imperial Oil and Champion Chemical, Morganville NJ.** Dr. Pease is the Deputy Contract Manager for this project. Dr. Pease was responsible for assisting in the development of all contract administrative and technical supporting documents and defined the team for initial assignments. He is the Deputy Contract manager responsible for coordination of task orders and project quality. He is also responsible for coordination of staff and resources and supervision of project managers. For the CIC site he contributed to the long term and post construction elements of the remedy, refining the goals of the long term monitoring program. The CIC budget is \$886K. Dr. Pease defined and guided assignments for the final design development for Imperial Oil site OU 3. He provided QC review of the final designs and specifications for demolition of site structures, excavation off-site disposal of impacted soil and other secondary waste streams, dewatering, water treatment, and restoration of the site. His analyses included development of the most appropriate excavation support and hydraulic barrier design and cost estimates.



**Harrison Sub-residency Remediation, New York State Department of Transportation (NYSDOT), Harrison, New York.** Dr. Pease is actively involved in the Harrison Sub-Residency landfill project for the NYSDOT. The NYSDOT assignment was to bring the site into compliance and closure interpreting NYSDEC requirements. Dr. Pease was the senior engineer for the contract; he specified the approach to the site investigations, remediation and ultimately closure. He was the senior reviewing engineer for deliverables. Site features included a stream with up gradient contaminant sources, a landfill and contaminated wells. The site was adjacent to a New York City water supply reservoir.

**NYSDOT, Stewart Airport Environmental Assessments, Orange County, New York.** Dr. Pease is currently providing technical expertise for the environmental assessments being performed by HDR at the Stewart Airport redevelopment project for the NYSDOT.

**Bethlehem Steel Brownfield Redevelopment, LVIP, Bethlehem, PA.** Dr. Pease was the senior engineer consulting on remedial requirements consistent with the interagency requirements (Pa and EPA) and the remedial plans for the site. He assists in the interpretation of investigational data, and environmental restoration and reuse plans and specifications. Each parcel on the site has site-specific remedial requirements. Dr. Pease is consulted on and guides the selection of appropriate design requirements in each parcel's redevelopment plan. He has guided and developed remedial designs for the site including removals, capping and stream restoration. Development of long term groundwater remediation strategies is underway.

**Landfill Investigation and Monitoring Program, Various Locations.** Dr. Pease was the Principal-in-Charge responsible for numerous landfill investigation and monitoring programs throughout the last 20 years of his career. He designed, negotiated, supervised and interpreted the monitoring programs at dozens of New York landfills, for both public and private clients. He provided similar services for Tybouts Corner Landfill in Delaware, Lovett site in New York, and Tuxedo Park landfill in New York.

**LaGuardia and JFK Airport Site Investigations.** Dr. Pease was responsible for the investigation of various contaminants including petroleum and a UST closure at LaGuardia and JFK.

**Novak Sanitary Landfill, South Whitehall, PA.** Dr. Pease was the senior engineer who defined approaches to project objectives and guided the interpretation of data and analyses. He assessed landfill gas issues, groundwater transport, residential well data, annual reports, and effectiveness of the remedy implemented at the Site. Dr. Pease also interpreted compliance with state and federal regulatory programs.

**New York City Department of Sanitation, Site Investigations, New York.**

Dr. Pease managed projects with asbestos investigations and abatement at commercial and industrial sites in New York for the New York City Department of Sanitation and in Pennsylvania.

**Hudson River Psychiatric Center (HRPC) and Associated Landfills, Poughkeepsie, New York.**

Dr. Pease has provided technical oversight for a remedial investigation/feasibility study (RI/FS) conducted at the Hudson River Psychiatric Center (HRPC) in Poughkeepsie, NY, for the Dormitory Authority of the State of New York (DASNY). Stream sediments on the property had been found to be contaminated with high levels of PCBs. The source was determined to be PCB transformers in a vault with a floor drain leading to the stream. HDR|LMS conducted an interim remedial measure (IRM) to remove the source of the PCB contamination, including the vault floor, sewer line, and surrounding soils. The RI/FS delineated the PCB contamination in the streambed, evaluated remedial alternatives, and recommended a remedy. HDR|LMS specified the remedy and inspected the remediation.

**Consolidated Edison, Echo Avenue Site, New Rochelle, New York.**

Dr. Pease was the partner-in-charge of the Echo Avenue (Westchester County, NY) project for Consolidated Edison Company, of New York. Con Ed retained HDR|LMS first to investigate and then to remediate its site in New Rochelle. The project involved progressive steps of testing, demolition, and remediation of PCB and other contamination of soil, groundwater and sediment. Dr. Pease also served as an expert to respond to a neighbor's claim against Con Ed, providing an expert report, affidavits, and expert testimony in deposition. Dr. Pease provided critical review of the final remediation report that was submitted to NYSDEC in 2001 that documented that the cleanup objectives were achieved. An addendum, again reviewed by Dr. Pease, was prepared after the 2002-2003 remediation was completed.

**Jones Sanitation Superfund Site, Hyde Park, New York.**

Dr. Pease was the Hazardous Waste Technical Consultant for this project. Responsible for initial site investigation and EPA negotiations. He directed the staffing and tasking on the design stage, with land use controls imposed by the agency.

**New York City Department of Environmental Protection, Pennsylvania Avenue and Fountain Avenue Landfills.**

Dr. Pease supervised the risk assessment for the Pennsylvania Avenue and Fountain Avenue landfills on Jamaica Bay. HDR assessed the on-site wetland and upland habitat, performed aquatic sampling for fish and shellfish, and assessed bioaccumulation of metals and PCBs.

**Term Contract for Hazardous Waste Assessment and Remediation Design, NYSDOT - Various Locations in Downstate New York**

Dr. Pease has been

the partner-in-charge and technical adviser for a number of these projects, which have entailed the full spectrum of site investigations and remedial activities. HDR|LMS is continuing to conduct projects for the New York State Department of Transportation (NYSDOT), for hazardous waste and petroleum site assessments in the downstate area (NYSDOT Regions 8, 10, and 11). Our current site assessment contract is the fourth such term contract that we have been awarded by NYSDOT since 1993; each term contract is for a period of three years with an optional fourth year. Services provided under the site assessment term contract include: inspection of buildings and project sites; preparation of site specific work plans; collection of soil, groundwater and air samples; evaluation and assessment of site environmental conditions; design of remedial plans to address site impacts; engineering services during construction or remedial projects; and assistance with operation/maintenance/ monitoring of active remediation sites including on- and off-site groundwater monitoring. HDR|LMS has completed over 60 hazardous waste projects and is currently working on an additional 10 projects under this term contract for NYSDOT.

**Feasibility Study Projects, Various Locations in New York.** Dr. Pease supervised numerous state and Federal Superfund site projects including Jones Sanitation site, the Big V site, the Mohonk Road Industrial Plant site, and others. These studies evaluated remedial alternatives for metals, PCB and solvent contamination, and led to Federal and state approvals of proposed remedial activities.

#### **Relevant Publications**

"Making Strides in Risk-Based Cleanups". Presented at the Albany Environmental Breakfast Club. 7 February 1997.

"Brownfields: Expediting Risk-Based Remediation". Presented at the 28th Mid-Atlantic Industrial and Hazardous Waste Conference, Buffalo, New York, 15-17 July 1996. (with R.M. Fritsch and W.K. Ahlert)

"A Risk Assessment Case Study and New Developments in Planning Remediation." Presented at the Conference on Current Topics in Environmental Management: Air, Hazardous Waste, Water, Wastewater, Groundwater in November, 1995 (with R.M. Fritsch)

Subpart X status; Lead Mobility in Groundwater. At work in Characterization and Remediation of explosives- Contaminated Soils. 1993. Chattanooga, TN.

An evaluation of PCB analysis in soils. 1993. At PCB Seminar, New Orleans, Louisiana, (with W.K. Ahlert and McLoughlin).

Cost effective accelerants for soil venting. 1991. AICHE National Conference, Los Angeles, California, November 17-22, 1991. (with T.B. Vanderbeek)

Testing of multiple hypothesis in groundwater monitoring programs. 1988. Groundwater Issues for the Electrical Utility Industry: Technology and Policy. (with J. A. Clock, and A. Wells)

Impact assessment for hazardous waste discharges from power plants. American Society of Civil Engineers Energy Division Specialty Conference, Session No. E11, Atlantic City, NJ. 1987. (with J.P. Lawler and C.M. Logan)

Statistical optimization of design conditions for thermal discharge diffuser. At Ocean, Nuclear Energy and Man Conference, palm Beach Shores, Florida, April 1973; published in Power Division, ASCE, Journal, July 1975. (with M.J. Skelly)

Oceanographic application of radar altimetry from a spacecraft, and Radar altimetry from a spacecraft and its potential applications. Published in Remote Sensing of Environment, Vol. 1, 1967. (with J. A. Greenwood, A. Nathan, G. Neumann, W. J. Pierson, and F.C. Jackson)

# Theresa Schneider

## Education

B.S., Geology, State University at New Paltz, New York, 1988

## Registration

Certified Lead Risk Assessor, United States Environmental Protection Agency, New York State Jurisdiction

## Professional Endeavors

HDR Engineering, Inc.  
1997 - Present

## Experience

As a project geologist and project manager, Ms. Schneider is also responsible for all phases of PSA and Phase II investigations, including:

- Design and supervision of monitoring well installation
- Groundwater flow and contaminant migration analyses
- Soil, soil vapor, groundwater, surface water, air, and waste sampling activities
- Geophysical and geotechnical investigation
- Supervision of test pit and borehole excavations
- Environmental regulatory compliance and permitting
- Screening and evaluation of remedial treatment technologies
- Draft and Final Phase II and PSA reports

Ms. Schneider has conducted and managed numerous Phase I investigations for various clients including the Federal Aviation Administration, New York State Department of Environmental Conservation (NYSDEC), the New York State Department of Transportation, The New York State Office of General Services, The Construction Authority of the City of New York, utility companies, local municipal agencies, real estate development companies, banks and other private sector clients. Ms. Schneider has experience in writing SEQRA and Non-SEQRA draft and final environmental impact statements (DEIS, EIS) and environmental assessments for CPIP, New York State Department of Transportation (NYSDOT), Con Edison, municipal and other agencies. She has managed and conducted several site assessments for the U.S. Environmental Protection Agency (EPA) under the Code of Federal Regulations (40 CFR Part 300, Appendix A) Hazard Ranking System (HRS). Ms. Schneider has also performed air quality compliance assessments during asbestos and lead abatement projects and, as a certified lead-based paint risk assessor, Ms. Schneider is responsible for conducting inspections and performing risk assessments. Ms. Schneider has also assisted with reviews of permit applications for wireless communication facilities.

Ms. Schneider has extensive experience as a project manager and project geologist at petroleum-contaminated sites. As a project manager Ms. Schneider is responsible for the groundwater removal, treatment, disposal operations, and long-term monitoring at a NYSDOT petroleum spill site, working closely with the client and NYSDEC to achieve groundwater compliance and closure.

**Phase I Site Assessments/Environmental Impact Statements/ Hazard Ranking System Assessments.** Ms. Schneider has more than 16 years' experience conducting Phase I investigations for the Federal Aviation Administration (FAA), New York State Department of Transportation (NYSDOT), New York City School Construction Authority (SCA), New York State Department of Environmental Conservation (NYSDEC), The New York State Office of General Services, utility companies, municipal agencies, and private sector clients. Wrote and reviewed draft and final environmental impact statements and environmental assessments for the NYSDOT, municipalities and private sector clients. Performed site evaluations United States Environmental Protection Agency (USEPA) under the Code of Federal Regulations (40 CFR Part 300, Appendix A) Hazard Ranking System (HRS) utilizing PA-Score and Pre-Score software.

Phase I assessments included a 6-mile vacant former railroad bed; a 1000+-acre property; proposed site of an air traffic control tower and various industrial, commercial and agricultural properties. The purpose of the these Environmental Site Assessments (ESAs) was to identify the presence, or likely presence, of hazardous substances or petroleum products under conditions that indicate an existing release, past release, or a material threat of a release of hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water. These assessments were completed in conformance with the ASTM Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process- ASTM E 1527-00. Environmental impact statements include a generic environmental impact statement (GEIS) for a local government agency for the siting of wireless cell phone facilities.

**Phase II Investigation /Remedial Activities/Landfill Closure Activities.** As a project geologist and project manager Ms. Schneider is responsible for all phases of Phase II investigations, remedial activities and post closure activities at several sites for the NYSDEC and NYSDOT, which includes, but is not limited to the following:

- Initial site inspection
- Work plan development
- Site-specific Health and Safety Plan (HASP)
- Site-specific Quality Assurance Plan (QAP)
- Design and supervision of monitoring well installation
- Groundwater flow and contaminant migration analyses
- Soil, soil vapor, groundwater, surface water, air, and waste sampling activities
- Geophysical and geotechnical investigation
- Supervision of test pit and borehole excavations
- Environmental regulatory compliance and permitting

- Screening and evaluation of remedial treatment technologies
- Closure and post closure activities
- Draft and Final reports

Ms. Schneider has also been responsible for oversight and inspection of interim remedial measures (IRMs) at solid waste facilities (regrading and stabilizing slopes, installation of leachate collection systems, and final capping).

**Lead-Based Paint Risk Assessments.** As a certified lead risk assessor, Ms. Schneider has been and is responsible for conducting lead-based paint risk assessments at several facilities and properties in New York State for municipal, professional and private sector clients. Ms. Schneider's responsibilities include the evaluation of lead hazards through risk assessments and/or paint inspections which include but are not limited to, the following:

- Visual Inspection to determine the location, severity and nature of the hazards (i.e. condition of painted surfaces, need for structural repairs, etc.)
- Determination of locations for sampling (i.e. paint chip, dust, soil, etc.)
- Work plan development
- Coordination with state and local agencies (i.e. NYSDEC, NYSDOH, planning boards, etc.)
- Evaluation of findings
- Identification of hazards
- Evaluation of abatement alternatives, etc.
- Over-site and management of abatement activities
- Over-site and management of clearance activities

**Wireless Permit Application Reviews.** Ms. Schneider has extensive experience reviewing wireless permit applications for several local agencies (i.e. planning boards), which includes site visits, and review of the following documents and reports:

- Coverage Maps
- Radio Frequency Reports
- Site Plans
- Photographic Simulations
- Structural and Geotechnical Analyses
- Visual Impact Assessment Reports

- Alternative Stealthing Technologies