

NEW ACTIVE TUBERCULOSIS CASES AND RATES BY BOROUGH

New York City, 1954-1966

Year	New York City	Manhattan	Bronx	Brooklyn	Queens	Richmond
NEW CASES REPORTED						
1954	6,582	3,404	804	1,619	672	83
1955 (*)	6,214	2,994	872	1,644	605	99
1956	6,137	2,895	850	1,700	626	66
1957	6,117	3,002	821	1,598	634	62
1958	5,482	2,602	751	1,501	559	69
1959	4,924	2,290	725	1,371	478	60
1960	4,699	2,141	690	1,359	466	43
1961	4,360	1,832	704	1,318	458	48
1962	4,437	1,746	770	1,380	504	37
1963	4,891	1,913	734	1,615	580	49
1964	4,207	1,562	706	1,406	485	48
1965	4,242	1,647	661	1,388	473	73
1966	3,663	1,395	646	1,132	443	47
CASE RATE PER 100,000 (†)						
1954	84	183	56	61	40	41
1955	79	163	61	62	35	48
1956	79	160	60	65	36	31
1957	78	168	58	61	36	29
1958	70	148	53	57	31	32
1959	63	133	51	52	27	27
1960	60	127	48	52	26	19
1961	56	108	49	50	25	22
1962	57	106	54	53	27	16
1963	63	116	51	62	31	21
1964	54	94	49	54	26	20
1965	55	97	46	53	25	29
1966	46	81	44	43	23	18

(*)Includes 51 infants, recently tuberculin positive, given prophylactic antimicrobials. (†)Case rates based on revised population estimates taking into account the 1960 enumeration by the U.S. Bureau of the Census.

NEW CASES OF ACTIVE TUBERCULOSIS REPORTED IN NEW YORK CITY

By Health Center Districts, 1956-1966

Health District	New Cases Reported During Year										
	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
New York City	6137	6117	5482	4924	4699	4360	4437	4891	4207	4242	3663
MANHATTAN	2895	3002	2602	2290	2141	1832	1746	1913	1562	1647	1395
Central Harlem	692	658	611	514	581	464	439	515	380	446	351
East Harlem	247	277	242	245	168	166	196	189	169	148	142
Kips Bay-Yorkville ..	100	116	95	99	74	65	68	58	66	45	53
Lower East Side	800	911	734	655	562	520	416	471	350	418	342
Lower West Side	494	568	477	386	325	258	274	288	260	248	199
Riverside	309	293	291	263	275	230	228	253	218	208	169
Washington Hgts.	253	179	152	128	156	129	125	139	119	134	139
BRONX	850	821	751	725	690	704	770	734	706	661	646
Ford'm-Riverdale	47	87	64	75	48	48	66	50	58	52	50
Morrisania	232	244	217	201	198	233	264	224	215	192	208
Mott Haven	325	245	203	191	234	227	229	211	185	193	154
Pelham Bay	41	44	42	60	43	33	45	35	44	41	47
Tremont	132	114	130	125	114	99	98	135	137	112	113
Westchester	73	87	95	73	53	66	68	79	82	71	74
BROOKLYN	1700	1598	1501	1371	1359	1318	1380	1619	1406	1388	1132
Bay Ridge	76	76	70	60	58	54	67	71	53	49	54
Bedford	420	309	349	286	291	329	329	337	336	345	304
Brownsville	156	170	153	165	163	138	178	237	214	189	147
Bushwick	131	133	138	109	130	126	156	182	153	137	105
Flatbush	84	110	100	94	85	88	76	105	67	107	80
Fort Greene	279	251	231	235	213	223	214	239	192	170	151
Gravesend	73	66	65	48	66	50	38	64	64	61	49
Red Hook-Gowanus	185	173	133	150	136	102	113	141	113	106	88
Sunset Park	112	124	88	80	81	66	72	85	73	77	60
Wmsbrg.-Greenp't.	184	186	174	144	136	142	137	154	141	147	94
QUEENS	626	634	559	478	466	458	504	580	485	473	443
Astoria-L.I.C.	131	119	104	79	70	69	72	94	57	61	63
Corona	75	90	84	89	70	67	82	84	87	76	75
Flushing	76	86	97	77	84	71	75	90	67	62	77
Jamaica East	152	173	119	104	121	115	130	158	144	150	110
Jamaica West	107	97	99	72	75	88	92	81	93	74	82
Maspeth-Forest Hills.	85	69	56	57	46	48	53	73	37	50	36
RICHMOND	66	62	69	60	43	48	37	49	48	73	47

NEW CASE RATE
NEW CASES OF ACTIVE TUBERCULOSIS REPORTED IN NEW YORK CITY

By Health Center Districts, 1956-1966

Health District	New Case Rate Per 100,000 Population†										
	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
NEW YORK CITY	79	78	70	63	60	56	57	63	54	53	46
MANHATTAN	160	168	148	133	127	108	106	116	94	97	81
Central Harlem	287	276	258	219	250	200	193	226	167	191	149
East Harlem	132	151	133	137	95	94	108	104	97	83	79
Kips Bay-Yorkville ..	43	51	43	45	35	30	32	27	30	20	24
Lower East Side	270	311	257	236	208	193	161	183	133	154	124
Lower West Side	162	190	167	141	125	99	108	114	102	95	75
Riverside	115	111	109	98	102	86	91	101	83	77	62
Washington Hgts.	89	64	55	47	58	48	47	52	46	51	51
BRONX	60	58	53	51	48	49	54	51	49	46	44
Ford'm-Riverdale	20	37	27	32	21	21	27	21	25	22	21
Morrisania	84	90	81	76	76	89	102	87	83	74	77
Mott Haven	148	112	92	86	104	101	106	97	85	87	67
Pelham Bay	24	25	24	33	23	18	25	19	23	21	25
Tremont	48	42	48	47	43	38	37	51	53	43	42
Westchester	29	34	37	28	20	25	25	30	25	26	28
BROOKLYN	65	61	57	52	52	50	53	62	54	53	43
Bay Ridge	25	26	24	21	20	19	23	25	19	17	19
Bedford	146	108	122	100	101	115	115	118	120	122	106
Brownsville	57	62	54	56	54	46	56	75	70	61	49
Bushwick	61	62	64	50	60	58	74	86	73	65	48
Flatbush	18	23	21	20	18	18	16	22	14	22	17
Fort Greene	127	114	106	109	99	104	100	112	92	81	70
Gravesend	26	23	23	16	22	17	13	21	21	20	16
Red Hook-Gowanus	111	104	81	92	84	63	72	90	72	67	54
Sunset Park	56	63	45	41	42	34	39	46	39	41	31
Wmsbrg.-Greenp't. ...	94	97	90	75	71	74	74	84	75	78	49
QUEENS	36	36	31	27	26	25	27	31	26	25	23
Astoria-L.I.C.	50	46	40	31	27	27	28	36	23	24	23
Corona	36	43	40	41	32	31	37	38	37	32	32
Flushing	18	20	22	17	19	16	16	20	14	12	16
Jamaica East	54	61	41	36	41	39	41	50	47	48	35
Jamaica West	36	33	33	24	24	28	29	25	29	23	25
Maspeth-For. Hills ..	30	25	20	20	16	17	19	26	13	17	12
RICHMOND	31	29	32	27	19	22	16	21	20	29	18

†Case rates based on population estimates as of July 1st.

SOURCES OF REPORT, NEW CASES OF ACTIVE TUBERCULOSIS, ALL FORMS
New York City, 1956-1966

Source of Report	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
NUMBER OF NEW CASES REPORTED											
Hospitals in city	3100	3209	3062	2781	2732	2523	2502	2736	2317	2513	1983
Health Dept. clinic	2035	1894	1535	1430	1274	1173	1227	1406	1214	1073	1031
Other clinics	497	465	406	328	301	267	248	283	288	265	282
Private physicians	276	239	247	208	194	199	199	245	191	227	195
Sanatoria, out-of-town	125	151	116	88	107	113	108	99	93	72	105
Other sources	104	159	116	89	91	85	153	122	104	92	67
All sources	6137	6117	5482	4924	4699	4360	4437	4891	4207	4242	3663
PER CENT DISTRIBUTION BY SOURCE											
Hospitals in city	50.5	52.4	55.9	56.5	58.2	57.9	56.4	55.9	55.1	59.2	54.1
Health Dept. clinic	33.2	31.0	28.0	29.0	27.1	26.9	27.7	28.8	28.9	25.3	28.2
Other clinics	8.1	7.6	7.4	6.7	6.4	6.1	5.6	5.8	6.8	6.2	7.7
Private physicians	4.5	3.9	4.5	4.2	4.1	4.6	4.5	5.0	4.5	5.4	5.3
Sanatoria, out-of-town	2.0	2.5	2.1	1.8	2.3	2.6	2.4	2.0	2.2	1.7	2.9
Other sources	1.7	2.6	2.1	1.8	1.9	1.9	3.4	2.5	2.5	2.2	1.8
All sources	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: Included are newly reported cases identified through death certificates or reported at time of death only.

SOURCES OF REPORT, NEW CASES OF ACTIVE TUBERCULOSIS, BY ETHNIC GROUP AND SEX

New York City, 1966

Source of Report	All* Ethnic Groups		White		Negro		Puerto Rican		Other Ethnic Groups	
	T	M F	T	M F	T	M F	T	M F	T	M F
Hospitals in city.....	1983	1325 658	771	543 228	910	584 326	116	58 58	186	140 46
Health Dept. clinic.....	1031	623 408	269	204 85	393	221 172	211	115 96	138	83 55
Other clinics.....	282	176 106	69	44 25	144	89 55	26	11 15	43	32 11
Private physicians.....	195	121 74	97	62 35	17	7 10	7	3 4	74	49 25
Sanatoria, out-of-town...	105	88 17	55	46 9	34	29 5	3	3 --	13	10 3
Other sources.....	67	37 30	25	11 14	23	12 11	2	2 --	17	12 5
All sources.....	3663	2370 1293	1306	910 396	1521	942 579	365	192 173	471	326 145

*Totals include persons of other ethnic groups and those whose ethnic group was not reported.
M-Male, F-Female

NEWLY REPORTED CASES OF ACTIVE PULMONARY TUBERCULOSIS,
IN PERSONS 10 YEARS OF AGE AND OVER,
BY STAGE AT TIME OF REPORT

New York City, 1954-1966

Year	Stage of Disease						Un- known †	Dead ‡	Total New Cases *
	Minimal		Mod. Adv.		Far Adv.				
	Num- ber	Per cent	Num- ber	Per cent	Num- ber	Per cent			
1954	935	19.3	2411	49.9	1489	30.8	332	272	5439
1955	834	18.9	2166	49.0	1421	32.1	418	225	5064
1956	902	20.3	2187	49.2	1356	30.5	454	190	5089
1957	827	18.4	2429	54.1	1232	27.5	460	214	5162
1958	764	19.7	2018	52.0	1100	28.3	478	153	4513
1959	731	20.0	1975	54.1	948	25.9	398	144	4196
1960	653	20.4	1585	49.7	954	29.9	564	167	3923
1961	530	18.0	1451	49.4	959	32.6	516	179	3635
1962	504	16.8	1447	48.4	1040	34.8	512	199	3702
1963	689	21.1	1567	47.9	1015	31.0	603	183	4057
1964	564	20.8	1314	48.6	827	30.6	505	171	3381
1965	605	22.5	1231	45.8	851	31.7	525	177	3389
1966	520	23.2	1108	49.5	611	27.3	547	156	2952

†Stage of disease unknown.

‡Cases identified through death certificate or reported at time of death only.

*Pulmonary cases only.

**NEWLY REPORTED CASES OF ACTIVE PULMONARY TUBERCULOSIS,
IN PERSONS 10 YEARS OF AGE AND OVER
BY AGE, SEX AND ETHNIC GROUP BY STAGE AT TIME OF FIRST REPORT**

New York City, 1966

Age, Ethnic Group	MALES						FEMALES						
	Total	Stage				Dead	Total	Stage				Dead	
		Min- imal	Mod. Adv.	Far Adv.	Not Rep.			Min- imal	Mod. Adv.	Far Adv.	Not Rep.		
WHITE													
10-14	10	1	2	-	7	-	9	-	2	-	7	-	
15-24	34	9	16	5	4	-	45	17	15	4	9	-	
25-34	59	13	26	8	12	-	55	21	20	5	8	1	
35-44	125	21	50	36	15	3	46	9	20	6	9	2	
45 +	585	67	246	129	75	68	160	17	71	26	31	15	
Total* ..	813	111	340	178	113	71	315	64	128	41	64	18	
NEGRO													
10-14	7	1	-	-	6	-	19	4	3	-	12	-	
15-24	63	12	26	11	14	-	77	18	30	17	12	-	
25-34	169	29	64	35	35	6	103	23	38	18	21	3	
35-44	188	26	58	51	44	9	110	20	32	34	16	8	
45 +	340	52	108	88	65	27	105	18	29	23	26	9	
Total* ..	767	120	256	185	164	42	414	83	182	92	87	20	
PUERTO RICAN													
10-14	7	-	-	-	7	-	6	1	1	-	4	-	
15-24	36	10	11	11	4	-	25	9	11	5	-	-	
25-34	26	3	14	7	2	-	37	12	16	6	3	-	
35-44	32	9	9	12	2	-	18	8	5	4	1	-	
45 +	48	7	18	15	4	4	33	8	10	8	6	1	
Total* ..	149	29	52	45	19	4	119	38	43	23	14	1	
OTHER ETHNIC GROUPS													
10-14	2	1	-	1	-	-	2	1	-	-	1	-	
15-24	15	7	4	1	3	-	17	5	10	1	1	-	
25-34	40	10	19	2	7	2	23	8	10	2	3	-	
35-44	41	8	16	10	6	1	24	10	12	1	1	-	
45 +	171	21	66	26	51	7	40	4	20	3	13	-	
Total* ..	269	47	105	40	67	10	106	28	52	7	19	-	
GRAND TOTAL	1998	307	753	448	363	127	954	213	355	163	184	39	

*Totals include persons of unknown age.

PULMONARY TUBERCULOSIS NEW CASES,
DEATHS AND RATIO OF DEATHS
TO NEWLY REPORTED PULMONARY CASES
New York City, 1900-1966

Period	New Cases		Deaths		Deaths per 100 New Cases Reported
	Number*	Rate†	Number	Rate†	
1900-04	72,551	396	40,390	220	56
1905-09	109,633	508	44,001	204	40
1910-14	123,605	498	43,592	176	35
1915-19	87,941	326	42,235	156	48
1920-24	63,600	214	26,072	88	41
1925-29	55,878	170	23,191	71	42
1930-34	54,185	154	20,830	59	38
1935-39	43,936	120	19,044	52	43
1940-44	41,328	109	16,516	44	40
1945-49	34,153	88	14,396	37	42
1950	6,518	83	2,154	27	33
1951	6,331	80	1,978	25	31
1952	6,021	77	1,460	18	24
1953	6,110	78	1,183	15	19
1954	5,439	69	1,048	13	19
1955	5,064	65	1,023	13.1	20
1956	5,089	65	916	11.7	18
1957	5,162	66	931	11.9	18
1958	4,513	58	772	9.9	17
1959	4,196	54	736	9.4	18
1960	3,923	50	763	9.8	19
1961	3,635	47	688	8.8	19
1962	3,702	48	694	8.9	19
1963	4,057	52	645	8.3	16
1964	3,381	43	536	6.8	16
1965	3,389	43	552	6.9	16
1966	2,952	37	502	6.2	17

†Rate per 100,000 population.

*Excludes Primary TB.

Note: Number of new cases and deaths prior to 1950, shown above, are totals during each quinquennial period.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE, SEX AND DIAGNOSIS

New York City, 1966

ALL ETHNIC GROUPS

Age (in years)	Sex	Total (New Active)	Adult Pulmonary			Primary (Children under 10 years of age)	Milli- ary	Pleural Effusion	Menin- gitis	Other TB	
			Total	M.A.	F.A.						N.S.
	Total	3,663	2,952	523	1,129	696	604	43	122	24	280
All ages	Male	2,370	1,998	309	768	515	406	17	83	15	125
	Female	1,293	954	214	361	181	198	26	39	9	155
Under 5	Male	84	--	--	--	--	--	1	--	5	1
	Female	85	--	--	--	--	--	2	--	2	7
5 - 9	Male	59	--	--	--	--	--	1	--	--	4
	Female	44	--	--	--	--	--	--	2	2	4
10-14	Male	39	26	3	2	1	20	--	--	--	13
	Female	44	36	6	6	--	24	--	1	--	7
15-19	Male	63	49	12	16	10	11	--	4	--	10
	Female	72	63	21	17	13	12	--	2	--	6
20-24	Male	118	99	26	41	18	14	1	10	1	7
	Female	125	101	28	49	14	10	4	3	1	6
25-34	Male	343	294	55	125	55	59	2	19	1	27
	Female	261	218	65	84	32	37	5	8	1	29
35-44	Male	431	386	64	133	118	71	2	18	2	23
	Female	245	198	47	71	51	29	4	10	2	31
45-54	Male	466	436	57	168	132	79	4	11	2	13
	Female	155	125	19	44	31	31	3	9	--	18
55-64	Male	400	379	51	149	93	86	3	8	--	10
	Female	105	89	14	36	14	25	1	1	--	14
65-74	Male	218	200	27	88	55	30	1	4	--	13
	Female	75	54	7	20	17	10	4	3	--	14
75 & over	Male	114	102	9	41	29	23	1	7	3	1
	Female	55	49	5	25	7	12	1	1	1	4
Not stated	Male	35	27	5	5	4	13	1	2	1	3
	Female	27	21	2	9	2	8	1	--	--	5

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE, SEX AND DIAGNOSIS

New York City, 1966

WHITE

Age (in years)	Sex	Total (New Active)	Adult Pulmonary				Primary (Children under 10 years of age)	Mili- ary	Pleural Effusion	Menin- gitis	Other TB
			Total	Min.	M.A.	F.A.					
All ages	Total	1,306	1,128	176	479	257	216	28	8	83	
	Male	910	813	112	349	210	142	20	5	37	
	Female	396	315	64	130	47	74	8	3	46	
Under 5	Male	20	-	-	-	-	-	-	2	-	
	Female	13	-	-	-	-	-	-	-	3	
	Male	12	-	-	-	-	-	-	-	3	
	Female	8	-	-	-	-	-	-	-	-	
10 - 14	Male	11	10	1	2	-	7	-	-	1	
	Female	9	9	-	2	-	7	-	-	-	
15 - 19	Male	17	12	3	4	2	3	3	-	2	
	Female	18	17	9	3	-	5	1	-	-	
20 - 24	Male	26	22	6	12	3	1	1	-	2	
	Female	35	28	8	12	4	4	1	1	4	
25 - 34	Male	69	59	13	26	8	12	1	-	9	
	Female	60	55	21	20	5	9	1	-	4	
35 - 44	Male	136	125	21	50	39	15	3	1	6	
	Female	58	46	9	20	7	10	1	1	10	
45 - 54	Male	173	166	27	64	53	22	2	-	4	
	Female	48	41	5	16	10	10	2	-	4	
55 - 64	Male	219	212	22	99	50	41	2	-	3	
	Female	55	48	7	20	8	13	-	-	7	
65 - 74	Male	131	124	11	59	33	21	1	-	5	
	Female	45	31	4	12	9	6	2	-	9	
75 & over	Male	88	78	6	31	22	19	6	2	1	
	Female	40	35	1	22	3	9	-	1	4	
Not stated	Male	8	5	2	2	-	1	-	-	1	
	Female	7	5	-	3	-	1	-	-	1	

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE, SEX AND DIAGNOSIS
 New York City, 1966
 NON-WHITE*

Age (in years)	Sex	Total (New Active)	Adult Pulmonary				Primary (Children under 10 years of age)	Milli- ary	Pleural Effusion	Menin- gitis	Other TB
			Total	Min.	M.A.	F.A.					
All ages	Total	2,357	1,824	347	650	439	388	94	16	197	
	Male	1,460	1,185	197	419	305	264	63	10	88	
	Female	897	639	150	231	134	124	31	6	109	
Under 5	Male	64	--	--	--	--	--	--	3	1	
	Female	72	--	--	--	--	--	--	2	4	
	Male	47	--	--	--	--	--	--	--	1	
	Female	36	--	--	--	--	--	2	2	4	
10 - 14	Male	28	16	2	--	1	13	--	--	12	
	Female	35	27	6	4	--	17	1	--	7	
	Male	46	37	9	12	8	8	1	--	8	
	Female	54	46	12	14	13	7	1	--	6	
	Male	92	77	20	29	15	13	9	1	5	
	Female	90	73	20	37	10	6	2	--	12	
	Male	274	235	42	99	47	47	18	1	13	
	Female	201	163	44	64	27	28	7	1	25	
	Male	295	261	43	83	79	56	15	1	17	
	Female	187	152	38	51	44	19	9	1	21	
	Male	293	270	30	104	79	57	9	2	9	
	Female	107	84	14	28	21	21	7	--	14	
	Male	181	167	29	50	43	45	6	--	7	
	Female	50	41	7	16	6	12	1	--	7	
	Male	87	76	16	29	22	9	3	--	8	
	Female	30	23	3	8	8	4	1	--	5	
	Male	26	24	3	10	7	4	1	1	--	
	Female	15	14	4	3	4	3	--	1	--	
	Male	27	22	3	3	4	12	1	1	2	
	Female	20	16	2	6	1	7	--	--	4	

*The total of 2,357 cases includes Puerto Rican cases and cases with ethnic group not reported as well as all other Non-Whites.

NEWLY REPORTED CASES OF ACTIVE TUBERCULOSIS BY FORM

New York City, 1956-1966

Year	Total All Forms	Pulmonary		Gener- alized Miliary	Menin- gitis	Pleural Effusion	Other Forms
		10 Years+	Under 10				
1956, Reported during life.	5,900	4,899	493	30	23	124	331
Death Certif. Report.	237	190	--	7	12	-	28
Total	6,137	5,089	493	37	35	124	359
1957, Reported during life.	5,852	4,948	422	16	25	124	317
Death Certif. Report.	265	214	--	12	21	--	18
Total	6,117	5,162	422	28	46	124	335
1958, Reported during life.	5,276	4,360	443	18	18	112	325
Death Certif. Report.	206	153	--	20	16	2	15
Total	5,482	4,513	443	38	34	114	340
1959, Reported during life.	4,752	4,052	337	14	10	87	252
Death Certif. Report.	172	144	--	12	10	1	5
Total	4,924	4,196	337	26	20	88	257
1960, Reported during life.	4,491	3,756	329	22	17	105	262
Death Certif. Report.	208	167	--	19	13	1	8
Total	4,699	3,923	329	41	30	106	270
1961, Reported during life.	4,142	3,456	343	19	19	73	232
Death Certif. Report.	218	179	--	17	10	12	--
Total	4,360	3,635	343	36	29	85	232
1962, Reported during life.	4,197	3,503	298	29	9	100	258
Death Certif. Report.	240	199	1	16	10	1	13
Total	4,437	3,702	299	45	19	101	271
1963, Reported during life.	4,653	3,874	358	15	15	99	292
Death Certif. Report.	238	183	--	23	13	1	18
Total	4,891	4,057	358	38	28	100	310
1964, Reported during life.	3,998	3,210	319	20	17	112	320
Death Certif. Report.	209	171	--	15	5	1	17
Total	4,207	3,381	319	35	22	113	337
1965, Reported during life.	4,013	3,212	270	14	12	139	366
Death Certif. Report.	229	177	2	20	10	6	14
Total	4,242	3,389	272	34	22	145	380
1966, Reported during life.	3,466	2,786	242	25	18	120	275
Death Certif. Report.	197	166	--	18	6	2	5
Total	3,663	2,952	242	43	24	122	280

TUBERCULOSIS FIRST REPORTED AT TIME OF DEATH

In 1966, 197 persons with active tuberculosis (all forms) were first reported at time of death. Of these, 166 had pulmonary tuberculosis, 18 military tuberculosis, 6 tuberculosis meningitis, 2 tuberculosis of the pleura and 5 had other forms of tuberculosis.

Out of the 197 persons, 64 were residents of Manhattan, 73 of Brooklyn, 29 of the Bronx, 27 of Queens and 4 of Richmond.

With regard to ethnic group, 101 were White, 80 were Negro, 5 were Puerto Rican and 3 were Oriental; no ethnic data were available for the remaining 8 persons.

NEW CASES OF PULMONARY TUBERCULOSIS
FIRST REPORTED AT TIME OF DEATH BY BOROUGH†

New York City, 1953-1966

Year	N.Y. City		Manhattan		Bronx		Brooklyn		Queens		Richmond	
	Num-ber	Per-cent	Num-ber	Per-cent	Num-ber	Per-cent	Num-ber	Per-cent	Num-ber	Per-cent	Num-ber	Per-cent
1953	315	5.2	190	6.8	34	4.7	70	4.7	20	2.8	4	5.2
1954	272	5.3	144	5.5	37	5.9	70	5.4	19	3.3	2	2.7
1955	225	4.2	123	4.8	32	4.3	50	3.5	14	2.5	6	6.9
1956	190	3.7	93	3.9	14	2.0	51	3.6	31	5.6	1	1.7
1957	214	4.1	94	3.7	37	5.3	58	4.4	24	4.2	1	1.8
1958	153	3.4	64	3.0	27	4.3	36	3.0	22	4.7	4	6.4
1959	144	3.4	66	3.4	18	2.9	40	3.5	19	4.4	1	1.8
1960	167	4.3	95	5.3	9	1.6	48	4.3	15	3.7	0	--
1961	179	4.9	84	5.4	19	3.3	52	4.8	20	5.1	4	9.1
1962	200	5.4	87	5.9	29	4.6	55	4.8	27	6.3	2	5.6
1963	183	4.5	81	5.0	17	2.8	60	4.7	22	4.4	3	6.8
1964	171	5.1	74	5.8	29	5.2	48	4.4	18	4.4	2	4.4
1965	179	5.3	63	4.7	32	6.1	50	4.7	32	8.3	2	3.6
1966	166	5.6	51	4.5	27	5.1	62	6.9	23	6.3	3	7.9

†First identified through certificates or reported at time of death only.

Note: Primary TB cases (Children under 10) not included in computations.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASE RATES*
BY ETHNIC GROUP

New York City, 1956-1966

Year	Total	Ethnic Group			
		White	Negro	Puerto Rican	Other
1956	78.6	51.6	215.2	162.0	421.4
1957	78.4	53.4	195.3	159.3	316.5
1958	70.4	46.6	183.0	126.1	250.4
1959	63.2	41.2	159.4	117.2	171.8
1960	60.4	37.5	160.9	102.8	136.2
1961	56.0	32.9	158.2	98.9	127.1
1962	57.0	30.3	156.8	99.4	181.7
1963	62.9	31.4	182.1	103.3	209.8
1964	53.7	25.6	153.6	85.0	160.7
1965	53.3	24.8	159.7	71.4	152.9
1966	45.6	20.9	138.3	57.7	119.0

*Per 100,000 population.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY ETHNIC GROUP

New York City, 1965-1966

Ethnic Group	Year		Change 1965-1966	
	1965	1966	Number	Per cent
White	1,535	1,306	-229	-14.9
Negro	1,736	1,521	-215	-14.1
Puerto Rican	447	365	- 82	-18.3
Other	84	66	- 18	-21.4
Ethnic Group not Reported ..	440	405	- 35	- 8.0
All Ethnic Groups	4,242	3,663	-579	-13.6

MALES: NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE
By Health Center Districts, New York City, 1966

Health District	Total Male	Age Group											N.S.
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
NEW YORK CITY	2,370	84	59	39	63	118	163	180	431	466	400	332	35
MANHATTAN	972	34	25	11	17	30	62	76	191	218	179	123	6
Central Harlem	232	11	9	2	2	9	17	27	62	46	29	17	1
East Harlem	72	5	2	2	3	3	6	5	14	18	5	9	--
Kips Bay-Yorkville..	27	--	--	--	--	1	4	2	2	6	6	5	1
Lower East Side	272	8	9	5	8	8	7	11	49	68	61	36	2
Lower West Side	168	4	2	1	2	4	11	11	22	40	36	35	--
Riverside	116	4	2	--	1	3	10	13	25	24	23	9	2
Washington Heights..	85	2	1	1	1	2	7	7	17	16	19	12	--
BRONX	401	17	14	7	13	34	34	29	73	68	57	52	3
Fordham-Riverdale ..	31	--	1	--	--	1	3	2	3	5	5	11	--
Morrisania	119	7	4	1	3	11	9	11	20	27	17	9	--
Mott Haven	101	8	7	3	6	14	10	7	22	10	10	4	--
Pelham Bay	30	--	1	--	3	1	1	2	3	4	6	9	--
Tremont	71	2	1	3	--	3	7	7	17	15	6	9	1
Westchester	49	--	--	--	1	4	4	--	8	7	13	10	2
BROOKLYN	685	24	16	15	26	42	52	54	121	122	104	99	10
Bay Ridge	36	--	--	--	2	1	5	1	6	4	8	8	1
Bedford	181	7	3	--	4	14	17	22	35	39	21	13	6
Brownsville	79	5	1	5	1	6	7	9	15	17	9	4	--
Bushwick	59	3	7	4	3	4	6	3	11	6	5	7	--
Flatbush	51	--	--	--	1	1	1	2	5	6	16	18	1
Fort Greene	93	1	3	2	7	6	5	8	13	15	16	16	1
Gravesend	31	3	--	--	--	4	1	--	7	8	3	5	--
Red Hook-Gowanus ...	48	2	1	--	3	--	4	3	10	8	8	9	--
Sunset Park	42	1	1	2	5	1	3	3	4	7	10	5	--
Wmsbrg.-Greenpoint..	65	2	--	2	--	5	3	3	15	12	8	14	1
QUEENS	281	8	3	6	7	11	14	17	45	49	55	50	16
Astoria-L.I.C.	38	1	1	--	1	--	1	2	6	8	9	9	--
Corona	46	2	--	2	1	3	3	4	3	3	12	10	3
Flushing	55	3	1	1	3	--	4	3	11	8	11	8	2
Jamaica East	70	1	1	3	2	7	4	5	11	18	5	6	7
Jamaica West	50	1	--	--	--	1	2	3	12	8	10	11	2
Maspeth-For. Hills..	22	--	--	--	--	--	--	--	2	4	8	6	2
RICHMOND	31	1	1	--	--	1	1	4	1	9	5	8	--

N.S. - Age not stated.

Among males newly reported to have tuberculosis in 1966, 7.7% were less than 15 years of age, 40.3% were in the 15 to 44 age group, 50.5% were 45 years and older, and in 1.5% age was not stated.

FEMALES: NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY AGE
By Health Center Districts, New York City, 1966

Health District	Total Female	Age Group											N.S.
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
NEW YORK CITY	1,293	85	44	44	72	125	129	132	245	155	105	130	27
MANHATTAN	423	33	20	16	30	36	35	43	79	50	40	36	5
Central Harlem	119	9	6	3	9	12	9	14	28	16	9	4	--
East Harlem	70	11	5	4	5	2	7	6	11	7	4	8	--
Kips Bay Yorkville..	26	2	--	1	1	7	2	1	2	3	3	4	--
Lower East Side	70	3	5	8	6	5	4	8	8	8	7	7	1
Lower West Side ...	31	1	1	--	2	3	--	1	5	5	8	3	2
Riverside	53	6	1	--	3	3	8	8	10	2	6	4	2
Washington Heights..	54	1	2	--	4	4	5	5	15	9	3	6	--
BRONX	245	13	6	11	9	33	34	22	51	24	16	23	3
Fordham-Riverdale..	19	--	--	2	--	3	1	3	2	1	1	5	1
Morrisania	89	7	3	5	3	14	13	5	18	11	2	8	--
Mott Haven	53	4	1	2	1	6	9	5	13	7	2	3	--
Pelham Bay	17	--	--	--	--	1	1	--	7	1	5	2	--
Tremont	42	1	1	2	3	6	5	8	7	1	3	5	--
Westchester	25	1	1	--	2	3	5	1	4	3	3	--	2
BROOKLYN	447	33	14	15	22	44	44	45	85	55	30	49	11
Bay Ridge	18	2	--	1	1	3	2	--	3	1	2	3	--
Bedford	123	10	4	6	5	10	10	13	28	16	6	10	5
Brownsville	68	8	2	3	4	8	12	8	6	6	6	5	--
Bushwick	46	5	2	--	2	4	5	6	7	1	4	10	--
Flatbush	29	--	--	--	1	1	--	6	5	5	1	7	3
Fort Greene	58	2	1	2	5	7	5	6	18	7	1	3	1
Gravesend	18	1	1	1	1	--	3	--	3	3	1	3	1
Red Hook-Gowanus...	40	4	2	2	1	3	3	2	8	7	3	4	1
Sunset Park	18	--	--	--	2	3	--	--	3	2	5	3	--
Wmsbrg.-Greenpoint.	29	1	2	--	--	5	4	4	4	7	1	1	--
QUEENS	162	5	3	2	10	11	16	20	27	24	17	19	8
Astoria-L.I.C.	25	--	--	--	2	2	2	3	3	3	5	3	2
Corona	29	--	--	1	2	5	2	5	5	2	3	2	2
Flushing	22	1	1	--	--	1	2	2	5	3	2	4	1
Jamaica East	40	2	2	1	3	1	5	4	7	9	2	3	1
Jamaica West	32	2	--	--	1	--	5	4	4	6	3	6	1
Maspeth-For. Hills.	14	--	--	--	2	2	--	2	3	1	2	1	1
RICHMOND	16	1	1	--	1	1	--	2	3	2	2	3	--

N.S. - Age not stated.

Among females newly reported to have tuberculosis in 1966, 13.4% were less than 15 years of age, 54.4% were in the 15 to 44 age group, 30.2% were 45 years and older, and in 2.1% age was not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY ETHNIC GROUP

By Health Center Districts, New York City, 1966

Health District	All Ethnic Groups		White	Negro	Puerto Rican	Other	N.S.
	Number	Rate†					
NEW YORK CITY	3,663	45.6	1,306	1,521	365	111	360
MANHATTAN	1,395	80.9	446	608	125	69	147
Central Harlem	351	148.7	1	334	5	3	8
East Harlem	142	78.5	26	55	49	1	11
Kips Bay-Yorkville..	53	24.2	36	3	1	2	11
Lower East Side	342	123.9	183	48	29	26	56
Lower West Side	199	74.5	115	25	13	20	26
Riverside	169	61.9	49	70	13	10	27
Washington Heights..	139	50.9	36	73	15	7	8
BRONX	646	44.2	225	232	127	8	54
Fordham-Riverdale...	50	21.0	34	6	5	1	4
Morrisania	208	77.3	30	113	51	2	12
Mott Haven	154	67.2	45	47	46	3	13
Pelham Bay	47	24.9	21	16	3	1	6
Tremont	113	41.9	48	41	16	--	8
Westchester	74	27.9	47	9	6	1	11
BROOKLYN	1,132	42.9	381	540	111	14	83
Bay Ridge	54	18.5	49	2	--	--	3
Bedford	304	105.6	19	259	11	1	14
Brownsville	147	49.0	29	85	13	1	19
Bushwick	105	48.2	32	48	14	1	10
Flatbush	80	16.7	62	5	--	1	12
Fort Greene	151	69.9	37	90	9	4	11
Gravesend	49	16.4	30	9	3	1	6
Red Hook-Gowanus ...	88	54.0	36	20	27	1	4
Sunset Park	60	30.9	53	3	--	1	3
Wmsbrg.-Greenpoint..	94	48.7	37	19	34	3	1
QUEENS	443	22.7	220	129	1	18	75
Astoria-L.I.C.	63	22.8	42	7	--	3	11
Corona	75	31.8	34	19	--	6	16
Flushing	77	15.8	46	8	1	4	18
Jamaica East	110	34.7	23	72	--	3	12
Jamaica West	82	24.6	50	23	--	--	9
Maspeth-For. Hills..	36	11.8	25	--	--	2	9
RICHMOND	47	18.1	31	12	1	2	1

†Per 100,000 population. N.S. - Ethnic group not stated.

Classified by ethnic group, the new cases reported in New York City during 1966 were as follows: 35.7%, White; 41.5%, Negro; 10.0%, Puerto Rican; 3.0%, other ethnic groups. In 9.8%, ethnic group was not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY ETHNIC GROUP, SEX
and Health Center Districts, New York City, 1966

Health Districts	All Ethnic Groups			White		Negro		Puerto Rican		Yellow		Other		N.S.	
	Total	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F
NEW YORK CITY	3663	2370	1293	910	396	942	579	192	173	47	19	24	21	255	105
MANHATTAN	1395	972	423	333	113	410	198	69	56	33	15	13	10	114	33
Central Harlem	351	232	119	1	-	220	114	2	3	2	-	-	1	7	1
East Harlem	142	72	70	12	14	29	26	22	27	-	-	1	-	8	3
Kips-Bay-Yorkville..	53	27	26	18	18	2	1	-	1	-	1	1	-	6	5
Lower East Side ...	342	272	70	152	31	37	11	19	10	18	7	1	-	45	11
Lower West Side ...	199	168	31	95	20	23	2	10	3	13	3	4	-	23	3
Riverside	169	116	53	34	15	49	21	9	4	-	1	5	4	19	8
Washington Heights..	139	85	54	21	15	50	23	7	8	-	1	1	5	6	2
BRONX	646	401	245	146	79	143	89	67	60	1	1	5	1	39	15
Fordham-Riverdale..	50	31	19	23	11	2	4	4	1	1	-	-	-	1	3
Morrisania	208	119	89	19	11	68	45	23	28	-	-	2	-	7	5
Mott Haven	154	101	53	30	15	33	14	26	20	-	-	2	1	10	3
Pelham Bay	47	30	17	12	9	9	7	3	-	-	-	1	-	5	1
Tremont	113	71	42	32	16	25	16	7	9	-	-	-	-	7	1
Westchester	74	49	25	30	17	6	3	4	2	-	1	-	-	9	2
BROOKLYN	1132	685	447	261	123	308	232	55	56	6	-	3	5	52	31
Bay Ridge	54	36	18	31	18	2	-	-	-	-	-	-	-	3	-
Bedford	304	181	123	14	5	153	106	75	6	-	-	1	-	8	6
Brownsville	147	79	68	11	18	46	39	9	4	1	-	-	-	12	7
Bushwick	105	59	46	19	13	29	19	7	7	-	-	-	1	4	6
Flatbush	80	51	29	37	25	3	2	-	-	1	-	-	-	10	2
Fort Greene	151	93	58	29	8	50	40	5	4	1	-	-	3	8	3
Gravesend	49	31	18	21	9	3	6	3	-	1	-	-	-	3	3
Red Hook-Gowanus...	88	48	40	27	9	8	12	10	17	-	-	1	-	2	2
Sunset Park	60	42	18	39	14	1	2	-	-	-	-	1	-	1	2
Wmsbrg.-Greenpoint..	94	65	29	33	4	13	6	16	18	2	-	-	1	1	-
QUEENS	443	281	162	148	72	73	56	1	-	6	5	3	4	50	25
Astoria-L.I.C.	63	38	25	31	11	4	3	-	-	-	2	-	1	3	8
Corona	75	46	29	25	9	7	12	-	-	2	-	2	2	10	6
Flushing	77	55	22	30	16	5	3	1	-	4	-	-	-	15	3
Jamaica East	110	70	40	17	6	44	28	-	-	-	2	1	-	8	4
Jamaica West	82	50	32	30	20	13	10	-	-	-	-	-	-	7	2
Maspeth-For. Hills..	36	22	14	15	10	-	-	-	-	-	1	-	1	7	2
RICHMOND	47	31	16	22	9	8	4	-	1	1	-	-	1	-	1

N.S. - Race not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES

By Ethnic Group and Health Center Districts, New York City, 1961-1966

Health Center District	White					Negro					Puerto Rican							
	1961	1962	1963	1964	1965	1966	1961	1962	1963	1964	1965	1966	1961	1962	1963	1964	1965	1966
	1902	1837	1900	1555	1535	1306	1632	1667	1936	1665	1736	1521	580	609	633	527	447	365
NEW YORK CITY	663	621	632	535	572	446	733	718	824	647	717	608	289	239	245	174	162	125
MANHATTAN	9	11	12	2	6	1	427	406	478	356	418	334	16	12	16	8	2	5
Central Harlem	48	53	45	35	48	26	50	59	62	75	53	55	57	73	68	43	35	49
East Harlem	59	60	39	48	32	36	1	2	2	6	1	3	2	--	3	--	--	1
Kips Bay-Yorkville	258	192	212	155	204	183	72	63	75	44	69	48	112	82	91	63	75	29
Lower East Side	171	177	189	183	162	115	36	42	36	27	44	25	30	30	19	23	10	13
Lower West Side	76	81	84	69	79	49	76	82	99	85	66	70	62	38	38	31	30	13
Riverside	42	47	51	41	41	36	71	64	72	54	66	73	10	4	10	6	10	15
Washington Heights	343	321	300	261	219	225	202	210	233	230	231	232	125	195	157	168	133	127
BRONX	44	58	42	44	37	34	3	3	3	4	9	6	--	4	--	4	1	5
Fordham-Riverdale	62	53	35	25	23	30	106	112	111	98	95	113	54	83	66	76	58	51
Morrisania	106	84	67	61	52	45	53	46	69	61	73	47	57	86	65	54	48	46
Mott Haven	19	22	23	24	18	21	8	17	7	13	9	16	3	1	1	5	2	3
Pelham Bay	64	59	77	67	49	48	24	23	36	36	30	41	8	13	14	25	20	16
Tremont	48	45	56	40	40	47	8	9	7	18	15	9	3	8	11	4	4	6
Westchester	549	551	599	470	461	384	572	602	715	629	624	540	164	170	225	182	147	111
BROOKLYN	53	58	65	38	38	49	--	4	1	1	4	2	1	--	--	--	1	--
Bay Ridge	34	37	32	38	32	19	271	278	269	261	266	259	18	10	19	9	6	11
Bedford	51	70	72	64	51	29	64	86	113	98	97	85	21	17	42	26	20	13
Brownsville	71	75	76	47	48	32	45	50	81	58	60	48	6	24	21	35	20	14
Bushwick	77	62	82	51	75	62	7	10	13	6	11	5	--	--	1	--	1	--
Flatbush	56	49	48	29	25	37	130	133	157	136	115	90	34	20	26	18	14	9
Fort Greene	34	28	44	42	32	30	11	6	11	14	16	9	5	--	5	3	1	3
Gravesend	38	52	58	41	43	36	24	18	27	32	22	20	33	37	48	32	27	27
Red Hook-Gowanus	58	60	70	53	54	53	2	1	3	4	4	3	2	7	7	9	11	--
Sunset Park	77	60	52	67	63	37	19	16	40	19	29	19	44	55	56	50	46	34
Wmsbrg.-Greenpoint	309	313	329	256	239	220	121	136	160	148	147	129	2	4	6	3	5	1
QUEENS	53	61	74	41	42	42	8	4	6	3	3	7	--	--	4	1	1	--
Astoria-L.I.C.	53	48	49	46	37	34	14	20	22	26	23	19	--	--	1	--	2	--
Corona	59	60	54	47	36	46	6	5	13	8	10	8	--	1	--	--	--	1
Flushing	36	29	40	35	48	23	71	93	102	91	87	72	1	--	--	2	1	--
Jamaica East	62	63	53	60	41	50	22	14	15	20	23	23	1	3	1	--	1	--
Jamaica West	46	52	59	27	35	25	--	--	2	--	1	--	--	--	--	--	--	--
Maspeth-For. Hills	38	31	40	35	44	31	3	1	4	11	17	12	--	1	--	--	--	1
RICHMOND																		

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES
ALL FORMS, BY ETHNIC GROUP AND SEX, NEW YORK CITY, 1946-1966

Year	All Ethnic Groups		White		Negro		Puerto Rican		Yellow		Not Stated†
	Total	Male/Fem.	Total	Male/Fem.	Total	Male/Fem.	Total	Male/Fem.	Total	Male/Fem.	
1946 ...	7123	4411/2699	4538	3015/1522	1613	817/796	291	124/167	109	102/7	572
1947 ...	7599	4710/2889	4842	3204/1638	1695	906/789	431	191/240	123	111/12	508
1948 ...	8306	5179/3127	5072	3383/1689	1959	1044/915	505	216/289	139	125/14	631
1949 ...	8567	5307/3260	4986	3296/1690	2190	1193/997	550	236/314	121	102/19	720
1950 ...	7717	4854/2863	4646	3212/1434	1934	1017/917	574	244/330	132	112/20	431
1951 ...	7583	4788/2795	4468	3056/1412	2056	1154/902	636	280/356	135	116/19	288
1952 ...	7282	4527/2755	4086	2769/1317	2052	1118/934	718	330/388	121	104/17	305
1953 ...	7349	4626/2723	4093	2802/1291	2167	1224/943	725	346/379	135	120/15	229
1954 ...	6582	4210/2372	3572	2516/1056	1933	1100/833	783	386/397	92	77/15	202
1955 ...	6214	3971/2243	3347	2393/954	1862	1028/834	741	361/380	93	84/9	171
1956 ...	6137	3985/2152	3162	2321/841	1861	1071/790	723	329/394	97	86/11	294
1957 ...	6117	4002/2115	3258	2381/877	1763	995/768	772	393/379	85	75/10	239
1958 ...	5482	3637/1845	2802	2003/799	1738	1083/655	658	337/321	81	71/10	203
1959 ...	4924	3232/1692	2404	1719/685	1559	942/617	644	323/321	71	63/8	246
1960 ...	4699	3124/1575	2156	1579/577	1648	1017/631	602	300/302	61	55/6	232
1961 ...	4360	2879/1481	1902	1369/533	1632	1020/612	580	298/282	55	44/11	191
1962 ...	4437	2870/1567	1837	1306/531	1667	1013/654	609	336/273	63	49/14	261
1963 ...	4891	3204/1687	1900	1378/522	1936	1202/734	633	321/312	95	76/19	327
1964 ...	4207	2657/1550	1555	1091/464	1665	1004/661	527	266/261	60	50/10	400
1965 ...	4242	2760/1482	1535	1097/438	1736	1070/666	447	255/192	60	50/10	464
1966 ...	3663	2370/1293	1306	910/396	1521	942/579	365	192/173	66	47/19	405

†Other races plus race and/or sex not stated. Note: Totals include other races and cases whose race or sex was not reported.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES
By Ethnic Group, Age and Sex, New York City, 1956-1966
Part A - ALL ETHNIC GROUPS

Year	AGE												N.S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
MALE, ALL ETHNIC GROUPS													
1956 ...	3985	200	92	41	91	193	248	311	671	806	711	567	54
1957 ...	4002	135	93	37	98	185	246	292	612	777	757	702	68
1958 ...	3637	191	89	44	86	212	209	301	598	675	649	515	68
1959 ...	3232	123	67	34	73	151	214	253	531	624	574	526	62
1960 ...	3124	132	78	31	74	148	177	219	562	568	582	513	40
1961 ...	2879	137	66	28	49	184	181	229	506	531	504	422	42
1962 ...	2870	111	51	37	73	156	185	198	545	511	510	438	55
1963 ...	3204	125	74	42	82	174	208	240	552	602	561	494	50
1964 ...	2657	122	74	40	68	139	202	186	480	470	420	401	55
1965 ...	2760	112	70	40	77	170	181	218	482	491	440	433	46
1966 ...	2370	84	59	39	63	118	163	180	431	466	400	332	35
FEMALE, ALL ETHNIC GROUPS													
1956 ...	2152	178	79	48	153	231	323	268	353	211	126	151	31
1957 ...	2115	163	90	49	150	213	264	237	359	234	161	156	39
1958 ...	1845	147	73	56	105	192	198	218	322	220	97	166	51
1959 ...	1692	121	62	54	103	165	176	201	284	207	127	151	41
1960 ...	1575	102	55	46	98	146	162	198	278	198	106	158	28
1961 ...	1481	117	63	46	87	151	160	133	270	187	103	136	28
1962 ...	1567	122	59	41	107	147	159	146	312	176	97	166	35
1963 ...	1687	125	70	38	90	186	166	162	267	193	166	176	48
1964 ...	1550	96	59	48	101	163	177	141	271	177	120	164	33
1965 ...	1482	74	54	39	81	160	159	150	253	182	125	171	34
1966 ...	1293	85	44	44	72	125	129	132	245	155	105	130	27
BOTH SEXES, ALL ETHNIC GROUPS													
1956 ...	6137	378	171	89	244	424	571	579	1024	1017	837	718	85
1957 ...	6117	298	183	86	248	398	510	529	971	1011	918	858	107
1958 ...	5482	338	162	100	191	404	407	519	920	895	746	681	119
1959 ...	4924	244	129	88	176	316	390	454	815	831	701	677	103
1960 ...	4699	234	133	77	172	294	339	417	840	766	688	671	68
1961 ...	4360	254	129	74	136	335	341	362	776	718	607	558	70
1962 ...	4437	233	110	78	180	303	344	344	857	687	607	604	90
1963 ...	4891	250	144	80	172	360	374	402	819	795	727	670	98
1964 ...	4207	218	133	88	169	302	379	327	751	647	540	565	88
1965 ...	4242	186	124	79	158	330	340	368	735	673	565	604	80
1966 ...	3663	169	103	83	135	243	292	312	676	621	505	462	62

N.S. - Age not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES
 By Ethnic Group, Age and Sex, New York City, 1956-1966
 Part C - NEGRO

Year	AGE												N. S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
NEGRO MALE													
1956 ...	1071	60	38	14	30	46	86	138	285	207	108	50	9
1957 ...	995	57	41	16	25	47	83	123	230	190	111	62	10
1958 ...	1083	99	56	23	24	66	72	140	268	162	116	53	4
1959 ...	942	56	28	9	25	49	83	114	225	176	109	55	13
1960 ...	1017	58	32	14	27	61	60	112	274	187	125	59	8
1961 ...	1020	61	33	12	19	72	80	108	264	198	107	62	4
1962 ...	1013	55	23	17	31	56	81	88	279	199	116	61	7
1963 ...	1202	54	37	17	32	70	103	118	280	251	158	76	6
1964 ...	1004	54	40	23	30	61	98	83	258	185	94	60	18
1965 ...	1070	58	34	19	36	71	97	117	264	188	103	68	15
1966 ...	942	40	29	13	24	52	81	116	211	200	116	50	10
NEGRO FEMALE													
1956 ...	790	62	36	22	52	89	126	116	139	70	38	34	6
1957 ...	768	68	50	13	63	79	93	110	173	66	32	18	3
1958 ...	655	60	35	31	45	67	86	95	123	57	24	27	5
1959 ...	617	55	28	24	40	61	70	89	134	56	36	20	4
1960 ...	631	55	25	17	42	63	55	92	142	71	37	25	7
1961 ...	612	46	38	18	34	59	67	74	155	72	28	17	4
1962 ...	654	56	30	20	47	65	74	78	153	63	26	32	10
1963 ...	734	65	37	22	39	89	72	76	138	102	53	33	8
1964 ...	661	49	30	18	48	77	84	66	137	79	32	35	6
1965 ...	666	40	26	26	38	81	75	82	146	72	36	39	5
1966 ...	579	44	24	22	36	56	65	64	135	70	27	30	6
NEGRO BOTH SEXES													
1956 ...	1861	122	74	36	82	135	212	254	424	277	146	84	15
1957 ...	1763	125	91	29	88	126	176	233	403	256	143	80	13
1958 ...	1738	159	91	54	69	133	158	235	391	219	140	80	9
1959 ...	1559	111	56	33	65	110	153	203	359	232	145	75	17
1960 ...	1648	113	57	31	69	124	115	204	416	258	162	84	15
1961 ...	1632	107	71	30	53	131	147	182	419	270	135	79	8
1962 ...	1667	111	53	37	78	121	155	166	432	262	142	93	17
1963 ...	1936	119	74	39	71	159	175	194	418	353	211	109	14
1964 ...	1665	103	70	41	78	138	182	149	395	264	126	95	24
1965 ...	1736	98	60	45	74	152	172	199	410	260	139	107	20
1966 ...	1521	84	53	35	60	108	146	180	346	270	143	80	16

N.S. - Age not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES
 By Ethnic Group, Age and Sex, New York City, 1956-1966
 Part D - PUERTO RICAN

Year	AGE												N. S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
PUERTO RICAN MALE													
1956 ...	329	63	29	10	11	39	45	34	43	31	16	7	1
1957 ...	393	39	32	6	30	62	47	35	60	40	20	18	4
1958 ...	337	49	19	13	23	57	36	31	48	24	23	11	3
1959 ...	323	29	16	10	17	41	45	39	60	32	19	12	3
1960 ...	300	39	22	5	20	35	31	34	57	26	15	15	1
1961 ...	298	40	21	5	11	51	38	28	39	30	21	14	-
1962 ...	336	26	13	14	17	54	45	35	59	40	18	14	1
1963 ...	321	35	16	13	28	35	37	37	58	31	19	9	3
1964 ...	266	32	21	8	21	24	29	29	42	30	15	11	4
1965 ...	255	23	18	11	14	39	29	28	38	29	12	11	3
1966 ...	192	14	12	11	15	26	20	10	35	29	12	8	-
PUERTO RICAN FEMALE													
1956 ...	394	60	25	13	36	46	67	59	44	21	14	5	4
1957 ...	379	54	25	14	37	53	44	43	40	27	19	19	4
1958 ...	321	43	21	10	30	49	37	36	40	26	14	11	4
1959 ...	321	30	16	12	25	49	41	45	43	31	13	8	8
1960 ...	302	25	20	13	24	42	45	43	38	26	10	14	2
1961 ...	282	40	13	16	30	37	38	21	37	25	14	8	3
1962 ...	273	34	15	12	28	32	33	31	41	18	13	12	4
1963 ...	312	31	23	6	22	52	42	33	41	22	21	15	4
1964 ...	261	26	14	19	20	24	38	24	42	23	15	15	1
1965 ...	192	12	9	6	12	27	35	22	27	14	16	11	1
1966 ...	173	23	7	10	7	25	21	20	21	22	9	7	1
PUERTO RICAN BOTH SEXES													
1956 ...	723	123	54	23	47	85	112	93	87	52	30	12	5
1957 ...	772	93	57	20	67	115	91	78	100	67	39	37	8
1958 ...	658	92	40	23	53	106	73	67	88	50	37	22	7
1959 ...	644	59	32	22	42	90	86	84	103	63	32	20	11
1960 ...	602	64	42	18	44	77	76	77	95	52	25	29	3
1961 ...	580	80	34	21	41	88	76	49	76	55	35	22	3
1962 ...	609	60	28	26	45	86	78	66	100	58	31	26	5
1963 ...	633	66	39	19	50	87	79	70	99	53	40	24	7
1964 ...	527	58	35	27	41	48	67	53	84	53	30	26	5
1965 ...	447	35	27	17	26	66	64	50	65	43	28	22	4
1966 ...	365	37	19	21	22	51	41	30	56	51	21	15	1

N. S. - Age not stated.

NEWLY REPORTED ACTIVE TUBERCULOSIS CASES
By Ethnic Group, Age and Sex, New York City, 1956-1966
Part E - Yellow

Year	AGE												N. S.
	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65+	
YELLOW MALE													
1956 ...	86	3	1	-	3	6	7	7	8	19	18	13	1
1957 ...	75	-	-	-	3	-	5	5	13	8	21	18	2
1958 ...	71	1	-	-	1	3	5	2	7	12	16	20	4
1959 ...	63	1	-	-	-	4	7	3	12	7	15	14	-
1960 ...	55	-	-	-	-	1	6	3	5	8	13	19	-
1961 ...	44	1	-	-	-	3	1	4	4	5	11	14	1
1962 ...	49	1	-	1	-	2	4	4	6	4	12	12	3
1963 ...	76	2	-	1	-	6	5	4	6	10	18	22	2
1964 ...	50	-	-	1	1	1	2	2	6	11	11	15	-
1965 ...	50	-	-	1	3	-	3	1	4	6	16	15	1
1966 ...	47	-	2	2	4	-	7	4	5	8	4	11	-
YELLOW FEMALE													
1956 ...	11	1	3	-	-	-	1	2	3	-	1	-	-
1957 ...	10	1	-	-	2	3	3	-	-	-	-	1	-
1958 ...	10	-	-	-	-	3	2	2	2	1	-	-	-
1959 ...	8	-	-	1	-	1	-	2	1	-	1	-	2
1960 ...	6	-	-	-	-	-	2	1	-	1	1	-	1
1961 ...	11	-	-	1	2	3	2	-	2	1	-	-	-
1962 ...	14	1	-	-	-	2	5	2	2	2	-	-	-
1963 ...	19	2	-	-	4	2	5	2	3	-	1	-	-
1964 ...	10	-	-	-	1	1	1	4	3	-	-	-	-
1965 ...	10	-	-	-	2	-	3	2	1	2	-	-	-
1966 ...	19	2	1	-	3	2	3	3	2	2	-	-	1
YELLOW BOTH SEXES													
1956 ...	97	4	4	-	3	6	8	9	11	19	19	13	1
1957 ...	85	1	-	-	5	3	8	5	13	8	21	19	2
1958 ...	81	1	-	-	1	6	7	4	9	13	16	20	4
1959 ...	71	1	-	1	-	5	7	5	13	7	16	14	2
1960 ...	61	-	-	-	-	1	8	4	5	9	14	19	1
1961 ...	55	1	-	1	2	6	3	4	6	6	11	14	1
1962 ...	63	2	-	1	-	4	9	6	8	6	12	12	3
1963 ...	95	4	-	1	4	8	10	6	9	10	19	22	2
1964 ...	60	-	-	1	2	2	3	6	9	11	11	15	-
1965 ...	60	-	-	1	5	-	6	3	5	8	16	15	1
1966 ...	66	2	3	2	7	2	10	7	7	10	4	11	1

N.S. - Age not stated.

Note: All ethnic groups and those whose ethnic group was not known are included in total for All Ethnic Groups, Part A.