

TUBERCULOSIS REGISTER, PATIENTS WITH ACTIVE DISEASE,

New York City, 1946-1966

Year	Cases in Register Jan. 1	New Cases during Year	Old Cases Re-sumed	Total Cases during Year	Cases Removed during Year*	Remaining in Register Dec. 31
1946	17,614	7,123	1,441	26,178	8,727	17,451
1947	17,451	7,599	1,560	26,610	8,821	17,789
1948	17,789	8,306	1,874	27,969	9,449	18,520
1949	18,520	8,567	2,081	29,168	9,092	20,076
1950	20,076	7,717	2,224	30,017	10,958	19,059
1951	19,059	7,583	1,893	28,535	9,547	18,988
1952	18,988	7,282	1,870	28,140	9,854	18,286
1953	18,286	7,349	2,171	27,806	9,545	18,261
1954	18,261	6,582	2,088	26,931	10,949	15,982
1955†.....	15,982	6,214	2,025	24,221	10,379	13,842
1956	13,842	6,137	1,798	21,777	9,045	12,732
1957	12,732	6,117	1,867	20,716	9,352	11,364
1958	11,364	5,482	1,901	18,747	8,594	10,153
1959	10,153	4,924	1,832	16,909	7,639	9,270
1960	9,270	4,699	1,238 ^x	15,207	6,518	8,689
1961†.....	8,689	4,360	‡	‡	‡	6,842
1962†.....	6,842	4,437	‡	‡	‡	6,349
1963†.....	6,349	4,891	‡	‡	‡	6,588
1964†.....	6,588	4,207	‡	‡	‡	6,185
1965†.....	6,185	4,242	‡	‡	‡	5,456
1966†.....	5,456	3,663	‡	‡	‡	5,028

†"Physical inventory" of Register carried out in 1955, 1961, 1962, 1963, 1964, 1965 and 1966.

^xPrior to 1960 the numbers shown included cases resumed due to reactivation of disease as well as some which were resumed for purely administrative reasons; the figure for 1960 shows only the number which was resumed due to reactivated disease.

*Because of death, leaving city, recovery and physical inventory of Register.

‡Not available for 1961, 1962, 1963, 1964, 1965, and 1966.

**KNOWN PREVALENCE OF ACTIVE TUBERCULOSIS
IN NEW YORK CITY BY HEALTH DISTRICT**

(Total known active cases in register as of December 31, 1966)

Health District	Estimated Population July 1, 1966	Known Active TB Cases in Register			
		In Hospitals or Sanatoria	Ambulant Cases†	Total in Register	Prevalence Per 1,000 Population‡
NEW YORK CITY	8,040,000	2,337	2,691	5,028	0.63
MANHATTAN	1,725,000	1,027	1,034	2,061	1.19
Central Harlem ...	236,000	222	322	544	2.31
East Harlem	181,000	67	94	161	0.89
Kips Bay-Yorkville	219,000	17	28	45	0.21
Lower East Side ..	276,000	334	232	566	2.05
Lower West Side ..	267,000	188	167	355	1.33
Riverside	273,000	127	104	231	0.85
Washington Heights	273,000	72	87	159	0.58
BRONX	1,460,000	414	579	993	0.68
Fordham-Riverdale.	238,000	37	42	79	0.33
Morrisania	269,000	149	144	293	1.09
Mott Haven	229,000	84	215	299	1.31
Pelham Bay	189,000	20	37	57	0.30
Tremont	270,000	96	79	175	0.65
Westchester	265,000	28	62	90	0.34
BROOKLYN	2,640,000	643	709	1,352	0.51
Bay Ridge	292,000	34	62	96	0.33
Bedford	288,000	162	110	272	0.94
Brownsville	300,000	92	126	218	0.73
Bushwick	218,000	62	88	150	0.69
Flatbush	478,000	30	37	67	0.14
Fort Greene	216,000	72	72	144	0.67
Gravesend	298,000	23	35	58	0.19
Red Hook-Gowanus..	163,000	71	62	133	0.82
Sunset Park	194,000	29	54	83	0.43
Wmsbrg.-Greenpoint	193,000	68	63	131	0.68
QUEENS	1,955,000	232	351	583	0.30
Astoria-L.I.C. ...	276,000	34	77	111	0.40
Corona	236,000	35	51	86	0.36
Flushing	488,000	27	52	79	0.16
Jamaica East	317,000	58	74	132	0.42
Jamaica West	334,000	49	65	114	0.34
Maspeth-For. Hills	304,000	29	32	61	0.20
RICHMOND	260,000	21	18	39	0.15

†Includes 9 persons out of town, not in sanatoria.

‡On December 31, 1966.

The known prevalence of active tuberculosis cases per 1,000 population was 2.44 in 1950, 1.77 in 1955, 1.12 in 1960 and 0.63 in 1966. The decline in rate was 43.8% during the 1960 to 1966 period.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

MAHATTAN - Part A

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
CENTRAL HARLEM									
8.00	36	-	35	-	-	1	35	5	4
8.07	2	-	2	-	-	-	3	-	-
8.09	1	-	1	-	-	-	3	1	-
10.00	59	-	59	-	-	-	40	1	5
12.00	33	-	32	-	-	1	38	6	6
12.07	3	-	2	1	-	-	3	-	-
13.00	28	-	28	-	-	-	48	8	7
15.00	35	-	32	-	2	1	55	6	8
16.00	41	1	35	4	1	-	29	4	10
16.08	-	-	-	-	-	-	-	1	-
16.09	4	-	4	-	-	-	3	1	-
19.00	24	-	23	-	-	1	38	6	1
24.00	26	-	25	-	-	1	48	6	9
24.09	2	-	2	-	-	-	1	-	-
85.10	20	-	20	-	-	-	46	5	1
85.20	37	-	34	-	-	3	56	6	9
	351	1	334	5	3	8	446	56	60
EAST HARLEM									
17.00	20	4	7	7	-	2	15	2	1
17.07	3	-	2	1	-	-	1	-	-
20.00	17	2	11	1	-	3	20	1	1
20.08	-	-	-	-	-	-	1	-	-
20.09	1	-	1	-	-	-	6	1	-
21.00	20	2	9	8	1	-	16	3	1
21.07	5	1	2	2	-	-	6	1	-
25.00	23	6	6	11	-	-	24	1	1
25.06	1	-	-	1	-	-	1	-	-
26.00	14	-	6	6	-	2	27	4	3
26.05	5	2	2	-	-	1	1	-	-
26.06	-	-	-	-	-	-	1	-	-
26.07	4	1	2	1	-	-	3	-	-
26.09	2	-	1	1	-	-	1	-	1
28.10	9	3	2	4	-	-	12	1	-
28.15	5	-	1	4	-	-	2	-	1
28.20	5	1	1	1	-	2	6	1	-
33.00	6	4	1	-	-	1	5	2	1
33.07	2	-	1	1	-	-	-	-	-
	142	26	55	49	1	11	148	17	10

+Ethnic group not stated.

Note: If a health area has no new cases or no deaths, it is not shown.
The last digit in the health area number (numbers 3 through 9) indicates a housing project.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

MANHATTAN - Part B

Health Center District Health Area	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
KIPS BAY-YORKVILLE									
36.00	4	2	-	-	-	2	5	-	2
37.00	7	5	-	-	-	2	1	-	2
38.00	8	7	1	-	-	-	8	-	-
41.00	4	3	-	-	-	1	6	1	-
42.00	3	2	-	-	-	1	3	1	-
43.00	4	2	-	-	2	-	7	1	1
44.00	5	2	-	-	-	3	4	3	1
48.00	5	3	2	-	-	-	5	1	-
49.00	7	5	-	1	-	1	1	-	-
50.00	6	5	-	-	-	1	4	-	3
83.00	-	-	-	-	-	-	1	1	-
	53	36	3	1	2	11	45	8	9
LOWER EAST SIDE									
53.00	14	10	2	-	1	1	12	4	1
58.00	17	15	-	1	1	-	17	-	1
59.00	9	6	-	1	-	2	18	2	2
60.00	6	5	-	-	-	1	15	-	1
60.08	1	1	-	-	-	-	2	-	-
60.09	2	2	-	-	-	-	3	-	-
62.00	21	11	4	4	-	2	38	2	3
63.00	15	7	4	1	-	3	9	-	1
63.08	5	2	1	1	-	1	13	-	-
65.00	117	70	14	1	1	31	142	8	6
65.10	-	-	-	-	-	-	-	1	3
66.00	28	13	2	7	5	1	23	-	1
66.05	-	-	-	-	-	-	1	-	-
66.10	-	-	-	-	-	-	-	1	-
67.00	21	13	5	1	1	1	32	3	-
74.00	35	12	6	2	11	4	50	5	7
74.05	-	-	-	-	-	-	2	-	-
76.00	19	7	5	2	2	3	8	-	1
76.04	6	2	3	1	-	-	8	1	1
76.05	1	-	-	-	-	1	-	-	-
76.06	1	1	-	-	-	-	-	-	-
76.07	2	-	-	2	-	-	3	-	-
76.09	-	-	-	-	-	-	1	-	-
78.00	12	4	1	2	3	2	12	-	1
78.04	1	-	-	1	-	-	-	-	-
78.07	1	-	-	-	-	1	1	-	-
78.09	5	1	1	1	1	1	-	-	-
80.00	3	1	-	1	-	1	6	1	-
80.09	-	-	-	-	-	-	2	-	-
	342	183	48	29	26	56	418	28	29

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

MANHATTAN - Part C

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
LOWER WEST SIDE									
39.00	2	1	1	-	-	-	7	-	-
39.09	1	1	-	-	-	-	1	-	2
40.00	23	11	5	2	2	3	13	2	-
45.00	8	5	1	2	-	-	24	1	-
46.00	4	2	1	-	-	1	3	-	-
47.00	14	10	2	-	1	1	14	2	2
52.00	38	19	7	1	1	10	41	4	8
52.07	1	1	-	-	-	-	-	-	-
55.00	10	4	2	2	-	2	15	-	2
56.00	25	17	1	5	-	2	17	4	5
57.00	17	11	2	-	2	2	31	5	7
61.00	8	7	1	-	-	-	14	2	2
64.00	4	3	-	-	-	1	2	1	-
68.00	26	18	1	1	4	2	35	4	6
77.00	18	5	1	-	10	2	31	8	3
	199	115	25	13	20	26	248	33	37
RIVERSIDE									
11.00	19	3	13	1	-	2	13	1	1
11.08	-	-	-	-	-	-	4	1	1
14.00	8	-	5	-	1	2	8	1	-
14.05	1	-	-	-	-	1	-	-	-
14.07	1	1	-	-	-	-	4	-	-
18.00	4	-	3	-	-	1	6	-	-
23.10	9	3	1	-	3	2	11	6	2
23.20	10	5	2	1	-	2	14	2	-
31.10	33	10	12	3	3	5	28	4	6
31.20	7	4	2	-	-	1	13	-	1
32.10	12	5	6	1	-	-	20	-	1
32.15	3	2	1	-	-	-	2	-	-
32.16	5	1	2	-	-	2	6	1	-
32.20	8	3	1	2	1	1	16	2	-
32.26	-	-	-	-	-	-	-	1	-
34.00	26	6	10	3	2	5	32	5	4
35.00	23	6	12	2	-	3	31	6	5
	169	49	70	13	10	27	208	30	21

+Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

MANHATTAN - Part D

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
WASHINGTON HEIGHTS									
1.10	1	-	1	-	-	-	7	1	-
1.17	-	-	-	-	-	-	1	-	-
1.20	8	5	1	-	1	1	10	-	-
2.10	9	5	2	2	-	-	3	1	1
2.21	7	5	-	1	1	-	5	1	-
2.22	2	1	-	-	-	1	2	-	-
3.00	6	2	1	1	1	1	6	2	-
4.00	19	8	3	6	1	1	20	4	2
5.00	13	1	10	1	-	1	16	3	2
6.10	13	3	9	-	1	-	15	1	2
6.20	16	1	13	-	-	2	20	4	2
7.10	10	1	8	-	1	-	7	5	-
7.20	19	-	18	-	-	1	14	2	3
9.00	16	4	7	4	1	-	8	3	6
	139	36	73	15	7	8	134	27	18
MANHATTAN Total	1,395	446	608	125	69	147	1,647	199	185*

†Ethnic group not stated

*Total includes 1 TB Death in an institution which is not allocated in the Health Area Breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BRONX - Part A

Health Center Districts Health Area	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
FORDHAM-RIVERDALE									
1.00	4	1	-	1	1	1	7	-	-
2.00	4	3	-	1	-	-	3	1	1
3.10	4	3	-	-	-	1	6	1	2
3.20	6	4	1	-	-	1	3	-	1
4.10	8	6	-	2	-	-	4	-	2
4.20	8	8	-	-	-	-	7	3	2
9.00	4	3	-	-	-	1	7	2	-
10.00	7	3	3	1	-	-	10	1	-
11.00	5	3	2	-	-	-	5	-	-
	50	34	6	5	1	4	52	8	8
MORRISANIA									
21.10	11	1	6	3	-	1	9	-	-
21.20	11	2	5	3	1	-	19	1	-
25.00	13	4	5	3	-	1	20	3	3
26.00	29	3	21	4	-	1	8	1	2
26.03	-	-	-	-	-	-	1	-	-
26.04	2	2	-	-	-	-	4	-	2
26.06	1	1	-	-	-	-	2	-	-
27.00	21	2	15	4	-	-	12	3	2
28.00	22	-	16	5	-	1	18	2	2
29.00	24	3	5	12	1	3	27	4	-
33.10	5	3	2	-	-	-	15	2	3
33.19	1	-	1	-	-	-	-	1	-
33.20	11	2	3	4	-	2	10	1	-
34.00	12	3	7	2	-	-	11	2	-
35.00	21	1	19	1	-	-	17	-	2
35.04	1	-	1	-	-	-	-	-	-
35.05	-	-	-	-	-	-	1	-	-
35.09	2	-	1	1	-	-	3	1	-
36.00	21	3	6	9	-	3	15	2	2
	208	30	113	51	2	12	192	23	18

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BRONX - Part B

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1965	1966
MOTT HAVEN									
37.00	26	4	9	10	1	2	21	3	1
38.00	13	7	2	4	-	-	19	2	1
38.09	-	-	-	-	-	-	3	-	-
39.00	12	8	-	3	-	1	13	2	2
39.09	-	-	-	-	-	-	1	-	-
40.00	14	2	7	3	1	1	19	1	-
40.04	-	-	-	-	-	-	1	-	-
41.00	12	4	3	3	-	2	23	3	-
41.04	1	1	-	-	-	-	1	-	-
41.05	-	-	-	-	-	-	1	1	-
41.07	1	-	-	1	-	-	1	-	-
42.00	14	4	5	5	-	-	26	3	2
43.00	8	-	4	3	-	1	8	-	-
44.00	16	7	4	4	1	-	24	3	1
45.00	23	4	8	9	-	2	14	3	4
47.00	13	4	5	1	-	3	15	4	1
47.06	-	-	-	-	-	-	1	-	-
48.00	1	-	-	-	-	1	2	-	-
	154	45	47	46	3	13	193	25	12
PELHAM BAY									
5.10	1	1	-	-	-	-	3	-	1
5.20	5	2	-	-	-	3	6	-	1
6.10	6	1	5	-	-	-	6	-	1
6.20	15	5	6	3	-	1	6	-	1
7.10	1	1	-	-	-	-	1	-	1
7.18	-	-	-	-	-	-	1	-	-
7.19	3	1	1	-	-	1	3	-	-
7.20	1	1	-	-	-	-	3	-	-
8.10	6	5	1	-	-	-	6	-	-
8.17	1	-	-	-	-	1	-	-	-
8.18	2	-	2	-	-	-	-	-	-
8.19	-	-	-	-	-	-	1	-	-
8.20	4	3	1	-	-	-	5	2	-
8.28	1	1	-	-	-	-	-	-	-
8.29	1	-	-	-	1	-	-	-	-
	47	21	16	3	1	6	41	2	5

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BRONX - Part C

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
TREMONT									
15.10	2	2	-	-	-	-	1	2	1
15.20	4	1	2	1	-	-	8	2	-
16.00	11	6	4	-	-	1	10	1	-
17.00	8	3	2	2	-	1	11	1	-
18.00	21	6	11	2	-	2	16	-	2
19.00	15	9	4	1	-	1	7	-	3
20.00	11	1	8	2	-	-	15	4	1
22.10	8	4	3	-	-	1	6	-	-
22.20	13	8	1	3	-	1	6	3	1
23.10	4	1	3	-	-	-	9	1	1
23.20	2	2	-	-	-	-	3	-	-
24.00	14	5	3	5	-	1	20	-	-
	113	48	41	16	-	8	112	14	9
WESTCHESTER									
12.10	4	3	-	-	-	1	6	-	1
12.20	5	3	-	-	1	1	4	3	1
13.10	4	4	-	-	-	-	7	-	1
13.19	6	6	-	-	-	-	4	1	-
13.20	4	3	-	-	-	1	1	2	-
14.10	2	1	1	-	-	-	3	-	1
14.20	6	5	-	-	-	1	3	-	1
30.10	8	5	2	1	-	-	9	-	1
30.19	2	-	1	1	-	-	2	-	-
30.20	13	6	3	3	-	1	10	1	1
30.26	-	-	-	-	-	-	1	-	-
30.27	3	1	1	1	-	-	2	2	-
30.29	-	-	-	-	-	-	1	-	-
30.30	2	-	1	-	-	1	3	-	-
30.37	-	-	-	-	-	-	1	-	-
31.00	6	3	-	-	-	3	4	-	1
31.05	-	-	-	-	-	-	3	-	-
32.10	3	2	-	-	-	1	1	1	-
32.20	5	5	-	-	-	-	5	-	-
32.29	1	-	-	-	-	1	1	-	-
	74	47	9	6	1	11	71	10	8
BRONX Total ..	646	225	232	127	8	54	661	82	61*

†Ethnic group not stated.

*Total includes 1 TB death in an institution which is not allocated in the health area breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BROOKLYN - Part A

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
BAY RIDGE									
76.00	3	3	-	-	-	-	9	2	3
77.00	3	3	-	-	-	-	5	-	2
78.10	8	6	1	-	-	1	1	-	1
78.20	1	1	-	-	-	-	-	-	-
79.10	6	6	-	-	-	-	4	1	2
79.20	2	2	-	-	-	-	4	-	-
80.10	4	4	-	-	-	-	7	-	1
80.20	8	7	-	-	-	1	1	-	1
81.10	3	3	-	-	-	-	2	2	-
81.20	1	1	-	-	-	-	1	-	-
82.00	6	6	-	-	-	-	6	1	1
83.00	2	2	-	-	-	-	4	1	-
84.00	6	5	1	-	-	-	5	2	1
92.00	1	-	-	-	-	1	-	-	-
	54	49	2	-	-	3	49	9	12
BEDFORD									
20.00	30	2	26	1	-	1	37	5	5
21.00	18	-	18	-	-	-	36	4	8
28.00	43	1	36	1	1	4	39	1	5
29.00	38	2	34	-	-	2	45	2	3
30.00	28	-	25	1	-	2	40	4	4
30.05	-	-	-	-	-	-	-	1	-
36.00	21	-	20	-	-	1	23	4	2
48.00	14	4	8	1	-	1	21	3	-
49.00	20	4	16	-	-	-	14	3	3
49.08	-	-	-	-	-	-	1	-	-
49.09	1	-	1	-	-	-	5	-	1
50.10	12	2	9	-	-	1	13	1	1
50.20	44	3	35	6	-	-	41	3	7
52.00	33	1	30	1	-	1	28	6	3
52.09	2	-	1	-	-	1	2	1	1
	304	19	259	11	1	14	345	38	43

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BROOKLYN - Part B

Health Center District Health Area	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
BROWNSVILLE									
56.00	17	2	13	2	-	-	27	2	2
57.00	13	2	8	2	-	1	27	4	1
57.05	1	-	-	1	-	-	1	-	-
58.10	4	2	-	-	-	2	2	-	-
58.20	10	2	4	-	1	3	17	1	-
59.00	13	1	11	1	-	-	16	3	-
59.06	3	2	1	-	-	-	4	-	1
59.07	6	-	6	-	-	-	6	1	1
59.09	2	-	2	-	-	-	3	1	-
60.00	14	3	8	-	-	3	17	3	3
61.00	20	6	10	4	-	-	17	1	2
62.00	12	1	8	1	-	2	15	2	1
63.00	12	2	8	2	-	-	11	3	1
64.10	2	-	-	-	-	2	6	-	-
64.15	2	1	1	-	-	-	1	-	1
64.16	-	-	-	-	-	-	1	-	-
64.20	3	-	1	-	-	2	8	-	-
64.27	1	-	1	-	-	-	-	-	-
75.10	1	1	-	-	-	-	2	1	-
75.20	8	4	1	-	-	3	4	-	-
75.25	1	-	-	-	-	1	2	-	-
75.28	2	-	2	-	-	-	2	-	2
	147	29	85	13	1	19	189	22	15
BUSHWICK									
17.00	7	4	1	2	-	-	15	1	3
17.05	2	-	1	-	-	1	5	-	-
17.07	-	-	-	-	-	-	3	-	-
22.00	4	1	1	1	-	1	4	-	1
31.00	21	2	13	1	-	5	29	7	4
32.00	11	1	4	5	-	1	14	4	2
33.00	10	4	4	2	-	-	10	1	2
34.00	16	6	5	3	-	2	21	2	1
35.00	16	4	11	-	1	-	16	2	3
37.00	8	1	7	-	-	-	7	2	3
38.00	4	3	1	-	-	-	10	-	-
39.00	6	6	-	-	-	-	3	1	3
	105	32	48	14	1	10	137	20	22

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BROOKLYN - Part C

Health Center District Health Area	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1965	1966
FLATBUSH									
53.10	3	2	-	-	-	1	3	1	1
53.20	6	4	-	-	-	2	16	2	1
54.00	11	6	3	-	1	1	14	1	-
55.10	4	4	-	-	-	-	10	2	-
55.20	3	1	-	-	-	2	5	2	2
70.00	3	3	-	-	-	-	5	-	-
71.10	2	2	-	-	-	-	-	-	-
71.20	2	1	-	-	-	1	4	1	-
72.10	10	7	1	-	-	2	11	2	2
72.20	4	2	1	-	-	1	1	-	-
73.10	3	3	-	-	-	-	6	1	1
73.20	4	4	-	-	-	-	3	2	-
74.10	8	8	-	-	-	-	11	3	-
74.20	2	2	-	-	-	-	2	-	-
88.10	4	3	-	-	-	1	8	3	1
88.21	3	3	-	-	-	-	4	1	1
88.22	8	7	-	-	-	1	4	1	1
	80	62	5	-	1	12	107	22	10
FORT GREENE									
10.00	-	-	-	-	-	-	1	1	-
10.08	4	1	3	-	-	-	1	-	-
10.09	-	-	-	-	-	-	1	-	-
11.00	5	2	3	-	-	-	2	-	-
11.05	1	1	-	-	-	-	-	-	-
11.08	1	-	-	-	1	-	-	-	-
11.09	5	1	4	-	-	-	9	1	2
12.00	18	5	10	1	1	1	20	7	2
13.00	38	2	32	-	-	4	24	7	5
13.07	1	-	1	-	-	-	1	-	1
14.00	13	2	5	4	2	-	8	2	2
14.09	5	-	3	1	-	1	9	-	-
18.00	12	1	8	-	-	3	17	2	2
19.00	10	3	6	1	-	-	27	3	-
27.10	19	7	10	1	-	1	33	6	2
27.20	6	3	2	1	-	-	9	-	1
45.00	13	9	3	-	-	1	8	3	3
	151	37	90	9	4	11	170	32	20

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BROOKLYN - Part D

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
GRAVESEND									
85.10	3	2	-	-	-	1	5	1	-
85.21	2	1	1	-	-	-	3	-	-
85.22	1	1	-	-	-	-	3	1	1
86.10	3	2	-	-	-	1	1	2	1
86.20	4	3	-	-	-	1	2	-	-
86.25	2	-	2	-	-	-	-	-	-
87.10	5	4	-	-	-	1	3	-	1
87.21	6	5	1	-	-	-	3	1	-
87.22	4	4	-	-	-	-	5	2	1
89.00	-	-	-	-	-	-	1	1	-
90.10	9	5	2	-	1	1	12	2	4
90.17	-	-	-	-	-	-	2	-	-
90.20	8	2	3	2	-	1	14	1	1
90.25	-	-	-	-	-	-	2	-	-
90.26	-	-	-	-	-	-	-	-	1
91.10	1	-	-	1	-	-	-	-	-
91.20	1	1	-	-	-	-	5	-	-
	49	30	9	3	1	6	61	11	10
RED HOOK-GOWANUS									
23.00	12	7	1	3	-	1	10	2	6
24.00	16	3	3	6	1	3	21	-	4
25.00	4	2	-	2	-	-	3	-	2
26.00	23	8	10	5	-	-	29	6	6
40.00	10	7	-	3	-	-	17	2	-
41.00	7	2	1	4	-	-	18	1	-
41.09	1	-	-	1	-	-	-	-	1
42.00	10	4	5	1	-	-	6	3	2
43.00	5	3	-	2	-	-	2	-	3
	88	36	20	27	1	4	106	14	24

*Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

BROOKLYN - Part E

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths With in City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
Health Area									
SUNSET PARK									
44.00	5	4	1	-	-	-	20	1	-
46.00	11	9	1	-	1	-	11	5	2
47.00	3	2	-	-	-	1	11	-	1
65.00	21	20	-	-	-	1	11	2	2
66.00	7	7	-	-	-	-	6	3	3
67.00	4	3	1	-	-	-	4	-	3
68.00	3	3	-	-	-	-	10	1	1
69.00	6	5	-	-	-	1	4	-	-
	60	53	3	-	1	3	77	12	13
WILLIAMSBURG-GREENPOINT									
1.00	8	7	-	1	-	-	10	4	-
2.00	2	2	-	-	-	-	5	-	1
3.00	6	6	-	-	-	-	9	1	3
4.00	5	1	-	4	-	-	11	1	1
5.00	18	4	3	11	-	-	22	2	1
6.00	24	6	6	10	2	-	31	1	4
7.00	4	3	-	1	-	-	10	-	-
8.00	5	3	2	-	-	-	9	1	1
9.00	6	4	-	2	-	-	7	2	3
9.09	-	-	-	-	-	-	-	1	1
15.00	15	1	7	5	1	1	31	-	-
15.05	1	-	1	-	-	-	1	-	-
15.06	-	-	-	-	-	-	1	-	-
	94	37	19	34	3	1	147	13	15
BROOKLYN Total ...	1,132	384	540	111	14	83	1388	193	185*

†Ethnic group not stated.

*Total includes 1 TB death in an institution which is not allocated in the health area breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

QUEENS - Part A

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
ASTORIA-LONG ISLAND CITY									
1.10	2	2	-	-	-	-	2	1	-
1.20	2	2	-	-	-	-	3	1	-
3.00	9	7	1	-	-	1	12	2	1
3.09	1	-	1	-	-	-	2	-	-
4.00	14	7	1	-	1	5	7	-	2
5.10	6	4	-	-	1	1	4	2	-
5.20	3	2	-	-	-	1	1	-	-
5.25	-	-	-	-	-	-	1	-	-
7.10	2	1	-	-	-	1	6	1	-
7.15	2	1	1	-	-	-	2	-	-
7.20	1	1	-	-	-	-	5	-	-
7.29	3	-	3	-	-	-	2	-	1
8.00	5	4	-	-	1	-	5	1	2
9.10	8	6	-	-	-	2	3	3	-
9.20	5	5	-	-	-	-	6	1	1
	63	42	7	-	3	11	61	12	7
CORONA									
6.10	14	1	11	-	1	1	11	3	2
6.20	7	3	1	-	3	-	11	2	1
10.11	5	3	-	-	-	2	4	1	-
10.12	3	2	-	-	-	1	2	2	1
10.21	7	5	1	-	-	1	2	1	-
10.22	4	3	-	-	1	-	5	-	1
11.00	13	3	6	-	1	3	20	3	4
14.10	4	2	-	-	-	2	3	-	1
14.20	12	7	-	-	-	5	14	2	2
15.00	6	5	-	-	-	1	4	-	-
	75	34	19	-	6	16	76	14	12

+Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

QUEENS - Part B

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
FLUSHING									
2.10	2	1	-	-	-	1	6	1	1
2.21	-	-	-	-	-	-	2	-	-
2.22	3	1	-	-	1	1	1	-	-
12.00	12	6	1	-	2	3	12	1	1
12.05	-	-	-	-	-	-	2	1	-
13.10	11	7	-	-	-	4	6	1	1
13.20	6	6	-	-	-	-	4	-	-
20.11	4	4	-	-	-	-	4	-	1
20.12	3	3	-	-	-	-	3	1	1
20.21	3	1	1	-	-	1	3	1	1
20.22	11	4	5	-	-	2	6	1	-
20.25	-	-	-	-	-	-	2	1	-
21.10	6	4	-	1	-	1	1	-	1
21.21	2	2	-	-	-	-	-	1	-
21.22	4	1	1	-	-	2	1	-	-
21.30	1	1	-	-	-	-	-	-	-
21.40	1	-	-	-	-	1	4	2	-
21.50	2	-	-	-	1	1	1	-	-
21.60	5	4	-	-	-	1	3	-	-
21.70	1	1	-	-	-	-	1	-	-
	77	46	8	1	4	18	62	11	7
JAMAICA EAST									
28.10	4	3	-	-	-	1	12	1	-
28.20	5	1	1	-	2	1	8	2	-
29.10	4	3	-	-	-	1	5	-	-
29.20	1	-	1	-	-	-	7	-	-
33.00	16	1	13	-	-	2	25	2	1
34.00	30	2	25	-	-	3	23	3	5
34.06	-	-	-	-	-	-	1	-	-
34.08	2	-	2	-	-	-	5	-	-
34.09	-	-	-	-	-	-	-	1	-
35.10	10	1	7	-	1	1	24	3	3
35.20	10	3	7	-	-	-	11	1	4
35.31	5	4	1	-	-	-	5	-	2
35.32	21	3	15	-	-	3	20	-	2
36.20	2	2	-	-	-	-	4	-	1
	110	23	72	-	3	12	150	13	18

+Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1965-1966

RICHMOND

Health Center District	New Cases of Tuberculosis Reported in 1966						New Cases Reported in 1965	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1965	1966
Health Area									
RICHMOND									
1.00	2	1	1	-	-	-	4	1	-
1.05	2	-	2	-	-	-	-	-	-
2.00	6	4	1	-	1	-	11	-	1
3.00	5	3	2	-	-	-	9	-	-
3.08	-	-	-	-	-	-	1	-	-
3.09	-	-	-	-	-	-	1	-	-
4.00	5	2	2	-	1	-	18	1	2
4.90	-	-	-	-	-	-	-	1	-
5.00	4	4	-	-	-	-	3	-	-
5.05	1	1	-	-	-	-	-	-	1
6.00	5	4	1	-	-	-	7	1	1
7.00	2	1	1	-	-	-	3	1	2
8.00	7	5	1	1	-	-	5	1	-
9.10	2	2	-	-	-	-	4	-	-
9.15	1	-	1	-	-	-	-	-	-
9.20	5	4	-	-	-	1	7	3	-
RICHMOND Total	47	31	12	1	2	1	73	9	7
NEW YORK CITY Total	3663	1306	1521	365	111	360	4242	552	505

†Ethnic group not stated.

Note: Resident deaths include only those of residents occurring within New York City.