

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

MANHATTAN - Part A

Health Center District Health Area	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
CENTRAL HARLEM									
8.00	37	1	36	-	-	-	36	4	4
8.07	1	-	1	-	-	-	2	-	-
8.09	-	-	-	-	-	-	1	-	-
10.00	50	-	48	2	-	-	59	5	7
12.00	33	1	29	-	-	3	33	6	5
12.07	1	-	1	-	-	-	3	-	1
13.00	28	-	28	-	-	-	28	7	3
13.06	-	-	-	-	-	-	-	-	-
15.00	35	2	30	-	1	2	35	8	4
16.00	37	4	29	4	-	-	41	10	6
16.09	2	-	1	1	-	-	4	-	-
19.00	39	2	34	1	-	2	24	1	5
24.00	33	1	27	2	-	3	26	9	5
24.09	2	-	1	-	-	1	2	-	1
85.10	15	-	15	-	-	-	20	1	2
85.20	26	-	26	-	-	-	37	9	5
	339	11	306	10	1	11	351	60	49
EAST HARLEM									
17.00	7	2	3	1	-	1	20	1	-
17.07	1	-	1	-	-	-	3	-	-
20.00	19	3	13	2	-	1	17	1	2
20.07	1	-	1	-	-	-	-	-	-
20.09	-	-	-	-	-	-	1	-	-
21.00	16	7	4	3	-	2	20	1	2
21.07	1	-	-	1	-	-	5	-	-
25.00	14	1	9	3	-	1	23	1	1
25.06	-	-	-	-	-	-	1	-	-
26.00	16	7	5	4	-	-	14	3	1
26.05	1	1	-	-	-	-	5	-	-
26.06	1	-	-	1	-	-	-	-	-
26.07	-	-	-	-	-	-	4	-	1
26.09	4	1	1	2	-	-	2	1	1
28.10	8	3	4	1	-	-	9	-	-
28.15	-	-	-	-	-	-	5	1	1
28.20	9	5	-	3	-	1	5	-	1
33.00	15	10	1	2	-	2	6	1	2
33.07	1	-	1	-	-	-	2	-	-
84.00	1	-	-	1	-	-	-	-	-
	115	40	43	24	-	8	142	10	12

† Ethnic group not stated.

Note: If a health area has no new cases or no deaths, it is not shown.
The last digit in the health area number (numbers 3 through 9) indicates a housing project.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

MANHATTAN - Part B

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
Health Area									
KIPS BAY-YORKVILLE									
36.00	11	7	2	-	-	2	4	2	2
37.00	5	5	-	-	-	-	7	2	2
38.00	6	6	-	-	-	-	8	-	1
41.00	3	3	-	-	-	-	4	-	-
42.00	4	2	-	-	-	2	3	-	-
43.00	3	2	-	-	-	1	4	1	-
44.00	3	2	-	-	-	1	5	1	-
48.00	7	4	-	-	1	2	5	-	-
49.00	6	2	-	-	2	2	7	-	2
50.00	6	5	-	-	-	1	6	3	-
	54	38	2	-	3	11	53	9	7
LOWER EAST SIDE									
53.00	23	15	3	-	1	4	14	1	2
58.00	14	9	3	2	-	-	17	1	1
59.00	14	11	2	-	-	1	9	2	1
60.00	15	11	4	-	-	-	6	1	-
60.08	-	-	-	-	-	-	1	-	-
60.09	5	3	-	1	-	1	2	-	1
62.00	21	11	3	2	3	2	21	3	6
63.00	16	9	4	1	-	2	15	1	2
63.08	3	2	1	-	-	-	5	-	-
65.00	107	57	19	2	-	29	117	6	4
65.10	-	-	-	-	-	-	-	3	1
66.00	25	15	4	2	2	2	28	1	-
67.00	22	12	5	3	-	2	21	-	-
74.00	29	14	5	1	8	1	35	7	6
76.00	14	11	1	1	-	1	19	1	1
76.03	1	1	-	-	-	-	-	-	-
76.04	3	2	1	-	-	-	6	1	1
76.05	-	-	-	-	-	-	1	-	-
76.06	-	-	-	-	-	-	1	-	-
76.07	5	3	1	1	-	-	2	-	-
78.00	11	1	2	-	7	1	12	1	3
78.04	-	-	-	-	-	-	1	-	-
78.07	1	1	-	-	-	-	1	-	-
78.09	2	1	1	-	-	-	5	-	-
80.00	2	2	-	-	-	-	3	-	-
80.09	2	-	-	-	-	2	-	-	-
	335	191	59	16	21	48	342	29	29

+Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967
MANHATTAN - Part C

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
Health Area									
LOWER WEST SIDE									
39.00	3	2	-	-	1	-	2	-	-
39.09	-	-	-	-	-	-	1	2	-
40.00	8	4	2	1	1	-	23	-	2
45.00	10	7	1	-	1	1	8	-	3
46.00	6	5	1	-	-	-	4	-	1
47.00	17	13	4	-	-	-	14	2	5
52.00	28	19	6	1	-	2	38	8	8
52.07	-	-	-	-	-	-	1	-	-
55.00	12	11	1	-	-	-	10	2	1
56.00	17	14	2	-	-	1	25	5	2
57.00	21	13	7	-	-	1	17	7	6
61.00	10	5	4	1	-	-	8	2	2
64.00	3	3	-	-	-	-	4	-	-
68.00	42	29	6	-	3	4	26	6	7
77.00	22	10	4	-	7	1	18	3	3
81.00	1	-	-	-	-	1	-	-	1
	200	135	38	3	13	11	199	37	41
RIVERSIDE									
11.00	22	2	8	5	2	5	19	1	-
11.08	-	-	-	-	-	-	-	1	-
14.00	3	1	1	-	-	1	8	-	1
14.05	-	-	-	-	-	-	1	-	-
14.07	5	1	-	2	-	2	1	-	-
18.00	5	1	2	-	2	-	4	-	-
23.10	9	5	1	-	1	2	9	2	1
23.20	13	6	5	1	1	-	10	-	1
31.10	27	2	14	3	3	5	33	6	2
31.20	7	2	2	1	-	2	7	1	-
32.10	19	3	9	2	2	3	12	1	2
32.14	2	1	-	-	1	-	-	-	-
32.15	2	-	1	-	1	-	3	-	-
32.16	5	3	-	-	-	2	5	-	1
32.20	7	3	2	-	-	2	8	-	1
34.00	24	9	7	4	1	3	26	4	6
35.00	20	8	6	2	2	2	23	5	5
	170	47	58	20	16	29	169	21	20

† Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

MANHATTAN - Part D

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
Health Area									
WASHINGTON HEIGHTS									
1.10	5	4	-	-	1	-	1	-	-
1.20	4	3	1	-	-	-	8	-	-
2.10	9	7	2	-	-	-	9	1	-
2.21	1	1	-	-	-	-	7	-	1
2.22	5	4	-	-	-	1	2	-	1
3.00	3	2	-	-	-	1	6	-	2
4.00	9	4	2	1	1	1	19	2	-
5.00	12	1	9	-	1	1	13	2	1
6.10	9	3	5	-	-	1	13	2	2
6.20	19	2	13	2	1	1	16	2	1
7.10	8	-	8	-	-	-	10	-	2
7.17	-	-	-	-	-	-	-	-	1
7.20	20	-	20	-	-	-	19	3	5
9.00	16	5	5	2	3	1	16	6	3
	120	36	65	5	7	7	139	18	19
MANHATTAN									
Total	1333	498	571	78	61	125	1,395	185*	177

† Ethnic group not stated

* Total includes 1 TB Death in an institution which is not allocated in the Health Area Breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BRONX - Part A

Health Center Districts	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
FORDHAM-RIVERDALE									
1.00	4	-	-	-	-	4	4	-	-
2.00	4	2	-	1	-	1	4	1	1
3.10	4	4	-	-	-	-	4	2	1
3.20	1	1	-	-	-	-	6	1	1
4.10	2	1	-	-	1	-	8	2	-
4.20	3	2	-	-	-	1	8	2	-
9.00	5	2	-	-	-	3	4	-	1
10.00	8	1	5	-	-	2	7	-	2
11.00	7	5	2	-	-	-	5	-	-
	38	18	7	1	1	11	50	8	6
MORRISANIA									
21.10	8	-	6	-	-	2	11	-	-
21.20	12	3	5	3	-	1	11	-	1
25.00	9	1	7	1	-	-	13	3	1
26.00	18	-	13	5	-	-	29	2	2
26.04	-	-	-	-	-	-	2	2	-
26.06	-	-	-	-	-	-	1	-	-
27.00	16	1	12	2	-	1	21	2	3
28.00	17	2	9	6	-	-	22	2	2
29.00	13	2	7	3	-	1	24	-	1
33.10	11	5	-	5	-	1	5	3	2
33.19	1	-	-	-	-	1	1	-	-
33.20	6	4	2	-	-	-	11	-	-
34.00	11	3	5	1	-	2	12	-	1
35.00	20	1	16	-	-	3	21	2	3
35.04	-	-	-	-	-	-	1	-	-
35.05	1	-	-	1	-	-	-	-	-
35.09	2	-	2	-	-	-	2	-	-
36.00	17	4	5	6	-	2	21	2	2
	162	26	89	33	-	14	208	18	18

† Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BRONX - Part B

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
MOTT HAVEN									
37.00	14	5	5	1	-	3	26	1	2
38.00	4	-	2	2	-	-	13	1	-
38.09	1	-	-	1	-	-	-	-	-
39.00	11	6	3	1	1	-	12	2	-
39.09	-	-	-	-	-	-	-	-	1
40.00	21	6	9	4	-	2	14	-	3
41.00	18	5	6	6	-	1	12	-	-
41.04	-	-	-	-	-	-	1	-	-
41.06	1	-	1	-	-	-	-	-	1
41.07	2	1	1	-	-	-	1	-	-
42.00	13	2	4	7	-	-	14	2	2
43.00	6	-	3	2	-	1	8	-	-
44.00	11	-	2	6	-	3	16	1	3
45.00	24	4	7	10	1	2	23	4	1
47.00	17	4	5	5	-	3	13	1	2
48.00	-	-	-	-	-	-	1	-	-
	143	33	48	45	2	15	154	12	15
PELHAM BAY									
5.10	4	4	-	-	-	-	1	1	-
5.20	4	1	1	-	-	2	5	1	2
6.10	2	1	-	-	-	1	6	1	-
6.20	5	1	3	-	-	1	15	1	-
7.10	1	-	-	-	-	1	1	1	-
7.19	5	1	3	-	-	1	3	-	1
7.20	-	-	-	-	-	-	1	-	-
8.10	8	6	1	-	-	1	6	-	2
8.17	1	-	1	-	-	-	1	-	1
8.18	-	-	-	-	-	-	2	-	-
8.19	1	-	1	-	-	-	-	-	-
8.20	2	2	-	-	-	-	4	-	-
8.28	-	-	-	-	-	-	1	-	-
8.29	-	-	-	-	-	-	1	-	-
	33	16	10	-	-	7	47	5	6

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BRONX - Part C

Health Center District Health Area	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
TREMONT									
15.10	3	1	1	-	-	1	2	1	-
15.20	7	3	1	1	-	2	4	-	2
16.00	11	7	-	1	-	3	11	-	1
17.00	8	3	1	3	-	1	8	-	-
18.00	12	5	2	3	-	2	21	2	-
19.00	12	1	5	4	-	2	15	3	1
19.05	1	-	-	-	1	-	-	-	-
20.00	14	2	6	4	-	2	11	1	2
22.10	6	3	2	-	1	-	8	-	1
22.19	-	-	-	-	-	-	-	-	1
22.20	7	5	2	-	-	-	13	1	1
23.10	8	3	2	-	-	3	4	1	-
23.20	1	-	-	-	-	1	2	-	-
24.00	11	1	5	2	-	3	14	-	2
	101	34	27	18	2	20	113	9	11
WESTCHESTER									
12.10	5	4	1	-	-	-	4	1	2
12.20	5	4	-	-	-	1	5	1	-
13.10	1	-	1	-	-	-	4	1	1
13.19	4	1	-	-	-	3	6	-	3
13.20	-	-	-	-	-	-	4	-	-
14.10	1	1	-	-	-	-	2	1	1
14.20	3	1	-	-	-	2	6	1	1
30.10	8	4	-	4	-	-	8	1	-
30.19	2	-	2	-	-	-	2	-	-
30.20	9	4	1	2	-	2	13	1	-
30.27	7	1	2	1	-	3	3	-	-
30.30	5	2	1	-	-	2	2	-	1
30.37	1	1	-	-	-	-	-	-	-
31.00	-	-	-	-	-	-	6	1	-
31.05	1	-	1	-	-	-	-	-	-
32.10	5	4	-	-	-	1	3	-	1
32.20	6	5	-	-	-	1	5	-	1
32.29	1	-	1	-	-	-	1	-	1
	64	32	10	7	-	15	74	8	12
BRONX									
Total	541	159	191	104	5	82	646	61*	70**

†Ethnic group not stated.

*Total includes 1 TB death in an institution which is not allocated in the health area breakdowns.

**Total includes 2 TB deaths in institutions which are not allocated in the health area breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BROOKLYN - Part A

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
BAY RIDGE									
76.00	1	1	-	-	-	-	3	3	1
77.00	3	3	-	-	-	-	3	2	1
78.10	7	7	-	-	-	-	8	1	-
78.20	2	2	-	-	-	-	1	-	-
79.10	3	2	-	-	-	1	6	2	1
79.20	2	1	-	-	-	1	2	-	1
80.10	5	4	-	1	-	-	4	1	-
80.20	2	2	-	-	-	-	8	1	-
81.10	2	2	-	-	-	-	3	-	-
81.20	1	1	-	-	-	-	1	-	1
82.00	2	2	-	-	-	-	6	1	1
83.00	4	3	-	-	1	-	2	-	-
84.00	3	3	-	-	-	-	6	1	-
92.00	-	-	-	-	-	-	1	-	-
	37	33	-	1	1	2	54	12	6
BEDFORD									
20.00	30	2	27	-	-	1	30	5	4
21.00	22	-	21	1	-	-	14	8	3
28.00	42	1	41	-	-	-	43	5	9
29.00	35	-	31	4	-	-	38	3	2
30.00	34	1	33	-	-	-	28	4	5
30.05	2	-	2	-	-	-	-	-	-
36.00	18	-	17	1	-	-	21	2	4
48.00	13	4	6	1	-	2	14	-	-
49.00	18	2	14	1	-	1	20	3	2
49.09	-	-	-	-	-	-	1	1	-
50.10	13	1	12	-	-	-	12	1	3
50.20	30	2	27	1	-	-	44	7	4
52.00	17	-	17	-	-	-	33	3	2
52.09	1	-	1	-	-	-	2	1	1
	275	13	249	9	-	4	304	43	39

† Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BROOKLYN - Part B

Health Center District Health Area	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
BROWNSVILLE									
56.00	16	3	10	1	-	2	17	2	1
57.00	9	3	3	3	-	-	13	1	1
57.05	1	-	1	-	-	-	1	-	1
58.10	5	5	-	-	-	-	4	-	-
58.20	10	4	2	2	1	1	10	-	2
59.00	2	-	1	1	-	-	13	-	-
59.06	1	-	1	-	-	-	3	1	-
59.07	9	1	7	-	-	1	6	1	-
59.09	4	-	3	1	-	-	2	-	-
60.00	14	-	10	-	-	4	14	3	4
61.00	18	-	11	6	-	1	20	2	3
62.00	22	7	8	2	1	4	12	1	1
63.00	15	1	5	3	1	5	12	1	1
64.10	4	3	1	-	-	-	2	-	-
64.15	-	-	-	-	-	-	2	1	-
64.16	2	-	1	-	-	1	-	-	-
64.20	14	4	6	1	1	2	3	-	2
64.27	1	-	1	-	-	-	1	-	-
75.10	2	-	-	-	-	2	1	-	1
75.20	9	4	4	-	-	1	8	-	-
75.25	-	-	-	-	-	-	1	-	-
75.28	3	1	1	-	-	1	2	2	1
	161	36	76	20	4	25	147	15	18
BUSHWICK									
17.00	15	2	4	5	2	2	7	3	2
17.05	1	-	1	-	-	-	2	-	-
17.07	2	-	1	1	-	-	-	-	-
22.00	7	2	-	3	-	2	4	1	-
31.00	27	1	22	1	-	3	21	4	3
32.00	6	2	2	1	-	1	11	2	2
33.00	10	5	1	4	-	-	10	2	4
34.00	19	4	9	5	-	1	16	1	4
35.00	18	3	9	5	-	1	16	3	3
37.00	17	3	13	-	-	1	8	3	-
38.00	7	2	4	1	-	-	4	-	3
39.00	2	2	-	-	-	-	6	3	-
	131	26	66	26	2	11	105	22	21

Ethnic group not stated.

TUBERCULOSIS
By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BROOKLYN - Part C

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
FLATBUSH									
53.10	4	3	-	-	-	1	3	1	2
53.20	10	3	2	-	-	5	6	1	3
54.00	11	4	4	-	-	3	11	-	2
55.10	7	4	1	-	-	2	4	-	1
55.20	2	-	2	-	-	-	3	2	-
70.00	2	1	-	-	-	1	3	-	1
71.10	2	1	-	-	1	-	2	-	-
71.20	3	2	-	-	-	1	2	-	1
72.10	12	7	1	-	-	4	10	2	1
72.20	3	3	-	-	-	-	4	-	-
73.10	5	5	-	-	-	-	3	1	-
73.20	1	1	-	-	-	-	4	-	1
74.10	8	6	1	-	-	1	8	-	3
74.20	4	3	-	-	-	1	2	-	-
88.10	7	5	1	-	-	1	4	1	2
88.21	6	5	-	-	-	1	3	1	-
88.22	9	3	1	-	-	5	8	1	-
	96	56	13	-	1	26	80	10	17
FORT GREENE									
10.00	1	-	-	1	-	-	-	-	1
10.08	2	-	2	-	-	-	4	-	-
10.09	2	-	2	-	-	-	-	-	-
11.00	1	1	-	-	-	-	5	-	1
11.05	-	-	-	-	-	-	1	-	-
11.08	-	-	-	-	-	-	1	-	-
11.09	13	3	10	-	-	-	5	2	1
12.00	24	4	19	1	-	-	18	2	4
13.00	27	1	24	-	1	1	38	5	9
13.07	3	-	3	-	-	-	1	1	-
14.00	10	2	5	3	-	-	13	2	-
14.09	1	-	1	-	-	-	5	-	1
18.00	11	1	9	1	-	-	12	2	2
19.00	17	4	8	4	1	-	10	-	4
27.10	23	7	13	2	-	1	19	2	2
27.20	4	1	3	-	-	-	6	1	-
45.00	12	7	5	-	-	-	13	3	2
93.00	1	-	1	-	-	-	-	-	-
	152	31	105	12	2	2	151	20	27

† Ethnic group not stated.

TUBERCULOSIS
By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BROOKLYN - Part D

Health Center District Health Area	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
GRAVESEND									
85.10	-	-	-	-	-	-	3	-	-
85.21	3	2	1	-	-	-	2	-	-
85.22	4	4	-	-	-	-	1	1	-
86.10	7	5	-	-	-	2	3	1	-
86.20	8	7	-	-	-	1	4	-	3
86.25	3	2	-	-	-	1	2	-	-
87.10	7	4	-	-	-	3	5	1	-
87.21	3	3	-	-	-	-	6	-	3
87.22	1	-	-	-	-	1	4	1	-
89.00	2	2	-	-	-	-	-	-	-
90.10	13	5	3	3	1	1	9	4	-
90.17	2	-	2	-	-	-	-	-	-
90.20	11	6	3	1	-	1	8	1	1
90.26	-	-	-	-	-	-	-	1	-
91.10	4	4	-	-	-	-	1	-	-
91.20	4	3	-	-	-	1	1	-	-
	72	47	9	4	1	11	49	10	7
RED HOOK-GOWANUS									
23.00	5	3	-	1	1	-	12	6	1
24.00	14	3	2	6	2	1	16	4	2
25.00	3	2	-	1	-	-	4	2	3
26.00	24	5	11	6	1	1	23	6	9
40.00	5	1	-	3	1	-	10	-	2
41.00	19	4	5	8	2	-	7	-	3
41.09	-	-	-	-	-	-	1	1	-
42.00	5	5	-	-	-	-	10	2	2
43.00	8	5	1	2	-	-	5	3	2
	83	28	19	27	7	2	88	24	24

+Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

BROOKLYN - Part E

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths With-in City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (+)		1966	1967
Health Area									
SUNSET PARK									
44.00	5	3	-	2	-	-	5	-	2
46.00	14	9	-	1	-	4	11	2	3
47.00	9	6	-	1	-	2	3	1	1
65.00	17	9	-	4	-	4	21	3	2
66.00	12	10	-	-	2	-	7	3	2
67.00	11	10	-	-	-	1	4	3	2
68.00	3	2	-	-	-	1	3	1	1
69.00	2	2	-	-	-	-	6	-	-
	73	51	-	8	2	12	60	13	13
WILLIAMSBURG-GREENPOINT									
1.00	6	5	-	-	-	1	8	-	2
2.00	4	4	-	-	-	-	2	1	-
3.00	1	1	-	-	-	-	6	3	-
4.00	6	3	-	3	-	-	5	1	3
5.00	12	7	1	3	-	1	18	1	1
6.00	18	4	4	10	-	-	24	4	1
7.00	10	5	-	5	-	-	4	-	-
8.00	9	3	2	4	-	-	5	1	1
8.09	1	1	-	-	-	-	-	-	2
9.00	7	3	1	3	-	-	6	3	-
9.09	-	-	-	-	-	-	-	1	-
15.00	26	6	9	11	-	-	15	-	3
15.05	-	-	-	-	-	-	1	-	1
	100	42	17	39	-	2	94	15	14
BROOKLYN Total ..	1180	363	554	146	20	97	1132	185*	186

†Ethnic group not stated.

*Total includes 1 TB death in an institution which is not allocated in the health area breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
 New York City, 1966-1967
 QUEENS - Part A

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
ASTORIA-LONG ISLAND CITY									
1.10	-	-	-	-	-	-	2	-	1
1.20	4	3	-	-	-	1	2	-	1
3.00	7	5	-	-	1	1	9	1	-
3.09	1	-	1	-	-	-	1	-	-
4.00	6	6	-	-	-	-	14	2	-
5.10	8	6	-	-	-	2	6	-	-
5.20	3	2	-	-	-	1	3	-	2
5.25	1	-	1	-	-	-	-	-	-
7.10	7	6	-	-	-	1	2	-	1
7.15	-	-	-	-	-	-	2	-	-
7.20	4	3	1	-	-	-	1	-	-
7.29	2	1	1	-	-	-	3	1	-
8.00	11	9	-	-	-	2	5	2	-
9.10	4	3	-	1	-	-	8	-	-
9.20	2	2	-	-	-	-	5	1	-
	60	46	4	1	1	8	63	7	5
CORONA									
6.10	13	-	9	-	-	4	14	2	2
6.20	3	3	-	-	-	-	7	1	-
10.11	6	4	-	-	-	2	5	-	-
10.12	2	1	-	-	-	1	3	1	-
10.21	2	1	-	-	-	1	7	-	-
10.22	10	5	-	-	-	5	4	1	2
11.00	8	1	5	-	1	1	13	4	1
14.10	2	-	-	-	-	2	4	1	-
14.20	10	4	-	2	1	3	12	2	-
15.00	6	4	-	-	-	2	6	-	-
	62	23	14	2	2	21	75	12	5

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

QUEENS - Part B

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
FLUSHING									
2.10	3	3	-	-	-	-	2	1	2
2.21	1	-	-	-	-	1	-	-	-
2.22	5	4	1	-	-	-	3	-	-
12.00	10	6	1	-	1	2	12	1	2
12.05	1	-	1	-	-	-	-	-	-
13.10	3	2	-	-	-	1	11	1	2
13.20	7	7	-	-	-	-	6	-	1
20.11	5	4	-	-	-	1	4	1	-
20.12	3	2	-	-	-	1	3	1	-
20.21	2	2	-	-	-	-	3	1	-
20.22	8	6	2	-	-	-	11	-	-
20.25	1	1	-	-	-	-	-	-	1
21.10	4	1	2	-	-	1	6	1	1
21.21	3	1	-	-	-	2	2	-	-
21.22	3	2	-	-	-	1	4	-	-
21.30	1	-	-	-	1	-	1	-	-
21.40	3	1	-	-	-	2	1	-	-
21.50	2	1	-	-	-	1	2	-	1
21.60	4	4	-	-	-	-	5	-	-
21.70	1	1	-	-	-	-	1	-	1
	70	48	7	-	2	13	77	7	11
JAMAICA EAST									
28.10	9	7	-	-	-	2	4	-	-
28.20	7	2	2	-	2	1	5	-	-
29.10	5	4	-	-	-	1	4	-	-
29.20	2	-	2	-	-	-	1	-	2
33.00	22	3	17	1	-	1	16	1	2
34.00	27	2	23	-	-	2	30	5	2
34.08	-	-	-	-	-	-	2	-	1
35.10	18	2	14	-	-	2	10	3	2
35.20	12	-	10	-	-	2	10	4	-
35.31	4	4	-	-	-	-	5	2	-
35.32	16	1	14	-	-	1	21	2	-
36.20	5	4	1	-	-	-	2	1	2
	127	29	83	1	2	12	110	18	11

†Ethnic group not stated.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

QUEENS - Part C

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
JAMAICA WEST									
25.00	5	5	-	-	-	-	9	3	1
26.00	2	2	-	-	-	-	10	1	2
27.10	4	4	-	-	-	-	6	1	3
27.20	4	3	-	-	-	1	3	1	-
30.00	4	2	-	-	-	2	7	1	1
31.00	8	4	1	1	-	2	5	-	-
32.10	4	2	1	-	-	1	4	-	1
32.20	6	1	5	-	-	-	8	-	1
36.11	12	10	1	-	-	1	7	3	3
36.12	6	3	3	-	-	-	4	2	-
37.00	5	1	2	-	-	2	5	2	-
37.05	-	-	-	-	-	-	2	1	-
38.00	17	5	11	1	-	-	11	2	3
38.05	1	-	1	-	-	-	-	-	-
38.08	1	-	1	-	-	-	1	-	-
	79	42	26	2	-	9	82	17	15
MASPETH-FOREST HILLS									
16.00	3	3	-	-	-	-	3	-	-
17.00	3	2	-	-	-	1	10	-	-
18.10	4	4	-	-	-	-	1	-	1
18.21	3	3	-	-	-	-	4	1	1
18.22	3	3	-	-	-	-	1	-	1
19.10	4	2	-	-	-	2	5	-	-
19.20	5	4	-	-	1	-	1	1	-
19.30	2	1	-	-	-	1	4	-	1
19.40	2	1	-	-	-	1	5	1	-
22.00	1	1	-	-	-	-	1	-	1
23.00	5	5	-	-	-	-	-	1	2
24.00	3	3	-	-	-	-	1	1	-
	38	32	-	-	1	5	36	5	7
QUEENS									
Total ...	436	220	134	6	8	68	443	67*	54

†Ethnic group not stated.

*Total includes 1 TB death in an institution which is not allocated in the health area breakdowns.

TUBERCULOSIS

By Ethnic Groups, Health Center Districts and Health Areas
New York City, 1966-1967

RICHMOND

Health Center District	New Cases of Tuberculosis Reported in 1967						New Cases Reported in 1966	Resident Tuberculosis Deaths Within City	
	All Ethnic Groups	White	Negro	Puerto Rican	Other	N.S. (†)		1966	1967
RICHMOND									
1.00	2	1	-	-	-	1	2	-	-
1.05	2	2	-	-	-	-	2	-	-
2.00	3	2	1	-	-	-	6	1	2
3.00	5	1	2	-	1	1	5	-	-
4.00	5	2	1	-	2	-	5	2	-
5.00	2	1	-	-	-	1	4	-	1
5.05	-	-	-	-	-	-	1	1	-
6.00	15	11	1	-	-	3	5	1	-
6.05	-	-	-	-	-	-	-	-	1
7.00	4	4	-	-	-	-	2	2	-
8.00	5	3	-	-	-	2	7	-	2
9.10	5	2	-	-	-	3	2	-	-
9.15	-	-	-	-	-	-	1	-	-
9.20	4	3	-	-	-	1	5	-	-
RICHMOND									
Total	52	32	5	-	3	12	47	7	8*
NEW YORK CITY									
Total	3542	1272	1455	334	97	384	3663	505	495

†Ethnic group not stated.

*Total include 2 TB deaths in institutions which are not allocated in the Health Area Breakdowns.

Note: Resident deaths include only those of residents occurring within New York City.