

**Appendix G**  
**Noise Project Development Sites Attenuation Requirements**

Projected Development Site Number	Block	Lots	Governing Receptor Site	CEQR Attenuation Requirement	HUD Attenuation Requirement
1	1754	33,40	1	39	
2	1769	3	6	38	
3	1623	33,34	7	44	
4	1775	3,6,165,168,71 <sup>1</sup>	2 (west), 3 (north and south), 10 (east)	37 (west) NA (north and south) 28 (east)	33 (west) 25 (north, east and south)
5	1751	40,137,33,34 <sup>1</sup> ,37,132,35,38,36	4	41	37
6	1746	33	6	38	
7	1745	134	6	38	
8	1750	40	4	41	
9	1774	68	4	41	
10	1773	1,69,67,72 <sup>1</sup> ,4 <sup>1</sup>	5	39	35
11	1772	33,34,35,37,38,39,134,140	13	33	
12	1770	36	13	33	
13	1786	4,47	13	33	
14	1767	33	13	33	
15	1636	40,138,38,39, 37, 139	13	33	
16	1643	35,37,137,33	13	33	
17	1660	3,4,45,1	14	33	
18	1635	33,35,36,37,38,39,40	14	33	
19	1634	34,35,36,37,38,33	15	33	
20	1654	3,4,45	15	33	
21	1632	37,40,35	15	33	
22	1771	33,36	13	33	
23	1643	56	11	33	
24	1768	71,169,69,70,170	6	38	
25	1622	36,35	7	44	
26	1655	29, 24	15	33	
27 <sup>1</sup>	1785	1,104	13		30
28	1643	71	7	44	
29	1659	1	14	33	
30	1756	33	1	39	
31	1622	33	7	44	
32	1768	40,39	13	33	
33	1655	1,3,102	15	33	
35	1676	49	15	33	
36	1772	55	10	28	
37	1771	51	10	28	
38	1643	50,149,49	11	33	
39	1643	21	11	33	
40	1639	49,48	12	31	
41	1639	21	12	31	
42	1638	56	12	31	

43	1637	51,52,21,22	12	31	
44	1637	24,25	12	31	
45	1635	149,150	12	31	
46	1635	48,49	12	31	
47	1634	158	12	31	
48	1643	63	11	33	
49	1643	41	11	33	
50	1667	102	13	33	
51	1666	105,5	17	31	
52	1788	28	16	33	
53	1786	28	16	33	
54	1786	123,23,22,121	16	33	
55	1785	23,22,21	16	33	
56	1784	128,28,27,26,25,120	16	33	
57	1795	3,2,1	16	33	
58	1667	26	17	31	
59	1667	22,120	17	31	
60	1689	1	17	31	
61	1666	23	17	31	
62	1688	2,1	17	31	
63	1665	25,24,23,122	17	31	
64	1687	3,102	17	31	
65	1682	49	18	31	
66	1682	4,3	18	31	
67	1680	3	18	31	
68	1644	12	11	33	
69 <sup>1</sup>	1771	1,2	5		35

<sup>1</sup> The requirement for façade attenuation as well as the requirement for an alternate means of ventilation will be required through disposition agreements or similar binding mechanisms between the City of New York and the future developer.

Potential Development Site Number	Block	Lots	Governing Receptor Site	CEQR Attenuation Requirement	HUD Attenuation Requirement
A	1753	37	1	39	
B	1772	69,70	5	39	
C <sup>1</sup>	1767	1,2,3,4,67,68,69,71,72,168,169	6		34
D	1621	32	7	44	
E	1644	37,38,39	13	33	
F	1661	4	14	33	
G	1645	35,33	14	33	
H	1633	39,38	15	33	
I	1643	38,40,39	13	33	
J	1639	39,40,41,38,137	14	33	
K	1620	23	8		NA
L	1640	1	8		NA
M	1640	21	11		NA
N	1662	1	17		NA
O	1755	33	1	39	
P	1784	45,4,47,48	13	33	
Q	1748	p/o 35	5	39	
R	1748	p/o 1	5	39	
S	1667	45	13	33	
T <sup>1</sup>	1771	70,69,71	5	39	35
U	1655	45	15	33	
V	1775	170	2	37	
X	1786	24,26	16	33	
Y	1796	2	16	33	
Z	1689	51	17	31	
AA	1683	50	18	31	
AB	1635	51,52	12	31	
AC	1633	52	12	31	
AD	1632	20	12	31	
AE	1643	48,47	11	33	
AF	1662	16	18		NA
AG	1684	1	18		NA
AH	1638	33	14	33	
AI	1788	4, 48, 49, 50	13	33	

<sup>1</sup> The requirement for façade attenuation as well as the requirement for an alternate means of ventilation will be required through disposition agreements or similar binding mechanisms between the City of New York and the future developer.

<sup>2</sup> "NA" indicates that these Potential Development Sites would only be developed as commercial uses. HUD attenuation requirements do not apply to commercial uses.